## Xinsheng Nan

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2809433/publications.pdf

Version: 2024-02-01

361296 642610 7,710 23 20 23 h-index citations g-index papers 25 25 25 6470 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Transcriptional repression by the methyl-CpG-binding protein MeCP2 involves a histone deacetylase complex. Nature, 1998, 393, 386-389.	13.7	3,102
2	MeCP2 Is a Transcriptional Repressor with Abundant Binding Sites in Genomic Chromatin. Cell, 1997, 88, 471-481.	13.5	1,165
3	The Methyl-CpG-binding Protein MeCP2 Links DNA Methylation to Histone Methylation. Journal of Biological Chemistry, 2003, 278, 4035-4040.	1.6	855
4	Dissection of the methyl-CpG binding domain from the chromosomal protein MeCP2. Nucleic Acids Research, 1993, 21, 4886-4892.	6.5	561
5	Purification of CpG islands using a methylated DNA binding column. Nature Genetics, 1994, 6, 236-244.	9.4	433
6	DNA Methylation Specifies Chromosomal Localization of MeCP2. Molecular and Cellular Biology, 1996, 16, 414-421.	1.1	325
7	Interaction between chromatin proteins MECP2 and ATRX is disrupted by mutations that cause inherited mental retardation. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 2709-2714.	3.3	231
8	A component of the transcriptional represser MeCP1 shares a motif with DNA methyltransferase and HRX proteins. Nature Genetics, 1997, 16, 256-259.	9.4	222
9	The solution structure of the domain from MeCP2 that binds to methylated DNA. Journal of Molecular Biology, 1999, 291, 1055-1065.	2.0	190
10	HIV-1 Tat protein transduction domain peptide facilitates gene transfer in combination with cationic liposomes. Journal of Controlled Release, 2004, 99, 435-444.	4.8	107
11	Gene Silencing by Methyl PGâ€Binding Proteins. Novartis Foundation Symposium, 1998, 214, 6-21.	1.2	84
12	Transcriptional repression by methylation of CpG. Journal of Cell Science, 1992, 1992, 9-14.	1.2	78
13	Regulation of MBD1-mediated transcriptional repression by SUMO and PIAS proteins. EMBO Journal, 2006, 25, 5317-5328.	3.5	53
14	The biological functions of the methyl-CpG-binding protein MeCP2 and its implication in Rett syndrome. Brain and Development, 2001, 23, S32-S37.	0.6	51
15	Studies of DNA methylation in animals. Journal of Cell Science, 1995, 1995, 37-39.	1.2	50
16	Doublesex and mab-3â€"related transcription factor 5 promotes midbrain dopaminergic identity in pluripotent stem cells by enforcing a ventral-medial progenitor fate. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 9131-9136.	3.3	35
17	DMRT5, DMRT3, and EMX2 Cooperatively Repress <i>Gsx2</i> at the Pallium–Subpallium Boundary to Maintain Cortical Identity in Dorsal Telencephalic Progenitors. Journal of Neuroscience, 2018, 38, 9105-9121.	1.7	34
18	The doublesex-related Dmrta2 safeguards neural progenitor maintenance involving transcriptional regulation of Hes1. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E5599-E5607.	3.3	33

#	Article	IF	CITATIONS
19	DMRT5 Together with DMRT3 Directly Controls Hippocampus Development and Neocortical Area Map Formation. Cerebral Cortex, 2018, 28, 493-509.	1.6	32
20	Testing for association between MeCP2 and the brahma-associated SWI/SNF chromatin-remodeling complex. Nature Genetics, 2006, 38, 962-964.	9.4	28
21	Potent stimulation of gene expression by histone deacetylase inhibitors on transiently transfected DNA. Biochemical and Biophysical Research Communications, 2004, 324, 348-354.	1.0	17
22	FolR1: a novel cell surface marker for isolating midbrain dopamine neural progenitors and nascent dopamine neurons. Scientific Reports, 2016, 6, 32488.	1.6	16
23	The placenta protects the fetal circulation from anxiety-driven elevations in maternal serum levels of brain-derived neurotrophic factor. Translational Psychiatry, 2021, 11, 62.	2.4	8