List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2809894/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prognostic Association of Depression Following Myocardial Infarction With Mortality and Cardiovascular Events: A Meta-analysis. Psychosomatic Medicine, 2004, 66, 814-822.	1.3	863
2	Anxiety and Risk of Incident Coronary Heart Disease. Journal of the American College of Cardiology, 2010, 56, 38-46.	1.2	709
3	Depressive Symptoms, Health Behaviors, and Risk of Cardiovascular Events in Patients With Coronary Heart Disease. JAMA - Journal of the American Medical Association, 2008, 300, 2379.	3.8	694
4	Evidence for a differential role of HPA-axis function, inflammation and metabolic syndrome in melancholic versus atypical depression. Molecular Psychiatry, 2013, 18, 692-699.	4.1	551
5	Prognostic association of depression following myocardial infarction with mortality and cardiovascular events: a meta-analysis of 25 years of research. General Hospital Psychiatry, 2011, 33, 203-216.	1.2	415
6	Depression Screening and Patient Outcomes in Cardiovascular Care. JAMA - Journal of the American Medical Association, 2008, 300, 2161.	3.8	409
7	Psychotic Experiences in the General Population. JAMA Psychiatry, 2015, 72, 697.	6.0	387
8	Presence of individual (residual) symptoms during depressive episodes and periods of remission: a 3-year prospective study. Psychological Medicine, 2011, 41, 1165-1174.	2.7	374
9	Exploring Comorbidity Within Mental Disorders Among a Danish National Population. JAMA Psychiatry, 2019, 76, 259.	6.0	374
10	Association of Mental Disorders With Subsequent Chronic Physical Conditions. JAMA Psychiatry, 2016, 73, 150.	6.0	372
11	Anxiety disorders and inflammation in a large adult cohort. Translational Psychiatry, 2013, 3, e249-e249.	2.4	346
12	Emotional valence modulates brain functional abnormalities in depression: Evidence from a meta-analysis of fMRI studies. Neuroscience and Biobehavioral Reviews, 2013, 37, 152-163.	2.9	341
13	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. Depression and Anxiety, 2018, 35, 195-208.	2.0	318
14	Prognostic Association of Anxiety Post Myocardial Infarction With Mortality and New Cardiac Events: A Meta-Analysis. Psychosomatic Medicine, 2010, 72, 563-569.	1.3	312
15	Effects of antidepressant treatment following myocardial infarction. British Journal of Psychiatry, 2007, 190, 460-466.	1.7	297
16	Cross-sectional Comparison of the Epidemiology of <i>DSM-5</i> Generalized Anxiety Disorder Across the Globe. JAMA Psychiatry, 2017, 74, 465.	6.0	274
17	Association of depressive disorders, depression characteristics and antidepressant medication with inflammation. Translational Psychiatry, 2012, 2, e79-e79.	2.4	260
18	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. BMC Medicine, 2017, 15, 143.	2.3	258

#	Article	IF	CITATIONS
19	Association between Mental Disorders and Subsequent Medical Conditions. New England Journal of Medicine, 2020, 382, 1721-1731.	13.9	258
20	Data-driven subtypes of major depressive disorder: a systematic review. BMC Medicine, 2012, 10, 156.	2.3	229
21	Symptom Dimensions of Depression Following Myocardial Infarction and Their Relationship With Somatic Health Status and Cardiovascular Prognosis. American Journal of Psychiatry, 2006, 163, 138-144.	4.0	225
22	Identifying Depressive Subtypes in a Large Cohort Study. Journal of Clinical Psychiatry, 2010, 71, 1582-1589.	1.1	225
23	Differential association of somatic and cognitive symptoms of depression and anxiety with inflammation: Findings from the Netherlands Study of Depression and Anxiety (NESDA). Psychoneuroendocrinology, 2013, 38, 1573-1585.	1.3	213
24	Gender differences in major depressive disorder: Results from the Netherlands study of depression and anxiety. Journal of Affective Disorders, 2014, 156, 156-163.	2.0	208
25	Scared to Death? Generalized Anxiety Disorder and Cardiovascular Events in Patients With Stable Coronary Heart Disease. Archives of General Psychiatry, 2010, 67, 750.	13.8	197
26	How well can post-traumatic stress disorder be predicted from pre-trauma risk factors? An exploratory study in the WHO World Mental Health Surveys. World Psychiatry, 2014, 13, 265-274.	4.8	194
27	Differential Association of Cognitive and Somatic Depressive Symptoms With Heart Rate Variability in Patients With Stable Coronary Heart Disease: Findings From the Heart and Soul Study. Psychosomatic Medicine, 2007, 69, 735-739.	1.3	185
28	Rethinking recommendations for screening for depression in primary care. Cmaj, 2012, 184, 413-418.	0.9	184
29	"INTERMEDâ€ŧ a method to assess health service needs. General Hospital Psychiatry, 1999, 21, 39-48.	1.2	179
30	Epidemiology of anxiety disorders: from surveys to nosology and back. Dialogues in Clinical Neuroscience, 2017, 19, 127-136.	1.8	177
31	Adjusted prognostic association of depression following myocardial infarction with mortality and cardiovascular events: individual patient data meta-analysis. British Journal of Psychiatry, 2013, 203, 90-102.	1.7	166
32	Depressive Symptoms, Health Behaviors, and Subsequent Inflammation in Patients With Coronary Heart Disease: Prospective Findings From the Heart and Soul Study. American Journal of Psychiatry, 2011, 168, 913-920.	4.0	165
33	Depressive Disorder and Incident Diabetes Mellitus: The Effect of Characteristics of Depression. American Journal of Psychiatry, 2010, 167, 580-588.	4.0	162
34	DSM-5 AND ICD-11 DEFINITIONS OF POSTTRAUMATIC STRESS DISORDER: INVESTIGATING "NARROW―AND "BROAD―APPROACHES. Depression and Anxiety, 2014, 31, 494-505.	2.0	161
35	Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. Depression and Anxiety, 2016, 33, 1155-1177.	2.0	144
36	Treatment of Post-Myocardial Infarction Depressive Disorder: A Randomized, Placebo-Controlled Trial With Mirtazapine. Psychosomatic Medicine, 2007, 69, 606-613.	1.3	136

#	Article	IF	CITATIONS
37	Consultation-Liaison psychiatric service delivery: results from a European study. General Hospital Psychiatry, 2001, 23, 124-132.	1.2	133
38	Mental, behavioral and neurodevelopmental disorders in the ICD-11: an international perspective on key changes and controversies. BMC Medicine, 2020, 18, 21.	2.3	132
39	Only Incident Depressive Episodes After Myocardial Infarction Are Associated With New Cardiovascular Events. Journal of the American College of Cardiology, 2006, 48, 2204-2208.	1.2	131
40	Cardiovascular disease in persons with depressive and anxiety disorders. Journal of Affective Disorders, 2010, 125, 241-248.	2.0	131
41	Course of Depressive Symptoms After Myocardial Infarction and Cardiac Prognosis: A Latent Class Analysis. Psychosomatic Medicine, 2006, 68, 662-668.	1.3	122
42	Nonresponse to Treatment for Depression Following Myocardial Infarction: Association With Subsequent Cardiac Events. American Journal of Psychiatry, 2007, 164, 1371-1378.	4.0	121
43	Diabetes, Glycemic Control, and New-Onset Heart Failure in Patients With Stable Coronary Artery Disease. Diabetes Care, 2010, 33, 2084-2089.	4.3	121
44	Myocardial infarction and generalised anxiety disorder: 10-year follow-up. British Journal of Psychiatry, 2012, 200, 324-329.	1.7	120
45	"INTERMEDâ€ı a method to assess health service needs. General Hospital Psychiatry, 1999, 21, 49-56.	1.2	117
46	Mediators of the association between depression and role functioning. Acta Psychiatrica Scandinavica, 2008, 118, 451-458.	2.2	115
47	Effects of screening for psychological distress on patient outcomes in cancer: A systematic review. Journal of Psychosomatic Research, 2013, 75, 1-17.	1.2	111
48	Does Evidence Support the American Heart Association's Recommendation to Screen Patients for Depression in Cardiovascular Care? An Updated Systematic Review. PLoS ONE, 2013, 8, e52654.	1.1	109
49	Inflammatory and Metabolic Dysregulation and the 2-Year Course of Depressive Disorders in Antidepressant Users. Neuropsychopharmacology, 2014, 39, 1624-1634.	2.8	108
50	Associations between mental disorders and subsequent onset of hypertension. General Hospital Psychiatry, 2014, 36, 142-149.	1.2	102
51	Pediatric-Onset and Adult-Onset Separation Anxiety Disorder Across Countries in the World Mental Health Survey. American Journal of Psychiatry, 2015, 172, 647-656.	4.0	100
52	Assessing student reflection in medical practice. The development of an observer-rated instrument: reliability, validity and initial experiences. Medical Education, 2004, 38, 368-377.	1.1	98
53	Depression and Leukocyte Telomere Length in Patients With Coronary Heart Disease. Psychosomatic Medicine, 2011, 73, 541-547.	1.3	97
54	Prevalent and incident depression in community-dwelling elderly persons with diabetes mellitus: results from the ZARADEMP project. Diabetologia, 2006, 49, 2627-2633.	2.9	96

#	Article	IF	CITATIONS
55	Can We Jump from Cross-Sectional to Dynamic Interpretations of Networks Implications for the Network Perspective in Psychiatry. Psychotherapy and Psychosomatics, 2017, 86, 175-177.	4.0	96
56	Symptom dimensions of post-myocardial infarction depression, disease severity and cardiac prognosis. Psychological Medicine, 2010, 40, 807-814.	2.7	94
57	Systematic Review and Individual Patient Data Meta-Analysis of Sex Differences in Depression and Prognosis in Persons With Myocardial Infarction. Psychosomatic Medicine, 2015, 77, 419-428.	1.3	94
58	Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. Schizophrenia Bulletin, 2016, 42, 933-941.	2.3	94
59	Reporting Bias in Clinical Trials Investigating the Efficacy of Second-Generation Antidepressants in the Treatment of Anxiety Disorders. JAMA Psychiatry, 2015, 72, 500.	6.0	92
60	Relationship between left ventricular dysfunction and depression following myocardial infarction: data from the MIND-IT. European Heart Journal, 2005, 26, 2650-2656.	1.0	91
61	Operationalizing Integrated Care on a Clinical Level: the INTERMED Project. Medical Clinics of North America, 2006, 90, 713-758.	1.1	91
62	Differential Associations Between Specific Depressive Symptoms and Cardiovascular Prognosis in Patients With Stable Coronary Heart Disease. Journal of the American College of Cardiology, 2010, 56, 838-844.	1.2	91
63	Case and Care Complexity in the Medically Ill. Medical Clinics of North America, 2006, 90, 679-692.	1.1	89
64	The effect of music therapy compared with general recreational activities in reducing agitation in people with dementia: a randomised controlled trial. International Journal of Geriatric Psychiatry, 2013, 28, 1031-1038.	1.3	88
65	E–Mental Health Self-Management for Psychotic Disorders: State of the Art and Future Perspectives. Psychiatric Services, 2014, 65, 33-49.	1.1	88
66	Comorbidity of common mental disorders with cancer and their treatment gap: findings from the World Mental Health Surveys. Psycho-Oncology, 2014, 23, 40-51.	1.0	87
67	Does tryptophan degradation along the kynurenine pathway mediate the association between pro-inflammatory immune activity and depressive symptoms?. Psychoneuroendocrinology, 2014, 45, 202-210.	1.3	86
68	Operationalizing the Biopsychosocial Model: The INTERMED. Psychosomatics, 2001, 42, 5-13.	2.5	82
69	Revealing Causal Heterogeneity Using Time Series Analysis of Ambulatory Assessments. Psychosomatic Medicine, 2012, 74, 377-386.	1.3	81
70	Medical Inpatients at Risk of Extended Hospital Stay and Poor Discharge Health Status. Psychosomatic Medicine, 2003, 65, 534-541.	1.3	80
71	Chronicity of depressive problems and the cortisol response to psychosocial stress in adolescents: The TRAILS study. Psychoneuroendocrinology, 2013, 38, 659-666.	1.3	80
72	Validation of the Long-term Difficulties Inventory (LDI) and the List of Threatening Experiences (LTE) as measures of stress in epidemiological population-based cohort studies. Psychological Medicine, 2012, 42, 2599-2608.	2.7	79

#	Article	IF	CITATIONS
73	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 279-288.	1.6	79
74	Routine Screening for Depression in Patients With Coronary Heart Disease. Journal of the American College of Cardiology, 2009, 54, 886-890.	1.2	78
75	HowNutsAreTheDutch (HoeGekIsNL): A crowdsourcing study of mental symptoms and strengths. International Journal of Methods in Psychiatric Research, 2016, 25, 123-144.	1.1	78
76	INTERMED—A Clinical Instrument for Biopsychosocial Assessment. Psychosomatics, 2001, 42, 106-109.	2.5	77
77	Psychophysiological biomarkers explaining the association between depression and prognosis in coronary artery patients: A critical review of the literature. Neuroscience and Biobehavioral Reviews, 2010, 35, 84-90.	2.9	77
78	Differential associations between depressive symptoms and glycaemic control in outpatients with diabetes. Diabetic Medicine, 2013, 30, e115-22.	1.2	77
79	COMPRI—An Instrument to Detect Patients With Complex Care Needs: Results From a European Study. Psychosomatics, 2001, 42, 222-228.	2.5	76
80	Family burden related to mental and physical disorders in the world: results from the WHO World Mental Health (WMH) surveys. Revista Brasileira De Psiquiatria, 2013, 35, 115-125.	0.9	76
81	Association Between Chronic Physical Conditions and the Effectiveness of Collaborative Care for Depression. JAMA Psychiatry, 2016, 73, 978.	6.0	76
82	The Reciprocity of Prosocial Behavior and Positive Affect in Daily Life. Journal of Personality, 2018, 86, 139-146.	1.8	76
83	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors. JAMA Psychiatry, 2017, 74, 1136.	6.0	75
84	Association between anxiety but not depressive disorders and leukocyte telomere length after 2 years of follow-up in a population-based sample. Psychological Medicine, 2013, 43, 689-697.	2.7	73
85	Somatic/affective symptoms, but not cognitive/affective symptoms, of depression after acute coronary syndrome are associated with 12-month all-cause mortality. Journal of Affective Disorders, 2011, 131, 158-163.	2.0	72
86	Cortisol and $\hat{l}\pm$ -Amylase Secretion Patterns between and within Depressed and Non-Depressed Individuals. PLoS ONE, 2015, 10, e0131002.	1.1	72
87	INTERMED-An Assessment and Classification System for Case Complexity. Spine, 1999, 24, 378-384.	1.0	71
88	Depression following myocardial infarction: first-ever versus ongoing and recurrent episodes. General Hospital Psychiatry, 2005, 27, 411-417.	1.2	71
89	The association between neuroticism and self-reported common somatic symptoms in a population cohort. Journal of Psychosomatic Research, 2007, 62, 305-311.	1.2	71
90	The role of the brainâ€derived neurotrophic factor (<i>BDNF</i>) <i>val66met</i> variant in the phenotypic expression of obsessiveâ€compulsive disorder (OCD). American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 1050-1062.	1.1	71

#	Article	IF	CITATIONS
91	Recurrent depression and the role of adult attachment: A prospective and a retrospective study. Journal of Affective Disorders, 2009, 116, 93-99.	2.0	70
92	Somatic symptom overlap in Beck Depression Inventory–II scores following myocardial infarction. British Journal of Psychiatry, 2010, 197, 61-65.	1.7	70
93	Bidirectional Prospective Associations Between Physical Activity and Depressive Symptoms. The TRAILS Study. Journal of Adolescent Health, 2012, 50, 503-508.	1.2	69
94	Associations between DSM-IV mental disorders and diabetes mellitus: a role for impulse control disorders and depression. Diabetologia, 2014, 57, 699-709.	2.9	69
95	Detecting mental disorders in general hospitals by the SCL-8 scale. Journal of Psychosomatic Research, 2004, 56, 371-375.	1.2	68
96	Cross-national differences in the prevalence and correlates of burden among older family caregivers in the World Health Organization World Mental Health (WMH) Surveys. Psychological Medicine, 2013, 43, 865-879.	2.7	68
97	Effects of a Multifaceted Psychiatric Intervention Targeted for the Complex Medically III: A Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2008, 77, 247-256.	4.0	67
98	Stability and transitions of depressive subtypes over a 2-year follow-up. Psychological Medicine, 2012, 42, 2083-2093.	2.7	67
99	History of Depression and Survival After Acute Myocardial Infarction. Psychosomatic Medicine, 2009, 71, 253-259.	1.3	66
100	Time to get personal? The impact of researchers choices on the selection of treatment targets using the experience sampling methodology. Journal of Psychosomatic Research, 2020, 137, 110211.	1.2	66
101	Associations between DSM-IV mental disorders and subsequent heart disease onset: Beyond depression. International Journal of Cardiology, 2013, 168, 5293-5299.	0.8	65
102	A Web-Based Tool to Support Shared Decision Making for People With a Psychotic Disorder: Randomized Controlled Trial and Process Evaluation. Journal of Medical Internet Research, 2013, 15, e216.	2.1	65
103	Depression Screening and Patient Outcomes in Cancer: A Systematic Review. PLoS ONE, 2011, 6, e27181.	1.1	64
104	Associations of type-D personality and depression with somatic health in myocardial infarction patients. Journal of Psychosomatic Research, 2007, 63, 477-482.	1.2	63
105	Implementing Psychiatric Interventions on a Medical Ward: Effects on Patients' Quality of Life and Length of Hospital Stay. Psychosomatic Medicine, 2003, 65, 997-1002.	1.3	62
106	Depression and Type D personality represent different forms of distress in the Myocardial INfarction and Depression – Intervention Trial (MIND-IT). Psychological Medicine, 2009, 39, 749-756.	2.7	62
107	Diagnostic heterogeneity in psychiatry: towards an empirical solution. BMC Medicine, 2013, 11, 201.	2.3	61
108	Association of Depressive and Anxiety Disorders With Diagnosed Versus Undiagnosed Diabetes. Psychosomatic Medicine, 2016, 78, 233-241.	1.3	61

#	Article	IF	CITATIONS
109	Nurse-led case management for ambulatory complex patients in general health care: A systematic review. Journal of Psychosomatic Research, 2007, 62, 385-395.	1.2	59
110	Association between mental disorders and subsequent adult onset asthma. Journal of Psychiatric Research, 2014, 59, 179-188.	1.5	58
111	Sleep quality predicts positive and negative affect but not vice versa. An electronic diary study in depressed and healthy individuals. Journal of Affective Disorders, 2017, 207, 260-267.	2.0	58
112	The Combined Effects of Obesity, Abdominal Obesity and Major Depression/Anxiety on Health-Related Quality of Life: the LifeLines Cohort Study. PLoS ONE, 2016, 11, e0148871.	1.1	58
113	MAJOR DEPRESSIVE DISORDER SUBTYPES TO PREDICT LONG-TERM COURSE. Depression and Anxiety, 2014, 31, 765-777.	2.0	56
114	The Impact of Treatments for Depression on the Dynamic Network Structure of Mental States: Two Randomized Controlled Trials. Scientific Reports, 2017, 7, 46523.	1.6	56
115	Enhanced treatment for depression in primary care: long-term outcomes of a psycho-educational prevention program alone and enriched with psychiatric consultation or cognitive behavioral therapy. Psychological Medicine, 2007, 37, 849-862.	2.7	55
116	Molecular cloning of chromosome I DNA from Saccharomyces cerevisiae: localization of a repeated sequence containing an acid phosphatase gene near a telomere of chromosome I and chromosome VIII. Current Genetics, 1989, 16, 131-137.	0.8	53
117	Prediction of the three-year course of recurrent depression in primary care patients: Different risk factors for different outcomes. Journal of Affective Disorders, 2008, 105, 267-271.	2.0	53
118	Beta-Blockers and Depression After Myocardial Infarction. Journal of the American College of Cardiology, 2006, 48, 2209-2214.	1.2	52
119	Unipolar Depression and the Progression of Coronary Artery Disease: Toward an Integrative Model. Psychotherapy and Psychosomatics, 2011, 80, 264-274.	4.0	52
120	Temporal Dynamics of Health and Well-Being: A Crowdsourcing Approach to Momentary Assessments and Automated Generation of Personalized Feedback. Psychosomatic Medicine, 2017, 79, 213-223.	1.3	52
121	Working memory, intelligence and reading ability in children. Personality and Individual Differences, 1996, 21, 1007-1020.	1.6	51
122	Operationalization of Biopsychosocial Case Complexity in General Health Care: The INTERMED Project. Australian and New Zealand Journal of Psychiatry, 2005, 39, 795-799.	1.3	51
123	Predictors of incident major depression in diabetic outpatients with subthreshold depression. Diabetic Medicine, 2010, 27, 1295-1301.	1.2	51
124	Confirmatory factor analysis of the Beck Depression Inventory-II and the association with cardiac morbidity and mortality after coronary revascularization. Journal of Health Psychology, 2011, 16, 584-595.	1.3	51
125	Care Complexity in the General Hospital Results From a European Study. Psychosomatics, 2001, 42, 204-212.	2.5	50
126	Identifiers, or "Red Flags,―of Complexity and Need for Integrated Care. Medical Clinics of North America, 2006, 90, 703-712.	1.1	50

#	Article	IF	CITATIONS
127	The identification of symptom-based subtypes of depression: A nationally representative cohort study. Journal of Affective Disorders, 2016, 190, 395-406.	2.0	50
128	Prevalence of dissociative disorders in psychiatric in-patients: the impact of study characteristics. Acta Psychiatrica Scandinavica, 2000, 102, 423-428.	2.2	49
129	Eicosapentaenoic acid as an add-on to antidepressant medication for co-morbid major depression in patients with diabetes mellitus: A randomized, double-blind placebo-controlled study. Journal of Affective Disorders, 2010, 126, 282-286.	2.0	49
130	Depression treatment after myocardial infarction and long-term risk of subsequent cardiovascular events and mortality: A randomized controlled trial. Journal of Psychosomatic Research, 2013, 74, 25-30.	1.2	49
131	Affective variability in depression: Revisiting the inertia–instability paradox. British Journal of Psychology, 2019, 110, 814-827.	1.2	49
132	An investigation of emotion dynamics in major depressive disorder patients and healthy persons using sparse longitudinal networks. PLoS ONE, 2017, 12, e0178586.	1.1	48
133	Onset and Recurrence of Depression as Predictors of Cardiovascular Prognosis in Depressed Acute Coronary Syndrome Patients: A Systematic Review. Psychotherapy and Psychosomatics, 2011, 80, 227-237.	4.0	47
134	Interrater reliability of the INTERMED in a heterogeneous somatic population. Journal of Psychosomatic Research, 2002, 52, 25-27.	1.2	46
135	Self-reported depressive symptoms, diagnosed clinical depression and cardiac morbidity and mortality after myocardial infarction. International Journal of Cardiology, 2013, 167, 2775-2780.	0.8	46
136	The cross-national structure of mental disorders: results from the World Mental Health Surveys. Psychological Medicine, 2018, 48, 2073-2084.	2.7	46
137	Depressive Symptoms in Elderly Patients After a Somatic Illness Event: Prevalence, Persistence, and Risk Factors. Psychosomatics, 2006, 47, 33-42.	2.5	45
138	Validity of a short clinical interview for psychiatric diagnosis: the mini-SCAN. British Journal of Psychiatry, 2010, 196, 64-68.	1.7	45
139	Type D personality is a predictor of poor emotional quality of life in primary care heart failure patients independent of depressive symptoms and New York Heart Association functional class. Journal of Behavioral Medicine, 2010, 33, 72-80.	1.1	45
140	Anxiety disorders and CRP in a population cohort study with 54,326 participants: The LifeLines study. World Journal of Biological Psychiatry, 2018, 19, 461-470.	1.3	45
141	The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. International Journal of Drug Policy, 2019, 71, 103-112.	1.6	45
142	Ecological Momentary Assessments and Automated Time Series Analysis to Promote Tailored Health Care: A Proof-of-Principle Study. JMIR Research Protocols, 2015, 4, e100.	0.5	45
143	A brief diagnostic screening instrument for mental disturbances in general medical wards. Journal of Psychosomatic Research, 2004, 57, 17-24.	1.2	44
144	Risk Factors for Complex Care Needs in General Medical Inpatients: Results From a European Study. Psychosomatics, 2001, 42, 213-221.	2.5	43

#	Article	IF	CITATIONS
145	Prediction of depressive disorder following myocardial infarction. International Journal of Cardiology, 2006, 109, 88-94.	0.8	43
146	Association of Coexisting Diabetes and Depression With Mortality After Myocardial Infarction. Diabetes Care, 2012, 35, 503-509.	4.3	43
147	Preserving Subjective Wellbeing in the Face of Psychopathology: Buffering Effects of Personal Strengths and Resources. PLoS ONE, 2016, 11, e0150867.	1.1	42
148	Resilience in sports from a dynamical perspective Sport, Exercise, and Performance Psychology, 2018, 7, 333-341.	0.6	42
149	Identification of case complexity and increased health care utilization in patients with rheumatoid arthritis. Arthritis and Rheumatism, 2001, 45, 216-221.	6.7	40
150	A Review on the Putative Association Between Beta-Blockers and Depression. Heart Failure Clinics, 2011, 7, 89-99.	1.0	40
151	Empirical foundations for the diagnosis of somatization: implications for DSM-5. Psychological Medicine, 2011, 41, 1133-1142.	2.7	40
152	Changes in cognitive versus somatic symptoms of depression and event-free survival following acute myocardial infarction in the Enhancing Recovery In Coronary Heart Disease (ENRICHD) study. Journal of Affective Disorders, 2013, 149, 335-341.	2.0	40
153	The bidirectional association between sleep problems and anxiety symptoms in adolescents: a TRAILS report. Sleep Medicine, 2020, 67, 39-46.	0.8	40
154	A simple risk score predicts poor quality of life and non-survival at 1 year follow-up in dialysis patients. Nephrology Dialysis Transplantation, 2003, 18, 2622-2628.	0.4	38
155	Comment on: Knol MJ, Twisk JWR, Beekman ATF, Heine RJ, Snoek FJ, Pouwer F. (2006) Depression as a risk factor for the onset of type 2 diabetes mellitus. A meta-analysis. Diabetologia; 49: 837–845. Diabetologia, 2006, 49, 2797-2798.	2.9	38
156	Major depressive disorder as a nonlinear dynamic system: bimodality in the frequency distribution of depressive symptoms over time. BMC Psychiatry, 2015, 15, 222.	1.1	38
157	Positive Affect and Survival in Patients With Stable Coronary Heart Disease. Journal of Clinical Psychiatry, 2013, 74, 716-722.	1.1	38
158	Sequence of the 3'-terminal 21 nucleotides of yeast 17S ribosomal RNA. Nucleic Acids Research, 1977, 4, 3655-3663.	6.5	37
159	Sequential serotonin and noradrenalin associated processes involved in postpartum blues. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 1320-1325.	2.5	35
160	Supplementation with Eicosapentaenoic Omega-3 Fatty Acid Does Not Influence Serum Brain-Derived Neurotrophic Factor in Diabetes Mellitus Patients with Major Depression: A Randomized Controlled Pilot Study. Neuropsychobiology, 2011, 63, 219-223.	0.9	35
161	Depressive Symptoms in Elderly Patients Predict Poor Adjustment After Somatic Events. American Journal of Geriatric Psychiatry, 2004, 12, 57-64.	0.6	34
162	Psychiatric comorbidity and causal disease models. Preventive Medicine, 2013, 57, 748-752.	1.6	34

#	Article	IF	CITATIONS
163	The presence of a depressive episode predicts lower return to work rate after myocardial infarction. General Hospital Psychiatry, 2014, 36, 363-367.	1.2	34
164	Influence of baseline severity on antidepressant efficacy for anxiety disorders: Meta-analysis and meta-regression. British Journal of Psychiatry, 2016, 208, 515-521.	1.7	34
165	Comprehensive Assessment of Patients in Palliative Care. Journal of Pain and Symptom Management, 2000, 19, 83-90.	0.6	33
166	Are malnourished patients complex patients? Health status and care complexity of malnourished patients detected by the Short Nutritional Assessment Questionnaire (SNAQ). European Journal of Internal Medicine, 2006, 17, 189-194.	1.0	33
167	Timing of Psychiatric Consultations. Psychosomatics, 2000, 41, 505-511.	2.5	32
168	Depression and cardiovascular disease: the end of simple models. British Journal of Psychiatry, 2012, 201, 337-338.	1.7	32
169	Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. Journal of Pain, 2018, 19, 99-110.	0.7	32
170	Personality Modulates the Efficacy of Treatment in Patients With Major Depressive Disorder. Journal of Clinical Psychiatry, 2014, 75, e916-e923.	1.1	32
171	Referral pattern of neurological patients to psychiatric Consultation-Liaison Services in 33 European hospitals. General Hospital Psychiatry, 2001, 23, 152-157.	1.2	31
172	Decreased impact of post-myocardial infarction depression on cardiac prognosis?. Journal of Psychosomatic Research, 2006, 61, 493-499.	1.2	31
173	Cognitive–behavioural therapy <i>v.</i> usual care in recurrent depression. British Journal of Psychiatry, 2008, 193, 505-506.	1.7	31
174	Vital exhaustion and cardiovascular prognosis in myocardial infarction and heart failure: predictive power of different trajectories. Psychological Medicine, 2011, 41, 731-738.	2.7	31
175	An increase in depressive symptoms after myocardial infarction predicts new cardiac events irrespective of depressive symptoms before myocardial infarction. Psychological Medicine, 2012, 42, 683-693.	2.7	31
176	Depression as a non-causal variable risk marker in coronary heart disease. BMC Medicine, 2013, 11, 130.	2.3	31
177	Depression trajectories, inflammation, and lifestyle factors in adolescence: The TRacking Adolescents' Individual Lives Survey Health Psychology, 2015, 34, 1047-1057.	1.3	31
178	Commentary: "Consistent Superiority of Selective Serotonin Reuptake Inhibitors Over Placebo in Reducing Depressed Mood in Patients with Major Depression― Frontiers in Psychiatry, 2015, 6, 117.	1.3	31
179	Intra- and inter-individual variability of longitudinal daytime melatonin secretion patterns in depressed and non-depressed individuals. Chronobiology International, 2015, 32, 441-446.	0.9	31
180	Associations of Positive Affect and Negative Affect With Allostatic Load: A Lifelines Cohort Study. Psychosomatic Medicine, 2018, 80, 160-166.	1.3	31

#	Article	IF	CITATIONS
181	The clinical characterization of the adult patient with an anxiety or related disorder aimed at personalization of management. World Psychiatry, 2021, 20, 336-356.	4.8	31
182	INTERMED: a measure of biopsychosocial case complexity: one year stability in Multiple Sclerosis patients. General Hospital Psychiatry, 2004, 26, 147-152.	1.2	30
183	Cost-effectiveness of a nurse-led case management intervention in general medical outpatients compared with usual care: An economic evaluation alongside a randomized controlled trial. Journal of Psychosomatic Research, 2007, 62, 363-370.	1.2	30
184	SELF-ATTRIBUTED SEASONALITY OF MOOD AND BEHAVIOR: A REPORT FROM THE NETHERLANDS STUDY OF DEPRESSION AND ANXIETY. Depression and Anxiety, 2014, 31, 517-523.	2.0	30
185	Mental disorders as networks: some cautionary reflections on a promising approach. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 143-145.	1.6	30
186	Terminal Nucleotide Sequences of 17-S Ribosomal RNA and Its Immediate Precursor 18-S RNA in Yeast. FEBS Journal, 1977, 72, 361-369.	0.2	29
187	Internal consistency of the INTERMED in patients with somatic diseases. Journal of Psychosomatic Research, 2003, 54, 497-499.	1.2	28
188	Brief Depression Screening with the PHQ-2 Associated with Prognosis Following Percutaneous Coronary Intervention with Paclitaxel-Eluting Stenting. Journal of General Internal Medicine, 2009, 24, 1037-1042.	1.3	28
189	Temporal dynamics of physical activity and affect in depressed and nondepressed individuals Health Psychology, 2015, 34, 1268-1277.	1.3	28
190	The effects of teaching medical professionalism by means of vignettes: an exploratory study. Medical Teacher, 2005, 27, 429-432.	1.0	27
191	Vital Exhaustion and Somatic Depression. Psychosomatic Medicine, 2012, 74, 446-451.	1.3	27
192	SYMPTOM PROFILES OF DSM-IV-DEFINED REMISSION, RECOVERY, RELAPSE, AND RECURRENCE OF DEPRESSION: THE ROLE OF THE CORE SYMPTOMS. Depression and Anxiety, 2012, 29, 638-645.	2.0	27
193	Depressive symptoms and white blood cell count in coronary heart disease patients: Prospective findings from the Heart and Soul Study. Psychoneuroendocrinology, 2013, 38, 479-487.	1.3	27
194	The associations of depression and hypertension with brain volumes: Independent or interactive?. NeuroImage: Clinical, 2015, 8, 79-86.	1.4	27
195	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. Psychological Medicine, 2018, 48, 2730-2739.	2.7	27
196	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder. JAMA Psychiatry, 2019, 76, 708.	6.0	27
197	Assessing Health Care Needs and Clinical Outcome With Urological Case Complexity: A Study Using INTERMED. Psychosomatics, 2003, 44, 196-203.	2.5	26
198	Major Depressive Episodes and Random Mood. Archives of General Psychiatry, 2006, 63, 509.	13.8	26

#	Article	IF	CITATIONS
199	Distinct trajectories of fatigue in chronic heart failure and their association with prognosis. European Journal of Heart Failure, 2010, 12, 841-848.	2.9	26
200	The possibility of evidence-based psychiatry: depression as a case. Clinical Epigenetics, 2011, 2, 7-15.	1.8	26
201	Predicting antidepressant response by monitoring early improvement of individual symptoms of depression: individual patient data meta-analysis. British Journal of Psychiatry, 2019, 214, 4-10.	1.7	26
202	Cognitive-Affective Symptoms of Depression After Myocardial Infarction. Psychosomatic Medicine, 2013, 75, 701-708.	1.3	25
203	"Critical slowing down in depression―is a great idea that still needs empirical proof. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E878.	3.3	25
204	Associations between DSM-IV mental disorders and subsequent self-reported diagnosis of cancer. Journal of Psychosomatic Research, 2014, 76, 207-212.	1.2	25
205	Automating Vector Autoregression on Electronic Patient Diary Data. IEEE Journal of Biomedical and Health Informatics, 2016, 20, 631-643.	3.9	25
206	Seeing the signs: Using the course of residual depressive symptomatology to predict patterns of relapse and recurrence of major depressive disorder. Depression and Anxiety, 2018, 35, 148-159.	2.0	25
207	Hiding negative trials by pooling them: a secondary analysis of pooled-trials publication bias in FDA-registered antidepressant trials. Psychological Medicine, 2019, 49, 2020-2026.	2.7	25
208	Psychosocial and biological risk factors of anxiety disorders in adolescents: a TRAILS report. European Child and Adolescent Psychiatry, 2021, 30, 1969-1982.	2.8	25
209	Early Detection of Pneumology Inpatients at Risk of Extended Hospital Stay and Need for Psychosocial Treatment. Psychosomatic Medicine, 2007, 69, 99-105.	1.3	24
210	Wind direction and mental health: a time-series analysis of weather influences in a patient with anxiety disorder. BMJ Case Reports, 2012, 2012, bcr2012006300-bcr2012006300.	0.2	24
211	Bias in the reporting of harms in clinical trials of second-generation antidepressants for depression and anxiety: A meta-analysis. European Neuropsychopharmacology, 2016, 26, 1752-1759.	0.3	24
212	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. BMC Medicine, 2019, 17, 101.	2.3	24
213	Response sets in self-report data and their associations with personality traits. European Journal of Psychiatry, 2005, 19, .	0.7	24
214	Physical activity and onset of depression in adolescents: A prospective study in the general population cohort TRAILS. Journal of Psychiatric Research, 2013, 47, 1304-1308.	1.5	23
215	DATA-DRIVEN COURSE TRAJECTORIES IN PRIMARY CARE PATIENTS WITH MAJOR DEPRESSIVE DISORDER. Depression and Anxiety, 2014, 31, 778-786.	2.0	23
216	Symptom dimensions of anxiety following myocardial infarction: Associations with depressive symptoms and prognosis Health Psychology, 2014, 33, 1468-1476.	1.3	23

#	Article	IF	CITATIONS
217	More Than the Sum of Its Parts: Meta-Analysis and Its Potential to Discover Sources of Heterogeneity in Psychosomatic Medicine. Psychosomatic Medicine, 2010, 72, 253-265.	1.3	22
218	The Psychometric Properties of an Internet-Administered Version of the Depression Anxiety and Stress Scales (DASS) in a Sample of Dutch Adults. Journal of Psychopathology and Behavioral Assessment, 2018, 40, 318-333.	0.7	22
219	A comparison of <i>DSM</i> â€5 and <i>DSM</i> â€N agoraphobia in the World Mental Health Surveys. Depression and Anxiety, 2019, 36, 499-510.	2.0	22
220	Prevention of Major Depression in Complex Medically Ill Patients: Preliminary Results From a Randomized, Controlled Trial. Psychosomatics, 2009, 50, 227-233.	2.5	21
221	Cognitive vulnerability differentially predicts symptom dimensions of depression. Journal of Affective Disorders, 2013, 151, 92-99.	2.0	21
222	Sex dependent risk factors for mortality after myocardial infarction: individual patient data meta-analysis. BMC Medicine, 2014, 12, 242.	2.3	21
223	Adult attachment predicts the seven-year course of recurrent depression in primary care. Journal of Affective Disorders, 2018, 225, 160-166.	2.0	21
224	Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. Psychological Medicine, 2021, 51, 2104-2116.	2.7	21
225	Association of major depression with subtypes of nicotine dependence found among adult daily smokers: A latent class analysis. Drug and Alcohol Dependence, 2009, 104, 126-132.	1.6	20
226	Interview-Based Ratings of Somatic and Cognitive Symptoms of Depression and Their Impact on Cardiovascular Prognosis. Psychotherapy and Psychosomatics, 2010, 79, 319-320.	4.0	20
227	Adolescents with Low Intelligence Are at Risk of Functional Somatic Symptoms: The TRAILS Study. Journal of Adolescent Health, 2011, 49, 621-626.	1.2	20
228	Associations between DSM-IV mental disorders and onset of self-reported peptic ulcer in the World Mental Health Surveys. Journal of Psychosomatic Research, 2013, 75, 121-127.	1.2	20
229	The comparative evidence basis for the efficacy of second-generation antidepressants in the treatment of depression in the US: A Bayesian meta-analysis of Food and Drug Administration reviews. Journal of Affective Disorders, 2018, 235, 393-398.	2.0	20
230	Complexity of care and mental illness in medical inpatients. General Hospital Psychiatry, 2001, 23, 319-325.	1.2	19
231	Effect of Music Therapy Versus Recreational Activities on Neuropsychiatric Symptoms in Elderly Adults with DementiA: An Exploratory Randomized Controlled Trial. Journal of the American Geriatrics Society, 2014, 62, 392-393.	1.3	19
232	Decomposing the heterogeneity of depression at the person-, symptom-, and time-level: latent variable models versus multimode principal component analysis. BMC Medical Research Methodology, 2015, 15, 88.	1.4	19
233	Associations Between Negative and Positive Life Events and the Course of Depression. Journal of Nervous and Mental Disease, 2016, 204, 175-180.	0.5	19
234	The temporal dynamics of cortisol and affective states in depressed and non-depressed individuals. Psychoneuroendocrinology, 2016, 69, 16-25.	1.3	19

#	Article	IF	CITATIONS
235	The role of religious advisors in mental health care in the World Mental Health surveys. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 353-367.	1.6	19
236	Seasonality of mood and affect in a large general population sample. PLoS ONE, 2020, 15, e0239033.	1.1	19
237	The temporal process of resilience Sport, Exercise, and Performance Psychology, 2018, 7, 363-370.	0.6	19
238	PRegnancy Outcomes after a Maternity Intervention for Stressful EmotionS (PROMISES): study protocol for a randomised controlled trial. Trials, 2011, 12, 157.	0.7	18
239	Antidepressive Effect of Mirtazapine in Post-Myocardial Infarction Depression Is Associated with Soluble TNF-R1 Increase: Data from the MIND-IT. Neuropsychobiology, 2011, 63, 169-176.	0.9	18
240	Obstructive Sleep Apnea/Hypopnea Syndrome and Poor Response to Sertraline in Patients With Coronary Heart Disease. Journal of Clinical Psychiatry, 2012, 73, 31-36.	1.1	18
241	The Association between Intelligence and Telomere Length: A Longitudinal Population Based Study. PLoS ONE, 2012, 7, e49356.	1.1	17
242	Associations between DSM-IV mental disorders and subsequent non-fatal, self-reported stroke. Journal of Psychosomatic Research, 2015, 79, 130-136.	1.2	17
243	Toward evidence-based medical statistics: a Bayesian analysis of double-blind placebo-controlled antidepressant trials in the treatment of anxiety disorders. International Journal of Methods in Psychiatric Research, 2016, 25, 299-308.	1.1	17
244	Disrupting the rhythm of depression: design and protocol of a randomized controlled trial on preventing relapse using brief cognitive therapy with or without antidepressants. BMC Psychiatry, 2011, 11, 8.	1.1	16
245	The ten-year course of depression in primary care and long-term effects of psychoeducation, psychiatric consultation and cognitive behavioral therapy. Journal of Affective Disorders, 2017, 217, 174-182.	2.0	16
246	A bifactor model of the Beck Depression Inventory and its association with medical prognosis after myocardial infarction Health Psychology, 2016, 35, 614-624.	1.3	16
247	Patterns and correlates of patientâ€reported helpfulness of treatment for common mental and substance use disorders in the <scp>WHO</scp> World Mental Health Surveys. World Psychiatry, 2022, 21, 272-286.	4.8	16
248	Non-Ribosomal Nucleotide Sequences in 7-S RNA, the Immediate Precursor of 5.8-S Ribosomal RNA in Yeast. FEBS Journal, 1978, 83, 537-546.	0.2	15
249	Treatment of Depression in Acute Coronary Syndromes with Selective Serotonin Reuptake Inhibitors. Drugs, 2006, 66, 2095-2107.	4.9	15
250	Temporal Dynamics of Symptom and Treatment Variables in a Lifestyle-Oriented Approach to Anxiety Disorder: A Single-Subject Time-Series Analysis. Psychotherapy and Psychosomatics, 2012, 81, 253-255.	4.0	15
251	Examining the relation between post myocardial infarction depression and cardiovascular prognosis using a validated prediction model for post myocardial mortality. International Journal of Cardiology, 2013, 167, 2533-2538.	0.8	15
252	IRRITABLE MOOD IN ADULT MAJOR DEPRESSIVE DISORDER: RESULTS FROM THE WORLD MENTAL HEALTH SURVEYS. Depression and Anxiety, 2013, 30, 395-406.	2.0	15

#	Article	IF	CITATIONS
253	Differential association between affect and somatic symptoms at the between―and withinâ€individual level. British Journal of Health Psychology, 2017, 22, 270-280.	1.9	15
254	Depressive symptoms in elderly patients predict poor adjustment after somatic events. American Journal of Geriatric Psychiatry, 2004, 12, 57-64.	0.6	15
255	Effectiveness of Post-Discharge Case Management in General-Medical Outpatients: A Randomized, Controlled Trial. Psychosomatics, 2006, 47, 421-429.	2.5	14
256	Comparing Cognitive and Somatic Symptoms of Depression in Myocardial Infarction Patients and Depressed Patients in Primary and Mental Health Care. PLoS ONE, 2013, 8, e53859.	1.1	14
257	What does the beck depression inventory measure in myocardial infarction patients? a psychometric approach using item response theory and personâ€fit. International Journal of Methods in Psychiatric Research, 2015, 24, 130-142.	1.1	14
258	The person-specific interplay of melatonin, affect, and fatigue in the context of sleep and depression. Personality and Individual Differences, 2018, 123, 163-170.	1.6	14
259	How to assess negative affective reactivity to daily life stress in depressed and nondepressed individuals?. Psychiatry Research, 2019, 279, 259-266.	1.7	14
260	Partner Attachment as a Predictor of Long-Term Response to Treatment with Couples Therapy. Journal of Sex and Marital Therapy, 2011, 37, 286-297.	1.0	13
261	What is the use? Application of the short form (SF) questionnaires for the evaluation of treatment effects. Quality of Life Research, 2013, 22, 1225-1230.	1.5	13
262	Data-driven atypical profiles of depressive symptoms: Identification and validation in a large cohort. Journal of Affective Disorders, 2015, 180, 36-43.	2.0	13
263	Network meta-analysis of randomised trials of pharmacological, psychotherapeutic, exercise and collaborative care interventions for depressive symptoms in patients with coronary artery disease: hybrid systematic review of systematic reviews protocol. Systematic Reviews, 2019, 8, 71.	2.5	13
264	The advantages of an ADHD classification from the perspective of teachers. European Journal of Special Needs Education, 2019, 34, 649-662.	1.5	13
265	Internal and external validity of the experiences in close relationships questionnaire in an american and two dutch samples. European Journal of Psychiatry, 2006, 20, .	0.7	13
266	Assessing Psychosocial Vulnerability and Care Needs of Pretransplant Patients by Means of the INTERMED. Zeitschrift Fur Psychosomatische Medizin Und Psychotherapie, 2014, 60, 190-203.	0.3	13
267	Plasticity genes do not modify associations between physical activity and depressive symptoms Health Psychology, 2013, 32, 785-792.	1.3	12
268	Bidirectionality Between Sleep Symptoms and Core Depressive Symptoms and Their Long-Term Course in Major Depression. Psychosomatic Medicine, 2017, 79, 336-344.	1.3	12
269	Acute stress responses after indirect exposure to theMH17 airplane crash. British Journal of Psychology, 2019, 110, 790-813.	1.2	12
270	Social Needs and Happiness: A Life Course Perspective. Journal of Happiness Studies, 2021, 22, 1953-1978.	1.9	12

#	Article	IF	CITATIONS
271	Hybrid Systematic Review and Network Meta-Analysis of Randomized Controlled Trials of Interventions for Depressive Symptoms in Patients With Coronary Artery Disease. Psychosomatic Medicine, 2021, 83, 423-431.	1.3	12
272	The association between cardiac rehabilitation and mortality risk for myocardial infarction patients with and without depressive symptoms. Journal of Affective Disorders, 2015, 188, 278-283.	2.0	11
273	Cognitive vulnerability and implicit emotional processing: imbalance in frontolimbic brain areas?. Cognitive, Affective and Behavioral Neuroscience, 2015, 15, 69-79.	1.0	11
274	PSYCHIATRIC COMORBIDITY DOES NOT ONLY DEPEND ON DIAGNOSTIC THRESHOLDS: AN ILLUSTRATION WITH MAJOR DEPRESSIVE DISORDER AND GENERALIZED ANXIETY DISORDER. Depression and Anxiety, 2016, 33, 143-152.	2.0	11
275	Seasonal affective disorder and non-seasonal affective disorders: Results from the NESDA study. BJPsych Open, 2017, 3, 196-203.	0.3	11
276	Initial severity and antidepressant efficacy for anxiety disorders, obsessiveâ€compulsive disorder, and posttraumatic stress disorder: An individual patient data metaâ€analysis. Depression and Anxiety, 2018, 35, 515-522.	2.0	11
277	The Bidirectional Relationship Between Debts and Common Mental Disorders: Results of a longitudinal Population-Based Study. Administration and Policy in Mental Health and Mental Health Services Research, 2021, 48, 810-820.	1.2	11
278	Heterogeneity of Patients With Coronary Artery Disease and Distress and the Need to Identify Relevant Subtypes. Archives of General Psychiatry, 2008, 65, 851.	13.8	10
279	Duration of subsequent episodes and periods of recovery in recurrent major depression. Journal of Affective Disorders, 2010, 125, 141-145.	2.0	10
280	Predictors of a Functional Somatic Syndrome Diagnosis in Patients with Persistent Functional Somatic Symptoms. International Journal of Behavioral Medicine, 2013, 20, 206-212.	0.8	10
281	Poor guideline adherence in the initiation of antidepressant treatment in children and adolescents in the Netherlands: choice of antidepressant and dose. European Child and Adolescent Psychiatry, 2016, 25, 1161-1170.	2.8	10
282	The Prodromal Questionnaire: a case for IRT-based adaptive testing of psychotic experiences?. International Journal of Methods in Psychiatric Research, 2017, 26, e1518.	1.1	10
283	Individual depressive symptoms and all-cause mortality In 6673 patients with myocardial infarction: Heterogeneity across age and sex subgroups. Journal of Affective Disorders, 2018, 228, 178-185.	2.0	10
284	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. BMC Psychiatry, 2021, 21, 392.	1.1	10
285	Mental disturbances and perceived complexity of nursing care in medical inpatients: results from a European study. Journal of Advanced Nursing, 2001, 36, 355-363.	1.5	9
286	Circulating Cerebral S100B Protein Is Associated with Depressive Symptoms following Myocardial Infarction. Neuropsychobiology, 2009, 59, 87-95.	0.9	9
287	One-year severity of depressive symptoms: Results from the NESDA study. Psychiatry Research, 2011, 190, 226-231.	1.7	9
288	Simultaneous Decomposition of Depression Heterogeneity on the Person-, Symptom- and Time-Level: The Use of Three-Mode Principal Component Analysis. PLoS ONE, 2015, 10, e0132765.	1.1	9

#	Article	IF	CITATIONS
289	Markers of stress and inflammation as potential mediators of the relationship between exercise and depressive symptoms: Findings from the <scp>TRAILS</scp> study. Psychophysiology, 2015, 52, 352-358.	1.2	9
290	Differential reporting of depressive symptoms across distinct clinical subpopulations: What DIFference does it make?. Journal of Psychosomatic Research, 2015, 78, 130-136.	1.2	9
291	Don't worry, be happy: Protective factors to buffer against distress associated with psychotic experiences. Schizophrenia Research, 2020, 223, 79-86.	1.1	9
292	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. Journal of Affective Disorders, 2021, 288, 199-209.	2.0	9
293	Random-mood interpretation of determinants for major depression. Psychological Medicine, 2007, 37, 1261-1271.	2.7	8
294	Depression deconstruction lessons from psychosomatic research. Journal of Psychosomatic Research, 2011, 71, 59-60.	1.2	8
295	Lower Sensitivity to Happy and Angry Facial Emotions in Young Adults with Psychiatric Problems. Frontiers in Psychology, 2016, 7, 1797.	1.1	8
296	Gray matter volume and white matter lesions in chronic kidney disease: exploring the association with depressive symptoms. General Hospital Psychiatry, 2016, 40, 18-24.	1.2	8
297	Effects of urinary cortisol levels and resting heart rate on the risk for fatal and nonfatal cardiovascular events. Atherosclerosis, 2016, 248, 44-50.	0.4	8
298	The u-can-act Platform: A Tool to Study Intra-individual Processes of Early School Leaving and Its Prevention Using Multiple Informants. Frontiers in Psychology, 2019, 10, 1808.	1.1	8
299	The relative impact of schoolâ€wide positive behavior support on teachers' perceptions of student behavior across schools, teachers, and students. Psychology in the Schools, 2019, 56, 232-241.	1.1	8
300	Childhood trauma and bullying-victimization as an explanation for differences in mental disorders by sexual orientation. Journal of Psychiatric Research, 2021, 137, 225-231.	1.5	8
301	Prevention of false positive findings in observational studies: registration will not work but replication might. Journal of Epidemiology and Community Health, 2011, 65, 95-96.	2.0	7
302	Depressive symptoms, insulin sensitivity and insulin secretion in the RISC cohort study. Diabetes and Metabolism, 2013, 39, 42-49.	1.4	7
303	Teachers' perceptions of behavioral problems in Dutch primary education pupils: The role of relative age. PLoS ONE, 2018, 13, e0204718.	1.1	7
304	Do troublesome pupils impact teacher perception of the behaviour of their classmates?. European Journal of Special Needs Education, 2019, 34, 114-123.	1.5	7
305	Selective Publication of Antidepressant Trials. New England Journal of Medicine, 2008, 358, 2180-2182.	13.9	6
306	Associations between DSM-IV mental disorders and subsequent onset of arthritis. Journal of Psychosomatic Research, 2016, 82, 11-16.	1.2	6

#	Article	IF	CITATIONS
307	Association of Recognized and Unrecognized Myocardial Infarction With Depressive and Anxiety Disorders in 125,988 Individuals: A Report of the Lifelines Cohort Study. Psychosomatic Medicine, 2020, 82, 736-743.	1.3	6
308	Affect, worry, and sleep: Between- and within-subject associations in a diary study. Journal of Affective Disorders Reports, 2021, 4, 100134.	0.9	6
309	Symptom and course heterogeneity of depressive symptoms and prognosis following myocardial infarction Health Psychology, 2016, 35, 413-422.	1.3	6
310	Study protocol for a prospective cohort study examining the predictive potential of dynamic symptom networks for the onset and progression of psychosis: the Mapping Individual Routes of Risk and Resilience (Mirorr) study. BMJ Open, 2018, 8, e019059.	0.8	6
311	β-Blocker Use and the Development of Depression. American Journal of Cardiology, 2009, 103, 1331-1332.	0.7	5
312	Predicting long-term depression outcome using a three-mode principal component model for depression heterogeneity. Journal of Affective Disorders, 2016, 189, 1-9.	2.0	5
313	Spin in RCTs of anxiety medication with a positive primary outcome: a comparison of concerns expressed by the US FDA and in the published literature. BMJ Open, 2017, 7, e012886.	0.8	5
314	Using a hybrid subtyping model to capture patterns and dimensionality of depressive and anxiety symptomatology in the general population. Journal of Affective Disorders, 2017, 215, 125-134.	2.0	5
315	The association between positive and negative affect at the inter- and intra-individual level. Personality and Individual Differences, 2017, 105, 252-256.	1.6	5
316	The heart of the matter: in search of causal effects of depression on somatic diseases. BMC Medicine, 2018, 16, 147.	2.3	5
317	Measuring care needs and case-mix by means of the INTERMED. General Hospital Psychiatry, 2001, 23, 43-44.	1.2	4
318	Depressive Symptoms, Insulin Resistance, and Risk of Diabetes in Women at Midlife: Response to Everson-Rose et al Diabetes Care, 2005, 28, 1265-1266.	4.3	4
319	The Importance of Incident Depression in Myocardial Infarction Patients. Biological Psychiatry, 2009, 65, e7-e8.	0.7	4
320	The Temporal Order of Changes in Physical Activity and Subjective Sleep in Depressed Versus Nondepressed Individuals: Findings From the MOOVD Study. Behavioral Sleep Medicine, 2018, 16, 154-168.	1.1	4
321	Exploring neuropsychological effects of a self-monitoring intervention for ADHD-symptoms in school. Applied Neuropsychology: Child, 2020, 9, 246-258.	0.7	4
322	A Prescription Trend Analysis of Methylphenidate: Relation to Study Reports on Efficacy. Administration and Policy in Mental Health and Mental Health Services Research, 2020, 47, 291-299.	1.2	4
323	ConNEcT: A Novel Network Approach for Investigating the Co-occurrence of Binary Psychopathological Symptoms Over Time. Psychometrika, 2022, 87, 107-132.	1.2	4
324	Operationalization of Biopsychosocial Case Complexity in General Health Care: The INTERMED Project.		4

324 , 0, .

#	Article	IF	CITATIONS
325	Mixed-Effects Trait-State-Occasion Model: Studying the Psychometric Properties and the Person–Situation Interactions of Psychological Dynamics. Structural Equation Modeling, 2022, 29, 438-451.	2.4	4
326	Developing depression after a myocardial infarction increases risk of cardiac mortality but pre-existing depression does not. Evidence-Based Mental Health, 2009, 12, 8-8.	2.2	3
327	The Effects of Treatment-Resistant Depression and First-Ever Depression on Mortality Following Acute Coronary Syndrome: Interactive or Independent?. American Journal of Psychiatry, 2009, 166, 828-829.	4.0	3
328	Tobacco smoking and depression: time to move on to a new research paradigm in medicine?. BMC Medicine, 2013, 11, 138.	2.3	3
329	Spread the Joy: How High and Low Bias for Happy Facial Emotions Translate into Different Daily Life Affect Dynamics. Complexity, 2018, 2018, 1-15.	0.9	3
330	Physical Distance Between Romantic Partners as a Marker for Attachment in Couples: A ProofÂof Concept Study. Australian and New Zealand Journal of Family Therapy, 2020, 41, 91-106.	0.6	3
331	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. Drug and Alcohol Dependence, 2021, 229, 109158.	1.6	3
332	Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. Epidemiology and Psychiatric Sciences, 2021, 30, e70.	1.8	3
333	Dr. de Jonge and Colleagues Reply. American Journal of Psychiatry, 2006, 163, 1296-1296.	4.0	2
334	Meta-analysis urges the development of new strategies to treat depression in order to improve cardiac prognosis. European Heart Journal, 2007, 28, 1661-1661.	1.0	2
335	Re-rethinking the article by Thombs and colleagues: Figure 1:. Cmaj, 2012, 184, 438.2-439.	0.9	2
336	Agoraphobia. , 0, , 106-119.		2
337	Person-fit feedback on inconsistent symptom reports in clinical depression care. Psychological Medicine, 2018, 48, 1844-1852.	2.7	2
338	Longitudinal bidirectional associations between internalizing mental disorders and cardiometabolic disorders in the general adult population. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1611-1621.	1.6	2
339	Predicting Resilience Losses in Dyadic Team Performance. Nonlinear Dynamics, Psychology, and Life Sciences, 2020, 24, 327-351.	0.2	2
340	Complexity Prediction Instrument to detect â€~complex cases' in respiratory wards: instrument development. Journal of Advanced Nursing, 2008, 64, 96-103.	1.5	1
341	Should African Americans be overtreated for depression the same as whites are? Commentary on Waldman et al (2009). American Heart Journal, 2009, 157, e31.	1.2	1
342	Why would associations between cardiometabolic risk factors and depressive symptoms be linear?. BMC Medicine, 2014, 12, 199.	2.3	1

#	Article	IF	CITATIONS
343	Letter by Roest et al Regarding Article, "Mental Disorders Across the Adult Life Course and Future Coronary Heart Disease: Evidence for General Susceptibility― Circulation, 2014, 130, e116.	1.6	1
344	Panic Disorder and Panic Attacks. , 0, , 93-105.		1
345	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. Psychological Medicine, 2020, , 1-10.	2.7	1
346	Depression and Cardiovascular Disease Progression: Epidemiology, Mechanisms and Treatment. , 2011, , 211-233.		1
347	Using State Space Methods to Reveal Dynamical Associations Between Cortisol and Depression. Nonlinear Dynamics, Psychology, and Life Sciences, 2016, 20, 1-21.	0.2	1
348	Psychiatric consultations and length of hospital stay. Psychosomatics, 2005, 46, 496-497.	2.5	0
349	Insurance and Financial Concerns Among Patients Seeking Care for Acute Myocardial Infarction. JAMA - Journal of the American Medical Association, 2010, 304, 523.	3.8	0
350	VALIDITY OF A SHORT DIAGNOSTIC INSTRUMENT IN PSYCHIATRY: THE MINI-SCAN. Schizophrenia Research, 2010, 117, 301-302.	1.1	0
351	Reply to: "Is a score of 10 or greater on the Beck Depression Inventory equivalent to clinically diagnosed depression?― International Journal of Cardiology, 2013, 167, 1646.	0.8	0
352	The potential of individual patient data for research on antidepressant safety and efficacy. European Neuropsychopharmacology, 2017, 27, 695-696.	0.3	0
353	Using bundle embeddings to predict daily cortisol levels in human subjects. BMC Medical Research Methodology, 2018, 18, 31.	1.4	0
354	The Associations of Posttraumatic Stress Disorder with Secondary Mental and Physical Health Disorders. , 0, , 110-127.		0