

Peter de Jonge

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2809894/peter-de-jonge-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

350
papers

16,906
citations

65
h-index

114
g-index

367
ext. papers

19,782
ext. citations

6
avg. IF

6.59
L-index

#	Paper	IF	Citations
350	Prognostic association of depression following myocardial infarction with mortality and cardiovascular events: a meta-analysis. <i>Psychosomatic Medicine</i> , 2004 , 66, 814-22	3.7	715
349	Depressive symptoms, health behaviors, and risk of cardiovascular events in patients with coronary heart disease. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 2379-88	27.4	567
348	Anxiety and risk of incident coronary heart disease: a meta-analysis. <i>Journal of the American College of Cardiology</i> , 2010 , 56, 38-46	15.1	551
347	Evidence for a differential role of HPA-axis function, inflammation and metabolic syndrome in melancholic versus atypical depression. <i>Molecular Psychiatry</i> , 2013 , 18, 692-9	15.1	447
346	Depression screening and patient outcomes in cardiovascular care: a systematic review. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 2161-71	27.4	345
345	Prognostic association of depression following myocardial infarction with mortality and cardiovascular events: a meta-analysis of 25 years of research. <i>General Hospital Psychiatry</i> , 2011 , 33, 203-16	5.6	338
344	Anxiety disorders and inflammation in a large adult cohort. <i>Translational Psychiatry</i> , 2013 , 3, e249	8.6	269
343	Psychotic Experiences in the General Population: A Cross-National Analysis Based on 31,261 Respondents From 18 Countries. <i>JAMA Psychiatry</i> , 2015 , 72, 697-705	14.5	254
342	Presence of individual (residual) symptoms during depressive episodes and periods of remission: a 3-year prospective study. <i>Psychological Medicine</i> , 2011 , 41, 1165-74	6.9	251
341	Effects of antidepressant treatment following myocardial infarction. <i>British Journal of Psychiatry</i> , 2007 , 190, 460-6	5.4	249
340	Association of Mental Disorders With Subsequent Chronic Physical Conditions: World Mental Health Surveys From 17 Countries. <i>JAMA Psychiatry</i> , 2016 , 73, 150-8	14.5	246
339	Emotional valence modulates brain functional abnormalities in depression: evidence from a meta-analysis of fMRI studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 152-63	9	244
338	Prognostic association of anxiety post myocardial infarction with mortality and new cardiac events: a meta-analysis. <i>Psychosomatic Medicine</i> , 2010 , 72, 563-9	3.7	243
337	Association of depressive disorders, depression characteristics and antidepressant medication with inflammation. <i>Translational Psychiatry</i> , 2012 , 2, e79	8.6	214
336	Symptom dimensions of depression following myocardial infarction and their relationship with somatic health status and cardiovascular prognosis. <i>American Journal of Psychiatry</i> , 2006 , 163, 138-44	11.9	200
335	Exploring Comorbidity Within Mental Disorders Among a Danish National Population. <i>JAMA Psychiatry</i> , 2019 , 76, 259-270	14.5	188
334	Identifying depressive subtypes in a large cohort study: results from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1582-9	4.6	183

333	Data-driven subtypes of major depressive disorder: a systematic review. <i>BMC Medicine</i> , 2012 , 10, 156	11.4	176
332	Differential association of somatic and cognitive symptoms of depression and anxiety with inflammation: findings from the Netherlands Study of Depression and Anxiety (NESDA). <i>Psychoneuroendocrinology</i> , 2013 , 38, 1573-85	5	167
331	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. <i>Depression and Anxiety</i> , 2018 , 35, 195-208	8.4	160
330	Scared to death? Generalized anxiety disorder and cardiovascular events in patients with stable coronary heart disease:The Heart and Soul Study. <i>Archives of General Psychiatry</i> , 2010 , 67, 750-8		158
329	Gender differences in major depressive disorder: results from the Netherlands study of depression and anxiety. <i>Journal of Affective Disorders</i> , 2014 , 156, 156-63	6.6	152
328	Cross-sectional Comparison of the Epidemiology of DSM-5 Generalized Anxiety Disorder Across the Globe. <i>JAMA Psychiatry</i> , 2017 , 74, 465-475	14.5	149
327	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. <i>BMC Medicine</i> , 2017 , 15, 143	11.4	149
326	Differential association of cognitive and somatic depressive symptoms with heart rate variability in patients with stable coronary heart disease: findings from the Heart and Soul Study. <i>Psychosomatic Medicine</i> , 2007 , 69, 735-9	3.7	149
325	Depressive symptoms, health behaviors, and subsequent inflammation in patients with coronary heart disease: prospective findings from the heart and soul study. <i>American Journal of Psychiatry</i> , 2011 , 168, 913-20	11.9	147
324	How well can post-traumatic stress disorder be predicted from pre-trauma risk factors? An exploratory study in the WHO World Mental Health Surveys. <i>World Psychiatry</i> , 2014 , 13, 265-74	14.4	144
323	Rethinking recommendations for screening for depression in primary care. <i>Cmaj</i> , 2012 , 184, 413-8	3.5	142
322	"INTERMED": a method to assess health service needs. I. Development and reliability. <i>General Hospital Psychiatry</i> , 1999 , 21, 39-48	5.6	135
321	Depressive disorder and incident diabetes mellitus: the effect of characteristics of depression. <i>American Journal of Psychiatry</i> , 2010 , 167, 580-8	11.9	133
320	Adjusted prognostic association of depression following myocardial infarction with mortality and cardiovascular events: individual patient data meta-analysis. <i>British Journal of Psychiatry</i> , 2013 , 203, 90-102	5.4	128
319	DSM-5 and ICD-11 definitions of posttraumatic stress disorder: investigating "narrow" and "broad" approaches. <i>Depression and Anxiety</i> , 2014 , 31, 494-505	8.4	117
318	Cardiovascular disease in persons with depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2010 , 125, 241-8	6.6	116
317	Treatment of post-myocardial infarction depressive disorder: a randomized, placebo-controlled trial with mirtazapine. <i>Psychosomatic Medicine</i> , 2007 , 69, 606-13	3.7	113
316	Only incident depressive episodes after myocardial infarction are associated with new cardiovascular events. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 2204-8	15.1	107

3 ¹⁵	Nonresponse to treatment for depression following myocardial infarction: association with subsequent cardiac events. <i>American Journal of Psychiatry</i> , 2007 , 164, 1371-8	11.9	104
3 ¹⁴	Association between Mental Disorders and Subsequent Medical Conditions. <i>New England Journal of Medicine</i> , 2020 , 382, 1721-1731	59.2	103
3 ¹³	Consultation-Liaison psychiatric service delivery: results from a European study. <i>General Hospital Psychiatry</i> , 2001 , 23, 124-32	5.6	102
3 ¹²	Course of depressive symptoms after myocardial infarction and cardiac prognosis: a latent class analysis. <i>Psychosomatic Medicine</i> , 2006 , 68, 662-8	3.7	99
3 ¹¹	Myocardial infarction and generalised anxiety disorder: 10-year follow-up. <i>British Journal of Psychiatry</i> , 2012 , 200, 324-9	5.4	95
3 ¹⁰	Mediators of the association between depression and role functioning. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 451-8	6.5	92
3 ⁰⁹	Depression and leukocyte telomere length in patients with coronary heart disease: data from the Heart and Soul Study. <i>Psychosomatic Medicine</i> , 2011 , 73, 541-7	3.7	91
3 ⁰⁸	Does evidence support the American Heart Association's recommendation to screen patients for depression in cardiovascular care? An updated systematic review. <i>PLoS ONE</i> , 2013 , 8, e52654	3.7	90
3 ⁰⁷	"INTERMED": a method to assess health service needs. II. Results on its validity and clinical use. <i>General Hospital Psychiatry</i> , 1999 , 21, 49-56	5.6	89
3 ⁰⁶	Effects of screening for psychological distress on patient outcomes in cancer: a systematic review. <i>Journal of Psychosomatic Research</i> , 2013 , 75, 1-17	4.1	86
3 ⁰⁵	Symptom dimensions of post-myocardial infarction depression, disease severity and cardiac prognosis. <i>Psychological Medicine</i> , 2010 , 40, 807-14	6.9	84
3 ⁰⁴	Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. <i>Depression and Anxiety</i> , 2016 , 33, 1155-1177	8.4	83
3 ⁰³	Differential associations between specific depressive symptoms and cardiovascular prognosis in patients with stable coronary heart disease. <i>Journal of the American College of Cardiology</i> , 2010 , 56, 838-44	15.1	81
3 ⁰²	Prevalent and incident depression in community-dwelling elderly persons with diabetes mellitus: results from the ZARADEMP project. <i>Diabetologia</i> , 2006 , 49, 2627-33	10.3	81
3 ⁰¹	Inflammatory and metabolic dysregulation and the 2-year course of depressive disorders in antidepressant users. <i>Neuropsychopharmacology</i> , 2014 , 39, 1624-34	8.7	80
3 ⁰⁰	Relationship between left ventricular dysfunction and depression following myocardial infarction: data from the MIND-IT. <i>European Heart Journal</i> , 2005 , 26, 2650-6	9.5	80
2 ⁹⁹	Assessing student reflection in medical practice. The development of an observer-rated instrument: reliability, validity and initial experiences. <i>Medical Education</i> , 2004 , 38, 368-77	3.7	80
2 ⁹⁸	Epidemiology of anxiety disorders: from surveys to nosology and back. <i>Dialogues in Clinical Neuroscience</i> , 2017 , 19, 127-136	5.7	79

297	Diabetes, glycemic control, and new-onset heart failure in patients with stable coronary artery disease: data from the heart and soul study. <i>Diabetes Care</i> , 2010 , 33, 2084-9	14.6	77
296	Reporting Bias in Clinical Trials Investigating the Efficacy of Second-Generation Antidepressants in the Treatment of Anxiety Disorders: A Report of 2 Meta-analyses. <i>JAMA Psychiatry</i> , 2015 , 72, 500-10	14.5	72
295	Associations between mental disorders and subsequent onset of hypertension. <i>General Hospital Psychiatry</i> , 2014 , 36, 142-9	5.6	69
294	Pediatric-Onset and Adult-Onset Separation Anxiety Disorder Across Countries in the World Mental Health Survey. <i>American Journal of Psychiatry</i> , 2015 , 172, 647-56	11.9	68
293	E-mental health self-management for psychotic disorders: state of the art and future perspectives. <i>Psychiatric Services</i> , 2014 , 65, 33-49	3.3	67
292	Revealing causal heterogeneity using time series analysis of ambulatory assessments: application to the association between depression and physical activity after myocardial infarction. <i>Psychosomatic Medicine</i> , 2012 , 74, 377-86	3.7	67
291	Routine screening for depression in patients with coronary heart disease never mind. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 886-90	15.1	67
290	Comorbidity of common mental disorders with cancer and their treatment gap: findings from the World Mental Health Surveys. <i>Psycho-Oncology</i> , 2014 , 23, 40-51	3.9	66
289	Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. <i>Schizophrenia Bulletin</i> , 2016 , 42, 933-41	1.3	66
288	Chronicity of depressive problems and the cortisol response to psychosocial stress in adolescents: the TRAILS study. <i>Psychoneuroendocrinology</i> , 2013 , 38, 659-66	5	65
287	Systematic Review and Individual Patient Data Meta-Analysis of Sex Differences in Depression and Prognosis in Persons With Myocardial Infarction: A MINDMAPS Study. <i>Psychosomatic Medicine</i> , 2015 , 77, 419-28	3.7	65
286	Does tryptophan degradation along the kynurenine pathway mediate the association between pro-inflammatory immune activity and depressive symptoms?. <i>Psychoneuroendocrinology</i> , 2014 , 45, 202-10	5	65
285	Operationalizing integrated care on a clinical level: the INTERMED project. <i>Medical Clinics of North America</i> , 2006 , 90, 713-58	7	65
284	Can We Jump from Cross-Sectional to Dynamic Interpretations of Networks? Implications for the Network Perspective in Psychiatry. <i>Psychotherapy and Psychosomatics</i> , 2017 , 86, 175-177	9.4	64
283	Association between anxiety but not depressive disorders and leukocyte telomere length after 2 years of follow-up in a population-based sample. <i>Psychological Medicine</i> , 2013 , 43, 689-97	6.9	64
282	Psychophysiological biomarkers explaining the association between depression and prognosis in coronary artery patients: a critical review of the literature. <i>Neuroscience and Biobehavioral Reviews</i> , 2010 , 35, 84-90	9	64
281	Medical inpatients at risk of extended hospital stay and poor discharge health status: detection with COMPRI and INTERMED. <i>Psychosomatic Medicine</i> , 2003 , 65, 534-41	3.7	63
280	COMPRI--an instrument to detect patients with complex care needs: results from a European study. <i>Psychosomatics</i> , 2001 , 42, 222-8	2.6	63

279	The association between neuroticism and self-reported common somatic symptoms in a population cohort. <i>Journal of Psychosomatic Research</i> , 2007 , 62, 305-11	4.1	62
278	Family burden related to mental and physical disorders in the world: results from the WHO World Mental Health (WMH) surveys. <i>Revista Brasileira De Psiquiatria</i> , 2013 , 35, 115-25	2.6	61
277	History of depression and survival after acute myocardial infarction. <i>Psychosomatic Medicine</i> , 2009 , 71, 253-9	3.7	61
276	Depression following myocardial infarction: first-ever versus ongoing and recurrent episodes. <i>General Hospital Psychiatry</i> , 2005 , 27, 411-7	5.6	61
275	INTERMED--an assessment and classification system for case complexity. Results in patients with low back pain. <i>Spine</i> , 1999 , 24, 378-84; discussion 385	3.3	61
274	The effect of music therapy compared with general recreational activities in reducing agitation in people with dementia: a randomised controlled trial. <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 1031-8	3.9	60
273	Case and care complexity in the medically ill. <i>Medical Clinics of North America</i> , 2006 , 90, 679-92	7	59
272	INTERMED--a clinical instrument for biopsychosocial assessment. <i>Psychosomatics</i> , 2001 , 42, 106-9	2.6	59
271	HowNutsAreTheDutch (HoeGekisNL): A crowdsourcing study of mental symptoms and strengths. <i>International Journal of Methods in Psychiatric Research</i> , 2016 , 25, 123-44	4.3	59
270	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 279-288	4.5	58
269	Depression screening and patient outcomes in cancer: a systematic review. <i>PLoS ONE</i> , 2011 , 6, e27181	3.7	57
268	Somatic/affective symptoms, but not cognitive/affective symptoms, of depression after acute coronary syndrome are associated with 12-month all-cause mortality. <i>Journal of Affective Disorders</i> , 2011 , 131, 158-63	6.6	57
267	Recurrent depression and the role of adult attachment: a prospective and a retrospective study. <i>Journal of Affective Disorders</i> , 2009 , 116, 93-9	6.6	57
266	Detecting mental disorders in general hospitals by the SCL-8 scale. <i>Journal of Psychosomatic Research</i> , 2004 , 56, 371-5	4.1	57
265	Differential associations between depressive symptoms and glycaemic control in outpatients with diabetes. <i>Diabetic Medicine</i> , 2013 , 30, e115-22	3.5	56
264	Somatic symptom overlap in Beck Depression Inventory-II scores following myocardial infarction. <i>British Journal of Psychiatry</i> , 2010 , 197, 61-6	5.4	56
263	Depression and Type D personality represent different forms of distress in the Myocardial INfarction and Depression - Intervention Trial (MIND-IT). <i>Psychological Medicine</i> , 2009 , 39, 749-56	6.9	55
262	Validation of the Long-term Difficulties Inventory (LDI) and the List of Threatening Experiences (LTE) as measures of stress in epidemiological population-based cohort studies. <i>Psychological Medicine</i> , 2012 , 42, 2599-608	6.9	55

261	Associations of type-D personality and depression with somatic health in myocardial infarction patients. <i>Journal of Psychosomatic Research</i> , 2007 , 63, 477-82	4.1	55
260	Association Between Chronic Physical Conditions and the Effectiveness of Collaborative Care for Depression: An Individual Participant Data Meta-analysis. <i>JAMA Psychiatry</i> , 2016 , 73, 978-89	14.5	54
259	Stability and transitions of depressive subtypes over a 2-year follow-up. <i>Psychological Medicine</i> , 2012 , 42, 2083-93	6.9	54
258	Bidirectional prospective associations between physical activity and depressive symptoms. The TRAILS Study. <i>Journal of Adolescent Health</i> , 2012 , 50, 503-8	5.8	52
257	Cortisol and α -Amylase Secretion Patterns between and within Depressed and Non-Depressed Individuals. <i>PLoS ONE</i> , 2015 , 10, e0131002	3.7	51
256	Cross-national differences in the prevalence and correlates of burden among older family caregivers in the World Health Organization World Mental Health (WMH) Surveys. <i>Psychological Medicine</i> , 2013 , 43, 865-79	6.9	51
255	Associations between DSM-IV mental disorders and subsequent heart disease onset: beyond depression. <i>International Journal of Cardiology</i> , 2013 , 168, 5293-9	3.2	50
254	The role of the brain-derived neurotrophic factor (BDNF) val66met variant in the phenotypic expression of obsessive-compulsive disorder (OCD). <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009 , 150B, 1050-62	3.5	50
253	Diagnostic heterogeneity in psychiatry: towards an empirical solution. <i>BMC Medicine</i> , 2013 , 11, 201	11.4	49
252	Effects of a multifaceted psychiatric intervention targeted for the complex medically ill: a randomized controlled trial. <i>Psychotherapy and Psychosomatics</i> , 2008 , 77, 247-56	9.4	49
251	Implementing psychiatric interventions on a medical ward: effects on patients' quality of life and length of hospital stay. <i>Psychosomatic Medicine</i> , 2003 , 65, 997-1002	3.7	48
250	Associations between DSM-IV mental disorders and diabetes mellitus: a role for impulse control disorders and depression. <i>Diabetologia</i> , 2014 , 57, 699-709	10.3	47
249	Major depressive disorder subtypes to predict long-term course. <i>Depression and Anxiety</i> , 2014 , 31, 765-78.4	7.4	47
248	Prediction of the three-year course of recurrent depression in primary care patients: different risk factors for different outcomes. <i>Journal of Affective Disorders</i> , 2008 , 105, 267-71	6.6	47
247	Working memory, intelligence and reading ability in children. <i>Personality and Individual Differences</i> , 1996 , 21, 1007-1020	3.3	47
246	Enhanced treatment for depression in primary care: long-term outcomes of a psycho-educational prevention program alone and enriched with psychiatric consultation or cognitive behavioral therapy. <i>Psychological Medicine</i> , 2007 , 37, 849-62	6.9	46
245	A web-based tool to support shared decision making for people with a psychotic disorder: randomized controlled trial and process evaluation. <i>Journal of Medical Internet Research</i> , 2013 , 15, e216	7.6	46
244	Beta-blockers and depression after myocardial infarction: a multicenter prospective study. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 2209-14	15.1	45

243	Molecular cloning of chromosome I DNA from <i>Saccharomyces cerevisiae</i> : localization of a repeated sequence containing an acid phosphatase gene near a telomere of chromosome I and chromosome VIII. <i>Current Genetics</i> , 1989 , 16, 131-7	2.9	45
242	Predictors of incident major depression in diabetic outpatients with subthreshold depression. <i>Diabetic Medicine</i> , 2010 , 27, 1295-301	3.5	44
241	Confirmatory factor analysis of the Beck Depression Inventory-II and the association with cardiac morbidity and mortality after coronary revascularization. <i>Journal of Health Psychology</i> , 2011 , 16, 584-95	3.1	44
240	Unipolar depression and the progression of coronary artery disease: toward an integrative model. <i>Psychotherapy and Psychosomatics</i> , 2011 , 80, 264-74	9.4	44
239	Care complexity in the general hospital: results from a European study. <i>Psychosomatics</i> , 2001 , 42, 204-12	2.6	44
238	The Impact of Treatments for Depression on the Dynamic Network Structure of Mental States: Two Randomized Controlled Trials. <i>Scientific Reports</i> , 2017 , 7, 46523	4.9	43
237	The Combined Effects of Obesity, Abdominal Obesity and Major Depression/Anxiety on Health-Related Quality of Life: the LifeLines Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0148871	3.7	43
236	The Reciprocity of Prosocial Behavior and Positive Affect in Daily Life. <i>Journal of Personality</i> , 2018 , 86, 139-146	4.4	42
235	Association between mental disorders and subsequent adult onset asthma. <i>Journal of Psychiatric Research</i> , 2014 , 59, 179-88	5.2	42
234	Eicosapentaenoic acid as an add-on to antidepressant medication for co-morbid major depression in patients with diabetes mellitus: a randomized, double-blind placebo-controlled study. <i>Journal of Affective Disorders</i> , 2010 , 126, 282-6	6.6	42
233	Operationalization of biopsychosocial case complexity in general health care: the INTERMED project. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005 , 39, 795-9	2.6	42
232	The identification of symptom-based subtypes of depression: A nationally representative cohort study. <i>Journal of Affective Disorders</i> , 2016 , 190, 395-406	6.6	41
231	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors: A Cross-National Analysis From the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2017 , 74, 1136-1144	14.5	41
230	Depressive symptoms in elderly patients after a somatic illness event: prevalence, persistence, and risk factors. <i>Psychosomatics</i> , 2006 , 47, 33-42	2.6	41
229	Sleep quality predicts positive and negative affect but not vice versa. An electronic diary study in depressed and healthy individuals. <i>Journal of Affective Disorders</i> , 2017 , 207, 260-267	6.6	40
228	Onset and recurrence of depression as predictors of cardiovascular prognosis in depressed acute coronary syndrome patients: a systematic review. <i>Psychotherapy and Psychosomatics</i> , 2011 , 80, 227-37	9.4	40
227	Type D personality is a predictor of poor emotional quality of life in primary care heart failure patients independent of depressive symptoms and New York Heart Association functional class. <i>Journal of Behavioral Medicine</i> , 2010 , 33, 72-80	3.6	39
226	Prediction of depressive disorder following myocardial infarction data from the Myocardial Infarction and Depression-Intervention Trial (MIND-IT). <i>International Journal of Cardiology</i> , 2006 , 109, 88-94	3.2	39

225	Interrater reliability of the INTERMED in a heterogeneous somatic population. <i>Journal of Psychosomatic Research</i> , 2002 , 52, 25-7	4.1	39
224	Self-reported depressive symptoms, diagnosed clinical depression and cardiac morbidity and mortality after myocardial infarction. <i>International Journal of Cardiology</i> , 2013 , 167, 2775-80	3.2	38
223	Temporal Dynamics of Health and Well-Being: A Crowdsourcing Approach to Momentary Assessments and Automated Generation of Personalized Feedback. <i>Psychosomatic Medicine</i> , 2017 , 79, 213-223	3.7	38
222	Empirical foundations for the diagnosis of somatization: implications for DSM-5. <i>Psychological Medicine</i> , 2011 , 41, 1133-42	6.9	38
221	A brief diagnostic screening instrument for mental disturbances in general medical wards. <i>Journal of Psychosomatic Research</i> , 2004 , 57, 17-24	4.1	38
220	Prevalence of dissociative disorders in psychiatric in-patients: the impact of study characteristics. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 102, 423-8	6.5	37
219	Risk factors for complex care needs in general medical inpatients: results from a European study. <i>Psychosomatics</i> , 2001 , 42, 213-21	2.6	37
218	Association of Depressive and Anxiety Disorders With Diagnosed Versus Undiagnosed Diabetes: An Epidemiological Study of 90,686 Participants. <i>Psychosomatic Medicine</i> , 2016 , 78, 233-41	3.7	37
217	Association of coexisting diabetes and depression with mortality after myocardial infarction. <i>Diabetes Care</i> , 2012 , 35, 503-9	14.6	35
216	Depression treatment after myocardial infarction and long-term risk of subsequent cardiovascular events and mortality: a randomized controlled trial. <i>Journal of Psychosomatic Research</i> , 2013 , 74, 25-30	4.1	33
215	Nurse-led case management for ambulatory complex patients in general health care: a systematic review. <i>Journal of Psychosomatic Research</i> , 2007 , 62, 385-95	4.1	33
214	Changes in cognitive versus somatic symptoms of depression and event-free survival following acute myocardial infarction in the Enhancing Recovery In Coronary Heart Disease (ENRICH) study. <i>Journal of Affective Disorders</i> , 2013 , 149, 335-41	6.6	32
213	Sequence of the 3'-terminal 21 nucleotides of yeast 17S ribosomal RNA. <i>Nucleic Acids Research</i> , 1977 , 4, 3655-63	20.1	32
212	A review on the putative association between beta-blockers and depression. <i>Heart Failure Clinics</i> , 2011 , 7, 89-99	3.3	31
211	Validity of a short clinical interview for psychiatric diagnosis: the mini-SCAN. <i>British Journal of Psychiatry</i> , 2010 , 196, 64-8	5.4	31
210	A simple risk score predicts poor quality of life and non-survival at 1 year follow-up in dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2003 , 18, 2622-8	4.3	31
209	Identification of case complexity and increased health care utilization in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2001 , 45, 216-21		31
208	Time to get personal? The impact of researchers choices on the selection of treatment targets using the experience sampling methodology. <i>Journal of Psychosomatic Research</i> , 2020 , 137, 110211	4.1	31

207	Preserving Subjective Wellbeing in the Face of Psychopathology: Buffering Effects of Personal Strengths and Resources. <i>PLoS ONE</i> , 2016 , 11, e0150867	3.7	31
206	Positive affect and survival in patients with stable coronary heart disease: findings from the Heart and Soul Study. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, 716-22	4.6	30
205	The cross-national structure of mental disorders: results from the World Mental Health Surveys. <i>Psychological Medicine</i> , 2018 , 48, 2073-2084	6.9	29
204	Major depressive disorder as a nonlinear dynamic system: bimodality in the frequency distribution of depressive symptoms over time. <i>BMC Psychiatry</i> , 2015 , 15, 222	4.2	29
203	Depression and cardiovascular disease: the end of simple models. <i>British Journal of Psychiatry</i> , 2012 , 201, 337-8	5.4	29
202	Are malnourished patients complex patients? Health status and care complexity of malnourished patients detected by the Short Nutritional Assessment Questionnaire (SNAQ). <i>European Journal of Internal Medicine</i> , 2006 , 17, 189-94	3.9	29
201	Decreased impact of post-myocardial infarction depression on cardiac prognosis?. <i>Journal of Psychosomatic Research</i> , 2006 , 61, 493-9	4.1	29
200	Ecological Momentary Assessments and Automated Time Series Analysis to Promote Tailored Health Care: A Proof-of-Principle Study. <i>JMIR Research Protocols</i> , 2015 , 4, e100	2	29
199	Anxiety disorders and CRP in a population cohort study with 54,326 participants: The LifeLines study. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 461-470	3.8	28
198	Supplementation with eicosapentaenoic omega-3 fatty acid does not influence serum brain-derived neurotrophic factor in diabetes mellitus patients with major depression: a randomized controlled pilot study. <i>Neuropsychobiology</i> , 2011 , 63, 219-23	4	28
197	Sequential serotonin and noradrenalin associated processes involved in postpartum blues. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1320-5	5.5	28
196	Cognitive-behavioural therapy v. usual care in recurrent depression. <i>British Journal of Psychiatry</i> , 2008 , 193, 505-6	5.4	28
195	Depressive Symptoms in Elderly Patients Predict Poor Adjustment After Somatic Events. <i>American Journal of Geriatric Psychiatry</i> , 2004 , 12, 57-64	6.5	28
194	Comprehensive assessment of patients in palliative care: a descriptive study utilizing the INTERMED. <i>Journal of Pain and Symptom Management</i> , 2000 , 19, 83-90	4.8	28
193	Depression as a non-causal variable risk marker in coronary heart disease. <i>BMC Medicine</i> , 2013 , 11, 130	11.4	27
192	Self-attributed seasonality of mood and behavior: a report from the Netherlands study of depression and anxiety. <i>Depression and Anxiety</i> , 2014 , 31, 517-23	8.4	27
191	Vital exhaustion and cardiovascular prognosis in myocardial infarction and heart failure: predictive power of different trajectories. <i>Psychological Medicine</i> , 2011 , 41, 731-8	6.9	27
190	Terminal nucleotide sequences of 17-S ribosomal RNA and its immediate precursor 18-S RNA in yeast. <i>FEBS Journal</i> , 1977 , 72, 361-9		27

189	Resilience in sports from a dynamical perspective.. <i>Sport, Exercise, and Performance Psychology</i> , 2018 , 7, 333-341	2.3	27
188	Identifiers, or "red flags," of complexity and need for integrated care. <i>Medical Clinics of North America</i> , 2006 , 90, 703-12	7	26
187	INTERMED: a measure of biopsychosocial case complexity: one year stability in Multiple Sclerosis patients. <i>General Hospital Psychiatry</i> , 2004 , 26, 147-52	5.6	26
186	Timing of psychiatric consultations: the impact of social vulnerability and level of psychiatric dysfunction. <i>Psychosomatics</i> , 2000 , 41, 505-11	2.6	26
185	Intra- and inter-individual variability of longitudinal daytime melatonin secretion patterns in depressed and non-depressed individuals. <i>Chronobiology International</i> , 2015 , 32, 441-6	3.6	25
184	The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. <i>International Journal of Drug Policy</i> , 2019 , 71, 103-112	5.5	25
183	Depression trajectories, inflammation, and lifestyle factors in adolescence: The TRacking Adolescents' Individual Lives Survey. <i>Health Psychology</i> , 2015 , 34, 1047-57	5	25
182	Symptom profiles of DSM-IV-defined remission, recovery, relapse, and recurrence of depression: the role of the core symptoms. <i>Depression and Anxiety</i> , 2012 , 29, 638-45	8.4	25
181	An increase in depressive symptoms after myocardial infarction predicts new cardiac events irrespective of depressive symptoms before myocardial infarction. <i>Psychological Medicine</i> , 2012 , 42, 683-93	6.9	25
180	Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. <i>Journal of Pain</i> , 2018 , 19, 99-110	5.2	24
179	The presence of a depressive episode predicts lower return to work rate after myocardial infarction. <i>General Hospital Psychiatry</i> , 2014 , 36, 363-7	5.6	24
178	Psychiatric comorbidity and causal disease models. <i>Preventive Medicine</i> , 2013 , 57, 748-52	4.3	24
177	"Critical slowing down in depression" is a great idea that still needs empirical proof. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E878	11.5	24
176	Internal consistency of the INTERMED in patients with somatic diseases. <i>Journal of Psychosomatic Research</i> , 2003 , 54, 497-9	4.1	24
175	The effects of teaching medical professionalism by means of vignettes: an exploratory study. <i>Medical Teacher</i> , 2005 , 27, 429-32	3	24
174	An investigation of emotion dynamics in major depressive disorder patients and healthy persons using sparse longitudinal networks. <i>PLoS ONE</i> , 2017 , 12, e0178586	3.7	24
173	Affective variability in depression: Revisiting the inertia-instability paradox. <i>British Journal of Psychology</i> , 2019 , 110, 814-827	4	24
172	Influence of baseline severity on antidepressant efficacy for anxiety disorders: meta-analysis and meta-regression. <i>British Journal of Psychiatry</i> , 2016 , 208, 515-21	5.4	23

171	Brief depression screening with the PHQ-2 associated with prognosis following percutaneous coronary intervention with paclitaxel-eluting stenting. <i>Journal of General Internal Medicine</i> , 2009 , 24, 1037-42	4	23
170	Symptom dimensions of anxiety following myocardial infarction: associations with depressive symptoms and prognosis. <i>Health Psychology</i> , 2014 , 33, 1468-76	5	22
169	Referral pattern of neurological patients to psychiatric Consultation-Liaison Services in 33 European hospitals. <i>General Hospital Psychiatry</i> , 2001 , 23, 152-7	5.6	22
168	Depressive symptoms and white blood cell count in coronary heart disease patients: prospective findings from the Heart and Soul Study. <i>Psychoneuroendocrinology</i> , 2013 , 38, 479-87	5	21
167	Cognitive-affective symptoms of depression after myocardial infarction: different prognostic importance across age groups. <i>Psychosomatic Medicine</i> , 2013 , 75, 701-8	3.7	21
166	Physical activity and onset of depression in adolescents: a prospective study in the general population cohort TRAILS. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1304-8	5.2	21
165	Associations between DSM-IV mental disorders and subsequent self-reported diagnosis of cancer. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 207-12	4.1	20
164	Vital exhaustion and somatic depression: the same underlying construct in patients with myocardial infarction?. <i>Psychosomatic Medicine</i> , 2012 , 74, 446-51	3.7	20
163	Distinct trajectories of fatigue in chronic heart failure and their association with prognosis. <i>European Journal of Heart Failure</i> , 2010 , 12, 841-8	12.3	20
162	Major depressive episodes and random mood. <i>Archives of General Psychiatry</i> , 2006 , 63, 509-18		20
161	Personality modulates the efficacy of treatment in patients with major depressive disorder. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e916-23	4.6	20
160	Data-driven course trajectories in primary care patients with major depressive disorder. <i>Depression and Anxiety</i> , 2014 , 31, 778-86	8.4	19
159	Wind direction and mental health: a time-series analysis of weather influences in a patient with anxiety disorder. <i>BMJ Case Reports</i> , 2012 , 2012,	0.9	19
158	Interview-based ratings of somatic and cognitive symptoms of depression and their impact on cardiovascular prognosis. <i>Psychotherapy and Psychosomatics</i> , 2010 , 79, 319-20	9.4	19
157	Assessing health care needs and clinical outcome with urological case complexity: a study using INTERMED. <i>Psychosomatics</i> , 2003 , 44, 196-203	2.6	19
156	Hiding negative trials by pooling them: a secondary analysis of pooled-trials publication bias in FDA-registered antidepressant trials. <i>Psychological Medicine</i> , 2019 , 49, 2020-2026	6.9	19
155	Associations of Positive Affect and Negative Affect With Allostatic Load: A Lifelines Cohort Study. <i>Psychosomatic Medicine</i> , 2018 , 80, 160-166	3.7	18
154	Automating Vector Autoregression on Electronic Patient Diary Data. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2016 , 20, 631-43	7.2	18

153	Commentary: "Consistent Superiority of Selective Serotonin Reuptake Inhibitors Over Placebo in Reducing Depressed Mood in Patients with Major Depression". <i>Frontiers in Psychiatry</i> , 2015 , 6, 117	5	18
152	Sex dependent risk factors for mortality after myocardial infarction: individual patient data meta-analysis. <i>BMC Medicine</i> , 2014 , 12, 242	11.4	18
151	More than the sum of its parts: meta-analysis and its potential to discover sources of heterogeneity in psychosomatic medicine. <i>Psychosomatic Medicine</i> , 2010 , 72, 253-65	3.7	18
150	Response sets in self-report data and their associations with personality traits. <i>European Journal of Psychiatry</i> , 2005 , 19,	1	18
149	Temporal dynamics of physical activity and affect in depressed and nondepressed individuals. <i>Health Psychology</i> , 2015 , 34S, 1268-77	5	18
148	The bidirectional association between sleep problems and anxiety symptoms in adolescents: a TRAILS report. <i>Sleep Medicine</i> , 2020 , 67, 39-46	4.6	18
147	Bias in the reporting of harms in clinical trials of second-generation antidepressants for depression and anxiety: A meta-analysis. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1752-1759	1.2	17
146	The possibility of evidence-based psychiatry: depression as a case. <i>Clinical Epigenetics</i> , 2011 , 2, 7-15	7.7	17
145	Association of major depression with subtypes of nicotine dependence found among adult daily smokers: a latent class analysis. <i>Drug and Alcohol Dependence</i> , 2009 , 104, 126-32	4.9	17
144	Seeing the signs: Using the course of residual depressive symptomatology to predict patterns of relapse and recurrence of major depressive disorder. <i>Depression and Anxiety</i> , 2018 , 35, 148-159	8.4	17
143	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder: Findings From the World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2019 , 76, 708-720	14.5	16
142	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. <i>Psychological Medicine</i> , 2018 , 48, 2730-2739	6.9	16
141	Associations between DSM-IV mental disorders and onset of self-reported peptic ulcer in the World Mental Health Surveys. <i>Journal of Psychosomatic Research</i> , 2013 , 75, 121-7	4.1	16
140	Cognitive vulnerability differentially predicts symptom dimensions of depression. <i>Journal of Affective Disorders</i> , 2013 , 151, 92-9	6.6	16
139	Antidepressive effect of mirtazapine in post-myocardial infarction depression is associated with soluble TNF-R1 increase: data from the MIND-IT. <i>Neuropsychobiology</i> , 2011 , 63, 169-76	4	16
138	Prevention of major depression in complex medically ill patients: preliminary results from a randomized, controlled trial. <i>Psychosomatics</i> , 2009 , 50, 227-33	2.6	16
137	Early detection of pneumology inpatients at risk of extended hospital stay and need for psychosocial treatment. <i>Psychosomatic Medicine</i> , 2007 , 69, 99-105	3.7	16
136	Complexity of care and mental illness in medical inpatients. <i>General Hospital Psychiatry</i> , 2001 , 23, 319-255.6		16

135	The associations of depression and hypertension with brain volumes: Independent or interactive?. <i>NeuroImage: Clinical</i> , 2015 , 8, 79-86	5.3	15
134	The comparative evidence basis for the efficacy of second-generation antidepressants in the treatment of depression in the US: A Bayesian meta-analysis of Food and Drug Administration reviews. <i>Journal of Affective Disorders</i> , 2018 , 235, 393-398	6.6	15
133	Effect of music therapy versus recreational activities on neuropsychiatric symptoms in elderly adults with dementia: an exploratory randomized controlled trial. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 392-3	5.6	15
132	The association between intelligence and telomere length: a longitudinal population based study. <i>PLoS ONE</i> , 2012 , 7, e49356	3.7	15
131	Adolescents with low intelligence are at risk of functional somatic symptoms: the TRAILS study. <i>Journal of Adolescent Health</i> , 2011 , 49, 621-6	5.8	15
130	Disrupting the rhythm of depression: design and protocol of a randomized controlled trial on preventing relapse using brief cognitive therapy with or without antidepressants. <i>BMC Psychiatry</i> , 2011 , 11, 8	4.2	15
129	PRegnanCy Outcomes after a Maternity Intervention for Stressful Emotions (PROMISES): study protocol for a randomised controlled trial. <i>Trials</i> , 2011 , 12, 157	2.8	15
128	Non-ribosomal nucleotide sequences in 7-S RNA, the immediate precursor of 5.8-S ribosomal RNA in yeast. <i>FEBS Journal</i> , 1978 , 83, 537-46		15
127	Adult attachment predicts the seven-year course of recurrent depression in primary care. <i>Journal of Affective Disorders</i> , 2018 , 225, 160-166	6.6	15
126	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. <i>BMC Medicine</i> , 2019 , 17, 101	11.4	14
125	The role of religious advisors in mental health care in the World Mental Health surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 353-367	4.5	14
124	Decomposing the heterogeneity of depression at the person-, symptom-, and time-level: latent variable models versus multimode principal component analysis. <i>BMC Medical Research Methodology</i> , 2015 , 15, 88	4.7	14
123	Treatment of depression in acute coronary syndromes with selective serotonin reuptake inhibitors. <i>Drugs</i> , 2006 , 66, 2095-107	12.1	14
122	Obstructive sleep apnea/hypopnea syndrome and poor response to sertraline in patients with coronary heart disease. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 31-6	4.6	14
121	Predicting antidepressant response by monitoring early improvement of individual symptoms of depression: individual patient data meta-analysis. <i>British Journal of Psychiatry</i> , 2019 , 214, 4-10	5.4	13
120	What does the beck depression inventory measure in myocardial infarction patients? a psychometric approach using item response theory and person-fit. <i>International Journal of Methods in Psychiatric Research</i> , 2015 , 24, 130-42	4.3	13
119	Temporal dynamics of symptom and treatment variables in a lifestyle-oriented approach to anxiety disorder: a single-subject time-series analysis. <i>Psychotherapy and Psychosomatics</i> , 2012 , 81, 253-5	9.4	13
118	A bifactor model of the Beck Depression Inventory and its association with medical prognosis after myocardial infarction. <i>Health Psychology</i> , 2016 , 35, 614-24	5	13

117	The temporal dynamics of cortisol and affective states in depressed and non-depressed individuals. <i>Psychoneuroendocrinology</i> , 2016 , 69, 16-25	5	13
116	The ten-year course of depression in primary care and long-term effects of psychoeducation, psychiatric consultation and cognitive behavioral therapy. <i>Journal of Affective Disorders</i> , 2017 , 217, 174-182	6.6	12
115	Data-driven atypical profiles of depressive symptoms: Identification and validation in a large cohort. <i>Journal of Affective Disorders</i> , 2015 , 180, 36-43	6.6	12
114	The Psychometric Properties of an Internet-Administered Version of the Depression Anxiety and Stress Scales (DASS) in a Sample of Dutch Adults. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2018 , 40, 318-333	2	12
113	Cost-effectiveness of a nurse-led case management intervention in general medical outpatients compared with usual care: an economic evaluation alongside a randomized controlled trial. <i>Journal of Psychosomatic Research</i> , 2007 , 62, 363-70	4.1	12
112	The temporal process of resilience.. <i>Sport, Exercise, and Performance Psychology</i> , 2018 , 7, 363-370	2.3	12
111	Differential association between affect and somatic symptoms at the between- and within-individual level. <i>British Journal of Health Psychology</i> , 2017 , 22, 270-280	8.3	11
110	A comparison of DSM-5 and DSM-IV agoraphobia in the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2019 , 36, 499-510	8.4	11
109	Associations between DSM-IV mental disorders and subsequent non-fatal, self-reported stroke. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 130-6	4.1	11
108	Examining the relation between post myocardial infarction depression and cardiovascular prognosis using a validated prediction model for post myocardial mortality. <i>International Journal of Cardiology</i> , 2013 , 167, 2533-8	3.2	11
107	Irritable mood in adult major depressive disorder: results from the world mental health surveys. <i>Depression and Anxiety</i> , 2013 , 30, 395-406	8.4	11
106	Comparing cognitive and somatic symptoms of depression in myocardial infarction patients and depressed patients in primary and mental health care. <i>PLoS ONE</i> , 2013 , 8, e53859	3.7	11
105	Partner attachment as a predictor of long-term response to treatment with couples therapy. <i>Journal of Sex and Marital Therapy</i> , 2011 , 37, 286-97	2.7	11
104	Comment on: Knol MJ, Twisk JWR, Beekman ATF, Heine RJ, Snoek FJ, Pouwer F. (2006) depression as a risk factor for the onset of type 2 diabetes mellitus. A meta-analysis. <i>Diabetologia</i> ; 49: 837-845. <i>Diabetologia</i> , 2006 , 49, 2797-8; author reply 2799-800	10.3	11
103	Effectiveness of post-discharge case management in general-medical outpatients: a randomized, controlled trial. <i>Psychosomatics</i> , 2006 , 47, 421-9	2.6	11
102	The association between cardiac rehabilitation and mortality risk for myocardial infarction patients with and without depressive symptoms. <i>Journal of Affective Disorders</i> , 2015 , 188, 278-83	6.6	10
101	Cognitive vulnerability and implicit emotional processing: imbalance in frontolimbic brain areas?. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2015 , 15, 69-79	3.5	10
100	Psychosocial and biological risk factors of anxiety disorders in adolescents: a TRAILS report. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 1969-1982	5.5	10

99	Associations Between Negative and Positive Life Events and the Course of Depression: A Detailed Repeated-Assessments Study. <i>Journal of Nervous and Mental Disease</i> , 2016 , 204, 175-80	1.8	10
98	The clinical characterization of the adult patient with an anxiety or related disorder aimed at personalization of management. <i>World Psychiatry</i> , 2021 , 20, 336-356	14.4	10
97	Bidirectionality Between Sleep Symptoms and Core Depressive Symptoms and Their Long-Term Course in Major Depression. <i>Psychosomatic Medicine</i> , 2017 , 79, 336-344	3.7	9
96	Differential reporting of depressive symptoms across distinct clinical subpopulations: what DIFFerence does it make?. <i>Journal of Psychosomatic Research</i> , 2015 , 78, 130-6	4.1	9
95	Plasticity genes do not modify associations between physical activity and depressive symptoms. <i>Health Psychology</i> , 2013 , 32, 785-92	5	9
94	One-year severity of depressive symptoms: results from the NESDA study. <i>Psychiatry Research</i> , 2011 , 190, 226-31	9.9	9
93	Duration of subsequent episodes and periods of recovery in recurrent major depression. <i>Journal of Affective Disorders</i> , 2010 , 125, 141-5	6.6	9
92	Heterogeneity of patients with coronary artery disease and distress and the need to identify relevant subtypes. <i>Archives of General Psychiatry</i> , 2008 , 65, 851-2; author reply 852-3		9
91	Seasonality of mood and affect in a large general population sample. <i>PLoS ONE</i> , 2020 , 15, e0239033	3.7	9
90	PSYCHIATRIC COMORBIDITY DOES NOT ONLY DEPEND ON DIAGNOSTIC THRESHOLDS: AN ILLUSTRATION WITH MAJOR DEPRESSIVE DISORDER AND GENERALIZED ANXIETY DISORDER. <i>Depression and Anxiety</i> , 2016 , 33, 143-52	8.4	9
89	Depressive symptoms in elderly patients predict poor adjustment after somatic events. <i>American Journal of Geriatric Psychiatry</i> , 2004 , 12, 57-64	6.5	9
88	The Prodromal Questionnaire: a case for IRT-based adaptive testing of psychotic experiences?. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26,	4.3	8
87	Network meta-analysis of randomised trials of pharmacological, psychotherapeutic, exercise and collaborative care interventions for depressive symptoms in patients with coronary artery disease: hybrid systematic review of systematic reviews protocol. <i>Systematic Reviews</i> , 2019 , 8, 71	3	8
86	Initial severity and antidepressant efficacy for anxiety disorders, obsessive-compulsive disorder, and posttraumatic stress disorder: An individual patient data meta-analysis. <i>Depression and Anxiety</i> , 2018 , 35, 515-522	8.4	8
85	What is the use? Application of the short form (SF) questionnaires for the evaluation of treatment effects. <i>Quality of Life Research</i> , 2013 , 22, 1225-30	3.7	8
84	Seasonal affective disorder and non-seasonal affective disorders: results from the NESDA study. <i>BJPsych Open</i> , 2017 , 3, 196-203	5	8
83	Depression deconstruction lessons from psychosomatic research. <i>Journal of Psychosomatic Research</i> , 2011 , 71, 59-60	4.1	8
82	Random-mood interpretation of determinants for major depression. <i>Psychological Medicine</i> , 2007 , 37, 1261-71	6.9	8

81	Internal and external validity of the experiences in close relationships questionnaire in an american and two dutch samples. <i>European Journal of Psychiatry</i> , 2006 , 20,	1	8
80	The advantages of an ADHD classification from the perspective of teachers. <i>European Journal of Special Needs Education</i> , 2019 , 34, 649-662	1.3	7
79	Effects of urinary cortisol levels and resting heart rate on the risk for fatal and nonfatal cardiovascular events. <i>Atherosclerosis</i> , 2016 , 248, 44-50	3.1	7
78	Predictors of a functional somatic syndrome diagnosis in patients with persistent functional somatic symptoms. <i>International Journal of Behavioral Medicine</i> , 2013 , 20, 206-12	2.6	7
77	Depressive symptoms, insulin sensitivity and insulin secretion in the RISC cohort study. <i>Diabetes and Metabolism</i> , 2013 , 39, 42-9	5.4	7
76	Mental disturbances and perceived complexity of nursing care in medical inpatients: results from a European study. <i>Journal of Advanced Nursing</i> , 2001 , 36, 355-63	3.1	7
75	Toward evidence-based medical statistics: a Bayesian analysis of double-blind placebo-controlled antidepressant trials in the treatment of anxiety disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2016 , 25, 299-308	4.3	7
74	Acute stress responses after indirect exposure to the MH17 airplane crash. <i>British Journal of Psychology</i> , 2019 , 110, 790-813	4	7
73	Individual depressive symptoms and all-cause mortality in 6673 patients with myocardial infarction: Heterogeneity across age and sex subgroups. <i>Journal of Affective Disorders</i> , 2018 , 228, 178-185	6.6	6
72	Associations between DSM-IV mental disorders and subsequent onset of arthritis. <i>Journal of Psychosomatic Research</i> , 2016 , 82, 11-16	4.1	6
71	Simultaneous Decomposition of Depression Heterogeneity on the Person-, Symptom- and Time-Level: The Use of Three-Mode Principal Component Analysis. <i>PLoS ONE</i> , 2015 , 10, e0132765	3.7	6
70	Markers of stress and inflammation as potential mediators of the relationship between exercise and depressive symptoms: findings from the TRAILS study. <i>Psychophysiology</i> , 2015 , 52, 352-8	4.1	6
69	Lower Sensitivity to Happy and Angry Facial Emotions in Young Adults with Psychiatric Problems. <i>Frontiers in Psychology</i> , 2016 , 7, 1797	3.4	6
68	The person-specific interplay of melatonin, affect, and fatigue in the context of sleep and depression. <i>Personality and Individual Differences</i> , 2018 , 123, 163-170	3.3	6
67	Teachers' perceptions of behavioral problems in Dutch primary education pupils: The role of relative age. <i>PLoS ONE</i> , 2018 , 13, e0204718	3.7	6
66	Using a hybrid subtyping model to capture patterns and dimensionality of depressive and anxiety symptomatology in the general population. <i>Journal of Affective Disorders</i> , 2017 , 215, 125-134	6.6	5
65	How to assess negative affective reactivity to daily life stress in depressed and nondepressed individuals?. <i>Psychiatry Research</i> , 2019 , 279, 259-266	9.9	5
64	Poor guideline adherence in the initiation of antidepressant treatment in children and adolescents in the Netherlands: choice of antidepressant and dose. <i>European Child and Adolescent Psychiatry</i> , 2016 , 25, 1161-1170	5.5	5

63	The heart of the matter: in search of causal effects of depression on somatic diseases. <i>BMC Medicine</i> , 2018 , 16, 147	11.4	5
62	Do troublesome pupils impact teacher perception of the behaviour of their classmates?. <i>European Journal of Special Needs Education</i> , 2019 , 34, 114-123	1.3	5
61	Circulating cerebral S100B protein is associated with depressive symptoms following myocardial infarction. <i>Neuropsychobiology</i> , 2009 , 59, 87-95	4	5
60	Study protocol for a prospective cohort study examining the predictive potential of dynamic symptom networks for the onset and progression of psychosis: the Mapping Individual Routes of Risk and Resilience (Mirorr) study. <i>BMJ Open</i> , 2018 , 8, e019059	3	5
59	Symptom and course heterogeneity of depressive symptoms and prognosis following myocardial infarction. <i>Health Psychology</i> , 2016 , 35, 413-22	5	5
58	Assessing psychosocial vulnerability and care needs of pretransplant patients by means of the INTERMED. <i>Zeitschrift Fur Psychosomatische Medizin Und Psychotherapie</i> , 2014 , 60, 190-203	1.3	5
57	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2021 , 288, 199-209	6.6	5
56	Gray matter volume and white matter lesions in chronic kidney disease: exploring the association with depressive symptoms. <i>General Hospital Psychiatry</i> , 2016 , 40, 18-24	5.6	5
55	Social Needs and Happiness: A Life Course Perspective. <i>Journal of Happiness Studies</i> , 2021 , 22, 1953-1978	3.7	5
54	Predicting long-term depression outcome using a three-mode principal component model for depression heterogeneity. <i>Journal of Affective Disorders</i> , 2016 , 189, 1-9	6.6	4
53	Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. <i>Psychological Medicine</i> , 2020 , 1-13	6.9	4
52	Don't worry, be happy: Protective factors to buffer against distress associated with psychotic experiences. <i>Schizophrenia Research</i> , 2020 , 223, 79-86	3.6	4
51	The Temporal Order of Changes in Physical Activity and Subjective Sleep in Depressed Versus Nondepressed Individuals: Findings From the MOOVD Study. <i>Behavioral Sleep Medicine</i> , 2018 , 16, 154-168	4.2	4
50	Beta-blocker use and the development of depression. <i>American Journal of Cardiology</i> , 2009 , 103, 1331-23		4
49	The importance of incident depression in myocardial infarction patients. <i>Biological Psychiatry</i> , 2009 , 65, e7-8; author reply e9	7.9	4
48	Measuring care needs and case-mix by means of the INTERMED. <i>General Hospital Psychiatry</i> , 2001 , 23, 43-4	5.6	4
47	Hybrid Systematic Review and Network Meta-Analysis of Randomized Controlled Trials of Interventions for Depressive Symptoms in Patients With Coronary Artery Disease. <i>Psychosomatic Medicine</i> , 2021 , 83, 423-431	3.7	4
46	ConNEcT: A Novel Network Approach for Investigating the Co-occurrence of Binary Psychopathological Symptoms Over Time. <i>Psychometrika</i> , 2021 , 1	2.2	4

45	The relative impact of school-wide positive behavior support on teachers' perceptions of student behavior across schools, teachers, and students. <i>Psychology in the Schools</i> , 2019 , 56, 232-241	1.5	4
44	Spin in RCTs of anxiety medication with a positive primary outcome: a comparison of concerns expressed by the US FDA and in the published literature. <i>BMJ Open</i> , 2017 , 7, e012886	3	3
43	Physical Distance Between Romantic Partners as a Marker for Attachment in Couples: A Proof-of-Concept Study. <i>Australian and New Zealand Journal of Family Therapy</i> , 2020 , 41, 91-106	1.1	3
42	Tobacco smoking and depression: time to move on to a new research paradigm in medicine?. <i>BMC Medicine</i> , 2013 , 11, 138	11.4	3
41	The association between positive and negative affect at the inter- and intra-individual level. <i>Personality and Individual Differences</i> , 2017 , 105, 252-256	3.3	3
40	Developing depression after a myocardial infarction increases risk of cardiac mortality but pre-existing depression does not. <i>Evidence-Based Mental Health</i> , 2009 , 12, 8	11.1	3
39	The Bidirectional Relationship Between Debts and Common Mental Disorders: Results of a longitudinal Population-Based Study. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2021 , 48, 810-820	3.1	3
38	Childhood trauma and bullying-victimization as an explanation for differences in mental disorders by sexual orientation. <i>Journal of Psychiatric Research</i> , 2021 , 137, 225-231	5.2	3
37	Spread the Joy: How High and Low Bias for Happy Facial Emotions Translate into Different Daily Life Affect Dynamics. <i>Complexity</i> , 2018 , 2018, 1-15	1.6	3
36	The effects of treatment-resistant depression and first-ever depression on mortality following acute coronary syndrome: interactive or independent?. <i>American Journal of Psychiatry</i> , 2009 , 166, 828-9; author reply 829	11.9	2
35	Re-reflecting the article by Thombs and colleagues: Figure 1:. <i>Cmaj</i> , 2012 , 184, 438.2-439	3.5	2
34	Selective publication of antidepressant trials. <i>New England Journal of Medicine</i> , 2008 , 358, 2180-1; author reply 2181-2	59.2	2
33	Depressive symptoms, insulin resistance, and risk of diabetes in women at midlife: response to Everson-Rose et al. <i>Diabetes Care</i> , 2005 , 28, 1265-6; author reply 1266	14.6	2
32	Operationalization of Biopsychosocial Case Complexity in General Health Care: The INTERMED Project		2
31	Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e70	5.1	2
30	Mixed-Effects Trait-State-Occasion Model: Studying the Psychometric Properties and the Person-Situation Interactions of Psychological Dynamics. <i>Structural Equation Modeling</i> , 1-14	3.7	2
29	Association of Recognized and Unrecognized Myocardial Infarction With Depressive and Anxiety Disorders in 125,988 Individuals: A Report of the Lifelines Cohort Study. <i>Psychosomatic Medicine</i> , 2020 , 82, 736-743	3.7	2
28	The u-can-act Platform: A Tool to Study Intra-individual Processes of Early School Leaving and Its Prevention Using Multiple Informants. <i>Frontiers in Psychology</i> , 2019 , 10, 1808	3.4	2

27	Exploring neuropsychological effects of a self-monitoring intervention for ADHD-symptoms in school. <i>Applied Neuropsychology: Child</i> , 2020 , 9, 246-258	1.4	2
26	Person-fit feedback on inconsistent symptom reports in clinical depression care. <i>Psychological Medicine</i> , 2018 , 48, 1844-1852	6.9	2
25	Predicting Resilience Losses in Dyadic Team Performance. <i>Nonlinear Dynamics, Psychology, and Life Sciences</i> , 2020 , 24, 327-351	0.4	2
24	Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys.. <i>World Psychiatry</i> , 2022 , 21, 272-286	14.4	2
23	Panic Disorder and Panic Attacks93-105		1
22	Agoraphobia106-119		1
21	Why would associations between cardiometabolic risk factors and depressive symptoms be linear?. <i>BMC Medicine</i> , 2014 , 12, 199	11.4	1
20	Letter by Roest et al regarding article, "mental disorders across the adult life course and future coronary heart disease: evidence for general susceptibility". <i>Circulation</i> , 2014 , 130, e116	16.7	1
19	Hart en/of ziel?. <i>Psychologie and Gezondheid</i> , 2009 , 37, 15-24		1
18	Should African Americans be overtreated for depression the same as whites are? Commentary on Waldman et al (2009). <i>American Heart Journal</i> , 2009 , 157, e31; author reply e35-7	4.9	1
17	Dr. de Jonge and Colleagues Reply. <i>American Journal of Psychiatry</i> , 2006 , 163, 1296-1296	11.9	1
16	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2021 , 229, 109158	4.9	1
15	A Prescription Trend Analysis of Methylphenidate: Relation to Study Reports on Efficacy. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2020 , 47, 291-299	3.1	1
14	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , 2021 , 21, 392	4.2	1
13	Depression and Cardiovascular Disease Progression: Epidemiology, Mechanisms and Treatment 2011 , 211-233		0
12	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	0
11	Affect, worry, and sleep: Between- and within-subject associations in a diary study. <i>Journal of Affective Disorders Reports</i> , 2021 , 4, 100134	1.4	0
10	Longitudinal bidirectional associations between internalizing mental disorders and cardiometabolic disorders in the general adult population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 1611-1621	4.5	0

- | | | |
|---|---|---------|
| 9 | Blijze gezichten en andere beloningen: aandacht voor positieve informatie als beschermend mechanisme tegen depressie. <i>Neuropraxis</i> , 2020 , 24, 10-18 | 0 |
| 8 | Using bundle embeddings to predict daily cortisol levels in human subjects. <i>BMC Medical Research Methodology</i> , 2018 , 18, 31 | 4-7 |
| 7 | Reply to: "Is a score of 10 or greater on the Beck Depression Inventory equivalent to clinically diagnosed depression?". <i>International Journal of Cardiology</i> , 2013 , 167, 1646 | 3-2 |
| 6 | The potential of individual patient data for research on antidepressant safety and efficacy. <i>European Neuropsychopharmacology</i> , 2017 , 27, 695-696 | 1-2 |
| 5 | Complexity Prediction Instrument to detect 'complex cases' in respiratory wards: instrument development. <i>Journal of Advanced Nursing</i> , 2008 , 64, 96-103 | 3-1 |
| 4 | Meta-analysis urges the development of new strategies to treat depression in order to improve cardiac prognosis. <i>European Heart Journal</i> , 2007 , 28, 1661; author reply 1661-2 | 9-5 |
| 3 | Psychiatric consultations and length of hospital stay. <i>Psychosomatics</i> , 2005 , 46, 496-7 | 2-6 |
| 2 | The Associations of Posttraumatic Stress Disorder with Secondary Mental and Physical Health Disorders | 110-127 |
| 1 | Using State Space Methods to Reveal Dynamical Associations Between Cortisol and Depression. <i>Nonlinear Dynamics, Psychology, and Life Sciences</i> , 2016 , 20, 1-21 | 0-4 |