

Peter de Jonge

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2809894/peter-de-jonge-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

350
papers

16,906
citations

65
h-index

114
g-index

367
ext. papers

19,782
ext. citations

6
avg. IF

6.59
L-index

#	Paper	IF	Citations
350	Patterns and correlates of patient-reported helpfulness of treatment for common mental and substance use disorders in the WHO World Mental Health Surveys.. <i>World Psychiatry</i> , 2022 , 21, 272-286	14.4	2
349	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. <i>Drug and Alcohol Dependence</i> , 2021 , 229, 109158	4.9	1
348	Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e70	5.1	2
347	Psychosocial and biological risk factors of anxiety disorders in adolescents: a TRAILS report. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 1969-1982	5.5	10
346	The Bidirectional Relationship Between Debts and Common Mental Disorders: Results of a longitudinal Population-Based Study. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2021 , 48, 810-820	3.1	3
345	Affect, worry, and sleep: Between- and within-subject associations in a diary study. <i>Journal of Affective Disorders Reports</i> , 2021 , 4, 100134	1.4	0
344	Childhood trauma and bullying-victimization as an explanation for differences in mental disorders by sexual orientation. <i>Journal of Psychiatric Research</i> , 2021 , 137, 225-231	5.2	3
343	Hybrid Systematic Review and Network Meta-Analysis of Randomized Controlled Trials of Interventions for Depressive Symptoms in Patients With Coronary Artery Disease. <i>Psychosomatic Medicine</i> , 2021 , 83, 423-431	3.7	4
342	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. <i>Journal of Affective Disorders</i> , 2021 , 288, 199-209	6.6	5
341	ConNEcT: A Novel Network Approach for Investigating the Co-occurrence of Binary Psychopathological Symptoms Over Time. <i>Psychometrika</i> , 2021 , 1	2.2	4
340	Social Needs and Happiness: A Life Course Perspective. <i>Journal of Happiness Studies</i> , 2021 , 22, 1953-1978	7.7	5
339	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. <i>BMC Psychiatry</i> , 2021 , 21, 392	4.2	1
338	The clinical characterization of the adult patient with an anxiety or related disorder aimed at personalization of management. <i>World Psychiatry</i> , 2021 , 20, 336-356	14.4	10
337	Longitudinal bidirectional associations between internalizing mental disorders and cardiometabolic disorders in the general adult population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 1611-1621	4.5	0
336	Patterns of care and dropout rates from outpatient mental healthcare in low-, middle- and high-income countries from the World Health Organization's World Mental Health Survey Initiative. <i>Psychological Medicine</i> , 2020 , 1-13	6.9	4
335	Don't worry, be happy: Protective factors to buffer against distress associated with psychotic experiences. <i>Schizophrenia Research</i> , 2020 , 223, 79-86	3.6	4
334	Physical Distance Between Romantic Partners as a Marker for Attachment in Couples: A Proof-of-Concept Study. <i>Australian and New Zealand Journal of Family Therapy</i> , 2020 , 41, 91-106	1.1	3

333	Association between Mental Disorders and Subsequent Medical Conditions. <i>New England Journal of Medicine</i> , 2020 , 382, 1721-1731	59.2	103
332	Blijde gezichten en andere beloningen: aandacht voor positieve informatie als beschermend mechanisme tegen depressie. <i>Neuropraxis</i> , 2020 , 24, 10-18	0	
331	The bidirectional association between sleep problems and anxiety symptoms in adolescents: a TRAILS report. <i>Sleep Medicine</i> , 2020 , 67, 39-46	4.6	18
330	Association of Recognized and Unrecognized Myocardial Infarction With Depressive and Anxiety Disorders in 125,988 Individuals: A Report of the Lifelines Cohort Study. <i>Psychosomatic Medicine</i> , 2020 , 82, 736-743	3.7	2
329	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	0
328	Time to get personal? The impact of researchers choices on the selection of treatment targets using the experience sampling methodology. <i>Journal of Psychosomatic Research</i> , 2020 , 137, 110211	4.1	31
327	Seasonality of mood and affect in a large general population sample. <i>PLoS ONE</i> , 2020 , 15, e0239033	3.7	9
326	Exploring neuropsychological effects of a self-monitoring intervention for ADHD-symptoms in school. <i>Applied Neuropsychology: Child</i> , 2020 , 9, 246-258	1.4	2
325	A Prescription Trend Analysis of Methylphenidate: Relation to Study Reports on Efficacy. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2020 , 47, 291-299	3.1	1
324	Predicting Resilience Losses in Dyadic Team Performance. <i>Nonlinear Dynamics, Psychology, and Life Sciences</i> , 2020 , 24, 327-351	0.4	2
323	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. <i>BMC Medicine</i> , 2019 , 17, 101	11.4	14
322	How to assess negative affective reactivity to daily life stress in depressed and nondepressed individuals?. <i>Psychiatry Research</i> , 2019 , 279, 259-266	9.9	5
321	Network meta-analysis of randomised trials of pharmacological, psychotherapeutic, exercise and collaborative care interventions for depressive symptoms in patients with coronary artery disease: hybrid systematic review of systematic reviews protocol. <i>Systematic Reviews</i> , 2019 , 8, 71	3	8
320	Association of Cohort and Individual Substance Use With Risk of Transitioning to Drug Use, Drug Use Disorder, and Remission From Disorder: Findings From the World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2019 , 76, 708-720	14.5	16
319	The advantages of an ADHD classification from the perspective of teachers. <i>European Journal of Special Needs Education</i> , 2019 , 34, 649-662	1.3	7
318	A comparison of DSM-5 and DSM-IV agoraphobia in the World Mental Health Surveys. <i>Depression and Anxiety</i> , 2019 , 36, 499-510	8.4	11
317	Predicting antidepressant response by monitoring early improvement of individual symptoms of depression: individual patient data meta-analysis. <i>British Journal of Psychiatry</i> , 2019 , 214, 4-10	5.4	13
316	Do troublesome pupils impact teacher perception of the behaviour of their classmates?. <i>European Journal of Special Needs Education</i> , 2019 , 34, 114-123	1.3	5

315	The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. <i>International Journal of Drug Policy</i> , 2019 , 71, 103-112	5.5	25
314	The u-can-act Platform: A Tool to Study Intra-individual Processes of Early School Leaving and Its Prevention Using Multiple Informants. <i>Frontiers in Psychology</i> , 2019 , 10, 1808	3.4	2
313	The relative impact of school-wide positive behavior support on teachers' perceptions of student behavior across schools, teachers, and students. <i>Psychology in the Schools</i> , 2019 , 56, 232-241	1.5	4
312	Acute stress responses after indirect exposure to the MH17 airplane crash. <i>British Journal of Psychology</i> , 2019 , 110, 790-813	4	7
311	Affective variability in depression: Revisiting the inertia-instability paradox. <i>British Journal of Psychology</i> , 2019 , 110, 814-827	4	24
310	Exploring Comorbidity Within Mental Disorders Among a Danish National Population. <i>JAMA Psychiatry</i> , 2019 , 76, 259-270	14.5	188
309	Hiding negative trials by pooling them: a secondary analysis of pooled-trials publication bias in FDA-registered antidepressant trials. <i>Psychological Medicine</i> , 2019 , 49, 2020-2026	6.9	19
308	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. <i>Psychological Medicine</i> , 2018 , 48, 2730-2739	6.9	16
307	Initial severity and antidepressant efficacy for anxiety disorders, obsessive-compulsive disorder, and posttraumatic stress disorder: An individual patient data meta-analysis. <i>Depression and Anxiety</i> , 2018 , 35, 515-522	8.4	8
306	The comparative evidence basis for the efficacy of second-generation antidepressants in the treatment of depression in the US: A Bayesian meta-analysis of Food and Drug Administration reviews. <i>Journal of Affective Disorders</i> , 2018 , 235, 393-398	6.6	15
305	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. <i>Depression and Anxiety</i> , 2018 , 35, 195-208	8.4	160
304	Anxiety disorders and CRP in a population cohort study with 54,326 participants: The LifeLines study. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 461-470	3.8	28
303	Associations of Positive Affect and Negative Affect With Allostatic Load: A Lifelines Cohort Study. <i>Psychosomatic Medicine</i> , 2018 , 80, 160-166	3.7	18
302	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 279-288	4.5	58
301	Individual depressive symptoms and all-cause mortality in 6673 patients with myocardial infarction: Heterogeneity across age and sex subgroups. <i>Journal of Affective Disorders</i> , 2018 , 228, 178-185	6.6	6
300	The cross-national structure of mental disorders: results from the World Mental Health Surveys. <i>Psychological Medicine</i> , 2018 , 48, 2073-2084	6.9	29
299	Using bundle embeddings to predict daily cortisol levels in human subjects. <i>BMC Medical Research Methodology</i> , 2018 , 18, 31	4.7	
298	The Psychometric Properties of an Internet-Administered Version of the Depression Anxiety and Stress Scales (DASS) in a Sample of Dutch Adults. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2018 , 40, 318-333	2	12

297	The Temporal Order of Changes in Physical Activity and Subjective Sleep in Depressed Versus Nondepressed Individuals: Findings From the MOOVD Study. <i>Behavioral Sleep Medicine</i> , 2018 , 16, 154-168	4.2	4
296	The Reciprocity of Prosocial Behavior and Positive Affect in Daily Life. <i>Journal of Personality</i> , 2018 , 86, 139-146	4.4	42
295	Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. <i>Journal of Pain</i> , 2018 , 19, 99-110	5.2	24
294	The heart of the matter: in search of causal effects of depression on somatic diseases. <i>BMC Medicine</i> , 2018 , 16, 147	11.4	5
293	Study protocol for a prospective cohort study examining the predictive potential of dynamic symptom networks for the onset and progression of psychosis: the Mapping Individual Routes of Risk and Resilience (Mirorr) study. <i>BMJ Open</i> , 2018 , 8, e019059	3	5
292	Resilience in sports from a dynamical perspective.. <i>Sport, Exercise, and Performance Psychology</i> , 2018 , 7, 333-341	2.3	27
291	The temporal process of resilience.. <i>Sport, Exercise, and Performance Psychology</i> , 2018 , 7, 363-370	2.3	12
290	Person-fit feedback on inconsistent symptom reports in clinical depression care. <i>Psychological Medicine</i> , 2018 , 48, 1844-1852	6.9	2
289	Seeing the signs: Using the course of residual depressive symptomatology to predict patterns of relapse and recurrence of major depressive disorder. <i>Depression and Anxiety</i> , 2018 , 35, 148-159	8.4	17
288	The person-specific interplay of melatonin, affect, and fatigue in the context of sleep and depression. <i>Personality and Individual Differences</i> , 2018 , 123, 163-170	3.3	6
287	Adult attachment predicts the seven-year course of recurrent depression in primary care. <i>Journal of Affective Disorders</i> , 2018 , 225, 160-166	6.6	15
286	Spread the Joy: How High and Low Bias for Happy Facial Emotions Translate into Different Daily Life Affect Dynamics. <i>Complexity</i> , 2018 , 2018, 1-15	1.6	3
285	Teachers' perceptions of behavioral problems in Dutch primary education pupils: The role of relative age. <i>PLoS ONE</i> , 2018 , 13, e0204718	3.7	6
284	The Prodromal Questionnaire: a case for IRT-based adaptive testing of psychotic experiences?. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26,	4.3	8
283	Differential association between affect and somatic symptoms at the between- and within-individual level. <i>British Journal of Health Psychology</i> , 2017 , 22, 270-280	8.3	11
282	Can We Jump from Cross-Sectional to Dynamic Interpretations of Networks? Implications for the Network Perspective in Psychiatry. <i>Psychotherapy and Psychosomatics</i> , 2017 , 86, 175-177	9.4	64
281	The Impact of Treatments for Depression on the Dynamic Network Structure of Mental States: Two Randomized Controlled Trials. <i>Scientific Reports</i> , 2017 , 7, 46523	4.9	43
280	Spin in RCTs of anxiety medication with a positive primary outcome: a comparison of concerns expressed by the US FDA and in the published literature. <i>BMJ Open</i> , 2017 , 7, e012886	3	3

279	The ten-year course of depression in primary care and long-term effects of psychoeducation, psychiatric consultation and cognitive behavioral therapy. <i>Journal of Affective Disorders</i> , 2017 , 217, 174-182	6.6	12
278	Cross-sectional Comparison of the Epidemiology of DSM-5 Generalized Anxiety Disorder Across the Globe. <i>JAMA Psychiatry</i> , 2017 , 74, 465-475	14.5	149
277	Using a hybrid subtyping model to capture patterns and dimensionality of depressive and anxiety symptomatology in the general population. <i>Journal of Affective Disorders</i> , 2017 , 215, 125-134	6.6	5
276	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. <i>BMC Medicine</i> , 2017 , 15, 143	11.4	149
275	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors: A Cross-National Analysis From the World Health Organization World Mental Health Surveys. <i>JAMA Psychiatry</i> , 2017 , 74, 1136-1144	14.5	41
274	Seasonal affective disorder and non-seasonal affective disorders: results from the NESDA study. <i>BJPsych Open</i> , 2017 , 3, 196-203	5	8
273	Bidirectionality Between Sleep Symptoms and Core Depressive Symptoms and Their Long-Term Course in Major Depression. <i>Psychosomatic Medicine</i> , 2017 , 79, 336-344	3.7	9
272	The association between positive and negative affect at the inter- and intra-individual level. <i>Personality and Individual Differences</i> , 2017 , 105, 252-256	3.3	3
271	The role of religious advisors in mental health care in the World Mental Health surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 353-367	4.5	14
270	Sleep quality predicts positive and negative affect but not vice versa. An electronic diary study in depressed and healthy individuals. <i>Journal of Affective Disorders</i> , 2017 , 207, 260-267	6.6	40
269	The potential of individual patient data for research on antidepressant safety and efficacy. <i>European Neuropsychopharmacology</i> , 2017 , 27, 695-696	1.2	
268	Temporal Dynamics of Health and Well-Being: A Crowdsourcing Approach to Momentary Assessments and Automated Generation of Personalized Feedback. <i>Psychosomatic Medicine</i> , 2017 , 79, 213-223	3.7	38
267	An investigation of emotion dynamics in major depressive disorder patients and healthy persons using sparse longitudinal networks. <i>PLoS ONE</i> , 2017 , 12, e0178586	3.7	24
266	Epidemiology of anxiety disorders: from surveys to nosology and back. <i>Dialogues in Clinical Neuroscience</i> , 2017 , 19, 127-136	5.7	79
265	Predicting long-term depression outcome using a three-mode principal component model for depression heterogeneity. <i>Journal of Affective Disorders</i> , 2016 , 189, 1-9	6.6	4
264	Association Between Chronic Physical Conditions and the Effectiveness of Collaborative Care for Depression: An Individual Participant Data Meta-analysis. <i>JAMA Psychiatry</i> , 2016 , 73, 978-89	14.5	54
263	Bias in the reporting of harms in clinical trials of second-generation antidepressants for depression and anxiety: A meta-analysis. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1752-1759	1.2	17
262	Cross-national epidemiology of panic disorder and panic attacks in the world mental health surveys. <i>Depression and Anxiety</i> , 2016 , 33, 1155-1177	8.4	83

261	Influence of baseline severity on antidepressant efficacy for anxiety disorders: meta-analysis and meta-regression. <i>British Journal of Psychiatry</i> , 2016 , 208, 515-21	5.4	23
260	Poor guideline adherence in the initiation of antidepressant treatment in children and adolescents in the Netherlands: choice of antidepressant and dose. <i>European Child and Adolescent Psychiatry</i> , 2016 , 25, 1161-1170	5.5	5
259	Automating Vector Autoregression on Electronic Patient Diary Data. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2016 , 20, 631-43	7.2	18
258	Effects of urinary cortisol levels and resting heart rate on the risk for fatal and nonfatal cardiovascular events. <i>Atherosclerosis</i> , 2016 , 248, 44-50	3.1	7
257	Associations between DSM-IV mental disorders and subsequent onset of arthritis. <i>Journal of Psychosomatic Research</i> , 2016 , 82, 11-16	4.1	6
256	Association of Mental Disorders With Subsequent Chronic Physical Conditions: World Mental Health Surveys From 17 Countries. <i>JAMA Psychiatry</i> , 2016 , 73, 150-8	14.5	246
255	The identification of symptom-based subtypes of depression: A nationally representative cohort study. <i>Journal of Affective Disorders</i> , 2016 , 190, 395-406	6.6	41
254	The Combined Effects of Obesity, Abdominal Obesity and Major Depression/Anxiety on Health-Related Quality of Life: the LifeLines Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0148871	3.7	43
253	Symptom and course heterogeneity of depressive symptoms and prognosis following myocardial infarction. <i>Health Psychology</i> , 2016 , 35, 413-22	5	5
252	A bifactor model of the Beck Depression Inventory and its association with medical prognosis after myocardial infarction. <i>Health Psychology</i> , 2016 , 35, 614-24	5	13
251	Preserving Subjective Wellbeing in the Face of Psychopathology: Buffering Effects of Personal Strengths and Resources. <i>PLoS ONE</i> , 2016 , 11, e0150867	3.7	31
250	Lower Sensitivity to Happy and Angry Facial Emotions in Young Adults with Psychiatric Problems. <i>Frontiers in Psychology</i> , 2016 , 7, 1797	3.4	6
249	Association of Depressive and Anxiety Disorders With Diagnosed Versus Undiagnosed Diabetes: An Epidemiological Study of 90,686 Participants. <i>Psychosomatic Medicine</i> , 2016 , 78, 233-41	3.7	37
248	HowNutsAreTheDutch (HoeGekisNL): A crowdsourcing study of mental symptoms and strengths. <i>International Journal of Methods in Psychiatric Research</i> , 2016 , 25, 123-44	4.3	59
247	Toward evidence-based medical statistics: a Bayesian analysis of double-blind placebo-controlled antidepressant trials in the treatment of anxiety disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2016 , 25, 299-308	4.3	7
246	Associations Between Negative and Positive Life Events and the Course of Depression: A Detailed Repeated-Assessments Study. <i>Journal of Nervous and Mental Disease</i> , 2016 , 204, 175-80	1.8	10
245	PSYCHIATRIC COMORBIDITY DOES NOT ONLY DEPEND ON DIAGNOSTIC THRESHOLDS: AN ILLUSTRATION WITH MAJOR DEPRESSIVE DISORDER AND GENERALIZED ANXIETY DISORDER. <i>Depression and Anxiety</i> , 2016 , 33, 143-52	8.4	9
244	Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. <i>Schizophrenia Bulletin</i> , 2016 , 42, 933-41	1.3	66

243	The temporal dynamics of cortisol and affective states in depressed and non-depressed individuals. <i>Psychoneuroendocrinology</i> , 2016 , 69, 16-25	5	13
242	Gray matter volume and white matter lesions in chronic kidney disease: exploring the association with depressive symptoms. <i>General Hospital Psychiatry</i> , 2016 , 40, 18-24	5.6	5
241	Using State Space Methods to Reveal Dynamical Associations Between Cortisol and Depression. <i>Nonlinear Dynamics, Psychology, and Life Sciences</i> , 2016 , 20, 1-21	0.4	
240	Pediatric-Onset and Adult-Onset Separation Anxiety Disorder Across Countries in the World Mental Health Survey. <i>American Journal of Psychiatry</i> , 2015 , 172, 647-56	11.9	68
239	Associations between DSM-IV mental disorders and subsequent non-fatal, self-reported stroke. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 130-6	4.1	11
238	Data-driven atypical profiles of depressive symptoms: Identification and validation in a large cohort. <i>Journal of Affective Disorders</i> , 2015 , 180, 36-43	6.6	12
237	Reporting Bias in Clinical Trials Investigating the Efficacy of Second-Generation Antidepressants in the Treatment of Anxiety Disorders: A Report of 2 Meta-analyses. <i>JAMA Psychiatry</i> , 2015 , 72, 500-10	14.5	72
236	The association between cardiac rehabilitation and mortality risk for myocardial infarction patients with and without depressive symptoms. <i>Journal of Affective Disorders</i> , 2015 , 188, 278-83	6.6	10
235	The associations of depression and hypertension with brain volumes: Independent or interactive?. <i>NeuroImage: Clinical</i> , 2015 , 8, 79-86	5.3	15
234	Cognitive vulnerability and implicit emotional processing: imbalance in frontolimbic brain areas?. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2015 , 15, 69-79	3.5	10
233	Intra- and inter-individual variability of longitudinal daytime melatonin secretion patterns in depressed and non-depressed individuals. <i>Chronobiology International</i> , 2015 , 32, 441-6	3.6	25
232	Depression trajectories, inflammation, and lifestyle factors in adolescence: The TRacking Adolescents' Individual Lives Survey. <i>Health Psychology</i> , 2015 , 34, 1047-57	5	25
231	Major depressive disorder as a nonlinear dynamic system: bimodality in the frequency distribution of depressive symptoms over time. <i>BMC Psychiatry</i> , 2015 , 15, 222	4.2	29
230	Systematic Review and Individual Patient Data Meta-Analysis of Sex Differences in Depression and Prognosis in Persons With Myocardial Infarction: A MINDMAPS Study. <i>Psychosomatic Medicine</i> , 2015 , 77, 419-28	3.7	65
229	Decomposing the heterogeneity of depression at the person-, symptom-, and time-level: latent variable models versus multimode principal component analysis. <i>BMC Medical Research Methodology</i> , 2015 , 15, 88	4.7	14
228	What does the beck depression inventory measure in myocardial infarction patients? a psychometric approach using item response theory and person-fit. <i>International Journal of Methods in Psychiatric Research</i> , 2015 , 24, 130-42	4.3	13
227	Cortisol and α -Amylase Secretion Patterns between and within Depressed and Non-Depressed Individuals. <i>PLoS ONE</i> , 2015 , 10, e0131002	3.7	51
226	Simultaneous Decomposition of Depression Heterogeneity on the Person-, Symptom- and Time-Level: The Use of Three-Mode Principal Component Analysis. <i>PLoS ONE</i> , 2015 , 10, e0132765	3.7	6

225	Commentary: "Consistent Superiority of Selective Serotonin Reuptake Inhibitors Over Placebo in Reducing Depressed Mood in Patients with Major Depression". <i>Frontiers in Psychiatry</i> , 2015 , 6, 117	5	18
224	Psychotic Experiences in the General Population: A Cross-National Analysis Based on 31,261 Respondents From 18 Countries. <i>JAMA Psychiatry</i> , 2015 , 72, 697-705	14.5	254
223	Markers of stress and inflammation as potential mediators of the relationship between exercise and depressive symptoms: findings from the TRAILS study. <i>Psychophysiology</i> , 2015 , 52, 352-8	4.1	6
222	Differential reporting of depressive symptoms across distinct clinical subpopulations: what DIFFerence does it make?. <i>Journal of Psychosomatic Research</i> , 2015 , 78, 130-6	4.1	9
221	Ecological Momentary Assessments and Automated Time Series Analysis to Promote Tailored Health Care: A Proof-of-Principle Study. <i>JMIR Research Protocols</i> , 2015 , 4, e100	2	29
220	Temporal dynamics of physical activity and affect in depressed and nondepressed individuals. <i>Health Psychology</i> , 2015 , 34S, 1268-77	5	18
219	Associations between DSM-IV mental disorders and diabetes mellitus: a role for impulse control disorders and depression. <i>Diabetologia</i> , 2014 , 57, 699-709	10.3	47
218	Effect of music therapy versus recreational activities on neuropsychiatric symptoms in elderly adults with dementia: an exploratory randomized controlled trial. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 392-3	5.6	15
217	Inflammatory and metabolic dysregulation and the 2-year course of depressive disorders in antidepressant users. <i>Neuropsychopharmacology</i> , 2014 , 39, 1624-34	8.7	80
216	Major depressive disorder subtypes to predict long-term course. <i>Depression and Anxiety</i> , 2014 , 31, 765-78.4	4.7	47
215	Association between mental disorders and subsequent adult onset asthma. <i>Journal of Psychiatric Research</i> , 2014 , 59, 179-88	5.2	42
214	Associations between DSM-IV mental disorders and subsequent self-reported diagnosis of cancer. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 207-12	4.1	20
213	Gender differences in major depressive disorder: results from the Netherlands study of depression and anxiety. <i>Journal of Affective Disorders</i> , 2014 , 156, 156-63	6.6	152
212	The presence of a depressive episode predicts lower return to work rate after myocardial infarction. <i>General Hospital Psychiatry</i> , 2014 , 36, 363-7	5.6	24
211	Symptom dimensions of anxiety following myocardial infarction: associations with depressive symptoms and prognosis. <i>Health Psychology</i> , 2014 , 33, 1468-76	5	22
210	"Critical slowing down in depression" is a great idea that still needs empirical proof. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E878	11.5	24
209	Sex dependent risk factors for mortality after myocardial infarction: individual patient data meta-analysis. <i>BMC Medicine</i> , 2014 , 12, 242	11.4	18
208	E-mental health self-management for psychotic disorders: state of the art and future perspectives. <i>Psychiatric Services</i> , 2014 , 65, 33-49	3.3	67

207	Data-driven course trajectories in primary care patients with major depressive disorder. <i>Depression and Anxiety</i> , 2014 , 31, 778-86	8.4	19
206	How well can post-traumatic stress disorder be predicted from pre-trauma risk factors? An exploratory study in the WHO World Mental Health Surveys. <i>World Psychiatry</i> , 2014 , 13, 265-74	14.4	144
205	DSM-5 and ICD-11 definitions of posttraumatic stress disorder: investigating "narrow" and "broad" approaches. <i>Depression and Anxiety</i> , 2014 , 31, 494-505	8.4	117
204	Comorbidity of common mental disorders with cancer and their treatment gap: findings from the World Mental Health Surveys. <i>Psycho-Oncology</i> , 2014 , 23, 40-51	3.9	66
203	Why would associations between cardiometabolic risk factors and depressive symptoms be linear?. <i>BMC Medicine</i> , 2014 , 12, 199	11.4	1
202	Letter by Roest et al regarding article, "mental disorders across the adult life course and future coronary heart disease: evidence for general susceptibility". <i>Circulation</i> , 2014 , 130, e116	16.7	1
201	Associations between mental disorders and subsequent onset of hypertension. <i>General Hospital Psychiatry</i> , 2014 , 36, 142-9	5.6	69
200	Does tryptophan degradation along the kynurenine pathway mediate the association between pro-inflammatory immune activity and depressive symptoms?. <i>Psychoneuroendocrinology</i> , 2014 , 45, 202-10	5.0	65
199	Self-attributed seasonality of mood and behavior: a report from the Netherlands study of depression and anxiety. <i>Depression and Anxiety</i> , 2014 , 31, 517-23	8.4	27
198	Personality modulates the efficacy of treatment in patients with major depressive disorder. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e916-23	4.6	20
197	Assessing psychosocial vulnerability and care needs of pretransplant patients by means of the INTERMED. <i>Zeitschrift Fur Psychosomatische Medizin Und Psychotherapie</i> , 2014 , 60, 190-203	1.3	5
196	What is the use? Application of the short form (SF) questionnaires for the evaluation of treatment effects. <i>Quality of Life Research</i> , 2013 , 22, 1225-30	3.7	8
195	Tobacco smoking and depression: time to move on to a new research paradigm in medicine?. <i>BMC Medicine</i> , 2013 , 11, 138	11.4	3
194	Depression as a non-causal variable risk marker in coronary heart disease. <i>BMC Medicine</i> , 2013 , 11, 130	11.4	27
193	Changes in cognitive versus somatic symptoms of depression and event-free survival following acute myocardial infarction in the Enhancing Recovery In Coronary Heart Disease (ENRICH) study. <i>Journal of Affective Disorders</i> , 2013 , 149, 335-41	6.6	32
192	Predictors of a functional somatic syndrome diagnosis in patients with persistent functional somatic symptoms. <i>International Journal of Behavioral Medicine</i> , 2013 , 20, 206-12	2.6	7
191	Depressive symptoms and white blood cell count in coronary heart disease patients: prospective findings from the Heart and Soul Study. <i>Psychoneuroendocrinology</i> , 2013 , 38, 479-87	5	21
190	Associations between DSM-IV mental disorders and subsequent heart disease onset: beyond depression. <i>International Journal of Cardiology</i> , 2013 , 168, 5293-9	3.2	50

189	Cognitive-affective symptoms of depression after myocardial infarction: different prognostic importance across age groups. <i>Psychosomatic Medicine</i> , 2013 , 75, 701-8	3.7	21
188	Diagnostic heterogeneity in psychiatry: towards an empirical solution. <i>BMC Medicine</i> , 2013 , 11, 201	11.4	49
187	Effects of screening for psychological distress on patient outcomes in cancer: a systematic review. <i>Journal of Psychosomatic Research</i> , 2013 , 75, 1-17	4.1	86
186	Depression treatment after myocardial infarction and long-term risk of subsequent cardiovascular events and mortality: a randomized controlled trial. <i>Journal of Psychosomatic Research</i> , 2013 , 74, 25-30	4.1	33
185	Evidence for a differential role of HPA-axis function, inflammation and metabolic syndrome in melancholic versus atypical depression. <i>Molecular Psychiatry</i> , 2013 , 18, 692-9	15.1	447
184	The effect of music therapy compared with general recreational activities in reducing agitation in people with dementia: a randomised controlled trial. <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 1031-8	3.9	60
183	Differential association of somatic and cognitive symptoms of depression and anxiety with inflammation: findings from the Netherlands Study of Depression and Anxiety (NESDA). <i>Psychoneuroendocrinology</i> , 2013 , 38, 1573-85	5	167
182	Physical activity and onset of depression in adolescents: a prospective study in the general population cohort TRAILS. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1304-8	5.2	21
181	Depressive symptoms, insulin sensitivity and insulin secretion in the RISC cohort study. <i>Diabetes and Metabolism</i> , 2013 , 39, 42-9	5.4	7
180	Examining the relation between post myocardial infarction depression and cardiovascular prognosis using a validated prediction model for post myocardial mortality. <i>International Journal of Cardiology</i> , 2013 , 167, 2533-8	3.2	11
179	Psychiatric comorbidity and causal disease models. <i>Preventive Medicine</i> , 2013 , 57, 748-52	4.3	24
178	Associations between DSM-IV mental disorders and onset of self-reported peptic ulcer in the World Mental Health Surveys. <i>Journal of Psychosomatic Research</i> , 2013 , 75, 121-7	4.1	16
177	Cognitive vulnerability differentially predicts symptom dimensions of depression. <i>Journal of Affective Disorders</i> , 2013 , 151, 92-9	6.6	16
176	Self-reported depressive symptoms, diagnosed clinical depression and cardiac morbidity and mortality after myocardial infarction. <i>International Journal of Cardiology</i> , 2013 , 167, 2775-80	3.2	38
175	Chronicity of depressive problems and the cortisol response to psychosocial stress in adolescents: the TRAILS study. <i>Psychoneuroendocrinology</i> , 2013 , 38, 659-66	5	65
174	Emotional valence modulates brain functional abnormalities in depression: evidence from a meta-analysis of fMRI studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 152-63	9	244
173	Reply to: "Is a score of 10 or greater on the Beck Depression Inventory equivalent to clinically diagnosed depression?". <i>International Journal of Cardiology</i> , 2013 , 167, 1646	3.2	
172	Adjusted prognostic association of depression following myocardial infarction with mortality and cardiovascular events: individual patient data meta-analysis. <i>British Journal of Psychiatry</i> , 2013 , 203, 90-102	5.4	128

171	Plasticity genes do not modify associations between physical activity and depressive symptoms. <i>Health Psychology</i> , 2013 , 32, 785-92	5	9
170	Differential associations between depressive symptoms and glycaemic control in outpatients with diabetes. <i>Diabetic Medicine</i> , 2013 , 30, e115-22	3.5	56
169	Cross-national differences in the prevalence and correlates of burden among older family caregivers in the World Health Organization World Mental Health (WMH) Surveys. <i>Psychological Medicine</i> , 2013 , 43, 865-79	6.9	51
168	Association between anxiety but not depressive disorders and leukocyte telomere length after 2 years of follow-up in a population-based sample. <i>Psychological Medicine</i> , 2013 , 43, 689-97	6.9	64
167	Irritable mood in adult major depressive disorder: results from the world mental health surveys. <i>Depression and Anxiety</i> , 2013 , 30, 395-406	8.4	11
166	Anxiety disorders and inflammation in a large adult cohort. <i>Translational Psychiatry</i> , 2013 , 3, e249	8.6	269
165	Family burden related to mental and physical disorders in the world: results from the WHO World Mental Health (WMH) surveys. <i>Revista Brasileira De Psiquiatria</i> , 2013 , 35, 115-25	2.6	61
164	Comparing cognitive and somatic symptoms of depression in myocardial infarction patients and depressed patients in primary and mental health care. <i>PLoS ONE</i> , 2013 , 8, e53859	3.7	11
163	Does evidence support the American Heart Association's recommendation to screen patients for depression in cardiovascular care? An updated systematic review. <i>PLoS ONE</i> , 2013 , 8, e52654	3.7	90
162	A web-based tool to support shared decision making for people with a psychotic disorder: randomized controlled trial and process evaluation. <i>Journal of Medical Internet Research</i> , 2013 , 15, e216	7.6	46
161	Positive affect and survival in patients with stable coronary heart disease: findings from the Heart and Soul Study. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, 716-22	4.6	30
160	Depression and cardiovascular disease: the end of simple models. <i>British Journal of Psychiatry</i> , 2012 , 201, 337-8	5.4	29
159	Revealing causal heterogeneity using time series analysis of ambulatory assessments: application to the association between depression and physical activity after myocardial infarction. <i>Psychosomatic Medicine</i> , 2012 , 74, 377-86	3.7	67
158	Vital exhaustion and somatic depression: the same underlying construct in patients with myocardial infarction?. <i>Psychosomatic Medicine</i> , 2012 , 74, 446-51	3.7	20
157	Association of depressive disorders, depression characteristics and antidepressant medication with inflammation. <i>Translational Psychiatry</i> , 2012 , 2, e79	8.6	214
156	Bidirectional prospective associations between physical activity and depressive symptoms. The TRAILS Study. <i>Journal of Adolescent Health</i> , 2012 , 50, 503-8	5.8	52
155	Data-driven subtypes of major depressive disorder: a systematic review. <i>BMC Medicine</i> , 2012 , 10, 156	11.4	176
154	The association between intelligence and telomere length: a longitudinal population based study. <i>PLoS ONE</i> , 2012 , 7, e49356	3.7	15

153	Wind direction and mental health: a time-series analysis of weather influences in a patient with anxiety disorder. <i>BMJ Case Reports</i> , 2012 , 2012,	0.9	19
152	Symptom profiles of DSM-IV-defined remission, recovery, relapse, and recurrence of depression: the role of the core symptoms. <i>Depression and Anxiety</i> , 2012 , 29, 638-45	8.4	25
151	Rethinking recommendations for screening for depression in primary care. <i>Cmaj</i> , 2012 , 184, 413-8	3.5	142
150	Association of coexisting diabetes and depression with mortality after myocardial infarction. <i>Diabetes Care</i> , 2012 , 35, 503-9	14.6	35
149	Validation of the Long-term Difficulties Inventory (LDI) and the List of Threatening Experiences (LTE) as measures of stress in epidemiological population-based cohort studies. <i>Psychological Medicine</i> , 2012 , 42, 2599-608	6.9	55
148	Re-rethinking the article by Thombs and colleagues: Figure 1:. <i>Cmaj</i> , 2012 , 184, 438.2-439	3.5	2
147	Temporal dynamics of symptom and treatment variables in a lifestyle-oriented approach to anxiety disorder: a single-subject time-series analysis. <i>Psychotherapy and Psychosomatics</i> , 2012 , 81, 253-5	9.4	13
146	Stability and transitions of depressive subtypes over a 2-year follow-up. <i>Psychological Medicine</i> , 2012 , 42, 2083-93	6.9	54
145	An increase in depressive symptoms after myocardial infarction predicts new cardiac events irrespective of depressive symptoms before myocardial infarction. <i>Psychological Medicine</i> , 2012 , 42, 683-93	6.9	25
144	Myocardial infarction and generalised anxiety disorder: 10-year follow-up. <i>British Journal of Psychiatry</i> , 2012 , 200, 324-9	5.4	95
143	Obstructive sleep apnea/hypopnea syndrome and poor response to sertraline in patients with coronary heart disease. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 31-6	4.6	14
142	Supplementation with eicosapentaenoic omega-3 fatty acid does not influence serum brain-derived neurotrophic factor in diabetes mellitus patients with major depression: a randomized controlled pilot study. <i>Neuropsychobiology</i> , 2011 , 63, 219-23	4	28
141	Adolescents with low intelligence are at risk of functional somatic symptoms: the TRAILS study. <i>Journal of Adolescent Health</i> , 2011 , 49, 621-6	5.8	15
140	Depression deconstruction lessons from psychosomatic research. <i>Journal of Psychosomatic Research</i> , 2011 , 71, 59-60	4.1	8
139	One-year severity of depressive symptoms: results from the NESDA study. <i>Psychiatry Research</i> , 2011 , 190, 226-31	9.9	9
138	Depression screening and patient outcomes in cancer: a systematic review. <i>PLoS ONE</i> , 2011 , 6, e27181	3.7	57
137	Depression and leukocyte telomere length in patients with coronary heart disease: data from the Heart and Soul Study. <i>Psychosomatic Medicine</i> , 2011 , 73, 541-7	3.7	91
136	Somatic/affective symptoms, but not cognitive/affective symptoms, of depression after acute coronary syndrome are associated with 12-month all-cause mortality. <i>Journal of Affective Disorders</i> , 2011 , 131, 158-63	6.6	57

135	Prognostic association of depression following myocardial infarction with mortality and cardiovascular events: a meta-analysis of 25 years of research. <i>General Hospital Psychiatry</i> , 2011 , 33, 203-16	5.6	338
134	The possibility of evidence-based psychiatry: depression as a case. <i>Clinical Epigenetics</i> , 2011 , 2, 7-15	7.7	17
133	Disrupting the rhythm of depression: design and protocol of a randomized controlled trial on preventing relapse using brief cognitive therapy with or without antidepressants. <i>BMC Psychiatry</i> , 2011 , 11, 8	4.2	15
132	PRegnanCy Outcomes after a Maternity Intervention for Stressful Emotions (PROMISES): study protocol for a randomised controlled trial. <i>Trials</i> , 2011 , 12, 157	2.8	15
131	Partner attachment as a predictor of long-term response to treatment with couples therapy. <i>Journal of Sex and Marital Therapy</i> , 2011 , 37, 286-97	2.7	11
130	A review on the putative association between beta-blockers and depression. <i>Heart Failure Clinics</i> , 2011 , 7, 89-99	3.3	31
129	Depressive symptoms, health behaviors, and subsequent inflammation in patients with coronary heart disease: prospective findings from the heart and soul study. <i>American Journal of Psychiatry</i> , 2011 , 168, 913-20	11.9	147
128	Confirmatory factor analysis of the Beck Depression Inventory-II and the association with cardiac morbidity and mortality after coronary revascularization. <i>Journal of Health Psychology</i> , 2011 , 16, 584-95	3.1	44
127	Unipolar depression and the progression of coronary artery disease: toward an integrative model. <i>Psychotherapy and Psychosomatics</i> , 2011 , 80, 264-74	9.4	44
126	Onset and recurrence of depression as predictors of cardiovascular prognosis in depressed acute coronary syndrome patients: a systematic review. <i>Psychotherapy and Psychosomatics</i> , 2011 , 80, 227-37	9.4	40
125	Vital exhaustion and cardiovascular prognosis in myocardial infarction and heart failure: predictive power of different trajectories. <i>Psychological Medicine</i> , 2011 , 41, 731-8	6.9	27
124	Empirical foundations for the diagnosis of somatization: implications for DSM-5. <i>Psychological Medicine</i> , 2011 , 41, 1133-42	6.9	38
123	Antidepressive effect of mirtazapine in post-myocardial infarction depression is associated with soluble TNF-R1 increase: data from the MIND-IT. <i>Neuropsychobiology</i> , 2011 , 63, 169-76	4	16
122	Presence of individual (residual) symptoms during depressive episodes and periods of remission: a 3-year prospective study. <i>Psychological Medicine</i> , 2011 , 41, 1165-74	6.9	251
121	Depression and Cardiovascular Disease Progression: Epidemiology, Mechanisms and Treatment 2011 , 211-233		0
120	Predictors of incident major depression in diabetic outpatients with subthreshold depression. <i>Diabetic Medicine</i> , 2010 , 27, 1295-301	3.5	44
119	Symptom dimensions of post-myocardial infarction depression, disease severity and cardiac prognosis. <i>Psychological Medicine</i> , 2010 , 40, 807-14	6.9	84
118	Distinct trajectories of fatigue in chronic heart failure and their association with prognosis. <i>European Journal of Heart Failure</i> , 2010 , 12, 841-8	12.3	20

117	Depressive disorder and incident diabetes mellitus: the effect of characteristics of depression. <i>American Journal of Psychiatry</i> , 2010 , 167, 580-8	11.9	133
116	Diabetes, glycemic control, and new-onset heart failure in patients with stable coronary artery disease: data from the heart and soul study. <i>Diabetes Care</i> , 2010 , 33, 2084-9	14.6	77
115	More than the sum of its parts: meta-analysis and its potential to discover sources of heterogeneity in psychosomatic medicine. <i>Psychosomatic Medicine</i> , 2010 , 72, 253-65	3.7	18
114	Interview-based ratings of somatic and cognitive symptoms of depression and their impact on cardiovascular prognosis. <i>Psychotherapy and Psychosomatics</i> , 2010 , 79, 319-20	9.4	19
113	Anxiety and risk of incident coronary heart disease: a meta-analysis. <i>Journal of the American College of Cardiology</i> , 2010 , 56, 38-46	15.1	551
112	Differential associations between specific depressive symptoms and cardiovascular prognosis in patients with stable coronary heart disease. <i>Journal of the American College of Cardiology</i> , 2010 , 56, 838-44	15.1	81
111	Prognostic association of anxiety post myocardial infarction with mortality and new cardiac events: a meta-analysis. <i>Psychosomatic Medicine</i> , 2010 , 72, 563-9	3.7	243
110	Somatic symptom overlap in Beck Depression Inventory-II scores following myocardial infarction. <i>British Journal of Psychiatry</i> , 2010 , 197, 61-6	5.4	56
109	Validity of a short clinical interview for psychiatric diagnosis: the mini-SCAN. <i>British Journal of Psychiatry</i> , 2010 , 196, 64-8	5.4	31
108	Scared to death? Generalized anxiety disorder and cardiovascular events in patients with stable coronary heart disease: The Heart and Soul Study. <i>Archives of General Psychiatry</i> , 2010 , 67, 750-8		158
107	Psychophysiological biomarkers explaining the association between depression and prognosis in coronary artery patients: a critical review of the literature. <i>Neuroscience and Biobehavioral Reviews</i> , 2010 , 35, 84-90	9	64
106	Type D personality is a predictor of poor emotional quality of life in primary care heart failure patients independent of depressive symptoms and New York Heart Association functional class. <i>Journal of Behavioral Medicine</i> , 2010 , 33, 72-80	3.6	39
105	Duration of subsequent episodes and periods of recovery in recurrent major depression. <i>Journal of Affective Disorders</i> , 2010 , 125, 141-5	6.6	9
104	Cardiovascular disease in persons with depressive and anxiety disorders. <i>Journal of Affective Disorders</i> , 2010 , 125, 241-8	6.6	116
103	Eicosapentaenoic acid as an add-on to antidepressant medication for co-morbid major depression in patients with diabetes mellitus: a randomized, double-blind placebo-controlled study. <i>Journal of Affective Disorders</i> , 2010 , 126, 282-6	6.6	42
102	Identifying depressive subtypes in a large cohort study: results from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1582-9	4.6	183
101	Developing depression after a myocardial infarction increases risk of cardiac mortality but pre-existing depression does not. <i>Evidence-Based Mental Health</i> , 2009 , 12, 8	11.1	3
100	Depression and Type D personality represent different forms of distress in the Myocardial Infarction and Depression - Intervention Trial (MIND-IT). <i>Psychological Medicine</i> , 2009 , 39, 749-56	6.9	55

99	Circulating cerebral S100B protein is associated with depressive symptoms following myocardial infarction. <i>Neuropsychobiology</i> , 2009 , 59, 87-95	4	5
98	The effects of treatment-resistant depression and first-ever depression on mortality following acute coronary syndrome: interactive or independent?. <i>American Journal of Psychiatry</i> , 2009 , 166, 828-9; author reply 829	11.9	2
97	Beta-blocker use and the development of depression. <i>American Journal of Cardiology</i> , 2009 , 103, 1331-23		4
96	Recurrent depression and the role of adult attachment: a prospective and a retrospective study. <i>Journal of Affective Disorders</i> , 2009 , 116, 93-9	6.6	57
95	The role of the brain-derived neurotrophic factor (BDNF) val66met variant in the phenotypic expression of obsessive-compulsive disorder (OCD). <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009 , 150B, 1050-62	3.5	50
94	Brief depression screening with the PHQ-2 associated with prognosis following percutaneous coronary intervention with paclitaxel-eluting stenting. <i>Journal of General Internal Medicine</i> , 2009 , 24, 1037-42	4	23
93	Hart en/of ziel?. <i>Psychologie and Gezondheid</i> , 2009 , 37, 15-24		1
92	Association of major depression with subtypes of nicotine dependence found among adult daily smokers: a latent class analysis. <i>Drug and Alcohol Dependence</i> , 2009 , 104, 126-32	4.9	17
91	Should African Americans be overtreated for depression the same as whites are? Commentary on Waldman et al (2009). <i>American Heart Journal</i> , 2009 , 157, e31; author reply e35-7	4.9	1
90	Routine screening for depression in patients with coronary heart disease never mind. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 886-90	15.1	67
89	The importance of incident depression in myocardial infarction patients. <i>Biological Psychiatry</i> , 2009 , 65, e7-8; author reply e9	7.9	4
88	Prevention of major depression in complex medically ill patients: preliminary results from a randomized, controlled trial. <i>Psychosomatics</i> , 2009 , 50, 227-33	2.6	16
87	History of depression and survival after acute myocardial infarction. <i>Psychosomatic Medicine</i> , 2009 , 71, 253-9	3.7	61
86	Complexity Prediction Instrument to detect 'complex cases' in respiratory wards: instrument development. <i>Journal of Advanced Nursing</i> , 2008 , 64, 96-103	3.1	
85	Prediction of the three-year course of recurrent depression in primary care patients: different risk factors for different outcomes. <i>Journal of Affective Disorders</i> , 2008 , 105, 267-71	6.6	47
84	Sequential serotonin and noradrenalin associated processes involved in postpartum blues. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1320-5	5.5	28
83	Effects of a multifaceted psychiatric intervention targeted for the complex medically ill: a randomized controlled trial. <i>Psychotherapy and Psychosomatics</i> , 2008 , 77, 247-56	9.4	49
82	Cognitive-behavioural therapy v. usual care in recurrent depression. <i>British Journal of Psychiatry</i> , 2008 , 193, 505-6	5.4	28

81	Depressive symptoms, health behaviors, and risk of cardiovascular events in patients with coronary heart disease. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 2379-88	27.4	567
80	Selective publication of antidepressant trials. <i>New England Journal of Medicine</i> , 2008 , 358, 2180-1; author reply 2181-2	59.2	2
79	Depression screening and patient outcomes in cardiovascular care: a systematic review. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 2161-71	27.4	345
78	Heterogeneity of patients with coronary artery disease and distress and the need to identify relevant subtypes. <i>Archives of General Psychiatry</i> , 2008 , 65, 851-2; author reply 852-3		9
77	Mediators of the association between depression and role functioning. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 451-8	6.5	92
76	Nonresponse to treatment for depression following myocardial infarction: association with subsequent cardiac events. <i>American Journal of Psychiatry</i> , 2007 , 164, 1371-8	11.9	104
75	Meta-analysis urges the development of new strategies to treat depression in order to improve cardiac prognosis. <i>European Heart Journal</i> , 2007 , 28, 1661; author reply 1661-2	9.5	
74	Random-mood interpretation of determinants for major depression. <i>Psychological Medicine</i> , 2007 , 37, 1261-71	6.9	8
73	Early detection of pneumology inpatients at risk of extended hospital stay and need for psychosocial treatment. <i>Psychosomatic Medicine</i> , 2007 , 69, 99-105	3.7	16
72	Differential association of cognitive and somatic depressive symptoms with heart rate variability in patients with stable coronary heart disease: findings from the Heart and Soul Study. <i>Psychosomatic Medicine</i> , 2007 , 69, 735-9	3.7	149
71	Treatment of post-myocardial infarction depressive disorder: a randomized, placebo-controlled trial with mirtazapine. <i>Psychosomatic Medicine</i> , 2007 , 69, 606-13	3.7	113
70	Effects of antidepressant treatment following myocardial infarction. <i>British Journal of Psychiatry</i> , 2007 , 190, 460-6	5.4	249
69	Enhanced treatment for depression in primary care: long-term outcomes of a psycho-educational prevention program alone and enriched with psychiatric consultation or cognitive behavioral therapy. <i>Psychological Medicine</i> , 2007 , 37, 849-62	6.9	46
68	The association between neuroticism and self-reported common somatic symptoms in a population cohort. <i>Journal of Psychosomatic Research</i> , 2007 , 62, 305-11	4.1	62
67	Nurse-led case management for ambulatory complex patients in general health care: a systematic review. <i>Journal of Psychosomatic Research</i> , 2007 , 62, 385-95	4.1	33
66	Cost-effectiveness of a nurse-led case management intervention in general medical outpatients compared with usual care: an economic evaluation alongside a randomized controlled trial. <i>Journal of Psychosomatic Research</i> , 2007 , 62, 363-70	4.1	12
65	Associations of type-D personality and depression with somatic health in myocardial infarction patients. <i>Journal of Psychosomatic Research</i> , 2007 , 63, 477-82	4.1	55
64	Comment on: Knol MJ, Twisk JWR, Beekman ATF, Heine RJ, Snoek FJ, Pouwer F. (2006) depression as a risk factor for the onset of type 2 diabetes mellitus. A meta-analysis. <i>Diabetologia</i> ; 49: 837-845. <i>Diabetologia</i> , 2006 , 49, 2797-8; author reply 2799-800	10.3	11

63	Prevalent and incident depression in community-dwelling elderly persons with diabetes mellitus: results from the ZARADEMP project. <i>Diabetologia</i> , 2006 , 49, 2627-33	10.3	81
62	Symptom dimensions of depression following myocardial infarction and their relationship with somatic health status and cardiovascular prognosis. <i>American Journal of Psychiatry</i> , 2006 , 163, 138-44	11.9	200
61	Operationalizing integrated care on a clinical level: the INTERMED project. <i>Medical Clinics of North America</i> , 2006 , 90, 713-58	7	65
60	Depressive symptoms in elderly patients after a somatic illness event: prevalence, persistence, and risk factors. <i>Psychosomatics</i> , 2006 , 47, 33-42	2.6	41
59	Effectiveness of post-discharge case management in general-medical outpatients: a randomized, controlled trial. <i>Psychosomatics</i> , 2006 , 47, 421-9	2.6	11
58	Identifiers, or "red flags," of complexity and need for integrated care. <i>Medical Clinics of North America</i> , 2006 , 90, 703-12	7	26
57	Case and care complexity in the medically ill. <i>Medical Clinics of North America</i> , 2006 , 90, 679-92	7	59
56	Treatment of depression in acute coronary syndromes with selective serotonin reuptake inhibitors. <i>Drugs</i> , 2006 , 66, 2095-107	12.1	14
55	Only incident depressive episodes after myocardial infarction are associated with new cardiovascular events. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 2204-8	15.1	107
54	Beta-blockers and depression after myocardial infarction: a multicenter prospective study. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 2209-14	15.1	45
53	Are malnourished patients complex patients? Health status and care complexity of malnourished patients detected by the Short Nutritional Assessment Questionnaire (SNAQ). <i>European Journal of Internal Medicine</i> , 2006 , 17, 189-94	3.9	29
52	Prediction of depressive disorder following myocardial infarction data from the Myocardial INfarction and Depression-Intervention Trial (MIND-IT). <i>International Journal of Cardiology</i> , 2006 , 109, 88-94	3.2	39
51	Decreased impact of post-myocardial infarction depression on cardiac prognosis?. <i>Journal of Psychosomatic Research</i> , 2006 , 61, 493-9	4.1	29
50	Major depressive episodes and random mood. <i>Archives of General Psychiatry</i> , 2006 , 63, 509-18		20
49	Dr. de Jonge and Colleagues Reply. <i>American Journal of Psychiatry</i> , 2006 , 163, 1296-1296	11.9	1
48	Course of depressive symptoms after myocardial infarction and cardiac prognosis: a latent class analysis. <i>Psychosomatic Medicine</i> , 2006 , 68, 662-8	3.7	99
47	Internal and external validity of the experiences in close relationships questionnaire in an american and two dutch samples. <i>European Journal of Psychiatry</i> , 2006 , 20,	1	8
46	Relationship between left ventricular dysfunction and depression following myocardial infarction: data from the MIND-IT. <i>European Heart Journal</i> , 2005 , 26, 2650-6	9.5	80

45	Psychiatric consultations and length of hospital stay. <i>Psychosomatics</i> , 2005 , 46, 496-7	2.6	
44	Depression following myocardial infarction: first-ever versus ongoing and recurrent episodes. <i>General Hospital Psychiatry</i> , 2005 , 27, 411-7	5.6	61
43	The effects of teaching medical professionalism by means of vignettes: an exploratory study. <i>Medical Teacher</i> , 2005 , 27, 429-32	3	24
42	Operationalization of biopsychosocial case complexity in general health care: the INTERMED project. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005 , 39, 795-9	2.6	42
41	Depressive symptoms, insulin resistance, and risk of diabetes in women at midlife: response to Everson-Rose et al. <i>Diabetes Care</i> , 2005 , 28, 1265-6; author reply 1266	14.6	2
40	Response sets in self-report data and their associations with personality traits. <i>European Journal of Psychiatry</i> , 2005 , 19,	1	18
39	INTERMED: a measure of biopsychosocial case complexity: one year stability in Multiple Sclerosis patients. <i>General Hospital Psychiatry</i> , 2004 , 26, 147-52	5.6	26
38	Assessing student reflection in medical practice. The development of an observer-rated instrument: reliability, validity and initial experiences. <i>Medical Education</i> , 2004 , 38, 368-77	3.7	80
37	Depressive Symptoms in Elderly Patients Predict Poor Adjustment After Somatic Events. <i>American Journal of Geriatric Psychiatry</i> , 2004 , 12, 57-64	6.5	28
36	A brief diagnostic screening instrument for mental disturbances in general medical wards. <i>Journal of Psychosomatic Research</i> , 2004 , 57, 17-24	4.1	38
35	Detecting mental disorders in general hospitals by the SCL-8 scale. <i>Journal of Psychosomatic Research</i> , 2004 , 56, 371-5	4.1	57
34	Prognostic association of depression following myocardial infarction with mortality and cardiovascular events: a meta-analysis. <i>Psychosomatic Medicine</i> , 2004 , 66, 814-22	3.7	715
33	Depressive symptoms in elderly patients predict poor adjustment after somatic events. <i>American Journal of Geriatric Psychiatry</i> , 2004 , 12, 57-64	6.5	9
32	A simple risk score predicts poor quality of life and non-survival at 1 year follow-up in dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2003 , 18, 2622-8	4.3	31
31	Medical inpatients at risk of extended hospital stay and poor discharge health status: detection with COMPRI and INTERMED. <i>Psychosomatic Medicine</i> , 2003 , 65, 534-41	3.7	63
30	Implementing psychiatric interventions on a medical ward: effects on patients' quality of life and length of hospital stay. <i>Psychosomatic Medicine</i> , 2003 , 65, 997-1002	3.7	48
29	Internal consistency of the INTERMED in patients with somatic diseases. <i>Journal of Psychosomatic Research</i> , 2003 , 54, 497-9	4.1	24
28	Assessing health care needs and clinical outcome with urological case complexity: a study using INTERMED. <i>Psychosomatics</i> , 2003 , 44, 196-203	2.6	19

27	Interrater reliability of the INTERMED in a heterogeneous somatic population. <i>Journal of Psychosomatic Research</i> , 2002 , 52, 25-7	4.1	39
26	Mental disturbances and perceived complexity of nursing care in medical inpatients: results from a European study. <i>Journal of Advanced Nursing</i> , 2001 , 36, 355-63	3.1	7
25	Identification of case complexity and increased health care utilization in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2001 , 45, 216-21		31
24	Measuring care needs and case-mix by means of the INTERMED. <i>General Hospital Psychiatry</i> , 2001 , 23, 43-4	5.6	4
23	Referral pattern of neurological patients to psychiatric Consultation-Liaison Services in 33 European hospitals. <i>General Hospital Psychiatry</i> , 2001 , 23, 152-7	5.6	22
22	Consultation-Liaison psychiatric service delivery: results from a European study. <i>General Hospital Psychiatry</i> , 2001 , 23, 124-32	5.6	102
21	Complexity of care and mental illness in medical inpatients. <i>General Hospital Psychiatry</i> , 2001 , 23, 319-25	5.6	16
20	INTERMED--a clinical instrument for biopsychosocial assessment. <i>Psychosomatics</i> , 2001 , 42, 106-9	2.6	59
19	Care complexity in the general hospital: results from a European study. <i>Psychosomatics</i> , 2001 , 42, 204-12	2.6	44
18	Risk factors for complex care needs in general medical inpatients: results from a European study. <i>Psychosomatics</i> , 2001 , 42, 213-21	2.6	37
17	COMPRI--an instrument to detect patients with complex care needs: results from a European study. <i>Psychosomatics</i> , 2001 , 42, 222-8	2.6	63
16	Prevalence of dissociative disorders in psychiatric in-patients: the impact of study characteristics. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 102, 423-8	6.5	37
15	Comprehensive assessment of patients in palliative care: a descriptive study utilizing the INTERMED. <i>Journal of Pain and Symptom Management</i> , 2000 , 19, 83-90	4.8	28
14	Timing of psychiatric consultations: the impact of social vulnerability and level of psychiatric dysfunction. <i>Psychosomatics</i> , 2000 , 41, 505-11	2.6	26
13	"INTERMED": a method to assess health service needs. I. Development and reliability. <i>General Hospital Psychiatry</i> , 1999 , 21, 39-48	5.6	135
12	"INTERMED": a method to assess health service needs. II. Results on its validity and clinical use. <i>General Hospital Psychiatry</i> , 1999 , 21, 49-56	5.6	89
11	INTERMED--an assessment and classification system for case complexity. Results in patients with low back pain. <i>Spine</i> , 1999 , 24, 378-84; discussion 385	3.3	61
10	Working memory, intelligence and reading ability in children. <i>Personality and Individual Differences</i> , 1996 , 21, 1007-1020	3.3	47

9	Molecular cloning of chromosome I DNA from <i>Saccharomyces cerevisiae</i> : localization of a repeated sequence containing an acid phosphatase gene near a telomere of chromosome I and chromosome VIII. <i>Current Genetics</i> , 1989 , 16, 131-7	2.9	45
8	Non-ribosomal nucleotide sequences in 7-S RNA, the immediate precursor of 5.8-S ribosomal RNA in yeast. <i>FEBS Journal</i> , 1978 , 83, 537-46		15
7	Sequence of the 3'-terminal 21 nucleotides of yeast 17S ribosomal RNA. <i>Nucleic Acids Research</i> , 1977 , 4, 3655-63	20.1	32
6	Terminal nucleotide sequences of 17-S ribosomal RNA and its immediate precursor 18-S RNA in yeast. <i>FEBS Journal</i> , 1977 , 72, 361-9		27
5	Panic Disorder and Panic Attacks93-105		1
4	Agoraphobia106-119		1
3	Operationalization of Biopsychosocial Case Complexity in General Health Care: The INTERMED Project		2
2	Mixed-Effects Trait-State-Occasion Model: Studying the Psychometric Properties and the PersonSituation Interactions of Psychological Dynamics. <i>Structural Equation Modeling</i> ,1-14	3.7	2
1	The Associations of Posttraumatic Stress Disorder with Secondary Mental and Physical Health Disorders110-127		