

# Stephen T Wegener

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2810163/publications.pdf>

Version: 2024-02-01

58  
papers

1,423  
citations

393982

19  
h-index

360668

35  
g-index

62  
all docs

62  
docs citations

62  
times ranked

1727  
citing authors

#	ARTICLE	IF	CITATIONS
1	Measures of sleep: The Insomnia Severity Index, Medical Outcomes Study (MOS) Sleep Scale, Pittsburgh Sleep Diary (PSD), and Pittsburgh Sleep Quality Index (PSQI). <i>Arthritis and Rheumatism</i> , 2003, 49, S184-S196.	6.7	159
2	Risk Factors Associated With Transition From Acute to Chronic Low Back Pain in US Patients Seeking Primary Care. <i>JAMA Network Open</i> , 2021, 4, e2037371.	2.8	136
3	Hope predicts positive functional role outcomes in acute rehabilitation populations.. <i>Rehabilitation Psychology</i> , 2012, 57, 248-255.	0.7	121
4	Psychological distress mediates the effect of pain on function. <i>Pain</i> , 2011, 152, 1349-1357.	2.0	92
5	Self-Management Improves Outcomes in Persons With Limb Loss. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 373-380.	0.5	81
6	Pain Sensitivity and Pain Catastrophizing Are Associated With Persistent Pain and Disability After Lumbar Spine Surgery. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 1763-1770.	0.5	65
7	Developing, Testing, and Sustaining Rehabilitation Interventions Via Participatory Action Research. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, S30-S42.	0.5	54
8	Psychologically informed physical therapy for musculoskeletal pain: current approaches, implications, and future directions from recent randomized trials. <i>Pain Reports</i> , 2020, 5, e847.	1.4	51
9	Trauma Collaborative Care Intervention: Effect on Surgeon Confidence in Managing Psychosocial Complications After Orthopaedic Trauma. <i>Journal of Orthopaedic Trauma</i> , 2017, 31, 427-433.	0.7	44
10	Frequency and Cost of Claims by Injury Type From a State Workers' Compensation Fund From 1998 Through 2008. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 1048-1054.e6.	0.5	43
11	Stratified care to prevent chronic low back pain in high-risk patients: The TARGET trial. A multi-site pragmatic cluster randomized trial. <i>EClinicalMedicine</i> , 2021, 34, 100795.	3.2	43
12	Animal-assisted intervention in the ICU: a tool for humanization. <i>Critical Care</i> , 2018, 22, 22.	2.5	33
13	The Trauma Collaborative Care Study (TCCS). <i>Journal of Orthopaedic Trauma</i> , 2017, 31, S78-S87.	0.7	32
14	Precision Rehabilitation: Optimizing Function, Adding Value to Health Care. <i>Archives of Physical Medicine and Rehabilitation</i> , 2022, 103, 1233-1239.	0.5	31
15	Measuring avoidance in medical rehabilitation.. <i>Rehabilitation Psychology</i> , 2009, 54, 91-98.	0.7	30
16	Health Behavior Change Counseling in Surgery for Degenerative Lumbar Spinal Stenosis. Part I: Improvement in Rehabilitation Engagement and Functional Outcomes. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 1200-1207.	0.5	26
17	Association Between 6-Week Postdischarge Risk Classification and 12-Month Outcomes After Orthopedic Trauma. <i>JAMA Surgery</i> , 2019, 154, e184824.	2.2	26
18	Goal Management Tendencies Predict Trajectories of Adjustment to Lower Limb Amputation Up to 15 Months Post Rehabilitation Discharge. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 1895-1902.	0.5	25

#	ARTICLE	IF	CITATIONS
19	The Role of Psychologically Informed Physical Therapy for Musculoskeletal Pain. <i>Current Physical Medicine and Rehabilitation Reports</i> , 2018, 6, 15-25.	0.3	25
20	Targeted interventions to prevent transitioning from acute to chronic low back pain in high-risk patients: development and delivery of a pragmatic training course of psychologically informed physical therapy for the TARGET trial. <i>Trials</i> , 2019, 20, 256.	0.7	23
21	Bouncing back after lumbar spine surgery: early postoperative resilience is associated with 12-month physical function, pain interference, social participation, and disability. <i>Spine Journal</i> , 2021, 21, 55-63.	0.6	23
22	Emotion regulation as a transdiagnostic factor underlying co-occurring chronic pain and problematic opioid use.. <i>American Psychologist</i> , 2020, 75, 796-810.	3.8	23
23	The foundational principles as psychological lodestars: Theoretical inspiration and empirical direction in rehabilitation psychology.. <i>Rehabilitation Psychology</i> , 2016, 61, 1-6.	0.7	19
24	A new screening instrument for disability in low-income and middle-income settings: application at the Iganga-Mayuge Demographic Surveillance System (IM-DSS), Uganda. <i>BMJ Open</i> , 2014, 4, e005795.	0.8	15
25	Telephone-Based Intervention to Improve Rehabilitation Engagement After Spinal Stenosis Surgery. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, 21-30.	1.4	14
26	PREVENTion of CLots in Orthopaedic Trauma (PREVENT CLOT): a randomised pragmatic trial protocol comparing aspirin versus low-molecular-weight heparin for blood clot prevention in orthopaedic trauma patients. <i>BMJ Open</i> , 2021, 11, e041845.	0.8	14
27	Early postoperative physical activity and function: a descriptive case series study of 53 patients after lumbar spine surgery. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 783.	0.8	13
28	Self-Management to Improve Function After Amputation: A Randomized Controlled Trial of the VETPALS Intervention. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 1274-1282.	0.5	13
29	Long-term outcomes of individuals injured in motor vehicle crashes: A population-based study. <i>Injury</i> , 2015, 46, 1503-1508.	0.7	11
30	Early opioid prescription and risk of long-term opioid use among US workers with back and shoulder injuries: a retrospective cohort study. <i>Injury Prevention</i> , 2016, 22, 211-215.	1.2	11
31	Study protocol for targeted interventions to prevent chronic low back pain in high-risk patients: A multi-site pragmatic cluster randomized controlled trial (TARGET Trial). <i>Contemporary Clinical Trials</i> , 2019, 82, 66-76.	0.8	11
32	The OPTIMIZE study: protocol of a pragmatic sequential multiple assessment randomized trial of nonpharmacologic treatment for chronic, nonspecific low back pain. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 293.	0.8	11
33	Health Behavior Change Counseling in Surgery for Degenerative Lumbar Spinal Stenosis. Part II: Patient Activation Mediates the Effects of Health Behavior Change Counseling on Rehabilitation Engagement. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 1208-1214.	0.5	10
34	Evaluation of an online motivational interviewing training program for rehabilitation professionals: A pilot study. <i>Clinical Rehabilitation</i> , 2021, 35, 1266-1276.	1.0	10
35	The Relationship Between Neighborhood Deprivation and Perceived Changes for Pain-Related Experiences Among US Patients with Chronic Low Back Pain During the COVID-19 Pandemic. <i>Pain Medicine</i> , 2021, 22, 2550-2565.	0.9	10
36	Trajectories and Individual Differences in Pain, Emotional Distress, and Prescription Opioid Misuse During the COVID-19 Pandemic: A One-Year Longitudinal Study. <i>Journal of Pain</i> , 2022, 23, 1234-1244.	0.7	10

#	ARTICLE	IF	CITATIONS
37	Preoperative and postoperative psychologically informed physical therapy: A systematic review of randomized trials among patients with degenerative spine, hip, and knee conditions. <i>Journal of Applied Biobehavioral Research</i> , 2019, 24, e12159.	2.0	8
38	A Cognitive Behavioral Therapy-Informed Self-Management Program for Acute Respiratory Failure Survivors: A Feasibility Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 872.	1.0	8
39	Promoting equity at the population level: Putting the foundational principles into practice through disability advocacy.. <i>Rehabilitation Psychology</i> , 2020, 65, 87-100.	0.7	7
40	Evaluating Clinical Practice Guidelines Based on Their Association with Return to Work in Administrative Claims Data. <i>Health Services Research</i> , 2016, 51, 953-980.	1.0	6
41	Promoting optimal functioning in spinal cord injury. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2012, 109, 297-314.	1.0	5
42	Development and evaluation of a categorization methodology for occupational back and shoulder injuries using claims data. <i>Health Services and Outcomes Research Methodology</i> , 2013, 13, 140-156.	0.8	4
43	Does reduction in sciatica symptoms precede improvement in disability and physical health among those treated surgically for intervertebral disc herniation? Analysis of temporal patterns in data from the Spine Patient Outcomes Research Trial. <i>Spine Journal</i> , 2018, 18, 1318-1324.	0.6	4
44	Cognitive-Behavioral-Based Physical Therapy for Improving Recovery After Traumatic Orthopaedic Lower Extremity Injury (CBPT-Trauma). <i>Journal of Orthopaedic Trauma</i> , 2022, 36, S1-S7.	0.7	4
45	Postgraduate training for trauma prevention, injury surveillance and research, Uganda. <i>Bulletin of the World Health Organization</i> , 2018, 96, 423-427.	1.5	3
46	Perceptions of Telehealth Physical Therapy Among Patients with Chronic Low Back Pain. <i>Telemedicine Reports</i> , 2021, 2, 258-263.	0.5	3
47	The development and validation of the Readiness to Engage in Self-Management after Acute Traumatic Injury Questionnaire.. <i>Rehabilitation Psychology</i> , 2014, 59, 203-210.	0.7	2
48	Characteristics of individuals seeking activity-based restorative therapy following spinal cord injury: A focus on hope. <i>NeuroRehabilitation</i> , 2017, 41, 237-240.	0.5	2
49	Feasibility and acceptability of telephone-delivered cognitive-behavioral-based physical therapy for patients with traumatic lower extremity injury. <i>Journal of Applied Biobehavioral Research</i> , 2019, 24, e12163.	2.0	2
50	Which orthopaedic trauma patients are likely to refuse to participate in a clinical trial? A latent class analysis. <i>BMJ Open</i> , 2019, 9, e032631.	0.8	2
51	Measuring child functioning: Assessing correlation and agreement between caregiver and child responses at the Iganga-Mayuge health and demographic surveillance site in Uganda. <i>Disability and Health Journal</i> , 2021, 14, 101022.	1.6	2
52	Psychology consultation patterns in a medical intensive care unit: A brief report.. <i>Rehabilitation Psychology</i> , 2019, 64, 360-365.	0.7	1
53	Orthopedic surgeons and physical therapists differ regarding rehabilitative needs after lower extremity fracture repair. <i>Physiotherapy Theory and Practice</i> , 2022, , 1-8.	0.6	1
54	Patient-Centered Goals after Lumbar Spine Surgery: a Secondary Analysis of Cognitive-Behavioral-Based Physical Therapy Outcomes from a Randomized Controlled Trial. <i>Physical Therapy</i> , 0, , .	1.1	1

#	ARTICLE	IF	CITATIONS
55	675â€¦Building capacity for injury research: a case study from Uganda. Injury Prevention, 2016, 22, A242.2-A242.	1.2	0
56	PW 2392â€¦The societal burden of non-fatal injuries: caregiving for individuals with disability in uganda. , 2018, , .		0
57	Understanding child disability: Factors associated with child disability at the Iganga-Mayuge Health and Demographic Surveillance Site in Uganda. PLoS ONE, 2022, 17, e0267182.	1.1	0
58	Treatment effect modifiers for individuals with acute low back pain: secondary analysis of the TARGET trial. Pain, 2022, Publish Ahead of Print, .	2.0	0