

Renata Tisi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2811200/publications.pdf>

Version: 2024-02-01

41
papers

804
citations

430874

18
h-index

526287

27
g-index

42
all docs

42
docs citations

42
times ranked

956
citing authors

#	ARTICLE	IF	CITATIONS
1	Phospholipase C is required for glucose-induced calcium influx in budding yeast. <i>FEBS Letters</i> , 2002, 520, 133-138.	2.8	63
2	Natural Compounds in Cancer Prevention: Effects of Coffee Extracts and Their Main Polyphenolic Component, 5 <i>â€œ</i> <i>O</i> <i>â€œ</i> Caffeoylquinic Acid, on Oncogenic Ras Proteins. <i>Chemistry - an Asian Journal</i> , 2017, 12, 2457-2466.	3.3	46
3	The PLC1 encoded phospholipase C in the yeast <i>Saccharomyces cerevisiae</i> is essential for glucose-induced phosphatidylinositol turnover and activation of plasma membrane H ⁺ -ATPase. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1998, 1405, 147-154.	4.1	43
4	Evidence for inositol triphosphate as a second messenger for glucose-induced calcium signalling in budding yeast. <i>Current Genetics</i> , 2004, 45, 83-89.	1.7	43
5	Glucose-induced calcium influx in budding yeast involves a novel calcium transport system and can activate calcineurin. <i>Cell Calcium</i> , 2011, 49, 376-386.	2.4	43
6	Two mutations in mitochondrial ATP6 gene of ATP synthase, related to human cancer, affect ROS, calcium homeostasis and mitochondrial permeability transition in yeast. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2018, 1865, 117-131.	4.1	36
7	The ATP-bound conformation of the Mre11 <i>â€œ</i> Rad50 complex is essential for Tel1/ATM activation. <i>Nucleic Acids Research</i> , 2019, 47, 3550-3567.	14.5	35
8	Structurally distinct Mre11 domains mediate MRX functions in resection, end-tethering and DNA damage resistance. <i>Nucleic Acids Research</i> , 2018, 46, 2990-3008.	14.5	34
9	Localization of Ras signaling complex in budding yeast. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2012, 1823, 1208-1216.	4.1	33
10	Functional analysis of RalGPS2, a murine guanine nucleotide exchange factor for RalA GTPase. <i>Experimental Cell Research</i> , 2007, 313, 2293-2307.	2.6	32
11	The involvement of calcium carriers and of the vacuole in the glucose-induced calcium signaling and activation of the plasma membrane H ⁺ -ATPase in <i>Saccharomyces cerevisiae</i> cells. <i>Cell Calcium</i> , 2012, 51, 72-81.	2.4	32
12	Hypotonic stress-induced calcium signaling in <i>Saccharomyces cerevisiae</i> involves TRP-like transporters on the endoplasmic reticulum membrane. <i>Cell Calcium</i> , 2015, 57, 57-68.	2.4	32
13	Functional and structural insights into the MRX/MRN complex, a key player in recognition and repair of DNA double-strand breaks. <i>Computational and Structural Biotechnology Journal</i> , 2020, 18, 1137-1152.	4.1	31
14	Carbonyl cyanide m-chlorophenylhydrazone induced calcium signaling and activation of plasma membrane H ⁺ -ATPase in the yeast <i>Saccharomyces cerevisiae</i> . <i>FEMS Yeast Research</i> , 2008, 8, 622-630.	2.3	28
15	Calcium signaling and sugar-induced activation of plasma membrane H ⁺ -ATPase in <i>Saccharomyces cerevisiae</i> cells. <i>Biochemical and Biophysical Research Communications</i> , 2006, 343, 1234-1243.	2.1	24
16	Calcium homeostasis and signaling in fungi and their relevance for pathogenicity of yeasts and filamentous fungi. <i>AIMS Molecular Science</i> , 2016, 3, 505-549.	0.5	23
17	The <i>MRX</i> complex regulates Exo1 resection activity by altering <i>DNA</i> end structure. <i>EMBO Journal</i> , 2018, 37, .	7.8	21
18	3-Nitrocoumarin is an efficient inhibitor of budding yeast phospholipase-C. <i>Cell Biochemistry and Function</i> , 2001, 19, 229-235.	2.9	19

#	ARTICLE	IF	CITATIONS
19	Sae2 and Rif2 regulate MRX endonuclease activity at DNA double-strand breaks in opposite manners. <i>Cell Reports</i> , 2021, 34, 108906.	6.4	17
20	The budding yeast RasGEF Cdc25 reveals an unexpected nuclear localization. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2008, 1783, 2363-2374.	4.1	16
21	PKA-dependent regulation of Cdc25 RasGEF localization in budding yeast. <i>FEBS Letters</i> , 2011, 585, 3914-3920.	2.8	16
22	The N-terminal region of the <i>Saccharomyces cerevisiae</i> RasGEF Cdc25 is required for nutrient-dependent cell-size regulation. <i>Microbiology (United Kingdom)</i> , 2006, 152, 1231-1242.	1.8	14
23	Design and Characterization of a New Class of Inhibitors of Ras Activation. <i>Annals of the New York Academy of Sciences</i> , 2004, 1030, 52-61.	3.8	13
24	The large N-terminal domain of Cdc25 protein of the yeast <i>Saccharomyces cerevisiae</i> is required for glucose-induced Ras2 activation. <i>FEMS Yeast Research</i> , 2007, 7, 1270-1275.	2.3	12
25	Structure-function relationships of the Mre11 protein in the control of DNA end bridging and processing. <i>Current Genetics</i> , 2019, 65, 11-16.	1.7	12
26	Yeast as a Model for Ras Signalling. <i>Methods in Molecular Biology</i> , 2014, 1120, 359-390.	0.9	10
27	PtdIns(4,5)P ₂ and phospholipase C-independent Ins(1,4,5)P ₃ signals induced by a nitrogen source in nitrogen-starved yeast cells. <i>Biochemical Journal</i> , 2001, 359, 517.	3.7	9
28	Structure-Activity Studies on Arylamides and Arylsulfonamides Ras Inhibitors. <i>Current Cancer Drug Targets</i> , 2010, 10, 192-199.	1.6	9
29	Monitoring Yeast Intracellular Ca ²⁺ Levels Using an In Vivo Bioluminescence Assay. <i>Cold Spring Harbor Protocols</i> , 2015, 2015, pdb.prot076851.	0.3	9
30	Cloning and Characterization of a New RalGAP Expressed in Mouse Testis. <i>Annals of the New York Academy of Sciences</i> , 2002, 973, 135-137.	3.8	8
31	Natural Products Attenuating Biosynthesis, Processing, and Activity of Ras Oncoproteins: State of the Art and Future Perspectives. <i>Biomolecules</i> , 2020, 10, 1535.	4.0	8
32	DNA binding modes influence Rap1 activity in the regulation of telomere length and MRX functions at DNA ends. <i>Nucleic Acids Research</i> , 2020, 48, 2424-2441.	14.5	7
33	The Multi-Level Mechanism of Action of a Pan-Ras Inhibitor Explains its Antiproliferative Activity on Cetuximab-Resistant Cancer Cells. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 625979.	3.5	7
34	On the propagation of the OH radical produced by Cu-amyloid beta peptide model complexes. Insight from molecular modelling. <i>Metallomics</i> , 2020, 12, 1765-1780.	2.4	7
35	Cannabidiol Antiproliferative Effect in Triple-Negative Breast Cancer MDA-MB-231 Cells Is Modulated by Its Physical State and by IGF-1. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7145.	4.1	5
36	AMPK Phosphorylation Is Controlled by Glucose Transport Rate in a PKA-Independent Manner. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9483.	4.1	4

#	ARTICLE	IF	CITATIONS
37	Measurement of Calcium Uptake in Yeast Using ⁴⁵ Ca. Cold Spring Harbor Protocols, 2015, 2015, pdb.prot076877.	0.3	1
38	Synthesis, Molecular Modeling and Biological Evaluation of Metabolically Stable Analogues of the Endogenous Fatty Acid Amide Palmitoylethanolamide. International Journal of Molecular Sciences, 2020, 21, 9074.	4.1	1
39	Modeling Calcium Signaling in <i>S. cerevisiae</i> Highlights the Role and Regulation of the Calmodulin-Calcineurin Pathway in Response to Hypotonic Shock. Frontiers in Molecular Biosciences, 0, 9, .	3.5	1
40	Total Cellular Ca ²⁺ Measurements in Yeast Using Flame Photometry. Cold Spring Harbor Protocols, 2015, 2015, pdb.prot076869.	0.3	0
41	Molecular Dynamics Simulations Reveal Structural Interconnections within Sec14-PH Bipartite Domain from Human Neurofibromin. International Journal of Molecular Sciences, 2022, 23, 5707.	4.1	0