

Shi-Ting Feng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2811376/publications.pdf>

Version: 2024-02-01

122
papers

2,599
citations

218381

26
h-index

276539

41
g-index

145
all docs

145
docs citations

145
times ranked

3406
citing authors

#	ARTICLE	IF	CITATIONS
1	Preoperative prediction of microvascular invasion in hepatocellular cancer: a radiomics model using Gd-EOB-DTPA-enhanced MRI. <i>European Radiology</i> , 2019, 29, 4648-4659.	2.3	144
2	CT-based peritumoral radiomics signatures to predict early recurrence in hepatocellular carcinoma after curative tumor resection or ablation. <i>Cancer Imaging</i> , 2019, 19, 11.	1.2	120
3	Pretreatment prediction of immunoscore in hepatocellular cancer: a radiomics-based clinical model based on Gd-EOB-DTPA-enhanced MRI imaging. <i>European Radiology</i> , 2019, 29, 4177-4187.	2.3	110
4	Neoadjuvant programmed cell death 1 blockade combined with chemotherapy for resectable esophageal squamous cell carcinoma. , 2022, 10, e003497.		82
5	Characterization of Degree of Intestinal Fibrosis in Patients with Crohn Disease by Using Magnetization Transfer MR Imaging. <i>Radiology</i> , 2018, 287, 494-503.	3.6	81
6	Fully Automated Delineation of Gross Tumor Volume for Head and Neck Cancer on PET-CT Using Deep Learning: A Dual-Center Study. <i>Contrast Media and Molecular Imaging</i> , 2018, 2018, 1-12.	0.4	71
7	Radiation dose and cancer risk from pediatric CT examinations on 64-slice CT: A phantom study. <i>European Journal of Radiology</i> , 2010, 76, e19-e23.	1.2	70
8	CT-based radiomics for preoperative prediction of early recurrent hepatocellular carcinoma: technical reproducibility of acquisition and scanners. <i>Radiologia Medica</i> , 2020, 125, 697-705.	4.7	63
9	Development and Validation of a Novel Computed-Tomography Enterography Radiomic Approach for Characterization of Intestinal Fibrosis in Crohn's Disease. <i>Gastroenterology</i> , 2021, 160, 2303-2316.e11.	0.6	57
10	Self-Assembled UCST-Type Micelles as Potential Drug Carriers for Cancer Therapeutics. <i>Macromolecular Chemistry and Physics</i> , 2015, 216, 1014-1023.	1.1	53
11	Microvascular Invasion as a Predictor of Response to Treatment with Sorafenib and Transarterial Chemoembolization for Recurrent Intermediate-Stage Hepatocellular Carcinoma. <i>Radiology</i> , 2019, 292, 237-247.	3.6	53
12	Clinical and CT imaging features of 2019 novel coronavirus disease (COVID-19). <i>Journal of Infection</i> , 2020, 81, 147-178.	1.7	53
13	Somatostatin receptor expression indicates improved prognosis in gastroenteropancreatic neuroendocrine neoplasm, and octreotide long-acting release is effective and safe in Chinese patients with advanced gastroenteropancreatic neuroendocrine tumors. <i>Oncology Letters</i> , 2017, 13, 1165-1174.	0.8	52
14	Prediction of Microvascular Invasion in Hepatocellular Carcinoma: Preoperative Gd-EOB-DTPA-Dynamic Enhanced MRI and Histopathological Correlation. <i>Contrast Media and Molecular Imaging</i> , 2018, 2018, 1-9.	0.4	50
15	CT Enterography in Evaluating Postoperative Recurrence of Crohn's Disease after Ileocolic Resection. <i>Inflammatory Bowel Diseases</i> , 2013, 19, 977-982.	0.9	45
16	Degree of Creeping Fat Assessed by Computed Tomography Enterography is Associated with Intestinal Fibrotic Stricture in Patients with Crohn's Disease: A Potentially Novel Mesenteric Creeping Fat Index. <i>Journal of Crohn's and Colitis</i> , 2021, 15, 1161-1173.	0.6	45
17	pH-Sensitive Nanomicelles for Controlled and Efficient Drug Delivery to Human Colorectal Carcinoma LoVo Cells. <i>PLoS ONE</i> , 2014, 9, e100732.	1.1	43
18	Preoperative Prediction of Pancreatic Neuroendocrine Neoplasms Grading Based on Enhanced Computed Tomography Imaging: Validation of Deep Learning with a Convolutional Neural Network. <i>Neuroendocrinology</i> , 2020, 110, 338-350.	1.2	43

#	ARTICLE	IF	CITATIONS
19	Pancreatic neuroendocrine tumours: correlation between MSCT features and pathological classification. <i>European Radiology</i> , 2014, 24, 2945-2952.	2.3	41
20	Spectrum of appearances on CT and MRI of hepatic epithelioid hemangioendothelioma. <i>BMC Gastroenterology</i> , 2015, 15, 69.	0.8	41
21	Tumor Segmentation in Contrast-Enhanced Magnetic Resonance Imaging for Nasopharyngeal Carcinoma: Deep Learning with Convolutional Neural Network. <i>BioMed Research International</i> , 2018, 2018, 1-7.	0.9	41
22	CT-based radiomics scores predict response to neoadjuvant chemotherapy and survival in patients with gastric cancer. <i>BMC Cancer</i> , 2020, 20, 468.	1.1	40
23	Diffusion-weighted MRI Enables to Accurately Grade Inflammatory Activity in Patients of Ileocolonic Crohn's Disease. <i>Inflammatory Bowel Diseases</i> , 2017, 23, 244-253.	0.9	38
24	Gd-EOB-DTPA-enhanced magnetic resonance imaging combined with T1 mapping predicts the degree of differentiation in hepatocellular carcinoma. <i>BMC Cancer</i> , 2016, 16, 625.	1.1	30
25	Early evaluation of sunitinib for the treatment of advanced gastroenteropancreatic neuroendocrine neoplasms via CT imaging: RECIST 1.1 or Choi Criteria?. <i>BMC Cancer</i> , 2017, 17, 154.	1.1	30
26	Pancreatic schwannoma: a case report and an updated 40-year review of the literature yielding 68 cases. <i>BMC Cancer</i> , 2017, 17, 853.	1.1	30
27	Effect of orlistat on liver fat content in patients with nonalcoholic fatty liver disease with obesity: assessment using magnetic resonance imaging-derived proton density fat fraction. <i>Therapeutic Advances in Gastroenterology</i> , 2019, 12, 175628481987904.	1.4	30
28	Intestinal fibrosis classification in patients with Crohn's disease using CT enterography-based deep learning: comparisons with radiomics and radiologists. <i>European Radiology</i> , 2022, 32, 8692-8705.	2.3	30
29	MR Quantification of Total Liver Fat in Patients with Impaired Glucose Tolerance and Healthy Subjects. <i>PLoS ONE</i> , 2014, 9, e111283.	1.1	29
30	Surgical management for non-functional pancreatic neuroendocrine neoplasms with synchronous liver metastasis: A consensus from the Chinese Study Group for Neuroendocrine Tumors (CSNET). <i>International Journal of Oncology</i> , 2016, 49, 1991-2000.	1.4	27
31	IVIM with fractional perfusion as a novel biomarker for detecting and grading intestinal fibrosis in Crohn's disease. <i>European Radiology</i> , 2019, 29, 3069-3078.	2.3	26
32	Different predictors of steatosis and fibrosis severity among lean, overweight and obese patients with nonalcoholic fatty liver disease. <i>Digestive and Liver Disease</i> , 2019, 51, 1392-1399.	0.4	25
33	Multiphase MDCT in small bowel volvulus. <i>European Journal of Radiology</i> , 2010, 76, e13-e18.	1.2	24
34	Considerable effects of imaging sequences, feature extraction, feature selection, and classifiers on radiomics-based prediction of microvascular invasion in hepatocellular carcinoma using magnetic resonance imaging. <i>Quantitative Imaging in Medicine and Surgery</i> , 2021, 11, 1836-1853.	1.1	24
35	CT and MR imaging characteristics of infantile hepatic hemangioendothelioma. <i>European Journal of Radiology</i> , 2010, 76, e24-e29.	1.2	23
36	Lack of Response to Transarterial Chemoembolization for Intermediate-Stage Hepatocellular Carcinoma: Abandon or Repeat?. <i>Radiology</i> , 2021, 298, 680-692.	3.6	23

#	ARTICLE	IF	CITATIONS
37	Magnetisation transfer imaging adds information to conventional MRIs to differentiate inflammatory from fibrotic components of small intestinal strictures in Crohn's disease. <i>European Radiology</i> , 2020, 30, 1938-1947.	2.3	21
38	Nomogram development and validation to predict hepatocellular carcinoma tumor behavior by preoperative gadoxetic acid-enhanced MRI. <i>European Radiology</i> , 2021, 31, 8615-8627.	2.3	21
39	Deep Semantic Segmentation Feature-Based Radiomics for the Classification Tasks in Medical Image Analysis. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2021, 25, 2655-2664.	3.9	20
40	Gadolinium/DOTA functionalized poly(ethylene glycol)-block-poly(acrylamide-co-acrylonitrile) micelles with synergistically enhanced cellular uptake for cancer theranostics. <i>RSC Advances</i> , 2016, 6, 50534-50542.	1.7	19
41	Early Predictors of Cardiovascular Disease Risk in Nonalcoholic Fatty Liver Disease: Non-obese Versus Obese Patients. <i>Digestive Diseases and Sciences</i> , 2020, 65, 1850-1860.	1.1	19
42	Precise fibrosis staging with shear wave elastography in chronic hepatitis B depends on liver inflammation and steatosis. <i>Hepatology International</i> , 2020, 14, 190-201.	1.9	19
43	Feasibility of multi-parametric magnetic resonance imaging combined with machine learning in the assessment of necrosis of osteosarcoma after neoadjuvant chemotherapy: a preliminary study. <i>BMC Cancer</i> , 2020, 20, 322.	1.1	19
44	Steatosis grading consistency between controlled attenuation parameter and MRI-PDFF in monitoring metabolic associated fatty liver disease. <i>Therapeutic Advances in Chronic Disease</i> , 2021, 12, 204062232110331.	1.1	19
45	Evaluation of angiogenesis in colorectal carcinoma with multidetector-row CT multislice perfusion imaging. <i>European Journal of Radiology</i> , 2010, 75, 191-196.	1.2	18
46	The role of elevated serum procalcitonin in neuroendocrine neoplasms of digestive system. <i>Clinical Biochemistry</i> , 2017, 50, 982-987.	0.8	17
47	Accurate and Feasible Deep Learning Based Semi-Automatic Segmentation in CT for Radiomics Analysis in Pancreatic Neuroendocrine Neoplasms. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2021, 25, 3498-3506.	3.9	17
48	Evaluation of intestinal tuberculosis by multi-slice computed tomography enterography. <i>BMC Infectious Diseases</i> , 2015, 15, 577.	1.3	16
49	Quantitative evaluation of Gd-EOB-DTPA uptake in focal liver lesions by using T1 mapping: differences between hepatocellular carcinoma, hepatic focal nodular hyperplasia and cavernous hemangioma. <i>Oncotarget</i> , 2017, 8, 65435-65444.	0.8	16
50	Imaging biomarkers for well and moderate hepatocellular carcinoma: preoperative magnetic resonance image and histopathological correlation. <i>BMC Cancer</i> , 2019, 19, 364.	1.1	15
51	Regional liver function analysis with gadoxetic acid-enhanced MRI and virtual hepatectomy: prediction of postoperative short-term outcomes for HCC. <i>European Radiology</i> , 2021, 31, 4720-4730.	2.3	15
52	Cholangiocarcinoma: spectrum of appearances on Gd-EOB-DTPA-enhanced MR imaging and the effect of biliary function on signal intensity. <i>BMC Cancer</i> , 2015, 15, 38.	1.1	14
53	Prediction of sorafenib treatment-related gene expression for hepatocellular carcinoma: preoperative MRI and histopathological correlation. <i>European Radiology</i> , 2019, 29, 2272-2282.	2.3	14
54	Predicting the recurrence risk of pancreatic neuroendocrine neoplasms after radical resection using deep learning radiomics with preoperative computed tomography images. <i>Annals of Translational Medicine</i> , 2021, 9, 833-833.	0.7	14

#	ARTICLE	IF	CITATIONS
55	Diffusion kurtosis MRI versus conventional diffusion-weighted imaging for evaluating inflammatory activity in Crohn's disease. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 702-709.	1.9	14
56	Differentiation between gastrointestinal schwannomas and gastrointestinal stromal tumors by computed tomography. <i>Oncology Letters</i> , 2017, 13, 3746-3752.	0.8	13
57	T2* Mapping to characterize intestinal fibrosis in crohn's disease. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 829-836.	1.9	13
58	Ability of DWI to characterize bowel fibrosis depends on the degree of bowel inflammation. <i>European Radiology</i> , 2019, 29, 2465-2473.	2.3	13
59	A CT-derived deep neural network predicts for programmed death ligand-1 expression status in advanced lung adenocarcinomas. <i>Annals of Translational Medicine</i> , 2020, 8, 930-930.	0.7	13
60	Hepatocellular carcinoma with hilar bile duct tumor thrombus versus hilar Cholangiocarcinoma on enhanced computed tomography: a diagnostic challenge. <i>BMC Cancer</i> , 2020, 20, 54.	1.1	13
61	Sunitinib is effective and tolerable in Chinese patients with advanced pancreatic neuroendocrine tumors: a multicenter retrospective study in China. <i>Cancer Chemotherapy and Pharmacology</i> , 2017, 80, 507-516.	1.1	12
62	An Individually Optimized Protocol of Contrast Medium Injection in Enhanced CT Scan for Liver Imaging. <i>Contrast Media and Molecular Imaging</i> , 2017, 2017, 1-8.	0.4	12
63	Pancreatic tumor in type 1 autoimmune pancreatitis: a diagnostic challenge. <i>BMC Cancer</i> , 2019, 19, 814.	1.1	12
64	MRI T2-Weighted Imaging and Fat-Suppressed T2-Weighted Imaging Image Fusion Technology Improves Image Discriminability for the Evaluation of Anal Fistulas. <i>Korean Journal of Radiology</i> , 2019, 20, 429.	1.5	12
65	Preoperative Prediction of Cytokeratin 19 Expression for Hepatocellular Carcinoma with Deep Learning Radiomics Based on Gadoteric Acid-Enhanced Magnetic Resonance Imaging. <i>Journal of Hepatocellular Carcinoma</i> , 2021, Volume 8, 795-808.	1.8	12
66	Predicting response to immunotherapy plus chemotherapy in patients with esophageal squamous cell carcinoma using non-invasive Radiomic biomarkers. <i>BMC Cancer</i> , 2021, 21, 1167.	1.1	12
67	CT Enterography score: a potential predictor for severity assessment of active ulcerative colitis. <i>BMC Gastroenterology</i> , 2018, 18, 173.	0.8	11
68	Longitudinal radiomics algorithm of posttreatment computed tomography images for early detecting recurrence of hepatocellular carcinoma after resection or ablation. <i>Translational Oncology</i> , 2021, 14, 100866.	1.7	11
69	Microvascular Invasion Status and Its Survival Impact in Hepatocellular Carcinoma Depend on Tissue Sampling Protocol. <i>Annals of Surgical Oncology</i> , 2021, 28, 6747-6757.	0.7	11
70	Nanoparticles for Colorectal Cancer Targeted Drug Delivery and MR Imaging: Current Situation and Perspectives. <i>Current Cancer Drug Targets</i> , 2016, 16, 536-550.	0.8	11
71	Comparison of Three Magnetization Transfer Ratio Parameters for Assessment of Intestinal Fibrosis in Patients with Crohn's Disease. <i>Korean Journal of Radiology</i> , 2020, 21, 290.	1.5	11
72	Multifunctionalized Microscale Ultrasound Contrast Agents for Precise Theranostics of Malignant Tumors. <i>Contrast Media and Molecular Imaging</i> , 2019, 2019, 1-18.	0.4	10

#	ARTICLE	IF	CITATIONS
73	Prediction of type 2 diabetes mellitus using noninvasive MRI quantitation of visceral abdominal adiposity tissue volume. <i>Quantitative Imaging in Medicine and Surgery</i> , 2019, 9, 1076-1086.	1.1	10
74	Constructing an experiential education model in undergraduate radiology education by the utilization of the picture archiving and communication system (PACS). <i>BMC Medical Education</i> , 2019, 19, 383.	1.0	10
75	A novel identification system combining diffusion kurtosis imaging with conventional magnetic resonance imaging to assess intestinal strictures in patients with Crohn's disease. <i>Abdominal Radiology</i> , 2021, 46, 936-947.	1.0	10
76	CT Findings of Intrarenal Yolk Sac Tumor with Tumor Thrombus Extending into the Inferior Vena Cava: A Case Report. <i>Korean Journal of Radiology</i> , 2014, 15, 641.	1.5	9
77	Insulin resistance exhibits varied metabolic abnormalities in nonalcoholic fatty liver disease, chronic hepatitis B and the combination of the two: a cross-sectional study. <i>Diabetology and Metabolic Syndrome</i> , 2019, 11, 45.	1.2	9
78	Normalization of $\hat{\Gamma}^3$ -glutamyl transferase levels is associated with better metabolic control in individuals with nonalcoholic fatty liver disease. <i>BMC Gastroenterology</i> , 2021, 21, 215.	0.8	9
79	Native T1 Mapping and Magnetization Transfer Imaging in Grading Bowel Fibrosis in Crohn's Disease: A Comparative Animal Study. <i>Biosensors</i> , 2021, 11, 302.	2.3	9
80	Prediction of Early Treatment Response to Initial Conventional Transarterial Chemoembolization Therapy for Hepatocellular Carcinoma by Machine-Learning Model Based on Computed Tomography. <i>Journal of Hepatocellular Carcinoma</i> , 2021, Volume 8, 1473-1484.	1.8	9
81	<p>A Case of a Huge Inferior Vena Cava Leiomyosarcoma: Precise Preoperative Evaluation with Gadobutrol-Enhanced MRI</p>. <i>Cancer Management and Research</i> , 2020, Volume 12, 7929-7939.	0.9	8
82	Apolipoproteins and liver parameters optimize cardiovascular disease risk-stratification in nonalcoholic fatty liver disease. <i>Digestive and Liver Disease</i> , 2021, 53, 1610-1619.	0.4	8
83	3D DenseNet Deep Learning Based Preoperative Computed Tomography for Detecting Myasthenia Gravis in Patients With Thymoma. <i>Frontiers in Oncology</i> , 2021, 11, 631964.	1.3	8
84	A Type I Collagen-Targeted MR Imaging Probe for Staging Fibrosis in Crohn's Disease. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 762355.	1.6	8
85	Image-Derived Arterial Input Function in Dynamic Positron Emission Tomography's Computed Tomography. <i>Journal of Computer Assisted Tomography</i> , 2012, 36, 762-767.	0.5	7
86	<p>Diameter of Superior Rectal Vein â€“ CT Predictor of KRAS Mutation in Rectal Carcinoma</p>. <i>Cancer Management and Research</i> , 2020, Volume 12, 10919-10928.	0.9	7
87	Distinct Dose-Dependent Association of Free Fatty Acids with Diabetes Development in Nonalcoholic Fatty Liver Disease Patients. <i>Diabetes and Metabolism Journal</i> , 2021, 45, 417-429.	1.8	7
88	Neoadjuvant PD-1 blockade in combination with chemotherapy for patients with resectable esophageal squamous cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2021, 39, 220-220.	0.8	7
89	Varied Relationship of Lipid and Lipoprotein Profiles to Liver Fat Content in Phenotypes of Metabolic Associated Fatty Liver Disease. <i>Frontiers in Endocrinology</i> , 2021, 12, 691556.	1.5	7
90	Utility of Quantitative Metrics From Dual-Layer Spectral-Detector CT for Differentiation of Pancreatic Neuroendocrine Tumor and Neuroendocrine Carcinoma. <i>American Journal of Roentgenology</i> , 2022, 218, 999-1009.	1.0	7

#	ARTICLE	IF	CITATIONS
91	Functional magnetic resonance cholangiography enhanced with Gd-EOB-DTPA: Effect of liver function on biliary system visualization. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 1254-1258.	1.9	6
92	CT Evaluation of Gastroenteric Neuroendocrine Tumors: Relationship Between CT Features and the Pathologic Classification. <i>American Journal of Roentgenology</i> , 2014, 203, W260-W266.	1.0	6
93	Hepatic nodules with arterial phase hyperenhancement and washout on enhanced computed tomography/magnetic resonance imaging: how to avoid pitfalls. <i>Abdominal Radiology</i> , 2020, 45, 3730-3742.	1.0	6
94	A computed tomography (CT)-derived radiomics approach for predicting primary co-mutations involving TP53 and epidermal growth factor receptor (EGFR) in patients with advanced lung adenocarcinomas (LUAD). <i>Annals of Translational Medicine</i> , 2021, 9, 545-545.	0.7	6
95	Computed Tomography-Based Radiomics Nomogram: Potential to Predict Local Recurrence of Gastric Cancer After Radical Resection. <i>Frontiers in Oncology</i> , 2021, 11, 638362.	1.3	6
96	Dual-responsive crosslinked micelles of a multifunctional graft copolymer for drug delivery applications. <i>Journal of Polymer Science Part A</i> , 2017, 55, 1536-1546.	2.5	5
97	A novel collagen area fraction index to quantitatively assess bowel fibrosis in patients with Crohn's disease. <i>BMC Gastroenterology</i> , 2019, 19, 180.	0.8	5
98	A narrative review of multiple endocrine neoplasia syndromes: genetics, clinical features, imaging findings, and diagnosis. <i>Annals of Translational Medicine</i> , 2021, 9, 944-944.	0.7	5
99	Nano-sized Ultrasound Contrast Agents for Cancer Therapy and Theranostics. <i>Current Pharmaceutical Design</i> , 2018, 23, 5403-5412.	0.9	5
100	Noninvasive Imaging Evaluation Based on Computed Tomography of the Efficacy of Initial Transarterial Chemoembolization to Predict Outcome in Patients with Hepatocellular Carcinoma. <i>Journal of Hepatocellular Carcinoma</i> , 2022, Volume 9, 273-288.	1.8	5
101	Lipid-Lowering Responses to Dyslipidemia Determine the Efficacy on Liver Enzymes in Metabolic Dysfunction-Associated Fatty Liver Disease with Hepatic Injuries: A Prospective Cohort Study. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2022, Volume 15, 1173-1184.	1.1	5
102	Diffusion Kurtosis MR Imaging versus Conventional Diffusion-Weighted Imaging for Distinguishing Hepatocellular Carcinoma from Benign Hepatic Nodules. <i>Contrast Media and Molecular Imaging</i> , 2019, 1-10.	0.4	4
103	Hepatic resection versus transarterial chemoembolization in infiltrative hepatocellular carcinoma: A multicenter study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 2220-2228.	1.4	4
104	The Chinese guidelines for the diagnosis and treatment of pancreatic neuroendocrine neoplasms (2020). <i>Journal of Pancreatology</i> , 2021, 4, 1-17.	0.3	4
105	Vitamin D Status Presents Different Relationships with Severity in Metabolic-Associated Fatty Liver Disease Patients with or without Hepatitis B Infection. <i>Nutrients</i> , 2022, 14, 2114.	1.7	4
106	Diagnostic and post-treatment CT appearance of biopsy proven mixed cryptococcus and candida cholangitis. <i>Journal of X-Ray Science and Technology</i> , 2014, 22, 727-733.	0.7	3
107	Combined Volumetric and Density Analyses of Contrast-Enhanced CT Imaging to Assess Drug Therapy Response in Gastroenteropancreatic Neuroendocrine Diffuse Liver Metastasis. <i>Contrast Media and Molecular Imaging</i> , 2018, 2018, 1-10.	0.4	3
108	CT evaluation of response in advanced gastroenteropancreatic neuroendocrine tumors treated with long-acting-repeatable octreotide: what is the optimal size variation threshold?. <i>European Radiology</i> , 2018, 28, 5250-5257.	2.3	3

#	ARTICLE	IF	CITATIONS
109	Quantification of brown adipose tissue in vivo using synthetic magnetic resonance imaging: an experimental study with mice model. <i>Quantitative Imaging in Medicine and Surgery</i> , 2021, 12, 0-0.	1.1	3
110	Computed Tomography and Magnetic Resonance Imaging-aided Diagnosis of Primary Essential Cutis Verticis Gyrata: A Case Report with 5-year Follow-up and Review of the Literature. <i>Current Medical Imaging</i> , 2019, 15, 906-910.	0.4	3
111	Discrepancies between Nonalcoholic and Metabolic-associated Fatty Liver Disease by Multiple Steatosis Assessment. <i>Journal of Clinical and Translational Hepatology</i> , 2022, 000, 000-000.	0.7	3
112	Deep Segmentation Feature-Based Radiomics Improves Recurrence Prediction of Hepatocellular Carcinoma. <i>BME Frontiers</i> , 2022, 2022, .	2.2	3
113	Tumor fibrosis correlates with the survival of patients with pancreatic adenocarcinoma and is predictable using clinicoradiological features. <i>European Radiology</i> , 2022, 32, 6314-6326.	2.3	3
114	The influence of upper limb position on the effect of a contrast agent in chest CT enhancement. <i>European Journal of Radiology</i> , 2013, 82, 1023-1027.	1.2	2
115	The role of neoadjuvant conventional transarterial chemoembolization with radiofrequency ablation in the treatment of recurrent hepatocellular carcinoma after initial hepatectomy with microvascular invasion. <i>International Journal of Hyperthermia</i> , 2022, 39, 688-696.	1.1	2
116	IDDF2018-ABS-0098â€¦Preoperative prediction of microvascular invasion in hepatocellular cancer: a radiomics model using GD-EOB-DTPA enhanced MRI. , 2018, , .		1
117	Non-enhanced Pattern on Contrast-Enhanced Ultrasound in the Local Efficacy Assessment of Irreversible Electroporation Ablation of Pancreatic Adenocarcinoma. <i>Ultrasound in Medicine and Biology</i> , 2018, 44, 1986-1995.	0.7	1
118	A Pre-Operative Prognostic Score for Patients With Advanced Hepatocellular Carcinoma Who Underwent Resection. <i>Frontiers in Oncology</i> , 2021, 11, 569515.	1.3	1
119	Ultrasound virtual endoscopy: Polyp detection and reliability of measurement in an <i>in vitro</i> study with pig intestine specimens. <i>World Journal of Gastroenterology</i> , 2016, 22, 3355-3362.	1.4	1
120	Hepatic mosaic enhancement pattern correlates with increased inflammatory activity and adverse therapeutic outcomes in patients with Crohnâ€™s disease. <i>Abdominal Radiology</i> , 2021, 46, 3149-3158.	1.0	0
121	Optimization of the tumour response threshold in advanced gastroenteropancreatic neuroendocrine carcinomas treated with cisplatin/etoposide combined chemotherapy. <i>European Journal of Radiology</i> , 2022, 147, 110119.	1.2	0
122	P-L11â€¦Comparison of clinical efficacy between LAPS and ALPPS in the Treatment of Hepatitis B Virus-related Hepatocellular Carcinoma. <i>British Journal of Surgery</i> , 2021, 108, .	0.1	0