

Marta Fiocco

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/281268/publications.pdf>

Version: 2024-02-01

174
papers

4,167
citations

136950

32
h-index

155660

55
g-index

180
all docs

180
docs citations

180
times ranked

6659
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Modelling time-varying covariates effect on survival via functional data analysis: application to the MRC BO06 trial in osteosarcoma. <i>Statistical Methods and Applications</i> , 2023, 32, 271-298. | 1.2 | 3 |
| 2 | Migration behaviour of 2 clinically excellent cementless stems with different design rationales: 5-year follow-up of a randomised RSA-study. <i>HIP International</i> , 2022, 32, 747-758. | 1.7 | 2 |
| 3 | CRB1-Associated Retinal Dystrophies: A Prospective Natural History Study in Anticipation of Future Clinical Trials. <i>American Journal of Ophthalmology</i> , 2022, 234, 37-48. | 3.3 | 17 |
| 4 | Neoadjuvant chemoradiotherapy followed by resection for esophageal cancer: clinical outcomes with the "CROSS-regimen"™ in daily practice. <i>Ecological Management and Restoration</i> , 2022, 35, . | 0.4 | 4 |
| 5 | Adjuvant Imatinib in Patients with GIST Harboring Exon 9 KIT Mutations: Results from a Multi-institutional European Retrospective Study. <i>Clinical Cancer Research</i> , 2022, 28, 1672-1679. | 7.0 | 18 |
| 6 | Hypersensitivity to Pegylated E.coli asparaginase as first-line treatment in contemporary paediatric acute lymphoblastic leukaemia protocols: a meta-analysis of the Ponte di Legno Toxicity working group. <i>European Journal of Cancer</i> , 2022, 162, 65-75. | 2.8 | 12 |
| 7 | Urinary 3-Methoxytyramine Is a Biomarker for MYC Activity in Patients With Neuroblastoma. <i>JCO Precision Oncology</i> , 2022, 6, e2000447. | 3.0 | 4 |
| 8 | model-based radiostereometric analysis (RSA) randomized control trial evaluating the stability of the cementless Taperloc hip stem: the TapHip study. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2022, 93, 212-221. | 3.3 | 1 |
| 9 | Disease progression in osteosarcoma: a multistate model for the EURAMOS-1 (European and American) Tj ETQq1 1,0,784314 rgBT / O | 1.9 | 1 |
| 10 | Real-life data on the impact of successful downstaging in patients with hepatocellular carcinoma: A Dutch Multicenter Study. <i>European Journal of Internal Medicine</i> , 2022, 97, 56-61. | 2.2 | 1 |
| 11 | Accelerated Partial Breast Irradiation Using External Beam or Intraoperative Electron Radiation Therapy: 5-Year Oncological Outcomes of a Prospective Cohort Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2022, 113, 570-581. | 0.8 | 6 |
| 12 | Patient activation during the first 6 months after the start of stroke rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2022, , . | 0.9 | 2 |
| 13 | Prognostic Significance of Bone Metastasis in Soft Tissue Sarcoma Patients Receiving Palliative Systemic Therapy: An Explorative, Retrospective Pooled Analysis of the EORTC-Soft Tissue and Bone Sarcoma Group (STBSC) Database. <i>Sarcoma</i> , 2022, 2022, 1-13. | 1.3 | 1 |
| 14 | A Study on Prevalence and Determinants of Ototoxicity During Treatment of Childhood Cancer (SOUND): Protocol for a Prospective Study. <i>JMIR Research Protocols</i> , 2022, 11, e34297. | 1.0 | 0 |
| 15 | Dexamethasone-Induced Sarcopenia and Physical Frailty in Children With Acute Lymphoblastic Leukemia: Protocol for a Prospective Cohort Study. <i>JMIR Research Protocols</i> , 2022, 11, e33517. | 1.0 | 5 |
| 16 | Taste function in children: normative values and associated factors. <i>Pediatric Research</i> , 2022, 92, 1175-1180. | 2.3 | 5 |
| 17 | Short-term and long-term prognostic value of histological response and intensified chemotherapy in osteosarcoma: a retrospective reanalysis of the BO06 trial. <i>BMJ Open</i> , 2022, 12, e052941. | 1.9 | 1 |
| 18 | RARE-07. Low resting energy expenditure is associated with clinical and radiological hypothalamic damage in children surviving a suprasellar brain tumor. <i>Neuro-Oncology</i> , 2022, 24, i10-i10. | 1.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | LTBK-02. Safety of growth hormone replacement therapy in childhood craniopharyngioma. <i>Neuro-Oncology</i> , 2022, 24, i191-i191. | 1.2 | 0 |
| 20 | Effect of post-consolidation regimen on symptomatic osteonecrosis in three DCOG acute lymphoblastic leukemia protocols. <i>Haematologica</i> , 2021, 106, 1198-1201. | 3.5 | 8 |
| 21 | Smell and taste function in childhood cancer patients: a feasibility study. <i>Supportive Care in Cancer</i> , 2021, 29, 1619-1628. | 2.2 | 12 |
| 22 | Quality of life and illness perceptions in patients with breast cancer using a fasting mimicking diet as an adjunct to neoadjuvant chemotherapy in the phase 2 DIRECT (BOOG 2013-14) trial. <i>Breast Cancer Research and Treatment</i> , 2021, 185, 741-758. | 2.5 | 27 |
| 23 | The diagnostic value of magnetic resonance imaging in differentiating benign and malignant pediatric ovarian tumors. <i>Pediatric Radiology</i> , 2021, 51, 427-434. | 2.0 | 9 |
| 24 | Survival Analysis of 3 Different Age Groups and Prognostic Factors among 402 Patients with Skeletal High-Grade Osteosarcoma. Real World Data from a Single Tertiary Sarcoma Center. <i>Cancers</i> , 2021, 13, 486. | 3.7 | 12 |
| 25 | Metabolic Syndrome Parameters, Determinants, and Biomarkers in Adult Survivors of Childhood Cancer: Protocol for the Dutch Childhood Cancer Survivor Study on Metabolic Syndrome (Dutch) Tj ETQq1 1 0.784304 rgBT #Overloc | | |
| 26 | Outcomes of paediatric patients with B-cell acute lymphocytic leukaemia with ABL-class fusion in the pre-tyrosine-kinase inhibitor era: a multicentre, retrospective, cohort study. <i>Lancet Haematology</i> , 2021, 8, e55-e66. | 4.6 | 32 |
| 27 | First-line antiepileptic drug treatment in glioma patients with epilepsy: Levetiracetam vs valproic acid. <i>Epilepsia</i> , 2021, 62, 1119-1129. | 5.1 | 36 |
| 28 | Identifying the critically ill paediatric oncology patient: a study protocol for a prospective observational cohort study for validation of a modified Bedside Paediatric Early Warning System score in hospitalised paediatric oncology patients. <i>BMJ Open</i> , 2021, 11, e046360. | 1.9 | 3 |
| 29 | Value of the Sentinel Node Procedure in Pediatric Extremity Rhabdomyosarcoma: A Systematic Review and Retrospective Cohort Study. <i>Annals of Surgical Oncology</i> , 2021, 28, 9048-9059. | 1.5 | 7 |
| 30 | Accounting for the Competing Risk of Death to Predict Kidney Failure in Adults With Stage 4 Chronic Kidney Disease. <i>JAMA Network Open</i> , 2021, 4, e219225. | 5.9 | 18 |
| 31 | ASO Visual Abstract: The Value of the Sentinel Node Procedure in Pediatric Extremity Rhabdomyosarcoma—A Systematic Review and Retrospective Cohort Study. <i>Annals of Surgical Oncology</i> , 2021, 28, 472-473. | 1.5 | 0 |
| 32 | A systematic review of risk stratification tools internationally used in primary care settings. <i>Health Science Reports</i> , 2021, 4, e329. | 1.5 | 16 |
| 33 | The effectiveness of antiepileptic drug treatment in glioma patients: lamotrigine versus lacosamide. <i>Journal of Neuro-Oncology</i> , 2021, 154, 73-81. | 2.9 | 9 |
| 34 | Bariatric Surgery for Hypothalamic Obesity in Craniopharyngioma Patients: A Retrospective, Matched Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e4734-e4745. | 3.6 | 10 |
| 35 | Can biomarkers be used to improve diagnosis and prediction of metabolic syndrome in childhood cancer survivors? A systematic review. <i>Obesity Reviews</i> , 2021, 22, e13312. | 6.5 | 11 |
| 36 | Patterns of Perioperative Treatment and Survival of Localized, Resected, Intermediate- or High-Grade Soft Tissue Sarcoma: A 2000-2017 Netherlands Cancer Registry Database Analysis. <i>Sarcoma</i> , 2021, 2021, 1-8. | 1.3 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Improving Risk Stratification for Pediatric Patients with Rhabdomyosarcoma by Molecular Detection of Disseminated Disease. <i>Clinical Cancer Research</i> , 2021, 27, 5576-5585. | 7.0 | 13 |
| 38 | Interobserver variability between experienced and inexperienced observers in the histopathological analysis of Wilms tumors: a pilot study for future algorithmic approach. <i>Diagnostic Pathology</i> , 2021, 16, 77. | 2.0 | 4 |
| 39 | A phase II study on the neo-adjuvant combination of pazopanib and radiotherapy in patients with high-risk, localized soft tissue sarcoma. <i>Acta Oncologica</i> , 2021, 60, 1557-1564. | 1.8 | 5 |
| 40 | Anti-GD2 Based Immunotherapy Prevents Late Events in High-Risk Neuroblastoma Patients over 18 Months at Diagnosis. <i>Cancers</i> , 2021, 13, 4941. | 3.7 | 1 |
| 41 | Minimal residual disease, long-term outcome, and IKZF1 deletions in children and adolescents with Down syndrome and acute lymphocytic leukaemia: a matched cohort study. <i>Lancet Haematology</i> , 2021, 8, e700-e710. | 4.6 | 10 |
| 42 | CLINICAL CHARACTERISTICS AND NATURAL HISTORY OF RHO-ASSOCIATED RETINITIS PIGMENTOSA. <i>Retina</i> , 2021, 41, 213-223. | 1.7 | 18 |
| 43 | Multiclonal complexity of pediatric acute lymphoblastic leukemia and the prognostic relevance of subclonal mutations. <i>Haematologica</i> , 2021, 106, 3046-3055. | 3.5 | 13 |
| 44 | Body composition of patients with neuroblastoma using computed tomography. <i>Pediatric Blood and Cancer</i> , 2021, 68, e29337. | 1.5 | 6 |
| 45 | NCOG-15. THE EFFECTIVENESS OF ANTIPILEPTIC DRUG DUOTHERAPIES IN GLIOMA PATIENTS: A MULTICENTER OBSERVATIONAL COHORT STUDY. <i>Neuro-Oncology</i> , 2021, 23, vi155-vi155. | 1.2 | 0 |
| 46 | Overweight in the Dutch National Cohort of Long-Term Survivors of Childhood Cancer. <i>Blood</i> , 2021, 138, 3054-3054. | 1.4 | 0 |
| 47 | Impact of Allogeneic Hematopoietic Stem Cell Transplantation in First Complete Remission and Additional Cytogenetic Aberrations at Diagnosis on Prognosis in 1256 Pediatric Patients with KMT2A-Rearranged Acute Myeloid Leukemia: A Retrospective Study By the I-BFM-SG. <i>Blood</i> , 2021, 138, 2360-2360. | 1.4 | 2 |
| 48 | A Simulation Study to Compare the Predictive Performance of Survival Neural Networks with Cox Models for Clinical Trial Data. <i>Computational and Mathematical Methods in Medicine</i> , 2021, 2021, 1-15. | 1.3 | 7 |
| 49 | A Meta-Analysis of Hypersensitivity to Pegylated Escherichia coli Asparaginase Used As First-Line Treatment in Contemporary Pediatric Acute Lymphoblastic Leukemia Protocols. <i>Blood</i> , 2021, 138, 2308-2308. | 1.4 | 1 |
| 50 | Novel longitudinal Multiple Overall Toxicity (MOTox) score to quantify adverse events experienced by patients during chemotherapy treatment: a retrospective analysis of the MRC BO06 trial in osteosarcoma. <i>BMJ Open</i> , 2021, 11, e053456. | 1.9 | 0 |
| 51 | Palliative care needs of advanced cancer patients in the emergency department at the end of life: an observational cohort study. <i>Supportive Care in Cancer</i> , 2020, 28, 1097-1107. | 2.2 | 44 |
| 52 | A comparison of the cone beam computed tomography findings in medication-related osteonecrosis of the jaws related to denosumab versus bisphosphonates: an observational pilot study. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2020, 129, 411-417. | 0.4 | 15 |
| 53 | Surprise Question and Performance Status Indicate Urgency of Palliative Care Needs in Patients with Advanced Cancer at the Emergency Department: An Observational Cohort Study. <i>Journal of Palliative Medicine</i> , 2020, 23, 801-808. | 1.1 | 24 |
| 54 | Physical performance has a strong association with poor surgical outcome in older patients with colorectal cancer. <i>European Journal of Surgical Oncology</i> , 2020, 46, 462-469. | 1.0 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Single-Center Experience with Ifosfamide Monotherapy as Second-Line Treatment of Recurrent/Metastatic Osteosarcoma. <i>Oncologist</i> , 2020, 25, e716-e721. | 3.7 | 8 |
| 56 | Individualizing Follow-Up Strategies in High-Grade Soft Tissue Sarcoma with Flexible Parametric Competing Risk Regression Models. <i>Cancers</i> , 2020, 12, 47. | 3.7 | 12 |
| 57 | End-of-Life Trajectories of Patients With Hematological Malignancies and Patients With Advanced Solid Tumors Visiting the Emergency Department: The Need for a Proactive Integrated Care Approach. <i>American Journal of Hospice and Palliative Medicine</i> , 2020, 37, 692-700. | 1.4 | 26 |
| 58 | Dynamic prediction of overall survival: a retrospective analysis on 979 patients with Ewing sarcoma from the German registry. <i>BMJ Open</i> , 2020, 10, e036376. | 1.9 | 0 |
| 59 | Survival prediction models since liver transplantation - comparisons between Cox models and machine learning techniques. <i>BMC Medical Research Methodology</i> , 2020, 20, 277. | 3.1 | 33 |
| 60 | Malignant recurrence after mature Sacrococcygeal teratoma: A meta-analysis and review of the literature. <i>Critical Reviews in Oncology/Hematology</i> , 2020, 156, 103140. | 4.4 | 8 |
| 61 | Pain at home during childhood cancer treatment: Severity, prevalence, analgesic use, and interference with daily life. <i>Pediatric Blood and Cancer</i> , 2020, 67, e28699. | 1.5 | 10 |
| 62 | Association of Age With Risk of Kidney Failure in Adults With Stage IV Chronic Kidney Disease in Canada. <i>JAMA Network Open</i> , 2020, 3, e2017150. | 5.9 | 26 |
| 63 | Investigating the Relationship Between Age and Kidney Failure in Adults With Category 4 Chronic Kidney Disease. <i>Canadian Journal of Kidney Health and Disease</i> , 2020, 7, 205435812096681. | 1.1 | 4 |
| 64 | Long-term migration of a cementless stem with different bioactive coatings. Data from a "prime" RSA study: lessons learned. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020, 91, 660-668. | 3.3 | 6 |
| 65 | Long-Term Clinical Outcomes of Intercalary Allograft Reconstruction for Lower-Extremity Bone Tumors. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 1042-1049. | 3.0 | 28 |
| 66 | Adequately dosed aerobic physical activity in people with axial spondyloarthritis: associations with physical therapy. <i>Rheumatology International</i> , 2020, 40, 1519-1528. | 3.0 | 9 |
| 67 | Retention rates of antiepileptic drugs in glioma patients: the most appropriate outcome. <i>CNS Oncology</i> , 2020, 9, CNS53. | 3.0 | 5 |
| 68 | Association of handgrip strength with patient-reported outcome measures after total hip and knee arthroplasty. <i>Rheumatology International</i> , 2020, 40, 565-571. | 3.0 | 6 |
| 69 | NCOG-45. FIRST-LINE ANTIPILEPTIC DRUG TREATMENT IN GLIOMA PATIENTS WITH EPILEPSY: LEVETIRACETAM VERSUS VALPROIC ACID. <i>Neuro-Oncology</i> , 2020, 22, ii139-ii139. | 1.2 | 0 |
| 70 | Surgery for metachronous metastasis of soft tissue sarcoma " A magnitude of benefit analysis using propensity score methods. <i>European Journal of Surgical Oncology</i> , 2019, 45, 242-248. | 1.0 | 15 |
| 71 | Screening program for neonates at risk for developmental dysplasia of the hip: comparing first radiographic evaluation at five months with the standard twelve week ultrasound. A prospective cross-sectional cohort study. <i>International Orthopaedics</i> , 2019, 43, 1933-1938. | 1.9 | 10 |
| 72 | Metastatic Uveal Melanoma: Treatment Strategies and Survival"Results from the Dutch Melanoma Treatment Registry. <i>Cancers</i> , 2019, 11, 1007. | 3.7 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Denosumab in Patients With Fibrous Dysplasia Previously Treated With Bisphosphonates. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 6069-6078. | 3.6 | 49 |
| 74 | Addition of zoledronic acid to neoadjuvant chemotherapy is not beneficial in patients with HER2-negative stage II/III breast cancer: 5-year survival analysis of the NEOZOTAC trial (BOOG 2010-01). <i>Breast Cancer Research</i> , 2019, 21, 97. | 5.0 | 6 |
| 75 | Changes in intracellular folate metabolism during high-dose methotrexate and Leucovorin rescue therapy in children with acute lymphoblastic leukemia. <i>PLoS ONE</i> , 2019, 14, e0221591. | 2.5 | 10 |
| 76 | Effectiveness of several external beam radiotherapy schedules for palliation of esophageal cancer. <i>Clinical and Translational Radiation Oncology</i> , 2019, 17, 24-31. | 1.7 | 20 |
| 77 | Venous thromboembolism in a large cohort of children with acute lymphoblastic leukemia: Risk factors and effect on prognosis. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2019, 3, 234-241. | 2.3 | 42 |
| 78 | Comparison of 3-Dimensional and Augmented Reality Kidney Models With Conventional Imaging Data in the Preoperative Assessment of Children With Wilms Tumors. <i>JAMA Network Open</i> , 2019, 2, e192633. | 5.9 | 53 |
| 79 | Response to Beaudreuil and Orcel regarding: "Increased co-contraction of arm adductors is associated with a favorable course in subacromial pain syndrome". <i>Journal of Shoulder and Elbow Surgery</i> , 2019, 28, e195-e196. | 2.6 | 0 |
| 80 | Use of a Shoulder Rest for Playing the Violin Revisited: An Analysis of the Effect of Shoulder Rest Height on Muscle Activity, Violin Fixation Force, and Player Comfort. <i>Medical Problems of Performing Artists</i> , 2019, 34, 39-46. | 0.4 | 11 |
| 81 | A novel method to address the association between received dose intensity and survival outcome: benefits of approaching treatment intensification at a more individualised level in a trial of the European Osteosarcoma Intergroup. <i>Cancer Chemotherapy and Pharmacology</i> , 2019, 83, 951-962. | 2.3 | 20 |
| 82 | Root Elongation After Autotransplantation in 58 Transplanted Premolars: The Radiographic Width of the Apex as a Predictor. <i>Journal of Oral and Maxillofacial Surgery</i> , 2019, 77, 1351-1357. | 1.2 | 5 |
| 83 | Computation of antiepileptic drug retention rates in the presence of a competing risk. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2019, 67, 82. | 2.0 | 2 |
| 84 | Frailty Questionnaire Is Not a Strong Prognostic Factor for Functional Outcomes in Hip or Knee Arthroplasty Patients. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2019, 10, 215145931880816. | 1.4 | 6 |
| 85 | Safety of Percutaneous Hepatic Perfusion with Melphalan in Patients with Unresectable Liver Metastases from Ocular Melanoma Using the Delcath Systems™ Second-Generation Hemofiltration System: A Prospective Non-randomized Phase II Trial. <i>CardioVascular and Interventional Radiology</i> , 2019, 42, 841-852. | 2.0 | 28 |
| 86 | Method to measure the mismatch between target and achieved received dose intensity of chemotherapy in cancer trials: a retrospective analysis of the MRC BO06 trial in osteosarcoma. <i>BMJ Open</i> , 2019, 9, e022980. | 1.9 | 5 |
| 87 | Influence of Mortality on Estimating the Risk of Kidney Failure in People with Stage 4 CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 2219-2227. | 6.1 | 37 |
| 88 | Non-surgical treatment of adults with chronic diffuse sclerosing osteomyelitis/tendoperiostitis of the mandible. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2019, 47, 1922-1928. | 1.7 | 8 |
| 89 | Marginal structural models with dose-delay joint-exposure for assessing variations to chemotherapy intensity. <i>Statistical Methods in Medical Research</i> , 2019, 28, 2787-2801. | 1.5 | 2 |
| 90 | Incidence, severity and outcome of central line related complications in pediatric oncology patients; A single center study. <i>Journal of Pediatric Surgery</i> , 2019, 54, 1894-1900. | 1.6 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Investigating hospital heterogeneity with a competing risks frailty model. <i>Statistics in Medicine</i> , 2019, 38, 269-288. | 1.6 | 11 |
| 92 | Peripheral Stem Cell Apheresis is Feasible Post 131Iodine-Metaiodobenzylguanidine-Therapy in High-Risk Neuroblastoma, but Results in Delayed Platelet Reconstitution. <i>Clinical Cancer Research</i> , 2019, 25, 1012-1021. | 7.0 | 7 |
| 93 | CLINICAL AND GENETIC CHARACTERISTICS OF MALE PATIENTS WITH RPGR-ASSOCIATED RETINAL DYSTROPHIES. <i>Retina</i> , 2019, 39, 1186-1199. | 1.7 | 56 |
| 94 | Pelvic fractures in the Netherlands: epidemiology, characteristics and risk factors for in-hospital mortality in the older and younger population. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2018, 28, 197-205. | 1.4 | 29 |
| 95 | Human papillomavirus and posttransplantation cutaneous squamous cell carcinoma: A multicenter, prospective cohort study. <i>American Journal of Transplantation</i> , 2018, 18, 1220-1230. | 4.7 | 62 |
| 96 | Use of Electrically Evoked Compound Action Potentials for Cochlear Implant Fitting: A Systematic Review. <i>Ear and Hearing</i> , 2018, 39, 401-411. | 2.1 | 37 |
| 97 | Differences in violin fixation force and muscle activity among violinists with and without complaints of the neck shoulder region. <i>Journal of Electromyography and Kinesiology</i> , 2018, 43, 217-225. | 1.7 | 6 |
| 98 | Increased co-contraction of arm adductors is associated with a favorable course in subacromial pain syndrome. <i>Journal of Shoulder and Elbow Surgery</i> , 2018, 27, 1925-1931. | 2.6 | 14 |
| 99 | Standard fluoropyrimidine dosages in chemoradiation therapy result in an increased risk of severe toxicity in DPYD variant allele carriers. <i>European Journal of Cancer</i> , 2018, 104, 210-218. | 2.8 | 14 |
| 100 | Effects of controlled ovarian stimulation on toxicity of TAC chemotherapy in early breast cancer patients. <i>Cancer Management and Research</i> , 2018, Volume 10, 3931-3935. | 1.9 | 2 |
| 101 | What Factors Are Associated With Implant Breakage and Revision After Intramedullary Nailing for Femoral Metastases?. <i>Clinical Orthopaedics and Related Research</i> , 2018, 476, 1823-1833. | 1.5 | 31 |
| 102 | Incidence, outcomes and prognostic factors during 25 years of treatment of chondrosarcomas. <i>Surgical Oncology</i> , 2018, 27, 402-408. | 1.6 | 116 |
| 103 | Obesity as a determinant of perioperative and postoperative outcome in patients following colorectal cancer surgery: A population-based study (2009-2016). <i>European Journal of Surgical Oncology</i> , 2018, 44, 1849-1857. | 1.0 | 27 |
| 104 | What Are the Long-term Results of MUTARSÂ® Modular Endoprostheses for Reconstruction of Tumor Resection of the Distal Femur and Proximal Tibia?. <i>Clinical Orthopaedics and Related Research</i> , 2017, 475, 708-718. | 1.5 | 86 |
| 105 | Catecholamines profiles at diagnosis: Increased diagnostic sensitivity and correlation with biological and clinical features in neuroblastoma patients. <i>European Journal of Cancer</i> , 2017, 72, 235-243. | 2.8 | 57 |
| 106 | Individualised risk assessment for local recurrence and distant metastases in a retrospective transatlantic cohort of 687 patients with high-grade soft tissue sarcomas of the extremities: a multistate model. <i>BMJ Open</i> , 2017, 7, e012930. | 1.9 | 39 |
| 107 | Optimal scaling for survival analysis with ordinal data. <i>Computational Statistics and Data Analysis</i> , 2017, 115, 155-171. | 1.2 | 3 |
| 108 | Pump Speed Optimization in Stable Patients with a Left Ventricular Assist Device. <i>ASAIO Journal</i> , 2017, 63, 266-272. | 1.6 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Genotypic and Phenotypic Characteristics of CRB1 -Associated Retinal Dystrophies. <i>Ophthalmology</i> , 2017, 124, 884-895. | 5.2 | 75 |
| 110 | Assessment of ethnic differences in sunitinib outcome between Caucasian and Asian patients with metastatic renal cell carcinoma: a meta-analysis. <i>Acta Oncologica</i> , 2017, 56, 582-589. | 1.8 | 27 |
| 111 | Conservative treatment of children with chronic diffuse sclerosing osteomyelitis/tendoperiostitis of the mandible. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2017, 45, 1938-1943. | 1.7 | 13 |
| 112 | Clinical Evaluation of the Spinal Instability Neoplastic Score in Patients Treated With Radiotherapy for Symptomatic Spinal Bone Metastases. <i>Spine</i> , 2017, 42, E956-E962. | 2.0 | 16 |
| 113 | A prediction model for treatment decisions in high-grade extremity soft-tissue sarcomas: Personalised sarcoma care (PERSARC). <i>European Journal of Cancer</i> , 2017, 83, 313-323. | 2.8 | 63 |
| 114 | Multicenter Stratified Comparison of Hospital Costs Between Laparoscopic and Open Colorectal Cancer Resections. <i>Annals of Surgery</i> , 2017, 266, 1021-1028. | 4.2 | 18 |
| 115 | Quantitative Dixon MRI sequences to relate muscle atrophy and fatty degeneration with range of motion and muscle force in brachial plexus injury. <i>Magnetic Resonance Imaging</i> , 2017, 36, 98-104. | 1.8 | 18 |
| 116 | Single center cost analysis of single-port and conventional laparoscopic surgical treatment in colorectal malignant diseases. <i>International Journal of Colorectal Disease</i> , 2017, 32, 233-239. | 2.2 | 8 |
| 117 | Right ventricular dysfunction affects survival after surgical left ventricular restoration. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2017, 153, 845-852. | 0.8 | 13 |
| 118 | Serum levels of IGF-1 and IGF-BP3 are associated with event-free survival in adult Ewing sarcoma patients treated with chemotherapy. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 2963-2970. | 2.0 | 12 |
| 119 | Reply to M. Wissing et al. <i>Journal of Clinical Oncology</i> , 2017, 35, 1862-1862. | 1.6 | 0 |
| 120 | The positive prognostic effect of stromal CD8+ tumor-infiltrating T cells is restrained by the expression of HLA-E in non-small cell lung carcinoma. <i>Oncotarget</i> , 2016, 7, 3477-3488. | 1.8 | 73 |
| 121 | Success and survival of autotransplanted premolars and molars during short-term clinical follow-up. <i>Journal of Clinical Periodontology</i> , 2016, 43, 167-172. | 4.9 | 22 |
| 122 | Colorectal cancer surgery for obese patients: Financial and clinical outcomes of a Dutch population-based registry. <i>Journal of Surgical Oncology</i> , 2016, 113, 489-495. | 1.7 | 14 |
| 123 | Predictive Value of Six Prognostic Scoring Systems for Spinal Bone Metastases. <i>Spine</i> , 2016, 41, E155-E162. | 2.0 | 44 |
| 124 | Ruthenium-106 brachytherapy for choroidal melanoma without transpupillary thermotherapy: Similar efficacy with improved visual outcome. <i>European Journal of Cancer</i> , 2016, 68, 106-113. | 2.8 | 21 |
| 125 | Removal of osteosynthesis material because of symptoms after Le Fort I osteotomy: A retrospective study of 158 patients. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2016, 44, 1909-1912. | 1.7 | 14 |
| 126 | Assessment of Comorbidity Burden and its Association With Functional Rehabilitation Outcome After Stroke or Hip Fracture: A Systematic Review and Meta-Analysis. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 1066.e13-1066.e21. | 2.5 | 45 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Hospital costs of colorectal cancer surgery for the oldest old: A Dutch population-based study. <i>Journal of Surgical Oncology</i> , 2016, 114, 1009-1015. | 1.7 | 10 |
| 128 | Differences in Patient Characteristics and Midterm Outcome Between Asian and European Patients Treated with Radiofrequency Ablation for Hepatocellular Carcinoma. <i>CardioVascular and Interventional Radiology</i> , 2016, 39, 1708-1715. | 2.0 | 3 |
| 129 | Successful Therapy Reduction and Intensification for Childhood Acute Lymphoblastic Leukemia Based on Minimal Residual Disease Monitoring: Study ALL10 From the Dutch Childhood Oncology Group. <i>Journal of Clinical Oncology</i> , 2016, 34, 2591-2601. | 1.6 | 287 |
| 130 | Long-Term Health-Related Quality of Life in Patients With Rectal Cancer After Preoperative Short-Course and Long-Course (Chemo) Radiotherapy. <i>Clinical Colorectal Cancer</i> , 2016, 15, e93-e99. | 2.3 | 19 |
| 131 | Nationwide Outcomes Measurement in Colorectal Cancer Surgery: Improving Quality and Reducing Costs. <i>Journal of the American College of Surgeons</i> , 2016, 222, 19-29.e2. | 0.5 | 35 |
| 132 | Risk-adapted approach for fever and neutropenia in paediatric cancer patients – A national multicentre study. <i>European Journal of Cancer</i> , 2016, 53, 16-24. | 2.8 | 42 |
| 133 | Outcome of total hip arthroplasty, but not of total knee arthroplasty, is related to the preoperative radiographic severity of osteoarthritis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 67-71. | 3.3 | 44 |
| 134 | ANCA-Associated Glomerulonephritis: Risk Factors for Renal Relapse. <i>PLoS ONE</i> , 2016, 11, e0165402. | 2.5 | 21 |
| 135 | Minimal residual disease detection in autologous stem cell grafts from patients with high risk neuroblastoma. <i>Pediatric Blood and Cancer</i> , 2015, 62, 1368-1373. | 1.5 | 22 |
| 136 | Innovative pharmaceutical interventions in cardiovascular disease: Focusing on the contribution of non-HDL-C/LDL-C-lowering versus HDL-C-raising A systematic review and meta-analysis of relevant preclinical studies and clinical trials. <i>European Journal of Pharmacology</i> , 2015, 763, 48-63. | 3.5 | 44 |
| 137 | Effectiveness of an interactive postgraduate educational intervention with patient participation on the adherence to a physiotherapy guideline for hip and knee osteoarthritis: a randomised controlled trial. <i>Disability and Rehabilitation</i> , 2015, 37, 274-282. | 1.8 | 17 |
| 138 | No Increased Risk of Second Cancer After Radiotherapy in Patients Treated for Rectal or Endometrial Cancer in the Randomized TME, PORTEC-1, and PORTEC-2 Trials. <i>Journal of Clinical Oncology</i> , 2015, 33, 1640-1646. | 1.6 | 83 |
| 139 | High-grade soft tissue sarcomas of the extremities: surgical margins influence only local recurrence not overall survival. <i>International Orthopaedics</i> , 2015, 39, 935-941. | 1.9 | 31 |
| 140 | Morphological features of the mandible as predictors for neurosensory disturbances after bilateral sagittal split osteotomy. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2015, 43, 1710-1715. | 1.7 | 10 |
| 141 | Early subsidence of shape-closed hip arthroplasty stems is associated with late revision. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 86, 575-585. | 3.3 | 62 |
| 142 | Whole-Genome Sequencing Identifies Patient-Specific DNA Minimal Residual Disease Markers in Neuroblastoma. <i>Journal of Molecular Diagnostics</i> , 2015, 17, 43-52. | 2.8 | 19 |
| 143 | Which Implant Should We Use for Primary Total Hip Replacement?. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014, 96, 79-97. | 3.0 | 21 |
| 144 | Prognostic factors associated with survival in patients with symptomatic spinal bone metastases: a retrospective cohort study of 1 043 patients. <i>Neuro-Oncology</i> , 2014, 16, 991-998. | 1.2 | 125 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Ranking and Rankability of Hospital Postoperative Mortality Rates in Colorectal Cancer Surgery. <i>Annals of Surgery</i> , 2014, 259, 844-849. | 4.2 | 37 |
| 146 | Willingness to undergo surgery again validated clinically important differences in health-related quality of life after total hip replacement or total knee replacement surgery. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 114-120. | 5.0 | 14 |
| 147 | Presence of mandibular third molars during bilateral sagittal split osteotomy increases the possibility of bad split but not the risk of other post-operative complications. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2014, 42, e359-e363. | 1.7 | 46 |
| 148 | How to deal with lost to follow-up in total knee arthroplasty. <i>International Orthopaedics</i> , 2014, 38, 953-959. | 1.9 | 12 |
| 149 | Health-related quality of life 14years after preoperative short-term radiotherapy and total mesorectal excision for rectal cancer: Report of a multicenter randomised trial. <i>European Journal of Cancer</i> , 2014, 50, 2390-2398. | 2.8 | 80 |
| 150 | Prognostic Value of Rare IKZF1 deletions in Childhood B-Cell Precursor Acute Lymphoblastic Leukemia: An International Collaborative Study. <i>Blood</i> , 2014, 124, 368-368. | 1.4 | 3 |
| 151 | Aggravated Bone Density Decline after Symptomatic Osteonecrosis in Children with Acute Lymphoblastic Leukemia. <i>Blood</i> , 2014, 124, 2260-2260. | 1.4 | 0 |
| 152 | The Negative Impact of Underweight and Weight Loss on Survival of Children with Acute Lymphoblastic Leukemia. <i>Blood</i> , 2014, 124, 2261-2261. | 1.4 | 0 |
| 153 | Osteosarcoma of the hands and feet: a distinct clinico-pathological subgroup. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013, 462, 109-120. | 2.8 | 24 |
| 154 | Musicians's illness perceptions of musculoskeletal complaints. <i>Clinical Rheumatology</i> , 2013, 32, 487-492. | 2.2 | 23 |
| 155 | Socio-Economic Position Has No Effect on Improvement in Health-Related Quality of Life and Patient Satisfaction in Total Hip and Knee Replacement: A Cohort Study. <i>PLoS ONE</i> , 2013, 8, e56785. | 2.5 | 27 |
| 156 | Patients with Severe Radiographic Osteoarthritis Have a Better Prognosis in Physical Functioning after Hip and Knee Replacement: A Cohort-Study. <i>PLoS ONE</i> , 2013, 8, e59500. | 2.5 | 89 |
| 157 | The Homeobox Gene MEIS1 Is Methylated in BRAFp.V600E Mutated Colon Tumors. <i>PLoS ONE</i> , 2013, 8, e79898. | 2.5 | 11 |
| 158 | Evaluation of a website providing information on regional health care services for patients with rheumatoid arthritis: an observational study. <i>Clinical Rheumatology</i> , 2012, 31, 637-645. | 2.2 | 12 |
| 159 | Meta-analysis of time-to-event outcomes using a hazard-based approach: Comparison with other models, robustness and meta-regression. <i>Computational Statistics and Data Analysis</i> , 2012, 56, 1028-1037. | 1.2 | 9 |
| 160 | Quality of life, functional ability and physical activity after different surgical interventions for bone cancer of the leg: A systematic review. <i>Surgical Oncology</i> , 2012, 21, e39-e47. | 1.6 | 19 |
| 161 | Clinical Impact of Additional Cytogenetic Aberrations and Treatment in Pediatric t(8;21)-Positive AML: Results from an International Retrospective I-BFM-SG Study. <i>Blood</i> , 2012, 120, 884-884. | 1.4 | 0 |
| 162 | Unmet information needs about the delivery of rheumatology health care services: A survey among patients with rheumatoid arthritis. <i>Patient Education and Counseling</i> , 2011, 85, 299-303. | 2.2 | 64 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | mstate : An <i>R</i> Package for the Analysis of Competing Risks and Multi-State Models. Journal of Statistical Software, 2011, 38, . | 3.7 | 248 |
| 164 | The mstate package for estimation and prediction in non- and semi-parametric multi-state and competing risks models. Computer Methods and Programs in Biomedicine, 2010, 99, 261-274. | 4.7 | 261 |
| 165 | A new serially correlated gamma-frailty process for longitudinal count data. Biostatistics, 2009, 10, 245-257. | 1.5 | 21 |
| 166 | Meta-analysis of pairs of survival curves under heterogeneity: A Poisson correlated gamma-frailty approach. Statistics in Medicine, 2009, 28, 3782-3797. | 1.6 | 36 |
| 167 | Reduced-rank proportional hazards regression and simulation-based prediction for multi-state models. Statistics in Medicine, 2008, 27, 4340-4358. | 1.6 | 43 |
| 168 | Maximum likelihood for the fully observed contact process. Journal of Computational and Applied Mathematics, 2006, 186, 117-129. | 2.0 | 2 |
| 169 | Impact of Relapse after Allogeneic Hematopoietic Stem Cell Transplant on Subsequent Outcome in Patients with Chronic Myeloid Leukemia: A Better Understanding through Multi-State Modeling.. Blood, 2006, 108, 3666-3666. | 1.4 | 0 |
| 170 | Reduced rank proportional hazards model for competing risks. Biostatistics, 2005, 6, 465-478. | 1.5 | 22 |
| 171 | Decaying correlations for the supercritical contact process conditioned on survival. Bernoulli, 2003, 9, . | 1.3 | 7 |
| 172 | Parameter estimation for the supercritical contact process. Bernoulli, 2003, 9, . | 1.3 | 7 |
| 173 | Statistics for the contact process. Statistica Neerlandica, 2002, 56, 243-251. | 1.6 | 0 |
| 174 | Central venous catheter-associated complications in pediatric patients diagnosed with Hodgkin lymphoma: implications for catheter choice. Supportive Care in Cancer, 0, . | 2.2 | 7 |