

Paula Clancy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2814085/publications.pdf>

Version: 2024-02-01

39
papers

1,627
citations

279798

23
h-index

302126

39
g-index

39
all docs

39
docs citations

39
times ranked

2205
citing authors

#	ARTICLE	IF	CITATIONS
1	Reduced expansion rate of abdominal aortic aneurysms in patients with diabetes may be related to aberrant monocyte-matrix interactions. <i>European Heart Journal</i> , 2008, 29, 665-672.	2.2	160
2	Association of statin prescription with small abdominal aortic aneurysm progression. <i>American Heart Journal</i> , 2010, 159, 307-313.	2.7	152
3	Obesity, Adipokines, and Abdominal Aortic Aneurysm. <i>Circulation</i> , 2007, 116, 2275-2279.	1.6	135
4	Association Between Osteopontin and Human Abdominal Aortic Aneurysm. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 655-660.	2.4	114
5	Evaluation of the diagnostic and prognostic value of plasma D-dimer for abdominal aortic aneurysm. <i>European Heart Journal</i> , 2011, 32, 354-364.	2.2	81
6	Association of obesity and metabolic syndrome with the severity and outcome of intermittent claudication. <i>Journal of Vascular Surgery</i> , 2007, 45, 40-46.	1.1	80
7	On a mouse monoclonal antibody that neutralizes all four dengue virus serotypes. <i>Journal of General Virology</i> , 2009, 90, 799-809.	2.9	73
8	The role of tenascin C in cardiovascular disease. <i>Cardiovascular Research</i> , 2011, 92, 19-28.	3.8	68
9	Increased plasma levels of NGAL, a marker of neutrophil activation, in patients with abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2012, 220, 552-556.	0.8	52
10	The Escherichia coli signal transducers PII (GlnB) and GlnK form heterotrimers in vivo: Fine tuning the nitrogen signal cascade. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 3942-3947.	7.1	51
11	Assessment of a Serum Assay for Quantification of Abdominal Aortic Calcification. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 2574-2576.	2.4	51
12	A Peptide Antagonist of Thrombospondin-1 Promotes Abdominal Aortic Aneurysm Progression in the Angiotensin II-Infused Apolipoprotein-E-Deficient Mouse. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 389-398.	2.4	51
13	The structures of the PII proteins from the cyanobacteria <i>Synechococcus</i> sp. PCC 7942 and <i>Synechocystis</i> sp. PCC 6803. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2003, 59, 2183-2190.	2.5	47
14	Role of homocysteine in aortic calcification and osteogenic cell differentiation. <i>Atherosclerosis</i> , 2009, 202, 557-566.	0.8	47
15	Relationship between CT anthropometric measurements, adipokines and abdominal aortic calcification. <i>Atherosclerosis</i> , 2008, 197, 428-434.	0.8	45
16	Proteomic analysis of intra-arterial thrombus secretions reveals a negative association of clusterin and thrombospondin-1 with abdominal aortic aneurysm. <i>Atherosclerosis</i> , 2011, 219, 432-439.	0.8	42
17	The Novel Association of the Chemokine CCL22 with Abdominal Aortic Aneurysm. <i>American Journal of Pathology</i> , 2010, 176, 2098-2106.	3.8	39
18	Angiotensin receptor 1 blockade reduces secretion of inflammation associated cytokines from cultured human carotid atheroma and vascular cells in association with reduced extracellular signal regulated kinase expression and activation. <i>Atherosclerosis</i> , 2014, 236, 108-115.	0.8	37

#	ARTICLE	IF	CITATIONS
19	Association of PPAR β allelic variation, osteoprotegerin and abdominal aortic aneurysm. <i>Clinical Endocrinology</i> , 2010, 72, 128-132.	2.4	34
20	Effects of Peroxisome Proliferator-Activated Receptor Ligands in Modulating Tissue Factor and Tissue Factor Pathway Inhibitor in Acutely Symptomatic Carotid Atheromas. <i>Stroke</i> , 2007, 38, 1501-1508.	2.0	27
21	Urocortin 2 is associated with abdominal aortic aneurysm and mediates anti-proliferative effects on vascular smooth muscle cells via corticotrophin releasing factor receptor 2. <i>Clinical Science</i> , 2014, 126, 517-527.	4.3	27
22	High serum thrombospondin-1 concentration is associated with slower abdominal aortic aneurysm growth and deficiency of thrombospondin-1 promotes angiotensin II induced aortic aneurysm in mice. <i>Clinical Science</i> , 2017, 131, 1261-1281.	4.3	26
23	Relation Between Serum Thrombospondin-2 and Cardiovascular Mortality in Older Men Screened for Abdominal Aortic Aneurysm. <i>American Journal of Cardiology</i> , 2013, 111, 1800-1804.	1.6	25
24	Plasma Angiotensin-1 Is Lower After Ischemic Stroke and Associated With Major Disability But Not Stroke Incidence. <i>Stroke</i> , 2014, 45, 1064-1068.	2.0	22
25	Role of the angiotensin converting enzyme 1/angiotensin II/angiotensin receptor 1 axis in interstitial collagenase expression in human carotid atheroma. <i>Atherosclerosis</i> , 2013, 229, 331-337.	0.8	18
26	Increased serum angiotensin-2 is associated with abdominal aortic aneurysm prevalence and cardiovascular mortality in older men. <i>International Journal of Cardiology</i> , 2013, 167, 1159-1163.	1.7	18
27	Circulating Concentrations of Stem-Cell-Mobilizing Cytokines Are Associated With Levels of Osteoprogenitor Cells and Aortic Calcification Severity. <i>Circulation Journal</i> , 2011, 75, 1227-1234.	1.6	16
28	Modulation of endothelial cell thrombomodulin by PPAR ligands – Variation according to environment. <i>Thrombosis Research</i> , 2008, 121, 827-834.	1.7	14
29	The domains carrying the opposing activities in adenylyltransferase are separated by a central regulatory domain. <i>FEBS Journal</i> , 2007, 274, 2865-2877.	4.7	11
30	Angiogenesis inhibition and depression in older men. <i>Journal of Psychiatry and Neuroscience</i> , 2014, 39, 200-205.	2.4	11
31	Serum Endostatin Concentrations Are Higher in Men with Symptoms of Intermittent Claudication. <i>Disease Markers</i> , 2014, 2014, 1-5.	1.3	9
32	Tenascin-C is increased in atherothrombotic stroke patients and has an anti-inflammatory effect in the human carotid artery. <i>BioFactors</i> , 2014, 40, 448-457.	5.4	9
33	Expression, purification, crystallization, and preliminary X-ray analysis of the N-terminal domain of Escherichia coli adenylyl transferase. <i>Protein Expression and Purification</i> , 2004, 34, 142-146.	1.3	8
34	Plasma ferritin concentrations are not associated with abdominal aortic aneurysm diagnosis, size or growth. <i>Atherosclerosis</i> , 2016, 251, 19-24.	0.8	8
35	A Single-Nucleotide Polymorphism in the Gene Encoding Osteoprotegerin Is Associated With Diastolic Blood Pressure in Older Men. <i>American Journal of Hypertension</i> , 2009, 22, 1167-1170.	2.0	6
36	Serum Osteoprotegerin as a Biomarker for Vascular Disease. <i>American Journal of Cardiology</i> , 2007, 100, 561.	1.6	5

#	ARTICLE	IF	CITATIONS
37	Involvement of Angiotensin II Type 1 and 2 Receptors in Gelatinase Regulation in Human Carotid Atheroma <i>in vitro</i> . <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 773-791.	2.0	5
38	The Impact of Prior Flavivirus Infections on the Development of Type 2 Diabetes Among the Indigenous Australians. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016, 95, 265-268.	1.4	2
39	Differential associations of ferritin and 25-hydroxyvitamin D with fasting glucose and diabetes risk in community dwelling older men. <i>Diabetes/Metabolism Research and Reviews</i> , 2019, 35, e3172.	4.0	1