

Eugenio Vilanova

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2814888/publications.pdf>

Version: 2024-02-01

131
papers

2,947
citations

257357

24
h-index

197736

49
g-index

146
all docs

146
docs citations

146
times ranked

2428
citing authors

#	ARTICLE	IF	CITATIONS
1	Enzymes involved in the detoxification of organophosphorus, carbamate and pyrethroid insecticides through hydrolysis. <i>Toxicology Letters</i> , 2002, 128, 215-228.	0.4	476
2	A simple and rapid HPLC-MS method for the simultaneous determination of epinephrine, norepinephrine, dopamine and 5-hydroxytryptamine: Application to the secretion of bovine chromaffin cell cultures. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 847, 88-94.	1.2	413
3	Future applications of phosphotriesterases in the prophylaxis and treatment of organophosphorus insecticide and nerve agent poisonings. <i>Toxicology Letters</i> , 2004, 151, 219-233.	0.4	125
4	Dichlorophenyl phosphoramidates as substrates for avian and mammalian liver phosphotriesterases: activity levels, calcium dependence and stereospecificity. <i>Chemico-Biological Interactions</i> , 1999, 119-120, 257-262.	1.7	75
5	The Role of Phosphotriesterases in the Detoxication of Organophosphorus Compounds. <i>Critical Reviews in Toxicology</i> , 1999, 29, 21-57.	1.9	74
6	New insights on molecular interactions of organophosphorus pesticides with esterases. <i>Toxicology</i> , 2017, 376, 30-43.	2.0	63
7	Tyrosine hydroxylase activity of immobilized tyrosinase on enzacryl-AA and CPG-AA supports: Stabilization and properties. <i>Biotechnology and Bioengineering</i> , 1984, 26, 1306-1312.	1.7	58
8	Serum Albumin is as Efficient as Paraoxonase in the Detoxication of Paraoxon at Toxicologically Relevant Concentrations. <i>Chemical Research in Toxicology</i> , 2008, 21, 1524-1529.	1.7	56
9	Anomalous biochemical responses in tests of the delayed neuropathic potential of methamidophos (O,S-dimethyl phosphorothioamidate), its resolved isomers and of some higher O-alkyl homologues. <i>Archives of Toxicology</i> , 1991, 65, 618-624.	1.9	51
10	Interaction of some unsubstituted phosphoramidate analogs of methamidophos (O,S-dimethyl) <i>Pesticide Biochemistry and Physiology</i> , 1987, 28, 224-238.	1.6	48
11	Model equations for the kinetics of covalent irreversible enzyme inhibition and spontaneous reactivation: Esterases and organophosphorus compounds. <i>Critical Reviews in Toxicology</i> , 2009, 39, 427-448.	1.9	45
12	Enzyme Concentration as an Important Factor in the In Vitro Testing of the Stereospecificity of the Enzymatic Hydrolysis of Organophosphorus Compounds. <i>Toxicology in Vitro</i> , 1999, 13, 689-692.	1.1	44
13	An integrated approach for detecting embryotoxicity and developmental toxicity of environmental contaminants using in vitro alternative methods. <i>Toxicology Letters</i> , 2014, 230, 356-367.	0.4	41
14	Soluble and Participate Forms of the Organophosphorus Neuropathy Target Esterase in Hen Sciatic Nerve. <i>Journal of Neurochemistry</i> , 1990, 55, 1258-1265.	2.1	40
15	Phosphotriesterase activity identified in purified serum albumins. <i>Archives of Toxicology</i> , 1998, 72, 219-226.	1.9	37
16	Serum albumins and detoxication of anti-cholinesterase agents. <i>Chemico-Biological Interactions</i> , 2010, 187, 325-329.	1.7	37
17	Biochemical and clinical tests of the delayed neuropathic potential of some O-alkyl-O-dichlorophenyl phosphoramidate analogues of methamidophos (O,S-dimethyl phosphorothioamidate). <i>Toxicology</i> , 1989, 54, 89-100.	2.0	34
18	Cell Viability Effects and Antioxidant and Antimicrobial Activities of Tunisian Date Syrup (Rub El) <i>Toxicology</i> , 2017, 376, 30-43.	2.4	33

#	ARTICLE	IF	CITATIONS
19	Chlorpyrifos and its metabolites alter gene expression at non-cytotoxic concentrations in D3 mouse embryonic stem cells under in vitro differentiation: Considerations for embryotoxic risk assessment. <i>Toxicology Letters</i> , 2013, 217, 14-22.	0.4	33
20	Hydrolysis of carbaryl by human serum albumin. <i>Archives of Toxicology</i> , 2004, 78, 629-634.	1.9	27
21	Detection of clinical interactions between methadone and anti-retroviral compounds using an enantioselective capillary electrophoresis for methadone analysis. <i>Toxicology Letters</i> , 2004, 151, 243-249.	0.4	27
22	Chicken Serum Albumin Hydrolyzes Dichlorophenyl Phosphoramidates by a Mechanism Based on Transient Phosphorylation. <i>Chemical Research in Toxicology</i> , 1998, 11, 1441-1446.	1.7	26
23	Peripheral nerve soluble esterases are spontaneously reactivated after inhibition by paraoxon: implications for a new definition of neuropathy target esterase. <i>Chemico-Biological Interactions</i> , 1999, 119-120, 541-550.	1.7	26
24	An alternative in vitro method for detecting neuropathic compounds based on acetylcholinesterase inhibition and on inhibition and aging of neuropathy target esterase (NTE). <i>Toxicology in Vitro</i> , 2010, 24, 942-952.	1.1	25
25	Distribution and some biochemical properties of rat paraoxonase activity. <i>Neurotoxicology and Teratology</i> , 1990, 12, 611-614.	1.2	24
26	The inhibition of the high sensitive peripheral nerve soluble esterases by mipafox. <i>Toxicology Letters</i> , 2004, 151, 171-181.	0.4	24
27	An in vitro approach for demonstrating the critical role of serum albumin in the detoxication of the carbamate carbaryl at in vivo toxicologically relevant concentrations. <i>Archives of Toxicology</i> , 2007, 81, 113-119.	1.9	24
28	Inhibition with spontaneous reactivation and the "ongoing inhibition" effect of esterases by biotinylated organophosphorus compounds: S9B as a model. <i>Chemico-Biological Interactions</i> , 2010, 187, 397-402.	1.7	23
29	Inhibition with Spontaneous Reactivation of Carboxyl Esterases by Organophosphorus Compounds: Paraoxon as a Model. <i>Chemical Research in Toxicology</i> , 2011, 24, 135-143.	1.7	23
30	Roles of NTE protein and encoding gene in development and neurodevelopmental toxicity. <i>Chemico-Biological Interactions</i> , 2016, 259, 352-357.	1.7	23
31	Plasma phenylacetate and 1-naphthyl acetate hydrolyzing activities of wild birds as possible non-invasive biomarkers of exposure to organophosphorus and carbamate insecticides. <i>Toxicology Letters</i> , 2007, 168, 278-285.	0.4	22
32	Genomic and Phenotypic Alterations of the Neuronal-Like Cells Derived from Human Embryonal Carcinoma Stem Cells (NT2) Caused by Exposure to Organophosphorus Compounds Paraoxon and Mipafox. <i>International Journal of Molecular Sciences</i> , 2014, 15, 905-926.	1.8	22
33	Cytotoxic effect against 3T3 fibroblasts cells of saffron floral bio-residues extracts. <i>Food Chemistry</i> , 2014, 147, 55-59.	4.2	22
34	Discrimination of carboxylesterases of chicken neural tissue by inhibition with a neuropathic, non-neuropathic organophosphorus compounds and neuropathy promoter. <i>Chemico-Biological Interactions</i> , 1997, 106, 191-200.	1.7	21
35	Cholinesterase assay by an efficient fixed time endpoint method. <i>MethodsX</i> , 2014, 1, 258-263.	0.7	21
36	Organophosphorus Pesticide Chlorpyrifos and Its Metabolites Alter the Expression of Biomarker Genes of Differentiation in D3 Mouse Embryonic Stem Cells in a Comparable Way to Other Model Neurodevelopmental Toxicants. <i>Chemical Research in Toxicology</i> , 2014, 27, 1487-1495.	1.7	21

#	ARTICLE	IF	CITATIONS
37	Partial characterization of neuropathy target esterase and related phenyl valerate esterases from bovine adrenal medulla. <i>Journal of Biochemical Toxicology</i> , 1994, 9, 145-152.	0.5	20
38	Rabbit Serum Albumin Hydrolyzes the Carbamate Carbaryl. <i>Chemical Research in Toxicology</i> , 2002, 15, 520-526.	1.7	20
39	Sciatic nerve neuropathy target esterase. Methods of assay, proximo-distal distribution and regeneration. <i>Toxicology</i> , 1988, 49, 107-114.	2.0	19
40	Expression of Neuropathy Target Esterase in mouse embryonic stem cells during differentiation. <i>Archives of Toxicology</i> , 2010, 84, 481-491.	1.9	19
41	Kinetics of inhibition of soluble peripheral nerve esterases by PMSF: a non-stable compound that potentiates the organophosphorus-induced delayed neurotoxicity. <i>Archives of Toxicology</i> , 2012, 86, 767-777.	1.9	19
42	A stereospecific phosphotriesterase in hen liver and brain. <i>Chemico-Biological Interactions</i> , 1998, 108, 187-196.	1.7	18
43	Kinetics of the inhibitory interaction of organophosphorus neuropathy inducers and non-inducers in soluble esterases in the avian nervous system. <i>Toxicology and Applied Pharmacology</i> , 2011, 256, 360-368.	1.3	18
44	NTE and non-NTE esterases in brain membrane: Kinetic characterization with organophosphates. <i>Toxicology</i> , 2012, 297, 17-25.	2.0	18
45	Silencing of PNPLA6, the neuropathy target esterase (NTE) codifying gene, alters neurodifferentiation of human embryonal carcinoma stem cells (NT2). <i>Neuroscience</i> , 2014, 281, 54-67.	1.1	18
46	Case study: Is bisphenol S safer than bisphenol A in thermal papers?. <i>Archives of Toxicology</i> , 2019, 93, 1835-1852.	1.9	18
47	Inhibition and aging of neuropathy target esterase by the stereoisomers of a phosphoramidate related to methamidophos. <i>Toxicology Letters</i> , 1997, 93, 95-102.	0.4	17
48	Soluble and Particulate Organophosphorus Neuropathy Target Esterase in Brain and Sciatic Nerve of the Hen, Cat, Rat, and Chick. <i>Journal of Neurochemistry</i> , 1993, 61, 2164-2168.	2.1	16
49	Shortening and Improving the Embryonic Stem Cell Test through the Use of Gene Biomarkers of Differentiation. <i>Journal of Toxicology</i> , 2011, 2011, 1-8.	1.4	16
50	Hen liver and plasma can metabolize hexyl-DCP phosphoramidate at a rate comparable to that of rat. <i>Neurotoxicology and Teratology</i> , 1990, 12, 615-617.	1.2	15
51	Biochemical properties and possible toxicological significance of various forms of NTE. <i>Chemico-Biological Interactions</i> , 1993, 87, 369-381.	1.7	15
52	Functional pathways altered after silencing Pnpla6 (the codifying gene of neuropathy target esterase) in mouse embryonic stem cells under differentiation. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2014, 50, 261-273.	0.7	15
53	Chiral high-performance liquid chromatography and gas chromatography of the stereoisomers of hexyl 2,5-dichlorophenyl phosphoramidate. <i>Biomedical Applications</i> , 1993, 622, 179-186.	1.7	14
54	NTE soluble isoforms: new perspectives for targets of neuropathy inducers and promoters. <i>Chemico-Biological Interactions</i> , 1999, 119-120, 525-540.	1.7	14

#	ARTICLE	IF	CITATIONS
55	Properties of phenyl valerate esterase activities from chicken serum are comparable with soluble esterases of peripheral nerves in relation with organophosphorus compounds inhibition. <i>Toxicology Letters</i> , 2003, 142, 1-10.	0.4	14
56	RNA transcripts for the quantification of differentiation allow marked improvements in the performance of embryonic stem cell test (EST). <i>Toxicology Letters</i> , 2015, 238, 60-69.	0.4	14
57	Effects of silver nanoparticles on T98G human glioblastoma cells. <i>Toxicology and Applied Pharmacology</i> , 2020, 404, 115178.	1.3	14
58	Reversible inhibition can profoundly mislead studies on progressive inhibition of enzymes: the interaction of paraoxon with soluble neuropathy target esterase. <i>Chemico-Biological Interactions</i> , 1997, 108, 19-25.	1.7	13
59	Stereospecific hydrolysis of a phosphoramidate as a model to understand the role of biotransformation in the neurotoxicity of chiral organophosphorus compounds. <i>Toxicology Letters</i> , 2007, 170, 157-164.	0.4	13
60	Phenylmethylsulfonyl Fluoride, a Potentiator of Neuropathy, Alters the Interaction of Organophosphorus Compounds with Soluble Brain Esterases. <i>Chemical Research in Toxicology</i> , 2012, 25, 2393-2401.	1.7	13
61	Interaction between substrates suggests a relationship between organophosphorus-sensitive phenylvalerate- and acetylcholine-hydrolyzing activities in chicken brain. <i>Toxicology Letters</i> , 2014, 230, 132-138.	0.4	13
62	The kinetics of O-hexyl O-2,5-dichlorophenyl phosphoramidate hydrolysing activity in hen plasma. <i>Chemico-Biological Interactions</i> , 1993, 87, 117-125.	1.7	12
63	In vivo inhibition by mipafox of soluble and particulate forms of organophosphorus neuropathy target esterase (NTE) in hen sciatic nerve. <i>Toxicology Letters</i> , 1994, 71, 47-51.	0.4	12
64	Stereospecific hydrolysis of a phosphoramidate used as an OPIDP model by human sera with PON1 192 alloforms. <i>Archives of Toxicology</i> , 2015, 89, 1801-1809.	1.9	12
65	Local application of neuropathic organophosphorus compounds to hen sciatic nerve: Inhibition of neuropathy target esterase and peripheral neurological impairments. <i>Toxicology and Applied Pharmacology</i> , 1992, 117, 218-225.	1.3	11
66	Separating esterase targets of organophosphorus compounds in the brain by preparative chromatography. <i>Toxicology Letters</i> , 2014, 225, 167-176.	0.4	11
67	Effects of mipafox, paraoxon, chlorpyrifos and its metabolite chlorpyrifos-oxon on the expression of biomarker genes of differentiation in D3 mouse embryonic stem cells. <i>Chemico-Biological Interactions</i> , 2016, 259, 368-373.	1.7	11
68	Analysis of the neurotoxic effects of neuropathic organophosphorus compounds in adult zebrafish. <i>Scientific Reports</i> , 2018, 8, 4844.	1.6	11
69	Titanium Dioxide, but Not Zinc Oxide, Nanoparticles Cause Severe Transcriptomic Alterations in T98G Human Glioblastoma Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2084.	1.8	11
70	Interactions of neuropathy inducers and potentiators/promoters with soluble esterases. <i>Chemico-Biological Interactions</i> , 2013, 203, 245-250.	1.7	10
71	Neurotoxic Effects Associated with Current Uses of Organophosphorus Compounds. <i>Journal of the Brazilian Chemical Society</i> , 2016, , .	0.6	10
72	Effect of some metallic cations and organic compounds on the O-hexyl O-2,5-dichlorophenyl phosphoramidate hydrolysing activity in hen plasma. <i>Archives of Toxicology</i> , 1993, 67, 416-421.	1.9	9

#	ARTICLE	IF	CITATIONS
73	Separation of two forms of neuropathy target esterase in the soluble fraction of the hen sciatic nerve. <i>Chemico-Biological Interactions</i> , 1995, 97, 247-255.	1.7	9
74	Copper activation of organophosphorus compounds detoxication by chicken serum. <i>Food and Chemical Toxicology</i> , 2017, 106, 417-423.	1.8	9
75	Albumin, the responsible protein of the Cu ²⁺ -dependent hydrolysis of O-hexyl O-2,5-dichlorophenyl phosphoramidate (HDGP) by chicken serum "antagonistic stereoselectivity". <i>Food and Chemical Toxicology</i> , 2018, 120, 523-527.	1.8	9
76	Case study: risk associated to wearing silver or graphene nanoparticle-coated facemasks for protection against COVID-19. <i>Archives of Toxicology</i> , 2022, 96, 105-119.	1.9	9
77	Bovine chromaffin cell cultures as model to study organophosphorus neurotoxicity. <i>Toxicology Letters</i> , 2004, 151, 163-170.	0.4	8
78	Comparison of chromaffin cells from several animal sources for their use as an in vitro model to study the mechanism of organophosphorous toxicity. <i>Toxicology Letters</i> , 2006, 165, 221-229.	0.4	8
79	Interactions of human butyrylcholinesterase with phenylvalerate and acetylthiocholine as substrates and inhibitors: kinetic and molecular modeling approaches. <i>Archives of Toxicology</i> , 2019, 93, 1281-1296.	1.9	8
80	Serum cholinesterase inhibitors in the commercial hexane impurities. <i>Archives of Toxicology</i> , 1983, 53, 59-69.	1.9	7
81	Phthalates and organophosphorus compounds as cholinesterase inhibitors in fractions of industrial hexane impurities. <i>Archives of Toxicology</i> , 1985, 57, 46-52.	1.9	7
82	An automatable microassay for phenyl valerate esterase activities sensitive to organophosphorus compounds. <i>Toxicology Letters</i> , 1996, 89, 241-247.	0.4	7
83	Over-expression of neuropathy target esterase activity in bovine chromaffin cell cultures by adenovirus-mediated gene transfer. <i>Toxicology Letters</i> , 2007, 168, 286-291.	0.4	7
84	Recovery of neuropathy target esterase activity after inhibition with mipafox and O-hexyl O-2,5-dichlorophenyl phosphoramidate in bovine chromaffin cell cultures. <i>Chemico-Biological Interactions</i> , 2007, 165, 99-105.	1.7	7
85	Characterization and Evolution of Exposure to Volatile Organic Compounds in the Spanish Shoemaking Industry over a 5-Year Period. <i>Journal of Occupational and Environmental Hygiene</i> , 2012, 9, 653-662.	0.4	7
86	Kinetic interactions of a neuropathy potentiator (phenylmethylsulfonyl fluoride) with the neuropathy target esterase and other membrane bound esterases. <i>Archives of Toxicology</i> , 2014, 88, 355-366.	1.9	7
87	Aluminium, nickel, cadmium and lead in candy products and assessment of daily intake by children in Spain. <i>Food Additives and Contaminants: Part B Surveillance</i> , 2016, 9, 66-71.	1.3	7
88	Butyrylcholinesterase identification in a phenylvalerate esterase-enriched fraction sensitive to low mipafox concentrations in chicken brain. <i>Archives of Toxicology</i> , 2017, 91, 909-919.	1.9	7
89	Phenyl valerate esterase activity of human butyrylcholinesterase. <i>Archives of Toxicology</i> , 2017, 91, 3295-3305.	1.9	7
90	A Transcriptomic Analysis of T98G Human Glioblastoma Cells after Exposure to Cadmium-Selenium Quantum Dots Mainly Reveals Alterations in Neuroinflammation Processes and Hypothalamus Regulation. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2267.	1.8	7

#	ARTICLE	IF	CITATIONS
91	Immobilized frog tyrosinase. Stabilization on nylon supports. <i>Biotechnology Letters</i> , 1982, 4, 341-346.	1.1	6
92	Bovine chromaffin cells in culture show carboxylesterase activities sensitive to organophosphorus compounds. <i>International Journal of Biochemistry and Cell Biology</i> , 1996, 28, 983-989.	1.2	6
93	Comparative hydrolysis of O-hexyl O-2,5-dichlorophenyl phosphoramidate and paraoxon in different tissues of vertebrates. <i>Archives of Toxicology</i> , 2007, 81, 689-695.	1.9	6
94	Mechanism-based models in reproductive and developmental toxicology. , 2011, , 135-146.		6
95	Biomarkers in biomonitoring of xenobiotics. , 2014, , 965-973.		6
96	Esterases hydrolyze phenyl valerate activity as targets of organophosphorus compounds. <i>Chemico-Biological Interactions</i> , 2016, 259, 358-367.	1.7	6
97	Resolving pathways of interaction of mipafox and a sarin analog with human acetylcholinesterase by kinetics, mass spectrometry and molecular modeling approaches. <i>Archives of Toxicology</i> , 2016, 90, 603-616.	1.9	6
98	Copper-dependent hydrolysis of trichloronate by turkey serum studied with use of new analytical procedure based on application of chiral chromatography and UV/Vis spectrophotometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019, 1105, 203-209.	1.2	6
99	A tyrosinase electrode: A laboratory experiment. <i>Biochemical Education</i> , 1981, 9, 51-54.	0.1	5
100	Sensitivity to tri-o-cresylphosphate neurotoxicity on n-hexane exposed hens as a model of simultaneous hexacarbon solvent and organophosphorus occupational intoxication. <i>Archives of Toxicology</i> , 1987, 59, 311-318.	1.9	5
101	Organophosphorus inhibition and heat inactivation kinetics of particulate and soluble forms of peripheral nerve neuropathy target esterase. <i>Journal of Biochemical Toxicology</i> , 1995, 10, 211-218.	0.5	5
102	The role of nicotinic receptors and calcium channels in mipafox induced inhibition of catecholamine release in bovine chromaffin cells. <i>Environmental Toxicology and Pharmacology</i> , 1996, 1, 241-247.	2.0	4
103	OECD guidelines and validated methods for in vivo testing of reproductive toxicity. , 2011, , 123-133.		4
104	Properties of partly preinhibited hen brain neuropathy target esterase. <i>Chemico-Biological Interactions</i> , 1993, 87, 417-423.	1.7	3
105	Acetylcholine-hydrolyzing activities in soluble brain fraction: Characterization with reversible and irreversible inhibitors. <i>Chemico-Biological Interactions</i> , 2016, 259, 374-381.	1.7	3
106	Distribution of Serum Paraoxon Hydrolyzing Activity in a Large Spanish Population Using a Routine Automated Method in Clinical Laboratory. <i>Journal of Analytical Toxicology</i> , 2003, 27, 290-293.	1.7	2
107	OECD Guidelines for InVivo Testing of Reproductive Toxicity. , 2017, , 163-178.		2
108	Cholinesterase and phenyl valerate-esterase activities sensitive to organophosphorus compounds in membranes of chicken brain. <i>Toxicology</i> , 2018, 410, 73-82.	2.0	2

#	ARTICLE	IF	CITATIONS
109	Hydrolyzing activities of phenyl valerate sensitive to organophosphorus compounds paraoxon and mipafox in human neuroblastoma SH-SY5Y cells. <i>Toxicology</i> , 2018, 406-407, 123-128.	2.0	2
110	O-hexyl O-2,5-dichlorophenyl phosphoramidate as a substrate for domestic and sea bird serum A-esterases: Hydrolysis levels, Cu ²⁺ - and Zn ²⁺ -dependence and stereoselectivity. <i>Chemico-Biological Interactions</i> , 2019, 310, 108727.	1.7	2
111	DAEH N-terminal sequence of avian serum albumins as catalytic center of Cu (II)-dependent organophosphorus hydrolyzing A-esterase activity. <i>Chemico-Biological Interactions</i> , 2021, 345, 109524.	1.7	2
112	Interactions of human acetylcholinesterase with phenyl valerate and acetylthiocholine: Thiocholine as an enhancer of phenyl valerate esterase activity. <i>Chemico-Biological Interactions</i> , 2022, 351, 109764.	1.7	2
113	Non-calcium dependent activity hydrolysing organophosphorus compounds in hen plasma. <i>Comparative Biochemistry and Physiology C, Comparative Pharmacology and Toxicology</i> , 1994, 107, 213-219.	0.5	1
114	Preliminar characterization of carboxylesterase activities found in plasma of wild birds. <i>Toxicology Letters</i> , 2006, 164, S157.	0.4	1
115	Toxicokinetics and Toxicodynamics of DFP. , 2015, , 857-874.		1
116	Expression of biomarker genes of differentiation in D3 mouse embryonic stem cells after exposure to different embryotoxicant and non-embryotoxicant model chemicals. <i>Data in Brief</i> , 2015, 5, 354-365.	0.5	1
117	Air Quality of Textile and Related Industries. <i>Comprehensive Analytical Chemistry</i> , 2016, 73, 785-800.	0.7	1
118	Validated and Nonvalidated Mechanism-Based Methods for Testing Developmental Toxicity. , 2017, , 193-209.		1
119	Biomarkers for Testing Toxicity and Monitoring Exposure to Xenobiotics. , 2019, , 1165-1174.		1
120	Inhibition and aging of neuropathy target esterase by organophosphorus compound in bovine chromaffin cells. <i>Toxicology Letters</i> , 1996, 88, 24.	0.4	0
121	Hen serum albumin hydrolyses an organophosphorus compound. <i>Toxicology Letters</i> , 1996, 88, 88.	0.4	0
122	Methadone treatment in the province of Alicante from July 1990 to December 1995. <i>Toxicology Letters</i> , 1996, 88, 103.	0.4	0
123	The inhibition of the high sensitive peripheral nerve soluble esterases by mipafoxA new mathematical processing for the kinetics of inhibition of esterases by organophosphorus compounds. <i>Toxicology Letters</i> , 2004, 151, 171-171.	0.4	0
124	Role of serum albumins in the detoxication of the carbamate carbaryl. <i>Toxicology Letters</i> , 2006, 164, S65.	0.4	0
125	Plasmidic vector of human neuropathy target esterase in primary cultures of bovine chromaffin cells. <i>Toxicology Letters</i> , 2006, 164, S207-S208.	0.4	0
126	Improved analytical method for monitoring exposure to volatile compounds for occupational risk prevention. <i>Toxicology Letters</i> , 2009, 189, S261-S262.	0.4	0

#	ARTICLE	IF	CITATIONS
127	Kinetic identification of organophosphate-sensitive esterases in brain membrane. Toxicology Letters, 2012, 211, S171.	0.4	0
128	Human and mouse gene expression pathways of neural embryonic cell differentiation in developmental toxicity. Toxicology Letters, 2014, 229, S15.	0.4	0
129	Editorial. Chemico-Biological Interactions, 2016, 259, 49-50.	1.7	0
130	Toxicokinetics and toxicodynamics of DFP. , 2020, , 921-944.		0
131	Alternative methods to animal experimentation for testing developmental toxicity. , 2022, , 107-125.		0