

Chunmei Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2817661/publications.pdf>

Version: 2024-02-01

32
papers

536
citations

687363

13
h-index

677142

22
g-index

38
all docs

38
docs citations

38
times ranked

794
citing authors

#	ARTICLE	IF	CITATIONS
1	Hantaan Virus RNA Load in Patients Having Hemorrhagic Fever With Renal Syndrome: Correlation With Disease Severity. <i>Journal of Infectious Diseases</i> , 2013, 207, 1457-1461.	4.0	50
2	BAP31, a newly defined cancer/testis antigen, regulates proliferation, migration, and invasion to promote cervical cancer progression. <i>Cell Death and Disease</i> , 2018, 9, 791.	6.3	47
3	Intrathymic Tfh/B Cells Interaction Leads to Ectopic GCs Formation and Anti-AChR Antibody Production: Central Role in Triggering MG Occurrence. <i>Molecular Neurobiology</i> , 2016, 53, 120-131.	4.0	44
4	Hantaan Virus Infection Induces Both Th1 and ThGranzyme B+ Cell Immune Responses That Associated with Viral Control and Clinical Outcome in Humans. <i>PLoS Pathogens</i> , 2015, 11, e1004788.	4.7	38
5	T Follicular Helper-Like Cells Are Involved in the Pathogenesis of Experimental Autoimmune Encephalomyelitis. <i>Frontiers in Immunology</i> , 2018, 9, 944.	4.8	30
6	Sustained High Level of Serum VEGF at Convalescent Stage Contributes to the Renal Recovery after HTNV Infection in Patients with Hemorrhagic Fever with Renal Syndrome. <i>Clinical and Developmental Immunology</i> , 2012, 2012, 1-11.	3.3	28
7	CD226 ligation protects against EAE by promoting IL-10 expression via regulation of CD4+ T cell differentiation. <i>Oncotarget</i> , 2016, 7, 19251-19264.	1.8	27
8	CD8 ^{low} CD100 ^{hi} T Cells Identify a Novel CD8 T Cell Subset Associated with Viral Control during Human Hantaan Virus Infection. <i>Journal of Virology</i> , 2015, 89, 11834-11844.	3.4	26
9	Hantaan Virus Infection Induces CXCL10 Expression through TLR3, RIG-I, and MDA-5 Pathways Correlated with the Disease Severity. <i>Mediators of Inflammation</i> , 2014, 2014, 1-11.	3.0	24
10	Increased Plasma Cell-Free DNA Level during HTNV Infection: Correlation with Disease Severity and Virus Load. <i>Viruses</i> , 2014, 6, 2723-2734.	3.3	23
11	Sorafenib may enhance antitumour efficacy in hepatocellular carcinoma patients by modulating the proportions and functions of natural killer cells. <i>Investigational New Drugs</i> , 2020, 38, 1247-1256.	2.6	18
12	High sensitivity chemiluminescence enzyme immunoassay for detecting staphylococcal enterotoxin A in multi-matrices. <i>Analytica Chimica Acta</i> , 2013, 796, 14-19.	5.4	17
13	IL-33/ST2 Correlates with Severity of Haemorrhagic Fever with Renal Syndrome and Regulates the Inflammatory Response in Hantaan Virus-Infected Endothelial Cells. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003514.	3.0	15
14	Elevated Plasma Soluble CD14 Levels Correlate with the Monocyte Response Status During Hantaan Virus Infection in Humans. <i>Viral Immunology</i> , 2015, 28, 442-447.	1.3	14
15	Novel Identified HLA-A*0201-Restricted Hantaan Virus Glycoprotein Cytotoxic T-Cell Epitopes Could Effectively Induce Protective Responses in HLA-A2.1/Kb Transgenic Mice May Associate with the Severity of Hemorrhagic Fever with Renal Syndrome. <i>Frontiers in Immunology</i> , 2017, 8, 1797.	4.8	13
16	Identification of a novel B-cell epitope of Hantaan virus glycoprotein recognized by neutralizing 3D8 monoclonal antibody. <i>Journal of General Virology</i> , 2012, 93, 2595-2600.	2.9	11
17	Structure and Function of HLA-A*02-Restricted Hantaan Virus Cytotoxic T-Cell Epitope That Mediates Effective Protective Responses in HLA-A2.1/Kb Transgenic Mice. <i>Frontiers in Immunology</i> , 2016, 7, 298.	4.8	11
18	Sensitive chemiluminescence immunoassay for staphylococcal enterotoxin C1 based on the use of dye-encapsulated mesoporous silica nanoparticles. <i>Mikrochimica Acta</i> , 2016, 183, 2163-2168.	5.0	11

#	ARTICLE	IF	CITATIONS
19	Construction, Expression, and Characterization of a Recombinant Immunotoxin Targeting EpCAM. Mediators of Inflammation, 2015, 2015, 1-11.	3.0	10
20	Soluble Scavenger Receptor CD163 Is Associated with Severe Acute Kidney Injury in Patients with Hantaan Virus Infection. Viral Immunology, 2015, 28, 241-246.	1.3	10
21	Elevated plasma interleukin 34 levels correlate with disease severity-reflecting parameters of patients with haemorrhagic fever with renal syndrome. Infectious Diseases, 2019, 51, 847-853.	2.8	10
22	ER stress-related molecules induced by Hantaan virus infection in differentiated THP-1 cells. Cell Stress and Chaperones, 2021, 26, 41-50.	2.9	9
23	Protective CD8+ T-cell response against Hantaan virus infection induced by immunization with designed linear multi-epitope peptides in HLA-A2.1/Kb transgenic mice. Virology Journal, 2020, 17, 146.	3.4	8
24	Anti-CD155 and anti-CD112 monoclonal antibodies conjugated to a fluorescent mesoporous silica nanosensor encapsulating rhodamine 6G and fluorescein for sensitive detection of liver cancer cells. Analyst, The, 2016, 141, 4933-4940.	3.5	7
25	Design and synthesis of HLA-A*02-restricted Hantaan virus multiple-antigenic peptide for CD8+ T cells. Virology Journal, 2020, 17, 15.	3.4	7
26	Adiponectin's globular domain inhibits T cell activation by interacting with LAIR-1. Biochemical and Biophysical Research Communications, 2021, 573, 117-124.	2.1	7
27	The Presence of Circulating Nucleated Red Blood Cells Is Associated With Disease Severity in Patients of Hemorrhagic Fever With Renal Syndrome. Frontiers in Medicine, 2021, 8, 665410.	2.6	6
28	Establishment of Reverse Direct ELISA and Its Application in Screening High-Affinity Monoclonal Antibodies. Hybridoma, 2012, 31, 284-288.	0.4	4
29	Elevated Plasma Growth Arrest-Specific 6 Protein Levels Are Associated with the Severity of Disease During Hantaan Virus Infection in Humans. Viral Immunology, 2017, 30, 330-335.	1.3	3
30	Sustained High Levels of Both Total and High Molecular Weight Adiponectin in Plasma during the Convalescent Phase of Haemorrhagic Fever with Renal Syndrome Are Associated with Disease Severity. Journal of Immunology Research, 2017, 2017, 1-9.	2.2	3
31	Elevated Plasma Fractalkine Level Is Associated with the Severity of Hemorrhagic Fever with Renal Syndrome in Humans. Viral Immunology, 2021, 34, 491-499.	1.3	3
32	Elevation of Myeloperoxidase Correlates with Disease Severity in Patients with Hantaan Virus Infection. Viral Immunology, 0, , .	1.3	1