Jean-Francois Girard

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2817759/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Magnetic resonance sounding measurements as posterior information to condition hydrological model parameters: Application to a hard-rock headwater catchment. Journal of Hydrology, 2020, 587, 124941.	5.4	16
2	Feasibility study of a surface-borehole NMR method. Journal of Applied Geophysics, 2020, 177, 104039.	2.1	0
3	On-site characterization of the spatio-temporal structure of the noise for MRS measurements using a pair of eight-shape loops. Journal of Applied Geophysics, 2020, 178, 104075.	2.1	8
4	Magnetic resonance sounding dataset of a hard-rock headwater catchment for assessing the vertical distribution of water contents in the subsurface. Data in Brief, 2020, 31, 105708.	1.0	4
5	Time-lapse magnetic resonance sounding measurements for numerical modeling of water flow in variably saturated media. Journal of Applied Geophysics, 2020, 175, 103984.	2.1	16
6	How Do Secondary Minerals in Granite Help Distinguish Paleo- from Present-Day Permeable Fracture Zones? Joint Interpretation of SWIR Spectroscopy and Geophysical Logs in the Geothermal Wells of Northern Alsace. Geofluids, 2019, 2019, 1-20.	0.7	7
7	The Strengbach Catchment: A Multidisciplinary Environmental Sentry for 30 Years. Vadose Zone Journal, 2018, 17, 1-17.	2.2	32
8	Advanced seismic processing/imaging techniques and their potential for geothermal exploration. Interpretation, 2016, 4, SR1-SR18.	1.1	22
9	Nuclear magnetic resonance for near-surface applications — Introduction. Geophysics, 2016, 81, WBi-WBii.	2.6	1
10	CO2–water–mineral reactions during CO2 leakage: Geochemical and isotopic monitoring of a CO2 injection field test. Chemical Geology, 2014, 368, 11-30.	3.3	39
11	CO2 Migration Monitoring Methodology in the Shallow Subsurface: Lessons Learned from the CO2FIELDLAB Project. Energy Procedia, 2014, 51, 65-74.	1.8	13
12	Near-surface CO 2 leak detection monitoring from downhole electrical resistivity at the CO 2 Field Laboratory, Svelvik Ridge (Norway). International Journal of Greenhouse Gas Control, 2014, 28, 275-282.	4.6	18
13	Inducing a CO2 Leak into a Shallow Aquifer (CO2FieldLab Eurogia+ Project): Monitoring the CO2 Plume in Groundwaters. Energy Procedia, 2013, 37, 3583-3593.	1.8	26
14	CO2 Field Lab at Svelvik Ridge: Site Suitability. Energy Procedia, 2012, 23, 306-312.	1.8	11
15	Experimental study of domestic waste material using magnetic resonance measurements. Near Surface Geophysics, 2011, 9, 179-185.	1.2	1
16	Characterizing the vadose zone and a perched aquifer near the Vosges ridge at the La Soutte experimental site, Obernai, France. Comptes Rendus - Geoscience, 2009, 341, 818-830.	1.2	12
17	Ground penetrating radar imaging and time-domain modelling of the infiltration of diesel fuel in a sandbox experiment. Comptes Rendus - Geoscience, 2009, 341, 846-858.	1.2	26

18Geophysical characterisation of karstic networks $\hat{a} \in \text{``Application to the Ouysse system (Poumeyssen,) Tj ETQq0 0 Q rgBT /Overlock 10 T 42$

#	Article	IF	CITATIONS
19	Resolution of MRS Applied to the Characterization of Hard-Rock Aquifers. Ground Water, 2006, 44, 547-554.	1.3	48
20	Ground-penetrating radar investigations along the North Anatolian fault near Izmit, Turkey: Constraints on the right-lateral movement and slip history. Geology, 2004, 32, 85.	4.4	26
21	Radar reflections and water content estimation of aeolian sand dune. Geophysical Research Letters, 2001, 28, 3207-3210.	4.0	14