

Qiyong Gong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2817992/publications.pdf>

Version: 2024-02-01

469
papers

16,844
citations

20759

60
h-index

38300

95
g-index

485
all docs

485
docs citations

485
times ranked

17410
citing authors

#	ARTICLE	IF	CITATIONS
1	Disrupted Brain Connectivity Networks in Drug-Naive, First-Episode Major Depressive Disorder. <i>Biological Psychiatry</i> , 2011, 70, 334-342.	0.7	788
2	Depression, Neuroimaging and Connectomics: A Selective Overview. <i>Biological Psychiatry</i> , 2015, 77, 223-235.	0.7	401
3	Is depression a disconnection syndrome? Meta- analysis of diffusion tensor imaging studies in patients with MDD. <i>Journal of Psychiatry and Neuroscience</i> , 2013, 38, 49-56.	1.4	375
4	An open science resource for establishing reliability and reproducibility in functional connectomics. <i>Scientific Data</i> , 2014, 1, 140049.	2.4	349
5	Resting-State Functional Connectivity in Treatment-Resistant Depression. <i>American Journal of Psychiatry</i> , 2011, 168, 642-648.	4.0	289
6	Psychoradiology: The Frontier of Neuroimaging in Psychiatry. <i>Radiology</i> , 2016, 281, 357-372.	3.6	227
7	Prognostic prediction of therapeutic response in depression using high-field MR imaging. <i>NeuroImage</i> , 2011, 55, 1497-1503.	2.1	182
8	Early-Course Unmedicated Schizophrenia Patients Exhibit Elevated Prefrontal Connectivity Associated with Longitudinal Change. <i>Journal of Neuroscience</i> , 2015, 35, 267-286.	1.7	153
9	Enzyme-Sensitive and Amphiphilic PEGylated Dendrimer-Paclitaxel Prodrug-Based Nanoparticles for Enhanced Stability and Anticancer Efficacy. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 6865-6877.	4.0	148
10	Oxytocin, the peptide that bonds the sexes also divides them. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 7650-7654.	3.3	145
11	Disrupted Functional Brain Connectome in Patients with Posttraumatic Stress Disorder. <i>Radiology</i> , 2015, 276, 818-827.	3.6	136
12	Two Patterns of White Matter Abnormalities in Medication-Naive Patients With First-Episode Schizophrenia Revealed by Diffusion Tensor Imaging and Cluster Analysis. <i>JAMA Psychiatry</i> , 2015, 72, 678.	6.0	134
13	Cortical and subcortical gray matter shrinkage in alcohol-use disorders: a voxel-based meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 66, 92-103.	2.9	130
14	Enzyme-responsive peptide dendrimer-gemcitabine conjugate as a controlled-release drug delivery vehicle with enhanced antitumor efficacy. <i>Acta Biomaterialia</i> , 2017, 55, 153-162.	4.1	127
15	The Common Traits of the ACC and PFC in Anxiety Disorders in the DSM-5: Meta-Analysis of Voxel-Based Morphometry Studies. <i>PLoS ONE</i> , 2014, 9, e93432.	1.1	126
16	Disrupted cortical hubs in functional brain networks in social anxiety disorder. <i>Clinical Neurophysiology</i> , 2015, 126, 1711-1716.	0.7	126
17	Brain grey matter volume alterations in late-life depression. <i>Journal of Psychiatry and Neuroscience</i> , 2014, 39, 397-406.	1.4	123
18	Psychoradiologic Utility of MR Imaging for Diagnosis of Attention Deficit Hyperactivity Disorder: A Radiomics Analysis. <i>Radiology</i> , 2018, 287, 620-630.	3.6	121

#	ARTICLE	IF	CITATIONS
19	Brain gray matter alterations in first episodes of depression: A meta-analysis of whole-brain studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 60, 43-50.	2.9	120
20	Grey matter reduction associated with posttraumatic stress disorder and traumatic stress. <i>Neuroscience and Biobehavioral Reviews</i> , 2014, 43, 163-172.	2.9	114
21	A Selective Review of Cerebral Abnormalities in Patients With First-Episode Schizophrenia Before and After Treatment. <i>American Journal of Psychiatry</i> , 2016, 173, 232-243.	4.0	114
22	Altered periaqueductal gray resting state functional connectivity in migraine and the modulation effect of treatment. <i>Scientific Reports</i> , 2016, 6, 20298.	1.6	112
23	Disorganization of white matter architecture in major depressive disorder: a meta-analysis of diffusion tensor imaging with tract-based spatial statistics. <i>Scientific Reports</i> , 2016, 6, 21825.	1.6	109
24	Meta-analysis of cortical thickness abnormalities in medication-free patients with major depressive disorder. <i>Neuropsychopharmacology</i> , 2020, 45, 703-712.	2.8	109
25	Disrupted brain network topology in pediatric posttraumatic stress disorder: A resting-state fMRI study. <i>Human Brain Mapping</i> , 2015, 36, 3677-3686.	1.9	103
26	Essential brain structural alterations in major depressive disorder: A voxel-wise meta-analysis on first episode, medication-naïve patients. <i>Journal of Affective Disorders</i> , 2016, 199, 114-123.	2.0	103
27	Enzyme- and pH-Sensitive Branched Polymer-Doxorubicin Conjugate-Based Nanoscale Drug Delivery System for Cancer Therapy. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 11765-11778.	4.0	102
28	Iron oxide nanoparticles promote macrophage autophagy and inflammatory response through activation of toll-like Receptor-4 signaling. <i>Biomaterials</i> , 2019, 203, 23-30.	5.7	102
29	Altered resting-state functional activity in posttraumatic stress disorder: A quantitative meta-analysis. <i>Scientific Reports</i> , 2016, 6, 27131.	1.6	101
30	Impaired frontothalamic circuitry in suicidal patients with depression revealed by diffusion tensor imaging at 3.0 T. <i>Journal of Psychiatry and Neuroscience</i> , 2014, 39, 170-177.	1.4	100
31	Gray Matter Abnormalities in Non-comorbid Medication-naïve Patients with Major Depressive Disorder or Social Anxiety Disorder. <i>EBioMedicine</i> , 2017, 21, 228-235.	2.7	99
32	A systematic review and meta-analysis of tract-based spatial statistics studies regarding attention-deficit/hyperactivity disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 68, 838-847.	2.9	98
33	Impairments of large-scale functional networks in attention-deficit/hyperactivity disorder: a meta-analysis of resting-state functional connectivity. <i>Psychological Medicine</i> , 2019, 49, 2475-2485.	2.7	95
34	Altered Cortical Thickness Related to Clinical Severity But Not the Untreated Disease Duration in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2015, 41, 201-210.	2.3	94
35	Abnormal amygdala resting-state functional connectivity in adults and adolescents with major depressive disorder: A comparative meta-analysis. <i>EBioMedicine</i> , 2018, 36, 436-445.	2.7	94
36	Stimuli-responsive polymer-doxorubicin conjugate: Antitumor mechanism and potential as nano-prodrug. <i>Acta Biomaterialia</i> , 2019, 84, 339-355.	4.1	94

#	ARTICLE	IF	CITATIONS
37	The lncRNA MALAT1 is a novel biomarker for gastric cancer metastasis. <i>Oncotarget</i> , 2016, 7, 56209-56218.	0.8	92
38	EGFR-PI3K-PDK1 pathway regulates YAP signaling in hepatocellular carcinoma: the mechanism and its implications in targeted therapy. <i>Cell Death and Disease</i> , 2018, 9, 269.	2.7	88
39	Anatomical deficits in adult posttraumatic stress disorder: A meta-analysis of voxel-based morphometry studies. <i>Behavioural Brain Research</i> , 2014, 270, 307-315.	1.2	84
40	Dendronizedâ€Polymer Disturbing Cells' Stress Protection by Targeting Metabolism Leads to Tumor Vulnerability. <i>Advanced Materials</i> , 2020, 32, e1907490.	11.1	80
41	Intrinsic cerebral activity at resting state in adults with major depressive disorder: A meta-analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 75, 157-164.	2.5	79
42	Acupuncture modulates the abnormal brainstem activity in migraine without aura patients. <i>NeuroImage: Clinical</i> , 2017, 15, 367-375.	1.4	79
43	Stimuli-responsive polymeric prodrug-based nanomedicine delivering nifuroxazide and doxorubicin against primary breast cancer and pulmonary metastasis. <i>Journal of Controlled Release</i> , 2020, 318, 124-135.	4.8	79
44	Value of MRI in medicine: More than just another test?. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, e14-e25.	1.9	78
45	Network analysis reveals disrupted functional brain circuitry in drug-naive social anxiety disorder. <i>NeuroImage</i> , 2019, 190, 213-223.	2.1	78
46	Brain Structural Abnormalities in a Group of Never-Medicated Patients With Long-Term Schizophrenia. <i>American Journal of Psychiatry</i> , 2015, 172, 995-1003.	4.0	76
47	Tunable Hydrophileâ€Lipophile Balance for Manipulating Structural Stability and Tumor Retention of Amphiphilic Nanoparticles. <i>Advanced Materials</i> , 2019, 31, e1901586.	11.1	76
48	Altered resting-state dynamic functional brain networks in major depressive disorder: Findings from the REST-meta-MDD consortium. <i>NeuroImage: Clinical</i> , 2020, 26, 102163.	1.4	76
49	Real-time effects of centrotemporal spikes on cognition in rolandic epilepsy. <i>Neurology</i> , 2016, 86, 544-551.	1.5	74
50	Polysaccharide-based nanomedicines for cancer immunotherapy: A review. <i>Bioactive Materials</i> , 2021, 6, 3358-3382.	8.6	74
51	Alterations in Low-Level Perceptual Networks Related to Clinical Severity in PTSD after an Earthquake: A Resting-State fMRI Study. <i>PLoS ONE</i> , 2014, 9, e96834.	1.1	74
52	Contrasting and convergent patterns of amygdala connectivity in mania and depression: A resting-state study. <i>Journal of Affective Disorders</i> , 2015, 173, 53-58.	2.0	73
53	Stress and the brain: Perceived stress mediates the impact of the superior frontal gyrus spontaneous activity on depressive symptoms in late adolescence. <i>Human Brain Mapping</i> , 2019, 40, 4982-4993.	1.9	73
54	Cathepsin B-responsive and gadolinium-labeled branched glycopolymer-PTX conjugate-derived nanotheranostics for cancer treatment. <i>Acta Pharmaceutica Sinica B</i> , 2021, 11, 544-559.	5.7	73

#	ARTICLE	IF	CITATIONS
55	Reproducibility of functional brain alterations in major depressive disorder: Evidence from a multisite resting-state functional MRI study with 1,434 individuals. <i>NeuroImage</i> , 2019, 189, 700-714.	2.1	72
56	GSH-sensitive polymeric prodrug: Synthesis and loading with photosensitizers as nanoscale chemo-photodynamic anti-cancer nanomedicine. <i>Acta Pharmaceutica Sinica B</i> , 2022, 12, 424-436.	5.7	72
57	Quantitative Prediction of Individual Psychopathology in Trauma Survivors Using Resting-State fMRI. <i>Neuropsychopharmacology</i> , 2014, 39, 681-687.	2.8	69
58	Neuroanatomical correlates of grit: Growth mindset mediates the association between gray matter structure and trait grit in late adolescence. <i>Human Brain Mapping</i> , 2018, 39, 1688-1699.	1.9	69
59	Effects of Long-Term Acupuncture Treatment on Resting-State Brain Activity in Migraine Patients: A Randomized Controlled Trial on Active Acupoints and Inactive Acupoints. <i>PLoS ONE</i> , 2014, 9, e99538.	1.1	69
60	Functional MRI reveals different response inhibition between adults and children with ADHD.. <i>Neuropsychology</i> , 2015, 29, 874-881.	1.0	68
61	Functional Brain Connectome and Its Relation to Hoehn and Yahr Stage in Parkinson Disease. <i>Radiology</i> , 2017, 285, 904-913.	3.6	68
62	Support vector machine-based classification of first episode drug-naïve schizophrenia patients and healthy controls using structural MRI. <i>Schizophrenia Research</i> , 2019, 214, 11-17.	1.1	68
63	Delivery of siRNA by MRI-visible nanovehicles to overcome drug resistance in MCF-7/ADR human breast cancer cells. <i>Biomaterials</i> , 2014, 35, 9495-9507.	5.7	67
64	Supramolecular enantiomeric and structural differentiation of amino acid derivatives with achiral pillar[5]arene homologs. <i>Chemical Communications</i> , 2020, 56, 161-164.	2.2	67
65	Cross-Linked and Biodegradable Polymeric System as a Safe Magnetic Resonance Imaging Contrast Agent. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 1575-1588.	4.0	66
66	Tumor microenvironment-responsive PEGylated heparin-pyropheophorbide-a nanoconjugates for photodynamic therapy. <i>Carbohydrate Polymers</i> , 2021, 255, 117490.	5.1	65
67	Connectome gradient dysfunction in major depression and its association with gene expression profiles and treatment outcomes. <i>Molecular Psychiatry</i> , 2022, 27, 1384-1393.	4.1	65
68	Dysfunction of the Default Mode Network in Drug-Naïve Parkinson's Disease with Mild Cognitive Impairments: A Resting-State fMRI Study. <i>Frontiers in Aging Neuroscience</i> , 2016, 8, 247.	1.7	63
69	Longitudinal Changes in Resting-State Cerebral Activity in Patients with First-Episode Schizophrenia: A 1-Year Follow-up Functional MR Imaging Study. <i>Radiology</i> , 2016, 279, 867-875.	3.6	63
70	Dysfunction of neural circuitry in depressive patients with suicidal behaviors: A review of structural and functional neuroimaging studies. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 53, 61-66.	2.5	62
71	Enhanced chemo-photodynamic therapy of an enzyme-responsive prodrug in bladder cancer patient-derived xenograft models. <i>Biomaterials</i> , 2021, 277, 121061.	5.7	62
72	Altered resting state functional network connectivity in children absence epilepsy. <i>Journal of the Neurological Sciences</i> , 2015, 354, 79-85.	0.3	61

#	ARTICLE	IF	CITATIONS
73	Acetylcholine acts through M3 muscarinic receptor to activate the EGFR signaling and promotes gastric cancer cell proliferation. <i>Scientific Reports</i> , 2017, 7, 40802.	1.6	61
74	Meta-analytic investigations of common and distinct grey matter alterations in youths and adults with obsessive-compulsive disorder. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 78, 91-103.	2.9	61
75	Precuneus-related regional and network functional deficits in social anxiety disorder: A resting-state functional MRI study. <i>Comprehensive Psychiatry</i> , 2018, 82, 22-29.	1.5	61
76	Brain gray matter structures associated with trait impulsivity: A systematic review and voxel-based meta-analysis. <i>Human Brain Mapping</i> , 2021, 42, 2214-2235.	1.9	61
77	Enzyme/pH-sensitive polyHPMA-DOX conjugate as a biocompatible and efficient anticancer agent. <i>Biomaterials Science</i> , 2018, 6, 1177-1188.	2.6	60
78	Branched Polymer-Based Redox/Enzyme-Activatable Photodynamic Nanoagent to Trigger STING-Dependent Immune Responses for Enhanced Therapeutic Effect. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	59
79	Stimuli-Responsive Biodegradable Hyperbranched Polymer-Gadolinium Conjugates as Efficient and Biocompatible Nanoscale Magnetic Resonance Imaging Contrast Agents. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 10499-10512.	4.0	58
80	Gray matter abnormalities in pediatric autism spectrum disorder: a meta-analysis with signed differential mapping. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 933-945.	2.8	58
81	Glycodendron/pyropheophorbide-a (Ppa)-functionalized hyaluronic acid as a nanosystem for tumor photodynamic therapy. <i>Carbohydrate Polymers</i> , 2020, 247, 116749.	5.1	58
82	Grit and the brain: spontaneous activity of the dorsomedial prefrontal cortex mediates the relationship between the trait grit and academic performance. <i>Social Cognitive and Affective Neuroscience</i> , 2017, 12, 452-460.	1.5	57
83	Intrinsic disruption of white matter microarchitecture in first-episode, drug-naive major depressive disorder: A voxel-based meta-analysis of diffusion tensor imaging. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 76, 179-187.	2.5	56
84	Gadolinium-Labeled Biodegradable Dendron-Hyaluronic Acid Hybrid and Its Subsequent Application as a Safe and Efficient Magnetic Resonance Imaging Contrast Agent. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 23508-23519.	4.0	56
85	Psychoradiological patterns of small-world properties and a systematic review of connectome studies of patients with 6 major psychiatric disorders. <i>Journal of Psychiatry and Neuroscience</i> , 2018, 43, 416-427.	1.4	56
86	Investigating the predictive value of different resting-state functional MRI parameters in obsessive-compulsive disorder. <i>Translational Psychiatry</i> , 2019, 9, 17.	2.4	56
87	Integrating machine learning and multimodal neuroimaging to detect schizophrenia at the level of the individual. <i>Human Brain Mapping</i> , 2020, 41, 1119-1135.	1.9	56
88	Cortical Thickness Abnormalities at Different Stages of the Illness Course in Schizophrenia. <i>JAMA Psychiatry</i> , 2022, 79, 560.	6.0	55
89	Altered regional activity and inter-regional functional connectivity in psychogenic non-epileptic seizures. <i>Scientific Reports</i> , 2015, 5, 11635.	1.6	54
90	Trauma-specific Grey Matter Alterations in PTSD. <i>Scientific Reports</i> , 2016, 6, 33748.	1.6	54

#	ARTICLE	IF	CITATIONS
91	The altered right frontoparietal network functional connectivity in migraine and the modulation effect of treatment. <i>Cephalalgia</i> , 2017, 37, 161-176.	1.8	54
92	White Matter Abnormalities in Never-Treated Patients With Long-Term Schizophrenia. <i>American Journal of Psychiatry</i> , 2018, 175, 1129-1136.	4.0	54
93	Neurostructural correlates of hope: dispositional hope mediates the impact of the SMA gray matter volume on subjective well-being in late adolescence. <i>Social Cognitive and Affective Neuroscience</i> , 2020, 15, 395-404.	1.5	54
94	Artificial intelligence applications in psychoradiology. <i>Psychoradiology</i> , 2021, 1, 94-107.	1.0	54
95	Brain gray matter alterations and associated demographic profiles in adults with autism spectrum disorder: A meta-analysis of voxel-based morphometry studies. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 741-753.	1.3	53
96	Assessment of white matter abnormalities in paranoid schizophrenia and bipolar mania patients. <i>Psychiatry Research - Neuroimaging</i> , 2011, 194, 347-353.	0.9	52
97	Gray Matter Alterations in Post-Traumatic Stress Disorder, Obsessiveâ€“Compulsive Disorder, and Social Anxiety Disorder. <i>Frontiers in Behavioral Neuroscience</i> , 2015, 9, 219.	1.0	50
98	Microstructural Abnormalities in the Combined and Inattentive Subtypes of Attention Deficit Hyperactivity Disorder: a Diffusion Tensor Imaging Study. <i>Scientific Reports</i> , 2014, 4, 6875.	1.6	50
99	A Meta-analysis of Voxel-based Brain Morphometry Studies in Obstructive Sleep Apnea. <i>Scientific Reports</i> , 2017, 7, 10095.	1.6	50
100	A transdiagnostic neuroanatomical signature of psychiatric illness. <i>Neuropsychopharmacology</i> , 2019, 44, 869-875.	2.8	50
101	Group cognitive behavioral therapy modulates the resting-state functional connectivity of amygdala-related network in patients with generalized social anxiety disorder. <i>BMC Psychiatry</i> , 2016, 16, 198.	1.1	49
102	White Matter Abnormalities in Post-traumatic Stress Disorder Following a Specific Traumatic Event. <i>EBioMedicine</i> , 2016, 4, 176-183.	2.7	49
103	Large-scale network dysfunction in the acute state compared to the remitted state of bipolar disorder: A meta-analysis of resting-state functional connectivity. <i>EBioMedicine</i> , 2020, 54, 102742.	2.7	49
104	Targeted Drug/Gene/Photodynamic Therapy via a Stimuliâ€“Responsive Dendriticâ€“Polymerâ€“Based Nanococktail for Treatment of EGFRâ€“TKIâ€“Resistant Nonâ€“Smallâ€“Cell Lung Cancer. <i>Advanced Materials</i> , 2022, 34, e2201516.	11.1	49
105	Automated machine learning based on radiomics features predicts H3 K27M mutation in midline gliomas of the brain. <i>Neuro-Oncology</i> , 2019, 22, 393-401.	0.6	48
106	Neuroharmony: A new tool for harmonizing volumetric MRI data from unseen scanners. <i>NeuroImage</i> , 2020, 220, 117127.	2.1	48
107	Functional brain connectome and sensorimotor networks in rolandic epilepsy. <i>Epilepsy Research</i> , 2015, 113, 113-125.	0.8	47
108	Multivariate pattern analysis of obsessiveâ€“compulsive disorder using structural neuroanatomy. <i>European Neuropsychopharmacology</i> , 2016, 26, 246-254.	0.3	46

#	ARTICLE	IF	CITATIONS
109	Conjoint and dissociated structural and functional abnormalities in first-episode drug-naïve patients with major depressive disorder: a multimodal meta-analysis. <i>Scientific Reports</i> , 2017, 7, 10401.	1.6	46
110	Advances in nanomedicines for diagnosis of central nervous system disorders. <i>Biomaterials</i> , 2021, 269, 120492.	5.7	46
111	Analysis of Altered Baseline Brain Activity in Drug-Naïve Adult Patients with Social Anxiety Disorder Using Resting-State Functional MRI. <i>Psychiatry Investigation</i> , 2015, 12, 372.	0.7	46
112	Altered intrinsic functional connectivity of the salience network in childhood absence epilepsy. <i>Journal of the Neurological Sciences</i> , 2014, 339, 189-195.	0.3	45
113	Altered attention networks in benign childhood epilepsy with centrotemporal spikes (BECTS): A resting-state fMRI study. <i>Epilepsy and Behavior</i> , 2015, 45, 234-241.	0.9	45
114	Network-Level Dysconnectivity in Drug-Naïve First-Episode Psychosis: Dissociating Transdiagnostic and Diagnosis-Specific Alterations. <i>Neuropsychopharmacology</i> , 2017, 42, 933-940.	2.8	45
115	Anatomic Insights into Disrupted Small-World Networks in Pediatric Posttraumatic Stress Disorder. <i>Radiology</i> , 2017, 282, 826-834.	3.6	45
116	The optimistic brain: Trait optimism mediates the influence of resting-state brain activity and connectivity on anxiety in late adolescence. <i>Human Brain Mapping</i> , 2018, 39, 3943-3955.	1.9	45
117	Progress in psychoradiology, the clinical application of psychiatric neuroimaging. <i>British Journal of Radiology</i> , 2019, 92, 20181000.	1.0	45
118	Structural and functional deficits and couplings in the cortico-striato-thalamo-cerebellar circuitry in social anxiety disorder. <i>Translational Psychiatry</i> , 2022, 12, 26.	2.4	45
119	Hope and the brain: Trait hope mediates the protective role of medial orbitofrontal cortex spontaneous activity against anxiety. <i>NeuroImage</i> , 2017, 157, 439-447.	2.1	44
120	Characterization of brain blood flow and the amplitude of low-frequency fluctuations in major depressive disorder: A multimodal meta-analysis. <i>Journal of Affective Disorders</i> , 2017, 210, 303-311.	2.0	44
121	Abnormal dynamic functional connectivity between speech and auditory areas in schizophrenia patients with auditory hallucinations. <i>NeuroImage: Clinical</i> , 2018, 19, 918-924.	1.4	44
122	Discriminative Analysis of Migraine without Aura: Using Functional and Structural MRI with a Multi-Feature Classification Approach. <i>PLoS ONE</i> , 2016, 11, e0163875.	1.1	44
123	Negatively Charged Magnetite Nanoparticle Clusters as Efficient MRI Probes for Dendritic Cell Labeling and In Vivo Tracking. <i>Advanced Functional Materials</i> , 2015, 25, 3581-3591.	7.8	43
124	Stimulus-Sensitive Linear-Dendritic Block Copolymer-Drug Prodrug as a Nanoplatfor for Tumor Combination Therapy. <i>Advanced Materials</i> , 2022, 34, e2108049.	11.1	43
125	Decreased Resting-State Interhemispheric Functional Connectivity in Parkinson's Disease. <i>BioMed Research International</i> , 2015, 2015, 1-8.	0.9	42
126	Abnormal dynamic functional connectivity of amygdalar subregions in untreated patients with first-episode major depressive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2018, 43, 262-272.	1.4	42

#	ARTICLE	IF	CITATIONS
127	Volume alteration of hippocampal subfields in first-episode antipsychotic-naïve schizophrenia patients before and after acute antipsychotic treatment. <i>NeuroImage: Clinical</i> , 2018, 20, 169-176.	1.4	42
128	Synergistic Therapy of a Naturally Inspired Glycopolymer-Based Biomimetic Nanomedicine Harnessing Tumor Genomic Instability. <i>Advanced Materials</i> , 2021, 33, e2104594.	11.1	42
129	Efficacy and tolerability of repetitive transcranial magnetic stimulation for the treatment of obsessive-compulsive disorder in adults: a systematic review and network meta-analysis. <i>Translational Psychiatry</i> , 2021, 11, 332.	2.4	40
130	Magnetization Transfer Imaging of Suicidal Patients with Major Depressive Disorder. <i>Scientific Reports</i> , 2015, 5, 9670.	1.6	39
131	Superparamagnetic MRI probes for in vivo tracking of dendritic cell migration with a clinical 3T scanner. <i>Biomaterials</i> , 2015, 58, 63-71.	5.7	39
132	Social anxiety disorder exhibit impaired networks involved in self and theory of mind processing. <i>Social Cognitive and Affective Neuroscience</i> , 2017, 12, 1284-1295.	1.5	39
133	Altered Topological Properties of Brain Networks in Social Anxiety Disorder: A Resting-state Functional MRI Study. <i>Scientific Reports</i> , 2017, 7, 43089.	1.6	39
134	Altered white matter microarchitecture in amyotrophic lateral sclerosis: A voxel-based meta-analysis of diffusion tensor imaging. <i>NeuroImage: Clinical</i> , 2018, 19, 122-129.	1.4	38
135	Discrete patterns of cortical thickness in youth with bipolar disorder differentially predict treatment response to quetiapine but not lithium. <i>Neuropsychopharmacology</i> , 2018, 43, 2256-2263.	2.8	38
136	Real-time effects of interictal spikes on hippocampus and amygdala functional connectivity in unilateral temporal lobe epilepsy: An EEG-fMRI study. <i>Epilepsia</i> , 2019, 60, 246-254.	2.6	38
137	Bioactive iron oxide nanoparticles suppress osteoclastogenesis and ovariectomy-induced bone loss through regulating the TRAF6-p62-CYLD signaling complex. <i>Acta Biomaterialia</i> , 2020, 103, 281-292.	4.1	38
138	The neuro-pathophysiology of temporomandibular disorders-related pain: a systematic review of structural and functional MRI studies. <i>Journal of Headache and Pain</i> , 2020, 21, 78.	2.5	38
139	A resting-state functional connectivity study in patients at high risk for sudden unexpected death in epilepsy. <i>Epilepsy and Behavior</i> , 2014, 41, 33-38.	0.9	37
140	Brain gray matter network organization in psychotic disorders. <i>Neuropsychopharmacology</i> , 2020, 45, 666-674.	2.8	37
141	Altered spontaneous activity in treatment-naive childhood absence epilepsy revealed by Regional Homogeneity. <i>Journal of the Neurological Sciences</i> , 2014, 340, 58-62.	0.3	36
142	Anomalous single-subject based morphological cortical networks in drug-naive, first-episode major depressive disorder. <i>Human Brain Mapping</i> , 2017, 38, 2482-2494.	1.9	36
143	Association between structural and functional brain alterations in drug-free patients with schizophrenia: a multimodal meta-analysis. <i>Journal of Psychiatry and Neuroscience</i> , 2018, 43, 131-142.	1.4	36
144	Characteristics of gray matter alterations in never-treated and treated chronic schizophrenia patients. <i>Translational Psychiatry</i> , 2020, 10, 136.	2.4	36

#	ARTICLE	IF	CITATIONS
145	Regional homogeneity abnormalities in patients with transient ischaemic attack: A resting-state fMRI study. <i>Clinical Neurophysiology</i> , 2014, 125, 520-525.	0.7	35
146	Brain-based Correlations Between Psychological Factors and Functional Dyspepsia. <i>Journal of Neurogastroenterology and Motility</i> , 2015, 21, 103-110.	0.8	35
147	Functional organization of intrinsic connectivity networks in Chinese-chess experts. <i>Brain Research</i> , 2014, 1558, 33-43.	1.1	34
148	Altered effective connectivity of posterior thalamus in migraine with cutaneous allodynia: a resting-state fMRI study with granger causality analysis. <i>Journal of Headache and Pain</i> , 2016, 17, 17.	2.5	34
149	Widespread white-matter microstructure integrity reduction in first-episode schizophrenia patients after acute antipsychotic treatment. <i>Schizophrenia Research</i> , 2019, 204, 238-244.	1.1	34
150	Shared gray matter alterations in individuals with diverse behavioral addictions: A voxel-wise meta-analysis. <i>Journal of Behavioral Addictions</i> , 2020, 9, 44-57.	1.9	34
151	Alterations in large-scale functional networks in adult posttraumatic stress disorder: A systematic review and meta-analysis of resting-state functional connectivity studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 131, 1027-1036.	2.9	34
152	Self-Stabilized Supramolecular Assemblies Constructed from PEGylated Dendritic Peptide Conjugate for Augmenting Tumor Retention and Therapy. <i>Advanced Science</i> , 2021, 8, e2102741.	5.6	34
153	Default-mode network connectivity in cognitively unimpaired drug-naïve patients with rigidity-dominant Parkinson's disease. <i>Journal of Neurology</i> , 2017, 264, 152-160.	1.8	33
154	Regional GABA Concentrations Modulate Inter-network Resting-state Functional Connectivity. <i>Cerebral Cortex</i> , 2019, 29, 1607-1618.	1.6	33
155	Voxel-wise meta-analysis of task-related brain activation abnormalities in major depressive disorder with suicide behavior. <i>Brain Imaging and Behavior</i> , 2020, 14, 1298-1308.	1.1	33
156	Enhancing the Efficacy of Metal-Free MRI Contrast Agents via Conjugating Nitroxides onto PEGylated Cross-Linked Poly(Carboxylate Ester). <i>Advanced Science</i> , 2020, 7, 2000467.	5.6	33
157	A Transformable Amphiphilic and Block Polymer-Dendron Conjugate for Enhanced Tumor Penetration and Retention with Cellular Homeostasis Perturbation via Membrane Flow. <i>Advanced Materials</i> , 2022, 34, e2200048.	11.1	33
158	Altered White Matter Connectivity Within and Between Networks in Antipsychotic-Naive First-Episode Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 409-418.	2.3	32
159	Brain structural abnormalities in emotional regulation and sensory processing regions associated with anxious depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 94, 109676.	2.5	32
160	Abnormal resting-state functional connectivity in patients with obsessive-compulsive disorder: A systematic review and meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 135, 104574.	2.9	32
161	Altered spontaneous neuronal activity of visual cortex and medial anterior cingulate cortex in treatment-naïve posttraumatic stress disorder. <i>Comprehensive Psychiatry</i> , 2014, 55, 1688-1695.	1.5	31
162	White matter microstructure damage in tremor-dominant Parkinson's disease patients. <i>Neuroradiology</i> , 2017, 59, 691-698.	1.1	31

#	ARTICLE	IF	CITATIONS
163	Altered regional and integrated resting-state brain activity in general social anxiety disorder patients before and after group cognitive behavior therapy. <i>Psychiatry Research - Neuroimaging</i> , 2018, 272, 30-37.	0.9	31
164	Association of peripheral cytokine levels with cerebral structural abnormalities in schizophrenia. <i>Brain Research</i> , 2019, 1724, 146463.	1.1	31
165	Resting-State Brain Network Dysfunctions Associated With Visuomotor Impairments in Autism Spectrum Disorder. <i>Frontiers in Integrative Neuroscience</i> , 2019, 13, 17.	1.0	31
166	Retro-enantio isomer of angiopep-2 assists nanoprobe across the blood-brain barrier for targeted magnetic resonance/fluorescence imaging of glioblastoma. <i>Signal Transduction and Targeted Therapy</i> , 2021, 6, 309.	7.1	31
167	Regional homogeneity abnormalities in patients with tension-type headache: a resting-state fMRI study. <i>Neuroscience Bulletin</i> , 2014, 30, 949-955.	1.5	30
168	Hemispheric lateralization of microstructural white matter abnormalities in children with active benign childhood epilepsy with centrotemporal spikes (BECTS): A preliminary DTI study. <i>Journal of the Neurological Sciences</i> , 2014, 336, 171-179.	0.3	30
169	Aberrant spontaneous neural activity and correlation with evoked-brain potentials in first-episode, treatment-naïve patients with deficit and non-deficit schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2017, 261, 9-19.	0.9	30
170	Altered Resting-State Functional Activity in Medication-Naive Patients With First-Episode Major Depression Disorder vs. Healthy Control: A Quantitative Meta-Analysis. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 89.	1.0	30
171	Altered brain functional network dynamics in obsessive-compulsive disorder. <i>Human Brain Mapping</i> , 2021, 42, 2061-2076.	1.9	30
172	Data-driven clustering differentiates subtypes of major depressive disorder with distinct brain connectivity and symptom features. <i>British Journal of Psychiatry</i> , 2021, 219, 606-613.	1.7	30
173	Using graph convolutional network to characterize individuals with major depressive disorder across multiple imaging sites. <i>EBioMedicine</i> , 2022, 78, 103977.	2.7	30
174	Concurrent brain structural and functional alterations in patients with migraine without aura: an fMRI study. <i>Journal of Headache and Pain</i> , 2020, 21, 141.	2.5	29
175	Temporal variability of regional intrinsic neural activity in drug-naïve patients with obsessive-compulsive disorder. <i>Human Brain Mapping</i> , 2021, 42, 3792-3803.	1.9	29
176	Dendronized hyaluronic acid-docetaxel conjugate as a stimuli-responsive nano-agent for breast cancer therapy. <i>Carbohydrate Polymers</i> , 2021, 267, 118160.	5.1	29
177	Bimetallic MOF-Derived Amorphous Zinc/Cobalt-Iron-Based Hollow Nanowall Arrays via Ion Exchange for Highly Efficient Oxygen Evolution. <i>Small</i> , 2021, 17, e2104125.	5.2	29
178	A Dendritic Polymer-Based Nanosystem Mediates Drug Penetration and Irreversible Endoplasmic Reticulum Stresses in Tumor via Neighboring Effect. <i>Advanced Materials</i> , 2022, 34, e2201200.	11.1	29
179	COVID-19 vicarious traumatization links functional connectome to general distress. <i>NeuroImage</i> , 2022, 255, 119185.	2.1	29
180	The trajectory of disturbed resting-state cerebral function in Parkinson's disease at different Hoehn and Yahr stages. <i>Human Brain Mapping</i> , 2015, 36, 3104-3116.	1.9	28

#	ARTICLE	IF	CITATIONS
181	The construction of MRI brain/head templates for Chinese children from 7 to 16 years of age. <i>Developmental Cognitive Neuroscience</i> , 2015, 15, 94-105.	1.9	28
182	Posttraumatic Stress Disorder: Structural Characterization with 3-T MR Imaging. <i>Radiology</i> , 2016, 280, 537-544.	3.6	28
183	Disrupted grey matter network morphology in pediatric posttraumatic stress disorder. <i>NeuroImage: Clinical</i> , 2018, 18, 943-951.	1.4	28
184	Enzyme/pH-sensitive dendritic polymer-DOX conjugate for cancer treatment. <i>Science China Materials</i> , 2018, 61, 1462-1474.	3.5	28
185	Resting-state fMRI study on drug-naïve patients of essential tremor with and without head tremor. <i>Scientific Reports</i> , 2018, 8, 10580.	1.6	28
186	Anomalous functional connectivity of amygdala subregional networks in major depressive disorder. <i>Depression and Anxiety</i> , 2019, 36, 712-722.	2.0	28
187	Psychoradiologic abnormalities of white matter in patients with bipolar disorder: diffusion tensor imaging studies using tract-based spatial statistics. <i>Journal of Psychiatry and Neuroscience</i> , 2019, 44, 32-44.	1.4	28
188	Multidelay multiparametric arterial spin labeling perfusion MRI and mild cognitive impairment in early stage Parkinson's disease. <i>Human Brain Mapping</i> , 2019, 40, 1317-1327.	1.9	28
189	A multimodal meta-analysis of regional structural and functional brain alterations in type 2 diabetes. <i>Frontiers in Neuroendocrinology</i> , 2021, 62, 100915.	2.5	28
190	Subtyping Schizophrenia Patients Based on Patterns of Structural Brain Alterations. <i>Schizophrenia Bulletin</i> , 2022, 48, 241-250.	2.3	28
191	Neural hyperactivity related to working memory in drug-naïve boys with attention deficit hyperactivity disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 53, 116-122.	2.5	27
192	Microstructural Abnormalities in Children with Post-traumatic Stress Disorder: A Diffusion Tensor Imaging Study at 3.0T. <i>Scientific Reports</i> , 2015, 5, 8933.	1.6	27
193	Cortical thinning in drug-naïve Parkinson's disease patients with depression. <i>Journal of Neurology</i> , 2016, 263, 2114-2119.	1.8	27
194	Patterns of striatal functional connectivity differ in early and late onset Parkinson's disease. <i>Journal of Neurology</i> , 2016, 263, 1993-2003.	1.8	27
195	Prediction of individual clinical scores in patients with Parkinson's disease using resting-state functional magnetic resonance imaging. <i>Journal of the Neurological Sciences</i> , 2016, 366, 27-32.	0.3	27
196	Human torque is not present in chimpanzee brain. <i>NeuroImage</i> , 2018, 165, 285-293.	2.1	27
197	Pre-treatment Resting-State Functional MR Imaging Predicts the Long-Term Clinical Outcome After Short-Term Paroxetine Treatment in Post-traumatic Stress Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 532.	1.3	27
198	Disrupted brain functional networks in drug-naïve children with attention deficit hyperactivity disorder assessed using graph theory analysis. <i>Human Brain Mapping</i> , 2019, 40, 4877-4887.	1.9	27

#	ARTICLE	IF	CITATIONS
199	Different patterns of white matter changes after successful surgery of mesial temporal lobe epilepsy. <i>NeuroImage: Clinical</i> , 2019, 21, 101631.	1.4	27
200	Redox dual-responsive dendrimeric nanoparticles for mutually synergistic chemo-photodynamic therapy to overcome drug resistance. <i>Journal of Controlled Release</i> , 2021, 329, 1210-1221.	4.8	27
201	Prediction of post-earthquake depressive and anxiety symptoms: a longitudinal resting-state fMRI study. <i>Scientific Reports</i> , 2014, 4, 6423.	1.6	26
202	A Neuroanatomical Signature for Schizophrenia Across Different Ethnic Groups. <i>Schizophrenia Bulletin</i> , 2015, 41, 1266-1275.	2.3	26
203	Brain grey matter volume alterations associated with antidepressant response in major depressive disorder. <i>Scientific Reports</i> , 2017, 7, 10464.	1.6	26
204	A biocompatible and cathepsin B sensitive nanoscale system of dendritic polyHPMA-gemcitabine prodrug enhances antitumor activity markedly. <i>Biomaterials Science</i> , 2018, 6, 2976-2986.	2.6	26
205	White matter disruption in obsessive-compulsive disorder revealed by meta-analysis of tract-based spatial statistics. <i>Depression and Anxiety</i> , 2020, 37, 620-631.	2.0	26
206	Altered spontaneous neuronal activity in chronic posttraumatic stress disorder patients before and after a 12-week paroxetine treatment. <i>Journal of Affective Disorders</i> , 2015, 174, 257-264.	2.0	25
207	A dendronized heparin-gadolinium polymer self-assembled into a nanoscale system as a potential magnetic resonance imaging contrast agent. <i>Polymer Chemistry</i> , 2016, 7, 2531-2541.	1.9	25
208	Impaired topographic organization in cognitively unimpaired drug-naïve patients with rigidity-dominant Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2018, 56, 52-57.	1.1	25
209	Neurostructural correlates of optimism: Gray matter density in the putamen predicts dispositional optimism in late adolescence. <i>Human Brain Mapping</i> , 2020, 41, 1459-1471.	1.9	25
210	Brain structural correlates of familial risk for mental illness: a meta-analysis of voxel-based morphometry studies in relatives of patients with psychotic or mood disorders. <i>Neuropsychopharmacology</i> , 2020, 45, 1369-1379.	2.8	25
211	Machine learning for detecting mesial temporal lobe epilepsy by structural and functional neuroimaging. <i>Frontiers of Medicine</i> , 2020, 14, 630-641.	1.5	25
212	Characterization of major depressive disorder using a multiparametric classification approach based on high resolution structural images. <i>Journal of Psychiatry and Neuroscience</i> , 2014, 39, 78-86.	1.4	24
213	Neuroanatomical deficits correlate with executive dysfunction in boys with attention deficit hyperactivity disorder. <i>Neuroscience Letters</i> , 2015, 600, 45-49.	1.0	24
214	Reduced local segregation of single-subject gray matter networks in adult PTSD. <i>Human Brain Mapping</i> , 2018, 39, 4884-4892.	1.9	24
215	Multivariate classification of drug-naïve obsessive-compulsive disorder patients and healthy controls by applying an SVM to resting-state functional MRI data. <i>BMC Psychiatry</i> , 2019, 19, 210.	1.1	24
216	Functional Alterations of White Matter in Chronic Never-Treated and Treated Schizophrenia Patients. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 52, 752-763.	1.9	24

#	ARTICLE	IF	CITATIONS
217	Dissociations in cortical thickness and surface area in non-comorbid never-treated patients with social anxiety disorder. <i>EBioMedicine</i> , 2020, 58, 102910.	2.7	24
218	The participation of basolateral amygdala in the efficacy of acupuncture with deqi treating for functional dyspepsia. <i>Brain Imaging and Behavior</i> , 2021, 15, 216-230.	1.1	24
219	SIRT1720 inhibits the growth of bladder cancer in organoids and murine models through the SIRT1-HIF axis. <i>Oncogene</i> , 2021, 40, 6081-6092.	2.6	24
220	Altered baseline brain activity in experts measured by amplitude of low frequency fluctuations (ALFF): a resting state fMRI study using expertise model of acupuncturists. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 99.	1.0	23
221	Dose-dependent effects of isoflurane on regional activity and neural network function: A resting-state fMRI study of 14 rhesus monkeys. <i>Neuroscience Letters</i> , 2016, 611, 116-122.	1.0	23
222	Intrinsic brain abnormalities in drug-naïve patients with obsessive-compulsive disorder: A resting-state functional MRI study. <i>Journal of Affective Disorders</i> , 2019, 245, 861-868.	2.0	23
223	Clinical Strategies and Technical Challenges in Psychoradiology. <i>Neuroimaging Clinics of North America</i> , 2020, 30, 1-13.	0.5	23
224	Emotional intelligence mediates the association between middle temporal gyrus gray matter volume and social anxiety in late adolescence. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 1857-1869.	2.8	23
225	Disruption of gray matter morphological networks in patients with paroxysmal kinesigenic dyskinesia. <i>Human Brain Mapping</i> , 2021, 42, 398-411.	1.9	23
226	Neuroanatomical abnormalities in first-episode psychosis across independent samples: a multi-centre mega-analysis. <i>Psychological Medicine</i> , 2021, 51, 340-350.	2.7	23
227	Topologically convergent and divergent morphological gray matter networks in early-stage Parkinson's disease with and without mild cognitive impairment. <i>Human Brain Mapping</i> , 2021, 42, 5101-5112.	1.9	23
228	Structural brain abnormalities correlate with clinical features in patients with drug-naïve OCD: A DARTEL-enhanced voxel-based morphometry study. <i>Behavioural Brain Research</i> , 2015, 294, 72-80.	1.2	22
229	A splitting brain: Imbalanced neural networks in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2015, 232, 145-153.	0.9	22
230	Resting-state fMRI reveals potential neural correlates of impaired cognition in Huntington's disease. <i>Parkinsonism and Related Disorders</i> , 2016, 27, 41-46.	1.1	22
231	A Bacteria-Inspired Morphology Genetic Biomedical Material: Self-Propelled Artificial Microbots for Metastatic Triple Negative Breast Cancer Treatment. <i>ACS Nano</i> , 2021, 15, 4845-4860.	7.3	22
232	Abnormalities of intrinsic brain activity in essential tremor: A meta-analysis of resting-state functional imaging. <i>Human Brain Mapping</i> , 2021, 42, 3156-3167.	1.9	22
233	Patterns of a structural covariance network associated with dispositional optimism during late adolescence. <i>NeuroImage</i> , 2022, 251, 119009.	2.1	22
234	Increased interhemispheric resting-state in idiopathic generalized epilepsy with generalized tonic-clonic seizures: A resting-state fMRI study. <i>Epilepsy Research</i> , 2014, 108, 1299-1305.	0.8	21

#	ARTICLE	IF	CITATIONS
235	Increased interhemispheric resting-state functional connectivity in paroxysmal kinesigenic dyskinesia: A resting-state fMRI study. <i>Journal of the Neurological Sciences</i> , 2015, 351, 93-98.	0.3	21
236	Gray matter volume alterations in first-episode drug-naïve patients with deficit and nondeficit schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2015, 234, 219-226.	0.9	21
237	Altered cerebral activity associated with topiramate and its withdrawal in patients with epilepsy with language impairment: An fMRI study using the verb generation task. <i>Epilepsy and Behavior</i> , 2016, 59, 98-104.	0.9	21
238	Brain Structure Linking Delay Discounting and Academic Performance. <i>Human Brain Mapping</i> , 2017, 38, 3917-3926.	1.9	21
239	White matter volume loss in amyotrophic lateral sclerosis: A meta-analysis of voxel-based morphometry studies. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 83, 110-117.	2.5	21
240	Altered Resting-State Functional Activity in Patients With Autism Spectrum Disorder: A Quantitative Meta-Analysis. <i>Frontiers in Neurology</i> , 2018, 9, 556.	1.1	21
241	Iron oxide nanoparticles promote vascular endothelial cells survival from oxidative stress by enhancement of autophagy. <i>International Journal of Energy Production and Management</i> , 2019, 6, 221-229.	1.9	21
242	Altered Functional Connectivity of the Amygdala and Sex Differences in Functional Dyspepsia. <i>Clinical and Translational Gastroenterology</i> , 2019, 10, e00046.	1.3	21
243	Increased functional segregation of brain network associated with symptomatology and sustained attention in chronic post-traumatic stress disorder. <i>Journal of Affective Disorders</i> , 2019, 247, 183-191.	2.0	21
244	Abnormal Hippocampal Subfields May Be Potential Predictors of Worse Early Response to Antidepressant Treatment in Drug-naïve Patients With Major Depressive Disorder. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 49, 1760-1768.	1.9	21
245	Impaired topographic organization in Parkinson's disease with mild cognitive impairment. <i>Journal of the Neurological Sciences</i> , 2020, 414, 116861.	0.3	21
246	Functional gadolinium-based nanoscale systems for cancer theranostics. <i>Journal of Controlled Release</i> , 2021, 329, 482-512.	4.8	21
247	Subtypes of schizophrenia identified by multi-omic measures associated with dysregulated immune function. <i>Molecular Psychiatry</i> , 2021, 26, 6926-6936.	4.1	21
248	Influence of Acupuncture Stimulation on Cerebral Network in Functional Diarrhea. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-9.	0.5	20
249	Magnetic Resonance Imaging for Monitoring of Magnetic Polyelectrolyte Capsule In Vivo Delivery. <i>BioNanoScience</i> , 2014, 4, 59-70.	1.5	20
250	Patterns of striatal and cerebellar functional connectivity in early-stage drug-naïve patients with Parkinson's disease subtypes. <i>Neuroradiology</i> , 2018, 60, 1323-1333.	1.1	20
251	Localized Connectivity in Obsessive-Compulsive Disorder: An Investigation Combining Univariate and Multivariate Pattern Analyses. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 122.	1.0	20
252	Changes in the brain structural connectome after a prospective randomized clinical trial of lithium and quetiapine treatment in youth with bipolar disorder. <i>Neuropsychopharmacology</i> , 2021, 46, 1315-1323.	2.8	20

#	ARTICLE	IF	CITATIONS
253	Assessment of Cortical Dysfunction in Patients with Intermittent Exotropia: An fMRI Study. <i>PLoS ONE</i> , 2016, 11, e0160806.	1.1	20
254	Comparison of the brain development trajectory between Chinese and U.S. children and adolescents. <i>Frontiers in Systems Neuroscience</i> , 2014, 8, 249.	1.2	19
255	Magnetization Transfer Imaging of Treatment-resistant Depression. <i>Radiology</i> , 2017, 284, 521-529.	3.6	19
256	Altered amygdala subregion-related circuits in treatment-naïve post-traumatic stress disorder comorbid with major depressive disorder. <i>European Neuropsychopharmacology</i> , 2019, 29, 1092-1101.	0.3	19
257	Functional connectivity abnormalities underlying mood disturbances in male abstinent methamphetamine abusers. <i>Human Brain Mapping</i> , 2021, 42, 3366-3378.	1.9	19
258	Connectome-Scale Assessments of Functional Connectivity in Children with Primary Monosymptomatic Nocturnal Enuresis. <i>BioMed Research International</i> , 2015, 2015, 1-8.	0.9	18
259	Brain gray matter correlates of extraversion: A systematic review and meta-analysis of voxel-based morphometry studies. <i>Human Brain Mapping</i> , 2019, 40, 4038-4057.	1.9	18
260	The Effects of Antipsychotic Treatment on the Brain of Patients With First-Episode Schizophrenia: A Selective Review of Longitudinal MRI Studies. <i>Frontiers in Psychiatry</i> , 2021, 12, 593703.	1.3	18
261	Characteristics of Intrinsic Brain Functional Connectivity Alterations in Major Depressive Disorder Patients With Suicide Behavior. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 54, 1867-1875.	1.9	18
262	Cerebello-Thalamo-Cortical Hyperconnectivity Classifies Patients and Predicts Long-Term Treatment Outcome in First-Episode Schizophrenia. <i>Schizophrenia Bulletin</i> , 2022, 48, 505-513.	2.3	18
263	Graph Convolutional Networks Reveal Network-Level Functional Dysconnectivity in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2022, 48, 881-892.	2.3	18
264	Diagnostic Prediction for Social Anxiety Disorder via Multivariate Pattern Analysis of the Regional Homogeneity. <i>BioMed Research International</i> , 2015, 2015, 1-9.	0.9	17
265	Patterns of postictal cerebral perfusion in idiopathic generalized epilepsy: a multi-delay multi-parametric arterial spin labelling perfusion MRI study. <i>Scientific Reports</i> , 2016, 6, 28867.	1.6	17
266	Reduced corticostriatal functional connectivity in temporomandibular disorders. <i>Human Brain Mapping</i> , 2018, 39, 2563-2572.	1.9	17
267	Standard CD44 modulates YAP1 through a positive feedback loop in hepatocellular carcinoma. <i>Biomedicine and Pharmacotherapy</i> , 2018, 103, 147-156.	2.5	17
268	The neurobiology of brain recovery from traumatic stress: A longitudinal DTI study. <i>Journal of Affective Disorders</i> , 2018, 225, 577-584.	2.0	17
269	Age Related Changes in Topological Properties of Brain Functional Network and Structural Connectivity. <i>Frontiers in Neuroscience</i> , 2018, 12, 318.	1.4	17
270	Impact of iterative model reconstruction combined with dose reduction on the image quality of head and neck CTA in children. <i>Scientific Reports</i> , 2018, 8, 12613.	1.6	17

#	ARTICLE	IF	CITATIONS
271	Large-scale white matter network reorganization in posttraumatic stress disorder. <i>Human Brain Mapping</i> , 2019, 40, 4801-4812.	1.9	17
272	Anatomic alterations across amygdala subnuclei in medication-free patients with obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2020, 45, 334-343.	1.4	17
273	Neural primacy of the dorsolateral prefrontal cortex in patients with obsessive-compulsive disorder. <i>NeuroImage: Clinical</i> , 2020, 28, 102432.	1.4	17
274	Automated machine learning to predict the co-occurrence of isocitrate dehydrogenase mutations and methylguanine-DNA methyltransferase promoter methylation in patients with gliomas. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 54, 197-205.	1.9	17
275	Alterations in hippocampal subfield and amygdala subregion volumes in posttraumatic subjects with and without posttraumatic stress disorder. <i>Human Brain Mapping</i> , 2021, 42, 2147-2158.	1.9	17
276	An Amphiphilic PEGylated Peptide Dendron-Cisplatin Prodrug-Based Nanoagent for Cancer Therapy. <i>Macromolecular Rapid Communications</i> , 2021, 42, e2100111.	2.0	17
277	Altered single-subject gray matter structural networks in drug-naïve attention deficit hyperactivity disorder children. <i>Human Brain Mapping</i> , 2022, 43, 1256-1264.	1.9	17
278	A multimodal MRI dataset of professional chess players. <i>Scientific Data</i> , 2015, 2, 150044.	2.4	16
279	Sex differences in intrinsic brain functional connectivity underlying human shyness. <i>Social Cognitive and Affective Neuroscience</i> , 2015, 10, 1634-1643.	1.5	16
280	Cerebellar Neural Circuits Involving Executive Control Network Predict Response to Group Cognitive Behavior Therapy in Social Anxiety Disorder. <i>Cerebellum</i> , 2017, 16, 673-682.	1.4	16
281	Chemotherapy-induced grey matter abnormalities in cancer survivors: a voxel-wise neuroimaging meta-analysis. <i>Brain Imaging and Behavior</i> , 2021, 15, 2215-2227.	1.1	16
282	Anatomic abnormalities of hippocampal subfields in never-treated and antipsychotic-treated patients with long-term schizophrenia. <i>European Neuropsychopharmacology</i> , 2020, 35, 39-48.	0.3	16
283	Disrupted morphological grey matter networks in early-stage Parkinson's disease. <i>Brain Structure and Function</i> , 2021, 226, 1389-1403.	1.2	16
284	Synergistic Disruption of Metabolic Homeostasis through Hyperbranched Poly(ethylene glycol) Conjugates as Nanotherapeutics to Constrain Cancer Growth. <i>Advanced Materials</i> , 2022, 34, e2109036.	11.1	16
285	Amphiphilic dextran/magnetite nanocomposites as magnetic resonance imaging probes. <i>Science Bulletin</i> , 2009, 54, 2925-2933.	1.7	15
286	Abnormalities of hippocampal shape and subfield volumes in medication-free patients with obsessive-compulsive disorder. <i>Human Brain Mapping</i> , 2019, 40, 4105-4113.	1.9	15
287	Individualized Prediction of PTSD Symptom Severity in Trauma Survivors From Whole-Brain Resting-State Functional Connectivity. <i>Frontiers in Behavioral Neuroscience</i> , 2020, 14, 563152.	1.0	15
288	Aberrant Gray Matter Networks in Non-comorbid Medication-Naive Patients With Major Depressive Disorder and Those With Social Anxiety Disorder. <i>Frontiers in Human Neuroscience</i> , 2020, 14, 172.	1.0	15

#	ARTICLE	IF	CITATIONS
289	Comparison of Gray Matter Atrophy in Behavioral Variant Frontal Temporal Dementia and Amyotrophic Lateral Sclerosis: A Coordinate-Based Meta-Analysis. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 14.	1.7	15
290	White Matter Abnormalities in Patients With Parkinson's Disease: A Meta-Analysis of Diffusion Tensor Imaging Using Tract-Based Spatial Statistics. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 610962.	1.7	15
291	Psychoradiological abnormalities in treatment-naïve noncomorbid patients with posttraumatic stress disorder. <i>Depression and Anxiety</i> , 2022, 39, 83-91.	2.0	15
292	Near-infrared fluorescent amphiphilic polycation wrapped magnetite nanoparticles as multimodality probes. <i>Science Bulletin</i> , 2012, 57, 4012-4018.	1.7	14
293	Quantitative MR spectroscopy reveals metabolic changes in the dorsolateral prefrontal cortex of patients with temporal lobe epilepsy. <i>European Radiology</i> , 2018, 28, 4496-4503.	2.3	14
294	Verbal responses, depressive symptoms, reminiscence functions and cognitive emotion regulation in older women receiving individual reminiscence therapy. <i>Journal of Clinical Nursing</i> , 2018, 27, 2609-2619.	1.4	14
295	Endocytosis of Nanoscale Systems for Cancer Treatments. <i>Current Medicinal Chemistry</i> , 2018, 25, 3017-3035.	1.2	14
296	Psychoradiological investigations of gray matter alterations in patients with anorexia nervosa. <i>Translational Psychiatry</i> , 2018, 8, 277.	2.4	14
297	Resting-state network connectivity in cognitively unimpaired drug-naïve patients with rigidity-dominant Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 2018, 395, 147-152.	0.3	14
298	BATF2 prevents glioblastoma multiforme progression by inhibiting recruitment of myeloid-derived suppressor cells. <i>Oncogene</i> , 2021, 40, 1516-1530.	2.6	14
299	White Matter-Based Structural Brain Network of Major Depression. <i>Advances in Experimental Medicine and Biology</i> , 2021, 1305, 35-55.	0.8	14
300	Acute Neurofunctional Effects of Escitalopram in Pediatric Anxiety: A Double-Blind, Placebo-Controlled Trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2021, 60, 1309-1318.	0.3	14
301	Diffusion Tensor Imaging Studies on Chinese Patients with Social Anxiety Disorder. <i>BioMed Research International</i> , 2014, 2014, 1-8.	0.9	13
302	Delay discounting is associated with the fractional amplitude of low-frequency fluctuations and resting-state functional connectivity in late adolescence. <i>Scientific Reports</i> , 2017, 7, 10276.	1.6	13
303	Brain gray and white matter abnormalities in preterm-born adolescents: A meta-analysis of voxel-based morphometry studies. <i>PLoS ONE</i> , 2018, 13, e0203498.	1.1	13
304	The central mechanism of acupuncture treatment with a long-lasting effect for functional dyspepsia: study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 373.	0.7	13
305	Brain structure links trait conscientiousness to academic performance. <i>Scientific Reports</i> , 2019, 9, 12168.	1.6	13
306	Functional brain networks in never-treated and treated long-term ill schizophrenia patients. <i>Neuropsychopharmacology</i> , 2019, 44, 1940-1947.	2.8	13

#	ARTICLE	IF	CITATIONS
307	Altered brain network integrity in patients with asthma: A structural connectomic diffusion tensor imaging study. <i>Respiratory Physiology and Neurobiology</i> , 2019, 266, 89-94.	0.7	13
308	Disrupted brain functional networks in patients with end-stage renal disease undergoing hemodialysis. <i>Journal of Neuroscience Research</i> , 2020, 98, 2566-2578.	1.3	13
309	Decoupling of Gray and White Matter Functional Networks in Medication-naïve Patients With Major Depressive Disorder. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 53, 742-752.	1.9	13
310	Aberrant basal ganglia-thalamo-cortical network topology in juvenile absence epilepsy: A resting-state EEG-fMRI study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021, 84, 78-83.	0.9	13
311	Microstructural white matter abnormalities in pediatric and adult obsessive-compulsive disorder: A systematic review and meta-analysis. <i>Brain and Behavior</i> , 2021, 11, e01975.	1.0	13
312	Disrupted brain gray matter networks in drug-naïve participants with essential tremor. <i>Neuroradiology</i> , 2021, 63, 1501-1510.	1.1	13
313	Study of Sex Differences in Unmedicated Patients With Major Depressive Disorder by Using Resting State Brain Functional Magnetic Resonance Imaging. <i>Frontiers in Neuroscience</i> , 2022, 16, 814410.	1.4	13
314	Brain Gray Matter Abnormalities in First-Episode, Treatment-Naive Children with Obsessive-Compulsive Disorder. <i>Frontiers in Behavioral Neuroscience</i> , 2016, 10, 141.	1.0	12
315	Dissociable early attentional control mechanisms underlying cognitive and affective conflicts. <i>Scientific Reports</i> , 2016, 6, 37633.	1.6	12
316	Examining gray matter structure associated with academic performance in a large sample of Chinese high school students. <i>Scientific Reports</i> , 2017, 7, 893.	1.6	12
317	Altered intrinsic brain functional connectivity in drug-naïve Parkinson's disease patients with LRRK2 mutations. <i>Neuroscience Letters</i> , 2018, 675, 145-151.	1.0	12
318	Abnormal metabolite concentrations and amygdala volume in patients with recent-onset posttraumatic stress disorder. <i>Journal of Affective Disorders</i> , 2018, 241, 539-545.	2.0	12
319	Characterization of cortical and subcortical abnormalities in drug-naive boys with attention-deficit/hyperactivity disorder. <i>Journal of Affective Disorders</i> , 2019, 250, 397-403.	2.0	12
320	Altered topological organization of functional brain networks in drug-naive patients with paroxysmal kinesigenic dyskinesia. <i>Journal of the Neurological Sciences</i> , 2020, 411, 116702.	0.3	12
321	Metabolic syndrome in native populations living at high altitude: a cross-sectional survey in Derong, China. <i>BMJ Open</i> , 2020, 10, e032840.	0.8	12
322	The effect of jet lag on the human brain: A neuroimaging study. <i>Human Brain Mapping</i> , 2020, 41, 2281-2291.	1.9	12
323	Cerebral regional and network characteristics in asthma patients: a resting-state fMRI study. <i>Frontiers of Medicine</i> , 2020, 14, 792-801.	1.5	12
324	Altered Cortical Reorganization and Brain Functional Connectivity in Phantom Limb Pain: A Functional MRI Study. <i>Pain Practice</i> , 2021, 21, 394-403.	0.9	12

#	ARTICLE	IF	CITATIONS
325	A tumor-activatable peptide supramolecular nanoplatform for the delivery of dual-gene targeted siRNAs for drug-resistant cancer treatment. <i>Nanoscale</i> , 2021, 13, 4887-4898.	2.8	12
326	Facile fabrication of multi-pocket nanoparticles with stepwise size transition for promoting deep penetration and tumor targeting. <i>Journal of Nanobiotechnology</i> , 2021, 19, 111.	4.2	12
327	Network-level functional topological changes after mindfulness-based cognitive therapy in mood dysregulated adolescents at familial risk for bipolar disorder: a pilot study. <i>BMC Psychiatry</i> , 2021, 21, 213.	1.1	12
328	Gray matter abnormalities in Tourette Syndrome: a meta-analysis of voxel-based morphometry studies. <i>Translational Psychiatry</i> , 2021, 11, 287.	2.4	12
329	Structural and Functional Abnormalities in Knee Osteoarthritis Pain Revealed With Multimodal Magnetic Resonance Imaging. <i>Frontiers in Human Neuroscience</i> , 2021, 15, 783355.	1.0	12
330	Cortical thickness abnormalities in patients with bipolar disorder: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2022, 300, 209-218.	2.0	12
331	Novel Bioluminescent Activatable Reporter for Src Tyrosine Kinase Activity in Living Mice. <i>Theranostics</i> , 2016, 6, 594-609.	4.6	11
332	A resting-state fMRI study on early-stage drug-naïve Parkinson's disease patients with drooling. <i>Neuroscience Letters</i> , 2016, 634, 119-125.	1.0	11
333	Strategies to reduce the intracellular effects of iron oxide nanoparticle degradation. <i>Nanomedicine</i> , 2017, 12, 555-570.	1.7	11
334	Disrupted Functional Network Topology in Children and Adolescents With Post-traumatic Stress Disorder. <i>Frontiers in Neuroscience</i> , 2018, 12, 709.	1.4	11
335	Characteristic alteration of subcortical nuclei shape in medication-free patients with obsessive-compulsive disorder. <i>NeuroImage: Clinical</i> , 2019, 24, 102040.	1.4	11
336	Dysconnectivity of the medio-dorsal thalamic nucleus in drug-naïve first episode schizophrenia: diagnosis-specific or trans-diagnostic effect?. <i>Translational Psychiatry</i> , 2019, 9, 9.	2.4	11
337	Sex-linked neurofunctional basis of psychological resilience in late adolescence: a resting-state functional magnetic resonance imaging study. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 1075-1087.	2.8	11
338	Patterns of brain regional functional coherence in cognitive impaired ALS. <i>International Journal of Neuroscience</i> , 2020, 130, 751-758.	0.8	11
339	Characteristics of White Matter Structural Networks in Chronic Schizophrenia Treated With Clozapine or Risperidone and Those Never Treated. <i>International Journal of Neuropsychopharmacology</i> , 2020, 23, 799-810.	1.0	11
340	Brain structural connectome in relation to <i>PRRT2</i> mutations in paroxysmal kinesigenic dyskinesia. <i>Human Brain Mapping</i> , 2020, 41, 3855-3866.	1.9	11
341	Primary disruption of the default mode network subsystems in drug-naïve Parkinson's disease with mild cognitive impairments. <i>Neuroradiology</i> , 2020, 62, 685-692.	1.1	11
342	Altered white matter microarchitecture in Parkinson's disease: a voxel-based meta-analysis of diffusion tensor imaging studies. <i>Frontiers of Medicine</i> , 2021, 15, 125-138.	1.5	11

#	ARTICLE	IF	CITATIONS
343	Psychoradiology: a new era for neuropsychiatric imaging. <i>Psychoradiology</i> , 2021, 1, 1-2.	1.0	11
344	Brain functional connectivity patterns in focal cortical dysplasia related epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2021, 87, 1-6.	0.9	11
345	Different resting-state network disruptions in newly diagnosed drug-naïve Parkinson's disease patients with mild cognitive impairment. <i>BMC Neurology</i> , 2021, 21, 327.	0.8	11
346	Detecting brain lesions in suspected acute ischemic stroke with CT-based synthetic MRI using generative adversarial networks. <i>Annals of Translational Medicine</i> , 2022, 10, 35-35.	0.7	11
347	Integration of PEG-conjugated gadolinium complex and superparamagnetic iron oxide nanoparticles as dual-mode magnetic resonance imaging probes. <i>International Journal of Energy Production and Management</i> , 2021, 8, rbab064.	1.9	11
348	Cortical thickness abnormalities in patients with post-traumatic stress disorder: A vertex-based meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2022, 134, 104519.	2.9	11
349	Altered intrinsic brain activity associated with outcome in frontal lobe epilepsy. <i>Scientific Reports</i> , 2019, 9, 8989.	1.6	10
350	Altered cortical morphology of visual cortex in adults with monocular amblyopia. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 1405-1412.	1.9	10
351	Exploring memory function in earthquake trauma survivors with resting-state fMRI and machine learning. <i>BMC Psychiatry</i> , 2020, 20, 43.	1.1	10
352	Enhanced dynamic functional connectivity (whole-brain chronnectome) in chess experts. <i>Scientific Reports</i> , 2020, 10, 7051.	1.6	10
353	The Medial Thalamus Plays an Important Role in the Cognitive and Emotional Modulation of Orofacial Pain: A Functional Magnetic Resonance Imaging-Based Study. <i>Frontiers in Neurology</i> , 2020, 11, 589125.	1.1	10
354	Tetraphenylethylene-conjugated polycation covered iron oxide nanoparticles for magnetic resonance/optical dual-mode imaging. <i>International Journal of Energy Production and Management</i> , 2021, 8, rbab023.	1.9	10
355	Disrupted functional brain network topology in Parkinson's disease patients with freezing of gait. <i>Neuroscience Letters</i> , 2021, 759, 135970.	1.0	10
356	Alteration of single-subject gray matter networks in major depressed patients with suicidality. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 54, 215-224.	1.9	10
357	Cerebral fractional amplitude of low-frequency fluctuations may predict headache intensity improvement following acupuncture treatment in migraine patients. <i>Journal of Traditional Chinese Medicine</i> , 2020, 40, 1041-1051.	0.1	10
358	Effect of experimental orthodontic pain on gray and white matter functional connectivity. <i>CNS Neuroscience and Therapeutics</i> , 2021, 27, 439-448.	1.9	10
359	Advances in magnetic resonance imaging contrast agents for glioblastoma-targeting theranostics. <i>International Journal of Energy Production and Management</i> , 2021, 8, rbab062.	1.9	10
360	Sex-specific alterations of cortical morphometry in treatment-naïve patients with major depressive disorder. <i>Neuropsychopharmacology</i> , 2022, 47, 2002-2009.	2.8	10

#	ARTICLE	IF	CITATIONS
361	Dual stimuli-responsive dendronized prodrug derived from poly(oligo-(ethylene glycol)) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 74 143, 320-332.	4.1	10
362	Cerebral Activity Changes in Different Traditional Chinese Medicine Patterns of Psychogenic Erectile Dysfunction Patients. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-9.	0.5	9
363	Neural network correlates of high-altitude adaptive genetic variants in Tibetans: A pilot, exploratory study. Human Brain Mapping, 2020, 41, 2406-2430.	1.9	9
364	Dynamic gray matter and intrinsic activity changes after epilepsy surgery. Acta Neurologica Scandinavica, 2021, 143, 261-270.	1.0	9
365	Hippocampal subfield alterations in pediatric patients with post-traumatic stress disorder. Social Cognitive and Affective Neuroscience, 2021, 16, 334-344.	1.5	9
366	Left superior temporal sulcus morphometry mediates the impact of anxiety and depressive symptoms on sleep quality in healthy adults. Social Cognitive and Affective Neuroscience, 2021, 16, 492-501.	1.5	9
367	Using deep learning to classify pediatric posttraumatic stress disorder at the individual level. BMC Psychiatry, 2021, 21, 535.	1.1	9
368	PEGylated amphiphilic polymeric manganese(ⁱⁱ) complexes as magnetic resonance angiographic agents. Journal of Materials Chemistry B, 2022, 10, 2204-2214.	2.9	9
369	In-context language control with production tasks in bilinguals: An fMRI study. Brain Research, 2014, 1585, 131-140.	1.1	8
370	Region-specific connectivity in patients with periventricular nodular heterotopia and epilepsy: A study combining diffusion tensor imaging and functional MRI. Epilepsy Research, 2017, 136, 137-142.	0.8	8
371	Altered language network in benign childhood epilepsy patients with spikes from non-dominant side: A resting-state fMRI study. Epilepsy Research, 2017, 136, 109-114.	0.8	8
372	Increased right amygdala metabolite concentrations in the absence of atrophy in children and adolescents with PTSD. European Child and Adolescent Psychiatry, 2019, 28, 807-817.	2.8	8
373	Altered spontaneous activity and effective connectivity of the anterior cingulate cortex in obsessive-compulsive disorder. Journal of Comparative Neurology, 2021, 529, 296-310.	0.9	8
374	Abnormal blood oxygen level-dependent fluctuations and remote connectivity in sleep-related hypermotor epilepsy. Acta Neurologica Scandinavica, 2021, 143, 514-520.	1.0	8
375	Altered functional synchrony between gray and white matter as a novel indicator of brain system dysconnectivity in schizophrenia. Psychological Medicine, 2022, 52, 2540-2548.	2.7	8
376	Translational application of neuroimaging in major depressive disorder: a review of psychoradiological studies. Frontiers of Medicine, 2021, 15, 528-540.	1.5	8
377	Regional gray matter volume associated with exercise dependence: A voxel-based morphometry study. Human Brain Mapping, 2021, 42, 4857-4868.	1.9	8
378	Disruption of the white matter structural network and its correlation with baseline progression rate in patients with sporadic amyotrophic lateral sclerosis. Translational Neurodegeneration, 2021, 10, 35.	3.6	8

#	ARTICLE	IF	CITATIONS
379	Brain network topology and future development of freezing of gait in Parkinson's disease: a longitudinal study. <i>Journal of Neurology</i> , 2022, 269, 2503-2512.	1.8	8
380	Response to Sarpal et al.: Importance of Neuroimaging Biomarkers for Treatment Development and Clinical Practice. <i>American Journal of Psychiatry</i> , 2016, 173, 733-734.	4.0	7
381	Short-term cerebral activity alterations after surgery in patients with unilateral mesial temporal lobe epilepsy associated with hippocampal sclerosis: A longitudinal resting-state fMRI study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2017, 46, 43-49.	0.9	7
382	The resting-state functional connectivity of amygdala subregions associated with post-traumatic stress symptom and sleep quality in trauma survivors. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1053-1064.	1.8	7
383	Neural functional connectivity in patients with periventricular nodular heterotopia-mediated epilepsy. <i>Epilepsy Research</i> , 2021, 170, 106548.	0.8	7
384	Illness Severity Moderated Association Between Trait Anxiety and Amygdala-Based Functional Connectivity in Generalized Anxiety Disorder. <i>Frontiers in Behavioral Neuroscience</i> , 2021, 15, 637426.	1.0	7
385	Sub-50 nm Supramolecular Nanohybrids with Active Targeting Corona for Image-Guided Solid Tumor Treatment and Metastasis Inhibition. <i>Advanced Functional Materials</i> , 2021, 31, 2103272.	7.8	7
386	Aberrant White Matter Microstructure in Depressed Patients with Suicidality. <i>Journal of Magnetic Resonance Imaging</i> , 2022, 55, 1141-1150.	1.9	7
387	The MEK inhibitors enhance the efficacy of sorafenib against hepatocellular carcinoma cells through reducing p-ERK rebound. <i>Translational Cancer Research</i> , 2019, 8, 1224-1232.	0.4	7
388	Distinct alterations of amygdala subregional functional connectivity in early- and late-onset obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , 2022, 298, 421-430.	2.0	7
389	A subtype of institutionalized patients with schizophrenia characterized by pronounced subcortical and cognitive deficits. <i>Neuropsychopharmacology</i> , 2022, , .	2.8	7
390	Integrity of the corpus callosum in patients with periventricular nodular heterotopia related epilepsy by FLNA mutation. <i>NeuroImage: Clinical</i> , 2018, 17, 109-114.	1.4	6
391	Dissociation of fractional anisotropy and resting-state functional connectivity alterations in antipsychotic-naïve first-episode schizophrenia. <i>Schizophrenia Research</i> , 2019, 204, 230-237.	1.1	6
392	The Role of Old Photos in Reminiscence Therapy in Elderly Women With Depressive Symptoms: A Functional Magnetic Resonance Imaging Study. <i>Biological Research for Nursing</i> , 2020, 22, 234-246.	1.0	6
393	White Matter Abnormalities in Anorexia Nervosa: Psychoradiologic Evidence From Meta-Analysis of Diffusion Tensor Imaging Studies Using Tract Based Spatial Statistics. <i>Frontiers in Neuroscience</i> , 2020, 14, 159.	1.4	6
394	Structural and functional reorganization of contralateral hippocampus after temporal lobe epilepsy surgery. <i>NeuroImage: Clinical</i> , 2021, 31, 102714.	1.4	6
395	Metabolic alterations of the dorsolateral prefrontal cortex in sleep-related hypermotor epilepsy: A proton magnetic resonance spectroscopy study. <i>Journal of Neuroscience Research</i> , 2021, 99, 2657-2668.	1.3	6
396	Psychiatric disorders in China: strengths and challenges of contemporary research and clinical services. <i>Psychological Medicine</i> , 2021, 51, 1978-1991.	2.7	6

#	ARTICLE	IF	CITATIONS
397	Regional and remote connectivity patterns in focal extratemporal lobe epilepsy. <i>Annals of Translational Medicine</i> , 2021, 9, 1128-1128.	0.7	6
398	Bacterium-mimicking sequentially targeted therapeutic nanocomplexes based on O-carboxymethyl chitosan and their cooperative therapy by dual-modality light manipulation. <i>Carbohydrate Polymers</i> , 2021, 264, 118030.	5.1	6
399	Combining Deep Learning and Graph-Theoretic Brain Features to Detect Posttraumatic Stress Disorder at the Individual Level. <i>Diagnostics</i> , 2021, 11, 1416.	1.3	6
400	Disrupted functional connectivity in white matter resting-state networks in unilateral temporal lobe epilepsy. <i>Brain Imaging and Behavior</i> , 2021, , 1.	1.1	6
401	Emotion-Related Network Reorganization Following Fish Oil Supplementation in Depressed Bipolar Offspring: An fMRI Graph-Based Connectome Analysis. <i>Journal of Affective Disorders</i> , 2021, 292, 319-327.	2.0	6
402	Acute neurofunctional effects of escitalopram during emotional processing in pediatric anxiety: a double-blind, placebo-controlled trial. <i>Neuropsychopharmacology</i> , 2022, 47, 1081-1087.	2.8	6
403	Magnetic Resonance Fingerprinting for Preoperative Meningioma Consistency Prediction. <i>Academic Radiology</i> , 2022, 29, e157-e165.	1.3	6
404	Distinct hippocampal subfield atrophy in Parkinson's disease regarding motor subtypes. <i>Parkinsonism and Related Disorders</i> , 2021, 93, 66-70.	1.1	6
405	Pretreatment Alterations and Acute Medication Treatment Effects on Brain Task-Related Functional Connectivity in Youth With Bipolar Disorder: A Neuroimaging Randomized Clinical Trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2022, 61, 1023-1033.	0.3	6
406	Evaluation of net causal influences in the circuit responding to premotor control during the movement-readiness state using conditional Granger causality. <i>Brain Research</i> , 2015, 1595, 110-119.	1.1	5
407	Resting-state functional connectivity alterations in periventricular nodular heterotopia related epilepsy. <i>Scientific Reports</i> , 2019, 9, 18473.	1.6	5
408	Pretreatment abnormalities in white matter integrity predict one-year clinical outcome in first episode schizophrenia. <i>Schizophrenia Research</i> , 2021, 228, 241-248.	1.1	5
409	Divergent Anatomical Correlates and Functional Network Connectivity Patterns in Temporal Lobe Epilepsy with and Without Depression. <i>Brain Topography</i> , 2021, 34, 525-536.	0.8	5
410	Morphological alterations of the corpus callosum in antipsychotic-naïve first-episode schizophrenia before and 1-year after treatment. <i>Schizophrenia Research</i> , 2021, 231, 115-121.	1.1	5
411	Altered spontaneous brain activity in patients with strabismic amblyopia: A resting-state fMRI study using regional homogeneity analysis. <i>Experimental and Therapeutic Medicine</i> , 2019, 18, 3877-3884.	0.8	5
412	Characteristics of the corpus callosum in chronic schizophrenia treated with clozapine or risperidone and those never-treated. <i>BMC Psychiatry</i> , 2021, 21, 538.	1.1	5
413	Abnormalities of Cerebral White Matter Microstructure in Children With New-Onset, Untreated Idiopathic-Generalized Epilepsy. <i>Frontiers in Neurology</i> , 2021, 12, 744723.	1.1	5
414	Characterizing multiscale modular structures in medication-free obsessive-compulsive disorder patients with no comorbidity. <i>Human Brain Mapping</i> , 2022, 43, 2391-2399.	1.9	5

#	ARTICLE	IF	CITATIONS
415	Anticancer nanomedicines harnessing tumor microenvironmental components. <i>Expert Opinion on Drug Delivery</i> , 2022, 19, 337-354.	2.4	5
416	Abnormal effective connectivity in visual cortices underlies stereopsis defects in amblyopia. <i>NeuroImage: Clinical</i> , 2022, 34, 103005.	1.4	5
417	Multimodal MR imaging signatures to identify brain diffuse midline gliomas with H3 K27M mutation. <i>Cancer Medicine</i> , 2022, 11, 1048-1058.	1.3	5
418	Grey matter connectome abnormalities and age-related effects in antipsychotic-naïve schizophrenia. <i>EBioMedicine</i> , 2021, 74, 103749.	2.7	5
419	Cortical remodeling before and after successful temporal lobe epilepsy surgery. <i>Acta Neurologica Scandinavica</i> , 2022, 146, 144-151.	1.0	5
420	Amelanotic Meningeal Melanoma with Leptomeningeal Dissemination: A Case Report and Systematic Literature Review. <i>World Neurosurgery</i> , 2019, 122, 229-239.	0.7	4
421	Long-term tract-specific white matter microstructural changes after acute stress. <i>Brain Imaging and Behavior</i> , 2021, 15, 1868-1875.	1.1	4
422	Altered cortical morphology in major depression disorder patients with suicidality. <i>Psychoradiology</i> , 2021, 1, 13-22.	1.0	4
423	The DRD2 Taq1A polymorphism moderates the effect of PTSD symptom severity on the left hippocampal CA3 volume: a pilot study. <i>Psychopharmacology</i> , 2022, 239, 3431-3438.	1.5	4
424	Subcortical cortical functional connectivity as a potential biomarker for identifying patients with functional dyspepsia. <i>Cerebral Cortex</i> , 2022, 32, 3347-3358.	1.6	4
425	A preliminary study of the effects of mindfulness-based cognitive therapy on structural brain networks in mood-dysregulated youth with a familial risk for bipolar disorder. <i>Microbial Biotechnology</i> , 2022, 16, 1011-1019.	0.9	4
426	Advancing diagnostic performance and clinical applicability of deep learning-driven generative adversarial networks for Alzheimer's disease. <i>Psychoradiology</i> , 2021, 1, 225-248.	1.0	4
427	Individualized Functional Connectome Identified Replicable Biomarkers for Dysphoric Symptoms in First-Episode Medication-Naïve Patients With Major Depressive Disorder. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2023, 8, 42-51.	1.1	4
428	Pretreatment topological disruptions of whole-brain networks exist in childhood absence epilepsy: A resting-state EEG-fMRI study. <i>Epilepsy Research</i> , 2022, 182, 106909.	0.8	4
429	Cortical thickness abnormalities in patients with first episode psychosis: a meta-analysis of psychoradiologic studies and replication in an independent sample. <i>Psychoradiology</i> , 2021, 1, 185-198.	1.0	4
430	Diagnostic Performance of Generative Adversarial Network-Based Deep Learning Methods for Alzheimer's Disease: A Systematic Review and Meta-Analysis. <i>Frontiers in Aging Neuroscience</i> , 2022, 14, 841696.	1.7	4
431	Neural Responses of Acupuncture for Treating Functional Dyspepsia: An fMRI Study. <i>Frontiers in Neuroscience</i> , 2022, 16, 819310.	1.4	4
432	Parkinson's disease-related modulation of functional connectivity associated with the striatum in the resting state in a nonhuman primate model. <i>Brain Research</i> , 2014, 1555, 10-19.	1.1	3

#	ARTICLE	IF	CITATIONS
433	Greater Dynamic and Lower Static Functional Brain Connectivity Prospectively Predict Placebo Response in Pediatric Generalized Anxiety Disorder. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2020, 30, 606-616.	0.7	3
434	An advanced micelle-based biodegradable HPMA polymer-gadolinium contrast agent for MR imaging of murine vasculatures and tumors. <i>Polymer Chemistry</i> , 2020, 11, 6374-6386.	1.9	3
435	Altered Gray Matter Volume in Patients With Type 1 Diabetes Mellitus. <i>Frontiers in Endocrinology</i> , 2020, 11, 45.	1.5	3
436	Magnetic resonance fingerprinting for preoperative differentiation between gonadotroph and non-gonadotroph pituitary macroadenomas. <i>European Radiology</i> , 2021, 31, 8420-8428.	2.3	3
437	Amphiphilic branched polymer-nitroxides conjugate as a nanoscale agent for potential magnetic resonance imaging of multiple objects in vivo. <i>Journal of Nanobiotechnology</i> , 2021, 19, 205.	4.2	3
438	A nitroxides-based macromolecular MRI contrast agent with an extraordinary longitudinal relaxivity for tumor imaging via clinical T1WI SE sequence. <i>Journal of Nanobiotechnology</i> , 2021, 19, 244.	4.2	3
439	Functional connectivity of the thalamocortical circuit in patients with seizure relapse after antiseizure medication withdrawal. <i>Epilepsia</i> , 2021, 62, 2463-2473.	2.6	3
440	Microstructural Abnormalities of White Matter Across Tourette Syndrome: A Voxel-Based Meta-Analysis of Fractional Anisotropy. <i>Frontiers in Neurology</i> , 2021, 12, 659250.	1.1	3
441	Terpyridine Zn(II) Complexes with Azide Units for Visualization of Histone Deacetylation in Living Cells under STED Nanoscopy. <i>ACS Sensors</i> , 2021, 6, 3978-3984.	4.0	3
442	The Deficits of Individual Morphological Covariance Network Architecture in Schizophrenia Patients With and Without Violence. <i>Frontiers in Psychiatry</i> , 2021, 12, 777447.	1.3	3
443	Nucleolar RNA in action: Ultrastructure revealed during protein translation through a terpyridyl manganese(II) complex. <i>Biosensors and Bioelectronics</i> , 2022, 203, 114058.	5.3	3
444	Brain morphometric features predict medication response in youth with bipolar disorder: a prospective randomized clinical trial. <i>Psychological Medicine</i> , 2023, 53, 4083-4093.	2.7	3
445	Distinct neuroanatomic subtypes in antipsychotic-treated patients with schizophrenia classified by the predefined classification in a never-treated sample. <i>Psychoradiology</i> , 2021, 1, 212-224.	1.0	3
446	MRI-based radiomics to compare the survival benefit of induction chemotherapy plus concurrent chemoradiotherapy versus concurrent chemoradiotherapy plus adjuvant chemotherapy in locoregionally advanced nasopharyngeal carcinoma: A multicenter study. <i>Radiotherapy and Oncology</i> , 2022, 171, 107-113.	0.3	3
447	A motion simulation and biomechanical analysis of the shoulder joint using a whole human model. , 2011, , .		2
448	CT and MRI Features of a Solid Hemangioblastoma of Cerebellar Vermis in a Child: A Case Report. <i>Journal of Pediatric Neuroradiology</i> , 2015, 04, 019-024.	0.1	2
449	Reading deficits correlate with cortical and subcortical volume changes in a genetic migration disorder. <i>Medicine (United States)</i> , 2019, 98, e17070.	0.4	2
450	Effect of jet lag on brain white matter functional connectivity. <i>Psychoradiology</i> , 2021, 1, 55-65.	1.0	2

#	ARTICLE	IF	CITATIONS
451	Brain function and network features in patients with chronic epilepsy before and after antiseizure medication withdrawal. <i>Epilepsy Research</i> , 2021, 176, 106740.	0.8	2
452	Cerebral Structural Abnormalities and Their Associations With Peripheral Cytokine Levels in a Group of Untreated Patients With Nasopharyngeal Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 740033.	1.3	2
453	A Multimodal Fusion Analysis of Pretreatment Anatomical and Functional Cortical Abnormalities in Responsive and Non-responsive Schizophrenia. <i>Frontiers in Psychiatry</i> , 2021, 12, 737179.	1.3	2
454	Age-associated network controllability changes in first episode drug-naïve schizophrenia. <i>BMC Psychiatry</i> , 2022, 22, 26.	1.1	2
455	Disrupted Brain Functional Network Topology in Essential Tremor Patients With Poor Sleep Quality. <i>Frontiers in Neuroscience</i> , 2022, 16, 814745.	1.4	2
456	Application of graph theory across multiple frequency bands in drug-naïve obsessive-compulsive disorder with no comorbidity. <i>Journal of Psychiatric Research</i> , 2022, 150, 272-278.	1.5	2
457	Changes in the structural brain connectome over the course of a nonrandomized clinical trial for acute mania. <i>Neuropsychopharmacology</i> , 2022, , .	2.8	2
458	Linked brain connectivity patterns with psychopathological and cognitive phenotypes in drug-naïve first-episode schizophrenia. <i>Psychoradiology</i> , 2022, 2, 43-51.	1.0	2
459	Translational Neuroimaging of the Mood and Anxiety Disorders. <i>BioMed Research International</i> , 2014, 2014, 1-2.	0.9	1
460	Intrinsic Brain Activity Responsible for Sex Differences in Shyness and Social Anxiety. <i>Frontiers in Behavioral Neuroscience</i> , 2017, 11, 43.	1.0	1
461	Data on gray matter alterations in anxious depression. <i>Data in Brief</i> , 2019, 25, 104322.	0.5	1
462	Microstructural features of the cerebral cortex: Implications for predicting epilepsy relapse after drug withdrawal. <i>Brain Research</i> , 2021, 1751, 147200.	1.1	1
463	¹ Hâ€MRS reveals metabolic alterations in generalized tonicâ€clonic seizures before and after treatment. <i>Acta Neurologica Scandinavica</i> , 2021, , .	1.0	1
464	Dysconnectivity of the amygdala and dorsal anterior cingulate cortex in drug-naive post-traumatic stress disorder. <i>European Neuropsychopharmacology</i> , 2021, 52, 84-93.	0.3	1
465	Impaired Topographic Organization in Patients With Idiopathic Blepharospasm. <i>Frontiers in Neurology</i> , 2021, 12, 708634.	1.1	1
466	Magnetization transfer imaging alterations and its diagnostic value in antipsychotic-naïve first-episode schizophrenia. <i>Translational Psychiatry</i> , 2022, 12, 189.	2.4	1
467	Advances on Nanomedicines for Diagnosis and Theranostics of Hepatic Fibrosis. <i>Advanced NanoBiomed Research</i> , 2021, 1, 2000091.	1.7	0
468	Brain functional and structural characteristics of patients with seizure recurrence following drug withdrawal. <i>Neuroradiology</i> , 2021, 63, 2087-2097.	1.1	0

#	ARTICLE	IF	CITATIONS
469	Topologically Disrupted Gray Matter Networks in Drug-Na ⁺ ve Essential Tremor Patients With Poor Sleep Quality. <i>Frontiers in Neurology</i> , 2022, 13, 834277.	1.1	0