

Tim Vanbellingen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2818273/publications.pdf>

Version: 2024-02-01

33
papers

855
citations

471371

17
h-index

501076

28
g-index

34
all docs

34
docs citations

34
times ranked

1161
citing authors

#	ARTICLE	IF	CITATIONS
1	Nonverbal Social Communication and Gesture Control in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2015, 41, 338-345.	2.3	99
2	Theta burst stimulation in neglect after stroke: functional outcome and response variability origins. <i>Brain</i> , 2019, 142, 992-1008.	3.7	69
3	Gesture Performance in Schizophrenia Predicts Functional Outcome After 6 Months. <i>Schizophrenia Bulletin</i> , 2016, 42, 1326-1333.	2.3	58
4	Application of LSVT BIG Intervention to Address Gait, Balance, Bed Mobility, and Dexterity in People With Parkinson Disease: A Case Series. <i>Physical Therapy</i> , 2014, 94, 1014-1023.	1.1	51
5	Home based training for dexterity in Parkinson's disease: A randomized controlled trial. <i>Parkinsonism and Related Disorders</i> , 2017, 41, 92-98.	1.1	44
6	Home-based training to improve manual dexterity in patients with multiple sclerosis: A randomized controlled trial. <i>Multiple Sclerosis Journal</i> , 2015, 21, 1546-1556.	1.4	39
7	Cerebral white matter structure is associated with DSM-5 schizophrenia symptom dimensions. <i>NeuroImage: Clinical</i> , 2016, 12, 93-99.	1.4	38
8	Cerebral correlates of imitation of intransitive gestures: An integrative review of neuroimaging data and brain lesion studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2018, 95, 44-60.	2.9	37
9	Structural brain correlates of defective gesture performance in schizophrenia. <i>Cortex</i> , 2016, 78, 125-137.	1.1	36
10	Exergaming-Based Dexterity Training in Persons With Parkinson Disease: A Pilot Feasibility Study. <i>Journal of Neurologic Physical Therapy</i> , 2019, 43, 168-174.	0.7	35
11	Eyetracking during free visual exploration detects neglect more reliably than paper-pencil tests. <i>Cortex</i> , 2020, 129, 223-235.	1.1	34
12	Apraxia in neurorehabilitation: Classification, assessment and treatment. <i>NeuroRehabilitation</i> , 2011, 28, 91-98.	0.5	30
13	Enhancing treatment effects by combining continuous theta burst stimulation with smooth pursuit training. <i>Neuropsychologia</i> , 2015, 74, 145-151.	0.7	30
14	Coin Rotation Task: A Valid Test for Manual Dexterity in Multiple Sclerosis. <i>Physical Therapy</i> , 2014, 94, 1644-1651.	1.1	25
15	The Responsiveness of the Lucerne ICF-Based Multidisciplinary Observation Scale: A Comparison with the Functional Independence Measure and the Barthel Index. <i>Frontiers in Neurology</i> , 2016, 7, 152.	1.1	25
16	Reliability and validity of a new dexterity questionnaire (DextQ-24) in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2016, 33, 78-83.	1.1	23
17	The cortical signature of impaired gesturing: Findings from schizophrenia. <i>NeuroImage: Clinical</i> , 2018, 17, 213-221.	1.4	23
18	German Translation and Validation of the "Freezing of Gait Questionnaire" in Patients with Parkinson's Disease. <i>Parkinson's Disease</i> , 2015, 2015, 1-5.	0.6	20

#	ARTICLE	IF	CITATIONS
19	Neurorehabilitation Topics in Patients with Multiple Sclerosis: From Outcome Measurements to Rehabilitation Interventions. <i>Seminars in Neurology</i> , 2016, 36, 196-202.	0.5	15
20	Perception of co-speech gestures in aphasic patients: A visual exploration study during the observation of dyadic conversations. <i>Cortex</i> , 2015, 64, 157-168.	1.1	14
21	Left posterior parietal theta burst stimulation affects gestural imitation regardless of semantic content. <i>Clinical Neurophysiology</i> , 2014, 125, 457-462.	0.7	13
22	The Arm Function in Multiple Sclerosis Questionnaire was successfully translated to German. <i>Journal of Hand Therapy</i> , 2018, 31, 137-140.e1.	0.7	13
23	Comprehension of Co-Speech Gestures in Aphasic Patients: An Eye Movement Study. <i>PLoS ONE</i> , 2016, 11, e0146583.	1.1	12
24	The influence of naturalistic, directionally non-specific motion on the spatial deployment of visual attention in right-hemispheric stroke. <i>Neuropsychologia</i> , 2016, 92, 181-189.	0.7	12
25	Comprehensive ADL Outcome Measurement after Stroke: Rasch Validation of the Lucerne ICF-Based Multidisciplinary Observation Scale (LIMOS). <i>Archives of Physical Medicine and Rehabilitation</i> , 2019, 100, 2314-2323.	0.5	10
26	Tablet App Based Dexterity Training in Multiple Sclerosis (TAD-MS): Research Protocol of a Randomized Controlled Trial. <i>Frontiers in Neurology</i> , 2019, 10, 61.	1.1	10
27	Feasibility of a Home-Based Tablet App for Dexterity Training in Multiple Sclerosis: Usability Study. <i>JMIR MHealth and UHealth</i> , 2020, 8, e18204.	1.8	9
28	Contralesional Trunk Rotation Dissociates Real vs. Pseudo-Visual Field Defects due to Visual Neglect in Stroke Patients. <i>Frontiers in Neurology</i> , 2017, 8, 411.	1.1	8
29	Nonverbal communication remains untouched: No beneficial effect of symptomatic improvement on poor gesture performance in schizophrenia. <i>Schizophrenia Research</i> , 2020, 223, 258-264.	1.1	7
30	Structural organization of the praxis network predicts gesture production: Evidence from healthy subjects and patients with schizophrenia. <i>Cortex</i> , 2020, 132, 322-333.	1.1	7
31	Different visual exploration of tool-related gestures in left hemisphere brain damaged patients is associated with poor gestural imitation. <i>Neuropsychologia</i> , 2015, 71, 158-164.	0.7	6
32	Patient-tailored multimodal neurorehabilitation: The Lucerne model. <i>Clinical and Translational Neuroscience</i> , 2019, 3, 2514183X1987507.	0.4	2
33	Impaired everyday gestural communication in apraxia: A reliable and valid short scale. <i>International Journal of Stroke</i> , 2016, 11, NP11-NP12.	2.9	1