

Lucia Muñoz-Narbona

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2818316/publications.pdf>

Version: 2024-02-01

11
papers

181
citations

1307594

7
h-index

1281871

11
g-index

12
all docs

12
docs citations

12
times ranked

320
citing authors

#	ARTICLE	IF	CITATIONS
1	Early Neurological Change After Ischemic Stroke Is Associated With 90-Day Outcome. <i>Stroke</i> , 2021, 52, 132-141.	2.0	36
2	Single nucleotide variations in <i>ZBTB46</i> are associated with post-thrombolytic parenchymal haematoma. <i>Brain</i> , 2021, 144, 2416-2426.	7.6	10
3	RP11-362K2.2:RP11-767I20.1 Genetic Variation Is Associated with Post-Reperfusion Therapy Parenchymal Hematoma. A GWAS Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 3137.	2.4	6
4	Stroke Risk Analysis, a System With a High Detection Rate of Atrial Fibrillation in Stroke and Transient Ischemic Attack. <i>Stroke</i> , 2020, 51, 262-267.	2.0	3
5	Coping Strategies, Quality of Life, and Neurological Outcome in Patients Treated with Mechanical Thrombectomy after an Acute Ischemic Stroke. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6014.	2.6	10
6	E-Learning course for nurses on pain assessment in patients unable to self-report. <i>Nurse Education in Practice</i> , 2020, 43, 102728.	2.6	8
7	Genome-Wide Association Study of White Blood Cell Counts in Patients With Ischemic Stroke. <i>Stroke</i> , 2019, 50, 3618-3621.	2.0	13
8	Impact of a Training Intervention on the Pain Assessment in Advanced Dementia (PAINAD) Scale in Noncommunicative Inpatients. <i>Pain Management Nursing</i> , 2019, 20, 468-474.	0.9	2
9	<i>PATJ</i> Low Frequency Variants Are Associated With Worse Ischemic Stroke Functional Outcome. <i>Circulation Research</i> , 2019, 124, 114-120.	4.5	49
10	Reported Prestroke Physical Activity Is Associated with Vascular Endothelial Growth Factor Expression and Good Outcomes after Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017, 26, 425-430.	1.6	30
11	Comparison of elevated intracranial pressure pulse amplitude and disproportionately enlarged subarachnoid space (DESH) for prediction of surgical results in suspected idiopathic normal pressure hydrocephalus. <i>Acta Neurochirurgica</i> , 2016, 158, 2207-2213.	1.7	13