

# Jaime Rodriguez-Canales

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2818757/publications.pdf>

Version: 2024-02-01

116  
papers

9,159  
citations

61984

43  
h-index

43889

91  
g-index

119  
all docs

119  
docs citations

119  
times ranked

17119  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | <i>STK11/LKB1</i> Mutations and PD-1 Inhibitor Resistance in <i>KRAS</i> -Mutant Lung Adenocarcinoma. <i>Cancer Discovery</i> , 2018, 8, 822-835.  | 9.4  | 1,108     |
| 2  | Pembrolizumab in advanced soft-tissue sarcoma and bone sarcoma (SARC028): a multicentre, two-cohort, single-arm, open-label, phase 2 trial. <i>Lancet Oncology</i> , 2017, 18, 1493-1501.  | 10.7 | 921       |
| 3  | Opposing regulation of the locus encoding IL-17 through direct, reciprocal actions of STAT3 and STAT5. <i>Nature Immunology</i> , 2011, 12, 247-254.   | 14.5 | 522       |
| 4  | Phase I Study of DNX-2401 (Delta-24-RGD) Oncolytic Adenovirus: Replication and Immunotherapeutic Effects in Recurrent Malignant Glioma. <i>Journal of Clinical Oncology</i> , 2018, 36, 1419-1427.   | 1.6  | 477       |
| 5  | A Patient-Derived, Pan-Cancer EMT Signature Identifies Global Molecular Alterations and Immune Target Enrichment Following Epithelial-to-Mesenchymal Transition. <i>Clinical Cancer Research</i> , 2016, 22, 609-620.                                    | 7.0  | 388       |
| 6  | CD38-Mediated Immunosuppression as a Mechanism of Tumor Cell Escape from PD-1/PD-L1 Blockade. <i>Cancer Discovery</i> , 2018, 8, 1156-1175.  | 9.4  | 323       |
| 7  | CPS1 maintains pyrimidine pools and DNA synthesis in <i>KRAS/LKB1</i> -mutant lung cancer cells. <i>Nature</i> , 2017, 546, 168-172.   | 27.8 | 222       |
| 8  | A specific missense mutation in <i>GTF2I</i> occurs at high frequency in thymic epithelial tumors. <i>Nature Genetics</i> , 2014, 46, 844-849.   | 21.4 | 208       |
| 9  | Validation of multiplex immunofluorescence panels using multispectral microscopy for immune-profiling of formalin-fixed and paraffin-embedded human tumor tissues. <i>Scientific Reports</i> , 2017, 7, 13380.   | 3.3  | 208       |
| 10 | Fatty Acid Oxidation Mediated by Acyl-CoA Synthetase Long Chain 3 Is Required for Mutant <i>KRAS</i> Lung Tumorigenesis. <i>Cell Reports</i> , 2016, 16, 1614-1628.  | 6.4  | 205       |
| 11 | Immunoproteasome deficiency is a feature of non-small cell lung cancer with a mesenchymal phenotype and is associated with a poor outcome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E1555-64. | 7.1  | 174       |
| 12 | Diagnosis and Molecular Classification of Lung Cancer. <i>Cancer Treatment and Research</i> , 2016, 170, 25-46.  | 0.5  | 172       |
| 13 | Clonally related histiocytic/dendritic cell sarcoma and chronic lymphocytic leukemia/small lymphocytic lymphoma: a study of seven cases. <i>Modern Pathology</i> , 2011, 24, 1421-1432.  | 5.5  | 170       |
| 14 | XPO1-dependent nuclear export is a druggable vulnerability in <i>KRAS</i> -mutant lung cancer. <i>Nature</i> , 2016, 538, 114-117.   | 27.8 | 162       |
| 15 | TCR Repertoire Intratumor Heterogeneity in Localized Lung Adenocarcinomas: An Association with Predicted Neoantigen Heterogeneity and Postsurgical Recurrence. <i>Cancer Discovery</i> , 2017, 7, 1088-1097.   | 9.4  | 160       |
| 16 | An Expression Signature as an Aid to the Histologic Classification of Non-Small Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2016, 22, 4880-4889.   | 7.0  | 140       |
| 17 | Comprehensive Computational Pathological Image Analysis Predicts Lung Cancer Prognosis. <i>Journal of Thoracic Oncology</i> , 2017, 12, 501-509.   | 1.1  | 138       |
| 18 | Gray zone lymphoma: chromosomal aberrations with immunophenotypic and clinical correlations. <i>Modern Pathology</i> , 2011, 24, 1586-1597.  | 5.5  | 137       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Methylation profiling of mediastinal gray zone lymphoma reveals a distinctive signature with elements shared by classical Hodgkin's lymphoma and primary mediastinal large B-cell lymphoma. <i>Haematologica</i> , 2011, 96, 558-566.       | 3.5  | 135       |
| 20 | Essential Role of Aldehyde Dehydrogenase 1A3 for the Maintenance of Non-Small Cell Lung Cancer Stem Cells Is Associated with the STAT3 Pathway. <i>Clinical Cancer Research</i> , 2014, 20, 4154-4166.                                      | 7.0  | 131       |
| 21 | Image Analysis-based Assessment of PD-L1 and Tumor-Associated Immune Cells Density Supports Distinct Intratumoral Microenvironment Groups in Non-small Cell Lung Carcinoma Patients. <i>Clinical Cancer Research</i> , 2016, 22, 6278-6289. | 7.0  | 130       |
| 22 | Adavosertib plus gemcitabine for platinum-resistant or platinum-refractory recurrent ovarian cancer: a double-blind, randomised, placebo-controlled, phase 2 trial. <i>Lancet, The</i> , 2021, 397, 281-292.                                | 13.7 | 125       |
| 23 | Osteoblast-Secreted Factors Mediate Dormancy of Metastatic Prostate Cancer in the Bone via Activation of the TGF $\beta$ 2/RIII-p38MAPK-pS249/T252RB Pathway. <i>Cancer Research</i> , 2018, 78, 2911-2924.                                 | 0.9  | 117       |
| 24 | ZEB1 sensitizes lung adenocarcinoma to metastasis suppression by PI3K antagonism. <i>Journal of Clinical Investigation</i> , 2014, 124, 2696-2708.  | 8.2  | 101       |
| 25 | Density, Distribution, and Composition of Immune Infiltrates Correlate with Survival in Merkel Cell Carcinoma. <i>Clinical Cancer Research</i> , 2016, 22, 5553-5563.   | 7.0  | 96        |
| 26 | Quantitative RT-PCR gene expression analysis of laser microdissected tissue samples. <i>Nature Protocols</i> , 2009, 4, 902-922.  | 12.0 | 85        |
| 27 | Taxane-Platin-Resistant Lung Cancers Co-develop Hypersensitivity to JumonjiC Demethylase Inhibitors. <i>Cell Reports</i> , 2017, 19, 1669-1684.   | 6.4  | 82        |
| 28 | Programmed cell death ligand 1 and tumor-infiltrating lymphocyte status in patients with renal cell carcinoma and sarcomatoid dedifferentiation. <i>Cancer</i> , 2017, 123, 4823-4831.  | 4.1  | 79        |
| 29 | Approaching Solid Tumor Heterogeneity on a Cellular Basis by Tissue Proteomics Using Laser Capture Microdissection and Biological Mass Spectrometry. <i>Journal of Proteome Research</i> , 2009, 8, 2310-2318.                              | 3.7  | 75        |
| 30 | EGFR and KRAS mutation analysis in cytologic samples of lung adenocarcinoma enabled by laser capture microdissection. <i>Modern Pathology</i> , 2012, 25, 548-555.  | 5.5  | 73        |
| 31 | Human Intestinal Tissue and Cultured Colonic Cells Contain Globotriaosylceramide Synthase mRNA and the Alternate Shiga Toxin Receptor Globotetraosylceramide. <i>Infection and Immunity</i> , 2010, 78, 4488-4499.                          | 2.2  | 72        |
| 32 | Polo-like kinase 4 inhibition produces polyploidy and apoptotic death of lung cancers. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 1913-1918.                                       | 7.1  | 64        |
| 33 | Molecular Signature and Mechanisms of Hepatitis D Virus-associated Hepatocellular Carcinoma. <i>Molecular Cancer Research</i> , 2018, 16, 1406-1419.  | 3.4  | 64        |
| 34 | Computer aided diagnostic tools aim to empower rather than replace pathologists: Lessons learned from computational chess. <i>Journal of Pathology Informatics</i> , 2011, 2, 25.   | 1.7  | 62        |
| 35 | Distinct clinical patterns and immune infiltrates are observed at time of progression on targeted therapy versus immune checkpoint blockade for melanoma. <i>Oncimmunology</i> , 2016, 5, e1136044.   | 4.6  | 55        |
| 36 | PROTODHERIN 7 Acts through SET and PP2A to Potentiate MAPK Signaling by EGFR and KRAS during Lung Tumorigenesis. <i>Cancer Research</i> , 2017, 77, 187-197.  | 0.9  | 55        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Immunohistochemical and Image Analysis-Based Study Shows That Several Immune Checkpoints are Co-expressed in Non-Small Cell Lung Carcinoma Tumors. <i>Journal of Thoracic Oncology</i> , 2018, 13, 779-791.            | 1.1 | 53        |
| 38 | The ISG15-specific protease USP18 regulates stability of PTEN. <i>Oncotarget</i> , 2017, 8, 3-14.  | 1.8 | 52        |
| 39 | Global Expression Analysis of Prostate Cancer-associated Stroma and Epithelia. <i>Diagnostic Molecular Pathology</i> , 2007, 16, 189-197.  | 2.1 | 51        |
| 40 | Viral expression and molecular profiling in liver tissue versus microdissected hepatocytes in hepatitis B virus - associated hepatocellular carcinoma. <i>Journal of Translational Medicine</i> , 2014, 12, 230.       | 4.4 | 51        |
| 41 | HORMAD1 Is a Negative Prognostic Indicator in Lung Adenocarcinoma and Specifies Resistance to Oxidative and Genotoxic Stress. <i>Cancer Research</i> , 2018, 78, 6196-6208.  | 0.9 | 50        |
| 42 | Combined High-Grade Basal Cell Carcinoma and Malignant Melanoma of the Skin (Malignant) Tumor. <i>Journal of Cutaneous Medicine and Surgery</i> , 2010, 10, 50-55.   | 0.6 | 47        |
| 43 | The General Transcription Factor TAF7 Is Essential for Embryonic Development but Not Essential for the Survival or Differentiation of Mature T Cells. <i>Molecular and Cellular Biology</i> , 2012, 32, 1984-1997.     | 2.3 | 47        |
| 44 | Prognostic Significance of Tumor-Infiltrating Lymphocytes in Patients With Pancreatic Ductal Adenocarcinoma Treated With Neoadjuvant Chemotherapy. <i>Pancreas</i> , 2017, 46, 1180-1187.                              | 1.1 | 47        |
| 45 | <i>Rspo2</i> regulates invasiveness and tumorigenic properties of mammary epithelial cells. <i>Journal of Cellular Physiology</i> , 2012, 227, 1960-1971.  | 4.1 | 46        |
| 46 | 4-1BB Agonist Focuses CD8+ Tumor-Infiltrating T-Cell Growth into a Distinct Repertoire Capable of Tumor Recognition in Pancreatic Cancer. <i>Clinical Cancer Research</i> , 2017, 23, 7263-7275.                       | 7.0 | 41        |
| 47 | Next-Generation CDK2/9 Inhibitors and Anaphase Catastrophe in Lung Cancer. <i>Journal of the National Cancer Institute</i> , 2017, 109, .  | 6.3 | 41        |
| 48 | Increased matrix metalloproteinase activation in esophageal squamous cell carcinoma. <i>Journal of Translational Medicine</i> , 2010, 8, 91.   | 4.4 | 40        |
| 49 | CDK2 Inhibition Causes Anaphase Catastrophe in Lung Cancer through the Centrosomal Protein CP110. <i>Cancer Research</i> , 2015, 75, 2029-2038.  | 0.9 | 40        |
| 50 | Identification of EpCAM as a Molecular Target of Prostate Cancer Stroma. <i>American Journal of Pathology</i> , 2009, 175, 2277-2287.  | 3.8 | 39        |
| 51 | High OX-40 expression in the tumor immune infiltrate is a favorable prognostic factor of overall survival in non-small cell lung cancer. <i>Journal of Thoracic Oncology</i> , 2019, 7, 351.                           |     | 39        |
| 52 | A dynamic magnetic shift method to increase nanoparticle concentration in cancer metastases: a feasibility study using simulations on autopsy specimens. <i>International Journal of Nanomedicine</i> , 2011, 6, 2907. | 6.7 | 38        |
| 53 | RUVBL1/RUVBL2 ATPase Activity Drives PAQosome Maturation, DNA Replication and Radioresistance in Lung Cancer. <i>Cell Chemical Biology</i> , 2020, 27, 105-121.e14.  | 5.2 | 38        |
| 54 | Assessment of normalization strategies for quantitative RT-PCR using microdissected tissue samples. <i>Laboratory Investigation</i> , 2007, 87, 951-962.   | 3.7 | 37        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Systematic siRNA Screen Unmasks NSCLC Growth Dependence by Palmitoyltransferase DHHC5. <i>Molecular Cancer Research</i> , 2015, 13, 784-794.   | 3.4  | 35        |
| 56 | Thy-1+ Cancer-associated Fibroblasts Adversely Impact Lung Cancer Prognosis. <i>Scientific Reports</i> , 2017, 7, 6478.  | 3.3  | 34        |
| 57 | Immunoguided Laser Assisted Microdissection Techniques for DNA Methylation Analysis of Archival Tissue Specimens. <i>Journal of Molecular Diagnostics</i> , 2010, 12, 394-401.   | 2.8  | 33        |
| 58 | Thyroid Regeneration: Characterization of Clear Cells After Partial Thyroidectomy. <i>Endocrinology</i> , 2012, 153, 2514-2525.  | 2.8  | 33        |
| 59 | Primary mediastinal seminomas: a comprehensive immunohistochemical study with a focus on novel markers. <i>Human Pathology</i> , 2015, 46, 376-383.  | 2.0  | 33        |
| 60 | Effect of Immunohistochemistry on Molecular Analysis of Tissue Samples. <i>Journal of Histochemistry and Cytochemistry</i> , 2011, 59, 591-600.  | 2.5  | 32        |
| 61 | Expression microdissection adapted to commercial laser dissection instruments. <i>Nature Protocols</i> , 2011, 6, 457-467.   | 12.0 | 30        |
| 62 | A Functional Spatial Analysis Platform for Discovery of Immunological Interactions Predictive of Low-Grade to High-Grade Transition of Pancreatic Intraductal Papillary Mucinous Neoplasms. <i>Cancer Informatics</i> , 2018, 17, 117693511878288. | 1.9  | 29        |
| 63 | Spatial regulation of gene expression during growth of articular cartilage in juvenile mice. <i>Pediatric Research</i> , 2015, 77, 406-415.  | 2.3  | 28        |
| 64 | Deubiquitinase USP18 Loss Mislocalizes and Destabilizes KRAS in Lung Cancer. <i>Molecular Cancer Research</i> , 2017, 15, 905-914.   | 3.4  | 28        |
| 65 | Identification of unique expression signatures and therapeutic targets in esophageal squamous cell carcinoma. <i>BMC Research Notes</i> , 2012, 5, 73.   | 1.4  | 27        |
| 66 | PIAS1-FAK Interaction Promotes the Survival and Progression of Non-Small Cell Lung Cancer. <i>Neoplasia</i> , 2016, 18, 282-293.   | 5.3  | 24        |
| 67 | Deletion of the Olfactomedin 4 Gene Is Associated with Progression of Human Prostate Cancer. <i>American Journal of Pathology</i> , 2013, 183, 1329-1338.  | 3.8  | 23        |
| 68 | SIVQ-aided laser capture microdissection: A tool for high-throughput expression profiling. <i>Journal of Pathology Informatics</i> , 2011, 2, 19.  | 1.7  | 22        |
| 69 | Proteomic Analysis of Frozen Tissue Samples Using Laser Capture Microdissection. <i>Methods in Molecular Biology</i> , 2013, 1002, 71-83.  | 0.9  | 21        |
| 70 | Sorting nexin 9 negatively regulates invadopodia formation and function in cancer cells. <i>Journal of Cell Science</i> , 2016, 129, 2804-16.  | 2.0  | 21        |
| 71 | Tyrosine Threonine Kinase Inhibition Eliminates Lung Cancers by Augmenting Apoptosis and Polyploidy. <i>Molecular Cancer Therapeutics</i> , 2019, 18, 1775-1786.   | 4.1  | 21        |
| 72 | An in vivo functional genomics screen of nuclear receptors and their co-regulators identifies FOXA1 as an essential gene in lung tumorigenesis. <i>Neoplasia</i> , 2020, 22, 294-310.  | 5.3  | 21        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | CD8+ T cells inhibit metastasis and CXCL4 regulates its function. British Journal of Cancer, 2021, 125, 176-189.   | 6.4 | 21        |
| 74 | Polo-like kinase 1 inhibition diminishes acquired resistance to epidermal growth factor receptor inhibition in non-small cell lung cancer with <i>T790M</i> mutations. Oncotarget, 2016, 7, 47998-48010. | 1.8 | 21        |
| 75 | Paracrine SLPI secretion upregulates MMP-9 transcription and secretion in ovarian cancer cells. Gynecologic Oncology, 2011, 122, 656-662.  | 1.4 | 20        |
| 76 | MicroRNA analysis of microdissected normal squamous esophageal epithelium and tumor cells. American Journal of Cancer Research, 2011, 1, 574-584.  | 1.4 | 19        |
| 77 | Contextual cues from cancer cells govern cancer-associated fibroblast heterogeneity. Cell Reports, 2021, 35, 109009.   | 6.4 | 18        |
| 78 | SRGN-Triggered Aggressive and Immunosuppressive Phenotype in a Subset of TTF-1 Negative Lung Adenocarcinomas. Journal of the National Cancer Institute, 2022, 114, 290-301.                              | 6.3 | 18        |
| 79 | Retrospective analysis of Schlafen11 (SLFN11) to predict the outcomes to therapies affecting the DNA damage response. British Journal of Cancer, 2021, 125, 1666-1676.                                   | 6.4 | 18        |
| 80 | Quantitation of Steroid Hormones in Thin Fresh Frozen Tissue Sections. Analytical Chemistry, 2008, 80, 8845-8852.  | 6.5 | 17        |
| 81 | Semiautomated Laser Capture Microdissection of Lung Adenocarcinoma Cytology Samples. Acta Cytologica, 2012, 56, 622-631.   | 1.3 | 17        |
| 82 | A Reevaluation of CD22 Expression in Human Lung Cancer. Cancer Research, 2014, 74, 263-271.  | 0.9 | 17        |
| 83 | Characterization of the immune microenvironment of NSCLC by multispectral analysis of multiplex immunofluorescence images. Methods in Enzymology, 2020, 635, 33-50.                                      | 1.0 | 16        |
| 84 | Mutational Activation of the NRF2 Pathway Upregulates Kynureninase Resulting in Tumor Immunosuppression and Poor Outcome in Lung Adenocarcinoma. Cancers, 2022, 14, 2543.                                | 3.7 | 16        |
| 85 | Why is it crucial to reintegrate pathology into cancer research?. BioEssays, 2011, 33, 490-498.  | 2.5 | 14        |
| 86 | MA11.07 Improved Small Cell Lung Cancer (SCLC) Response Rates with Veliparib and Temozolomide: Results from a Phase II Trial. Journal of Thoracic Oncology, 2017, 12, S406-S407.                         | 1.1 | 12        |
| 87 | RUNX3 Epigenetic Inactivation Is Associated With Estrogen Receptor Positive Breast Cancer. Journal of Histochemistry and Cytochemistry, 2018, 66, 709-721.   | 2.5 | 12        |
| 88 | Targeting CDK9 and MCL-1 by a new CDK9/p-TEFb inhibitor with and without 5-fluorouracil in esophageal adenocarcinoma. Therapeutic Advances in Medical Oncology, 2019, 11, 175883591986485.               | 3.2 | 11        |
| 89 | Olfactomedin 4 downregulation is associated with tumor initiation, growth and progression in human prostate cancer. International Journal of Cancer, 2020, 146, 1346-1358.                               | 5.1 | 11        |
| 90 | Immunoguided Microdissection Techniques. Methods in Molecular Biology, 2011, 755, 57-66.   | 0.9 | 10        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Optimal Molecular Profiling of Tissue and Tissue Components: Defining the Best Processing and Microdissection Methods for Biomedical Applications. <i>Methods in Molecular Biology</i> , 2013, 980, 61-120.   | 0.9 | 10        |
| 92  | CTLA-4 Immunohistochemistry and Quantitative Image Analysis for Profiling of Human Cancers. <i>Journal of Histochemistry and Cytochemistry</i> , 2019, 67, 901-918.   | 2.5 | 10        |
| 93  | Oncogenic enhancer of zeste homolog 2 is an actionable target in patients with non-small cell lung cancer. <i>Cancer Medicine</i> , 2019, 8, 6383-6392.   | 2.8 | 10        |
| 94  | Female Gender Predicts Augmented Immune Infiltration in Lung Adenocarcinoma. <i>Clinical Lung Cancer</i> , 2021, 22, e415-e424.   | 2.6 | 10        |
| 95  | Analysis of Transcription Factor mRNAs in Identified Oxytocin and Vasopressin Magnocellular Neurons Isolated by Laser Capture Microdissection. <i>PLoS ONE</i> , 2013, 8, e69407.                             | 2.5 | 10        |
| 96  | Image microarrays (IMA): Digital pathology's missing tool. <i>Journal of Pathology Informatics</i> , 2011, 2, 47.   | 1.7 | 10        |
| 97  | Computer-Aided Laser Dissection: A Microdissection Workflow Leveraging Image Analysis Tools. <i>Journal of Pathology Informatics</i> , 2018, 9, 45.   | 1.7 | 10        |
| 98  | Imaging-genetic data mapping for clinical outcome prediction via supervised conditional Gaussian graphical model. , 2016, , .   |     | 9         |
| 99  | Concomitant targeting of the mTOR/MAPK pathways: novel therapeutic strategy in subsets of RICTOR/KRAS-altered non-small cell lung cancer. <i>Oncotarget</i> , 2018, 9, 33995-34008.                           | 1.8 | 9         |
| 100 | Three-Dimensional mRNA Measurements Reveal Minimal Regional Heterogeneity in Esophageal Squamous Cell Carcinoma. <i>American Journal of Pathology</i> , 2013, 182, 529-539.                                   | 3.8 | 7         |
| 101 | MA04.07 Impact of Major Co-Mutations on the Immune Contexture and Response of KRAS-Mutant Lung Adenocarcinoma to Immunotherapy. <i>Journal of Thoracic Oncology</i> , 2017, 12, S361-S362.                    | 1.1 | 7         |
| 102 | Influence of hypoxia induced by minimally invasive prostatectomy on gene expression: implications for biomarker analysis. <i>American Journal of Translational Research (discontinued)</i> , 2010, 2, 210-22. | 0.0 | 6         |
| 103 | Decrease in CD8+ lymphocyte number and altered cytokine profile in human prostate cancer. <i>American Journal of Cancer Research</i> , 2011, 1, 120-127.  | 1.4 | 6         |
| 104 | Loss of ubiquitin-specific peptidase 18 destabilizes 14-3-3 $\sigma$ protein and represses lung cancer metastasis. <i>Cancer Biology and Therapy</i> , 2022, 23, 265-280.                                     | 3.4 | 6         |
| 105 | 2D-PCR: a method of mapping DNA in tissue sections. <i>Lab on A Chip</i> , 2009, 9, 3526.   | 6.0 | 5         |
| 106 | Reply to Oegema et al.: CFI-400945 and Polo-like kinase 4 inhibition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E10810-E10811.                      | 7.1 | 5         |
| 107 | Association of D4-GDI expression with breast cancer progression. <i>Cancer Biomarkers</i> , 2012, 10, 163-173.  | 1.7 | 4         |
| 108 | Oncogenic mutation profiling in new lung cancer and mesothelioma cell lines. <i>OncoTargets and Therapy</i> , 2015, 8, 195.   | 2.0 | 4         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Multiplex Quantitative Measurement of mRNAs From Fixed Tissue Microarray Sections. Applied Immunohistochemistry and Molecular Morphology, 2014, 22, 323-330.   | 1.2 | 1         |
| 110 | Abstract 3986: Effects of immunohistochemistry on biomolecules in tissue specimens: Importance for expression-based microdissection technologies. , 2010, , .  |     | 1         |
| 111 | Lack of prognostic significance of prostate biopsies in metastatic androgen independent prostate cancer. BJU International, 2007, 100, 1245-1248.  | 2.5 | 0         |
| 112 | Application of proteomic techniques to human tissues. Journal of Organ Dysfunction, 2009, 5, 110-118.  | 0.3 | 0         |
| 113 | OA19.02 Sex Differences Are Detected in the Profile of Tumor Associated Inflammatory Cells (TAICs) Are Lung Adenocarcinoma. Journal of Thoracic Oncology, 2017, 12, S318.                                      | 1.1 | 0         |
| 114 | OA20.05 The Influence of Neoadjuvant Chemotherapy, on Immune Response Profile in Non-Small Cell Lung Carcinomas. Journal of Thoracic Oncology, 2017, 12, S323-S324.  | 1.1 | 0         |
| 115 | Clinical Pathogenetics Prostate Tissue Relational Database. FASEB Journal, 2007, 21, A64.  | 0.5 | 0         |
| 116 | Methylation Profiling of Mediastinal Gray Zone Lymphoma Reveals a Distinctive Signature with Elements Shared by Classical Hodgkin's Lymphoma and Mediastinal Large B-Cell Lymphoma. Blood, 2010, 116, 747-747. | 1.4 | 0         |