
Isabelle Berry

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2819310/publications.pdf Version: 2024-02-01



ICARFILE REDDV

#	Article	IF	CITATIONS
1	Pattern of myocardial 99mTc-HMDP uptake and impact on myocardial function in patients with transthyretin cardiac amyloidosis. Journal of Nuclear Cardiology, 2020, 27, 96-105.	2.1	5
2	3D Absorbed Dose Reconstructed in the Patient from EPID Images for IMRT and VMAT Treatments. IFMBE Proceedings, 2019, , 605-609.	0.3	0
3	Prognostic impact of myocardial perfusion single photon emission computed tomography in patients with major extracardiac findings by computed tomography for attenuation correction. Journal of Nuclear Cardiology, 2018, 25, 1574-1583.	2.1	15
4	Feasibility and accuracy of gated blood pool SPECT equilibrium radionuclide ventriculography for the assessment of left and right ventricular volumes and function in patients with left ventricular assist devices. Journal of Nuclear Cardiology, 2018, 25, 625-634.	2.1	13
5	A Combined MRI Biomarker Approach Using a Non-Standard Multiple Factor Analysis. , 2018, , .		2
6	Spleno-hepatic index to predict portal hypertension by equilibrium radionuclide ventriculography. Nuclear Medicine Communications, 2018, 39, 1138-1142.	1.1	2
7	Diagnostic score for the detection of cardiac amyloidosis in patients with left ventricular hypertrophy and impact on prognosis. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2017, 24, 101-109.	3.0	26
8	Response Assessment in Neuro-Oncology criteria, contrast enhancement and perfusion MRI for assessing progression in glioblastoma. Neuroradiology, 2017, 59, 1013-1020.	2.2	16
9	Do perfusion and diffusion MRI predict glioblastoma relapse sites following chemoradiation?. Journal of Neuro-Oncology, 2016, 130, 181-192.	2.9	20
10	In-vivo dosimetry for conformal arc therapy using several MOSFET in stereotactic radiosurgery computed by an inverse model. EPJ Web of Conferences, 2016, 124, 00007.	0.3	0
11	Pilot study for left ventricular imaging phenotype of patients over 65Âyears old with heart failure and preserved ejection fraction: the high prevalence of amyloid cardiomyopathy. International Journal of Cardiovascular Imaging, 2016, 32, 1403-1413.	1.5	61
12	Identification of a candidate biomarker from perfusion MRI to anticipate glioblastoma progression after chemoradiation. European Radiology, 2016, 26, 4194-4203.	4.5	18
13	Multivoxel Object Representations in Adult Human Visual Cortex Are Flexible: An Associative Learning Study. Journal of Cognitive Neuroscience, 2016, 28, 852-868.	2.3	12
14	Ultra-small superparamagnetic iron oxide enhancement is associated with higher loss of brain tissue structure in clinically isolated syndrome. Multiple Sclerosis Journal, 2016, 22, 1032-1039.	3.0	17
15	Voxel-based evidence of perfusion normalization in glioblastoma patients included in a phase l–II trial of radiotherapy/tipifarnib combination. Journal of Neuro-Oncology, 2015, 124, 465-473.	2.9	12
16	Gated blood pool SPECT: The estimation of right ventricular volume and function is algorithm dependent in a clinical setting. Journal of Nuclear Cardiology, 2015, 22, 483-492.	2.1	10
17	Predictive Value of Imaging Markers at Multiple Sclerosis Disease Onset Based on Gadolinium- and USPIO-Enhanced MRI and Machine Learning. PLoS ONE, 2014, 9, e93024.	2.5	24
18	Evaluation of the Lactate-to-N-Acetyl-aspartate Ratio Defined With Magnetic Resonance Spectroscopic Imaging Before Radiation Therapy as a New Predictive Marker of the Site of Relapse in Patients With Glioblastoma Multiforme. International Journal of Radiation Oncology Biology Physics, 2014, 90, 385-393.	0.8	43

#	Article	IF	CITATIONS
19	Prediction of all-cause mortality from gated-SPECT global myocardial wall thickening. Journal of Nuclear Cardiology, 2014, 21, 86-95.	2.1	9
20	Is TOMPOOL (gated blood-pool SPECT processing software) accurate to diagnose right and left ventricular dysfunction in a clinical setting?. Journal of Nuclear Cardiology, 2014, 21, 1011-1022.	2.1	8
21	An optimized calibration method for surface measurements with MOSFETs in shaped-beam radiosurgery. Physica Medica, 2014, 30, 10-17.	0.7	6
22	Can DTI fiber tracking of the optic radiations predict visual deficit after surgery?. Clinical Neurology and Neurosurgery, 2014, 122, 87-91.	1.4	20
23	Integration method of 3D MR spectroscopy into treatment planning system for glioblastoma IMRT dose painting with integrated simultaneous boost. Radiation Oncology, 2013, 8, 1.	2.7	127
24	New concept of myocardial longitudinal strain reserve assessed by a dipyridamole infusion using 2D-strain echocardiography: the impact of diabetes and age, and the prognostic value. Cardiovascular Diabetology, 2013, 12, 84.	6.8	42
25	Evaluation of a Trainer Phantom in the Learning Phase of Sentinel Lymph Node Identification in Breast Cancer. World Journal of Surgery, 2011, 35, 995-1001.	1.6	4
26	Quantitative and reproducibility study of four tractography algorithms used in clinical routine. Journal of Magnetic Resonance Imaging, 2011, 34, 165-172.	3.4	30
27	Early diagnosis of Alzheimer's disease using cortical thickness: impact of cognitive reserve. Brain, 2009, 132, 2036-2047.	7.6	376
28	Neural substrates of lowâ€frequency repetitive transcranial magnetic stimulation during movement in healthy subjects and acute stroke patients. A PET study. Human Brain Mapping, 2009, 30, 2542-2557.	3.6	38
29	Relevance of the skewness index in DTI exploration of multiple sclerosis. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2009, 22, 89-100.	2.0	1
30	Assessment of Asymmetry in Pyramidal Tract by Using Fiber Tracking. , 2009, , .		0
31	Transition from rest to movement: Brain correlates revealed by functional connectivity. Neurolmage, 2009, 48, 207-216.	4.2	42
32	Proton Magnetic Resonance Spectroscopic Imaging in Newly Diagnosed Glioblastoma: Predictive Value for the Site of Postradiotherapy Relapse in a Prospective Longitudinal Study. International Journal of Radiation Oncology Biology Physics, 2008, 70, 773-781.	0.8	95
33	Piecemeal recruitment of left-lateralized brain areas during reading: A spatio-functional account. NeuroImage, 2008, 43, 581-591.	4.2	45
34	Neural Correlates of Proprioceptive Integration in the Contralesional Hemisphere of Very Impaired Patients Shortly After a Subcortical Stroke: An fMRI Study. Neurorehabilitation and Neural Repair, 2008, 22, 154-165.	2.9	76
35	Reproducibility and reliability of the DTI fiber tracking algorithm integrated in the Sisyphe software. , 2008, , .		1
36	Prognostic Value of fMRI in Recovery of Hand Function in Subcortical Stroke Patients. Cerebral Cortex, 2007, 17, 2980-2987.	2.9	103

#	Article	IF	CITATIONS
37	Does ageing influence deep brain stimulation outcomes in Parkinson's disease?. Movement Disorders, 2007, 22, 1457-1463.	3.9	98
38	Defective Efficacy of Retinoic Acid Treatment in Patients with Metastatic Thyroid Carcinoma. Thyroid, 2006, 16, 1025-1031.	4.5	44
39	Diffusion tensor imaging in multiple sclerosis: a tool for monitoring changes in normal-appearing white matter. Multiple Sclerosis Journal, 2004, 10, 188-196.	3.0	71
40	Cardiac MIBG scintigraphy is a sensitive tool for detecting cardiac sympathetic denervation in Parkinson's disease. Movement Disorders, 2003, 18, 890-897.	3.9	202
41	Cortical Areas Involved in Virtual Movement of Phantom Limbs: Comparison with Normal Subjects. Neurosurgery, 2003, 53, 1342-1353.	1.1	70
42	Language Functional Magnetic Resonance Imaging in Preoperative Assessment of Language Areas: Correlation with Direct Cortical Stimulation. Neurosurgery, 2003, 52, 1335-1347.	1.1	378
43	Deep Brain Stimulation for Parkinson's Disease: Correlation between Intraoperative Subthalamic Nucleus Neurophysiology and Most Effective Contacts. Stereotactic and Functional Neurosurgery, 2003, 80, 108-113.	1.5	15
44	Virtual Movements Activate Primary Sensorimotor Areas in Amputees: Report of Three Cases. Neurosurgery, 2001, 49, 736-742.	1.1	49
45	Methodological and Technical Issues for Integrating Functional Magnetic Resonance Imaging Data in a Neuronavigational System. Neurosurgery, 2001, 49, 1145-1157.	1.1	99
46	Virtual Movements Activate Primary Sensorimotor Areas in Amputees: Report of Three Cases. Neurosurgery, 2001, 49, 736-742.	1.1	33
47	Methodological and Technical Issues for Integrating Functional Magnetic Resonance Imaging Data in a Neuronavigational System. Neurosurgery, 2001, 49, 1145-1157.	1.1	79
48	Chronic Motor Cortex Stimulation for Phantom Limb Pain: A Functional Magnetic Resonance Imaging Study: Technical Case Report. Neurosurgery, 2001, 48, 681-688.	1.1	91
49	Induction of a non-encephalitogenic type 2 T helper-cell autoimmune response in multiple sclerosis after administration of an altered peptide ligand in a placebo-controlled, randomized phase II trial. Nature Medicine, 2000, 6, 1176-1182.	30.7	506
50	Cerebral Functional Magnetic Resonance Imaging Activation Modulated by a Single Dose of the Monoamine Neurotransmission Enhancers Fluoxetine and Fenozolone during Hand Sensorimotor Tasks. Journal of Cerebral Blood Flow and Metabolism, 1999, 19, 1365-1375.	4.3	70
51	Usefulness of Motor Functional MRI Correlated to Cortical Mapping in Rolandic Low-Grade Astrocytomas. Acta Neurochirurgica, 1999, 141, 71-79.	1.7	111
52	A multicenter measurement of magnetization transfer ratio in normal white matter. Journal of Magnetic Resonance Imaging, 1999, 9, 441-446.	3.4	99
53	Differential fMRI Responses in the Left Posterior Superior Temporal Gyrus and Left Supramarginal Gyrus to Habituation and Change Detection in Syllables and Tones. NeuroImage, 1999, 9, 135-144.	4.2	253
54	Cortical Intraoperative Stimulation in Brain Tumors as a Tool to Evaluate Spatial Data from Motor Functional MRI. Investigative Radiology, 1999, 34, 225-229.	6.2	57

#	Article	IF	CITATIONS
55	Characterization of Choline Compounds with In Vitro 1H Magnetic Resonance Spectroscopy for the Discrimination of Primary Brain Tumors. Investigative Radiology, 1999, 34, 230-235.	6.2	52
56	Diffusion- and magnetisation transfer-weighted MRI in childhood moya-moya. Neuroradiology, 1998, 40, 267-271.	2.2	31
57	Diffusion and Perfusion MRI, Measurements of Acute Stroke Events and Outcome: Present Practice and Future Hope. Cerebrovascular Diseases, 1998, 8, 8-16.	1.7	11
58	Magnetic resonance imaging in multiple sclerosis. Current Opinion in Neurology, 1998, 11, 299-303.	3.6	15
59	Left arm monoballism as a relapse in multiple sclerosis. Movement Disorders, 1997, 12, 1091-1092.	3.9	9
60	MRI of intramedullary sarcoidosis: follow-up of a case. Neuroradiology, 1997, 39, 357-360.	2.2	21
61	Contribution of Sinerem® used as blood-pool contrast agent: Detection of cerebral blood volume changes during apnea in the rabbit. Magnetic Resonance in Medicine, 1996, 36, 415-419.	3.0	44
62	Activation of Association Auditory Cortex Demonstrated with Functional MRI. NeuroImage, 1995, 2, 215-219.	4.2	28
63	Randomised double blind trial of the safety and efficacy of two gadolinium complexes (Gd-DTPA and) Tj ETQq1 1	0.784314	4 rggT /Overld
64	Early depiction of brain ischaemia with MRI and dysprosium-dota injection. European Radiology, 1994, 4, 445-451.	4.5	4
65	Cerebral Blood Flow, Cerebral Blood Flow Reactivity to Acetazolamide, and Cerebral Blood Volume in Patients with Leukoaraiosis. Cerebrovascular Diseases, 1994, 4, 287-293.	1.7	11
66	Experimental focal cerebral ischaemia assessed with IVIM*-MRI in the acute phase at 0.5 tesla. Neuroradiology, 1992, 34, 135-140.	2.2	15
67	Magnetic resonance imaging and 31P magnetic resonance spectroscopy for evaluating focal cerebral ischemia. Journal of Neurosurgery, 1989, 70, 612-618.	1.6	30
68	Nicardipine reduces ischemic brain injury. Magnetic resonance imaging/spectroscopy study in cats Stroke, 1989, 20, 268-274.	2.0	51
69	Histochemical characterization and functional significance of the hyperintense signal on MR images of the posterior pituitary. American Journal of Roentgenology, 1989, 152, 153-157.	2.2	44
70	High Energy Phosphate Metabolism in Experimental Permanent Focal Cerebral Ischemia: An in vivo ³¹ P Magnetic Resonance Spectroscopy Study. Journal of Cerebral Blood Flow and Metabolism, 1988, 8, 24-31.	4.3	21
71	The effects of hypovolemic hypotension on high-energy phosphate metabolism of traumatized brain in rats. Journal of Neurosurgery, 1988, 68, 129-136.	1.6	86
72	Posterior pituitary gland: appearance on MR images in normal and pathologic states Radiology, 1987, 165, 481-485.	7.3	157

#	Article	IF	Citations
73	Edema and the Lack of Blood Perfusion Produce Opposite Effects on the Magnetic Resonance Characteristics of Acutely Ischemic Rat Kidneys. Investigative Radiology, 1987, 22, 118-125.	6.2	8
74	The utility of principal component analysis for the image display of brain lesions. A preliminary, comparative study. Magnetic Resonance in Medicine, 1987, 4, 471-486.	3.0	41
75	The Effect of Hypoxia on Traumatic Head Injury in Rats: Alterations in Neurologic Function, Brain Edema, and Cerebral Blood Flow. Journal of Cerebral Blood Flow and Metabolism, 1987, 7, 759-767.	4.3	126
76	Acute experimental cerebral ischemia: MR enhancement using Gd-DTPA Radiology, 1986, 158, 701-705.	7.3	42