

Stephen S G Ferguson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2819999/publications.pdf>

Version: 2024-02-01

83
papers

4,987
citations

109137

35
h-index

95083

68
g-index

84
all docs

84
docs citations

84
times ranked

5316
citing authors

#	ARTICLE	IF	CITATIONS
1	The Role of Neuroglial Metabotropic Glutamate Receptors in Alzheimer's Disease. <i>Current Neuropharmacology</i> , 2023, 21, 273-283.	1.4	10
2	Noncanonical Metabotropic Glutamate Receptor 5 Signaling in Alzheimer's Disease. <i>Annual Review of Pharmacology and Toxicology</i> , 2022, 62, 235-254.	4.2	36
3	A positive allosteric modulator for the muscarinic receptor (M1 mAChR) improves pathology and cognitive deficits in female <sc>APP ^{swe} </sc>/PSEN1 ^{E9} mice. <i>British Journal of Pharmacology</i> , 2022, 179, 1769-1783.	2.7	14
4	Metabotropic Glutamate Receptor 5 Antagonism Reduces Pathology and Differentially Improves Symptoms in Male and Female Heterozygous zQ175 Huntington's Mice. <i>Frontiers in Molecular Neuroscience</i> , 2022, 15, 801757.	1.4	11
5	VGLUT3 ablation differentially modulates glutamate receptor densities in mouse brain. <i>ENeuro</i> , 2022, , ENEURO.0041-22.2022.	0.9	1
6	Optineurin deletion disrupts metabotropic glutamate receptor 5-mediated regulation of ERK1/2, GSK3 β /ZBTB16, mTOR/ULK1 signaling in autophagy. <i>Biochemical Pharmacology</i> , 2021, 185, 114427.	2.0	15
7	Ablation of optineurin impairs metabotropic glutamate receptor 5 signaling in mouse hippocampus. <i>FASEB Journal</i> , 2021, 35, .	0.2	0
8	Metabotropic Glutamate Receptor 2/3 Activation Improves Motor Performance and Reduces Pathology in Heterozygous zQ175 Huntington Disease Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2021, 379, 74-84.	1.3	12
9	mGluR5 Allosteric Modulation Promotes Neurorecovery in a 6-OHDA-Toxicant Model of Parkinson's Disease. <i>Molecular Neurobiology</i> , 2020, 57, 1418-1431.	1.9	25
10	Targeting VGLUT Machinery: Implications on mGluR5 Signaling and Behavior. <i>Molecular Pharmacology</i> , 2020, 98, MOLPHARM-MR-2020-000089.	1.0	14
11	mGluR5 regulates REST/NRSF signaling through N-cadherin/ β -catenin complex in Huntington's disease. <i>Molecular Brain</i> , 2020, 13, 118.	1.3	20
12	Targeting Vesicular Glutamate Transporter Machinery: Implications on Metabotropic Glutamate Receptor 5 Signaling and Behavior. <i>Molecular Pharmacology</i> , 2020, 98, 314-327.	1.0	2
13	A β oligomers induce pathophysiological mGluR5 signaling in Alzheimer's disease model mice in a sex-selective manner. <i>Science Signaling</i> , 2020, 13, .	1.6	45
14	mGluR5 Contribution to Neuropathology in Alzheimer Mice Is Disease Stage-Dependent. <i>ACS Pharmacology and Translational Science</i> , 2020, 3, 334-344.	2.5	34
15	Structural determinants governing β -arrestin2 interaction with PDZ proteins and recruitment to CRFR1. <i>Cellular Signalling</i> , 2019, 63, 109361.	1.7	9
16	Modulation of mTOR and CREB pathways following mGluR5 blockade contribute to improved Huntington's pathology in zQ175 mice. <i>Molecular Brain</i> , 2019, 12, 35.	1.3	67
17	Neuronal scaffolding protein spinophilin is integral for cocaine-induced behavioral sensitization and ERK1/2 activation. <i>Molecular Brain</i> , 2019, 12, 15.	1.3	22
18	Super-Resolution Imaging of G Protein-Coupled Receptors Using Ground State Depletion Microscopy. <i>Methods in Molecular Biology</i> , 2019, 1947, 323-336.	0.4	3

#	ARTICLE	IF	CITATIONS
19	Methods to Investigate the Roles of β -Arrestin-Dependent RalGDS Activation in GPCR-Stimulated Membrane Blebbing. <i>Methods in Molecular Biology</i> , 2019, 1957, 169-175.	0.4	0
20	mGluR5 regulates ZBTB16 pathway of autophagy in Alzheimer's disease in a sex-specific manner. <i>FASEB Journal</i> , 2019, 33, 810.5.	0.2	1
21	MAGI proteins can differentially regulate the signaling pathways of 5-HT 2A R by enhancing receptor trafficking and PLC recruitment. <i>Cellular Signalling</i> , 2018, 47, 109-121.	1.7	6
22	Autophagy is increased following either pharmacological or genetic silencing of mGluR5 signaling in Alzheimer's disease mouse models. <i>Molecular Brain</i> , 2018, 11, 19.	1.3	38
23	GRK2 knockdown in mice exacerbates kidney injury and alters renal mechanisms of blood pressure regulation. <i>Scientific Reports</i> , 2018, 8, 11415.	1.6	10
24	Metabotropic glutamate receptor 5 (mGluR5) blockade ameliorates Huntington's disease pathology via activating convergent mechanisms of autophagy. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, OR24-3.	0.0	0
25	Role of Dynein Axonemal Heavy Chain 6 Gene Expression as a Possible Biomarker for Huntington's Disease: a Translational Study. <i>Journal of Molecular Neuroscience</i> , 2017, 63, 342-348.	1.1	4
26	Metabotropic glutamate receptors and neurodegenerative diseases. <i>Pharmacological Research</i> , 2017, 115, 179-191.	3.1	194
27	mGluR5 antagonism increases autophagy and prevents disease progression in the <i>Q175</i> mouse model of Huntington's disease. <i>Science Signaling</i> , 2017, 10, .	1.6	70
28	MAGI Proteins Regulate the Trafficking and Signaling of Corticotropin-Releasing Factor Receptor 1 via a Compensatory Mechanism. <i>Journal of Molecular Signaling</i> , 2016, 11, 5.	0.5	6
29	Role of Spinophilin in Group I Metabotropic Glutamate Receptor Endocytosis, Signaling, and Synaptic Plasticity. <i>Journal of Biological Chemistry</i> , 2016, 291, 17602-17615.	1.6	23
30	Orchestrated activation of mGluR5 and CB1 promotes neuroprotection. <i>Molecular Brain</i> , 2016, 9, 80.	1.3	18
31	Vascular Smooth Muscle-Specific EP4 Receptor Deletion in Mice Exacerbates Angiotensin II-Induced Renal Injury. <i>Antioxidants and Redox Signaling</i> , 2016, 25, 642-656.	2.5	12
32	Chronic Pharmacological mGluR5 Inhibition Prevents Cognitive Impairment and Reduces Pathogenesis in an Alzheimer Disease Mouse Model. <i>Cell Reports</i> , 2016, 15, 1859-1865.	2.9	95
33	PSD-95 regulates CRFR1 localization, trafficking and β -arrestin2 recruitment. <i>Cellular Signalling</i> , 2016, 28, 531-540.	1.7	24
34	Controlled positioning of analytes and cells on a plasmonic platform for glycan sensing using surface enhanced Raman spectroscopy. <i>Chemical Science</i> , 2016, 7, 575-582.	3.7	31
35	Suppression of piriform cortex activity in rat by corticotropin-releasing factor 1 and serotonin 2A/C receptors. <i>Frontiers in Cellular Neuroscience</i> , 2015, 09, 200.	1.8	13
36	MiSR: Molecular Interactions in Super-Resolution Imaging Enables the Analysis of Protein Interactions, Dynamics and Formation of Multi-protein Structures. <i>PLoS Computational Biology</i> , 2015, 11, e1004634.	1.5	47

#	ARTICLE	IF	CITATIONS
37	GRK2 Targeted Knock-down Results in Spontaneous Hypertension, and Altered Vascular GPCR Signaling. <i>Journal of Biological Chemistry</i> , 2015, 290, 5141-5155.	1.6	22
38	PDZK1/NHERF3 Differentially Regulates Corticotropin-releasing Factor Receptor 1 and Serotonin 2A Receptor Signaling and Endocytosis. <i>Cellular Signalling</i> , 2015, 27, 519-531.	1.7	29
39	Minireview: Role of Intracellular Scaffolding Proteins in the Regulation of Endocrine G Protein-Coupled Receptor Signaling. <i>Molecular Endocrinology</i> , 2015, 29, 814-830.	3.7	32
40	Role of cystic fibrosis transmembrane conductance regulator-associated ligand (CAL) in regulating the trafficking and signaling of corticotropin-releasing factor receptor 1. <i>Cellular Signalling</i> , 2015, 27, 2120-2130.	1.7	9
41	Glutamate receptors function as scaffolds for the regulation of β -amyloid and cellular prion protein signaling complexes. <i>Molecular Brain</i> , 2015, 8, 18.	1.3	59
42	Ca ²⁺ /Calmodulin-dependent protein Kinase II interacts with group I Metabotropic Glutamate and facilitates Receptor Endocytosis and ERK1/2 signaling: role of β -Amyloid. <i>Molecular Brain</i> , 2015, 8, 21.	1.3	36
43	The metabotropic glutamate receptor 5 role on motor behavior involves specific neural substrates. <i>Molecular Brain</i> , 2015, 8, 24.	1.3	27
44	PDZ Protein Regulation of G Protein-Coupled Receptor Trafficking and Signaling Pathways. <i>Molecular Pharmacology</i> , 2015, 88, 624-639.	1.0	98
45	A Dopamine D2 Receptor-DISC1 Protein Complex may Contribute to Antipsychotic-Like Effects. <i>Neuron</i> , 2014, 84, 1302-1316.	3.8	91
46	Metabotropic glutamate receptor 5 knockout promotes motor and biochemical alterations in a mouse model of Huntington's disease. <i>Human Molecular Genetics</i> , 2014, 23, 2030-2042.	1.4	44
47	Metabotropic glutamate receptor 5 as a potential therapeutic target in Huntington's disease. <i>Expert Opinion on Therapeutic Targets</i> , 2014, 18, 1293-1304.	1.5	19
48	Role of SAP97 in the Regulation of 5-HT _{2A} R Endocytosis and Signaling. <i>Molecular Pharmacology</i> , 2014, 86, 275-283.	1.0	22
49	Metabotropic glutamate receptor 5 knockout reduces cognitive impairment and pathogenesis in a mouse model of Alzheimer's disease. <i>Molecular Brain</i> , 2014, 7, 40.	1.3	107
50	mGluR5: a potential target for the treatment of Huntington's disease. <i>Future Neurology</i> , 2014, 9, 289-293.	0.9	0
51	Role of metabotropic glutamate receptor 5 signaling and homer in oxygen glucose deprivation-mediated astrocyte apoptosis. <i>Molecular Brain</i> , 2013, 6, 9.	1.3	35
52	Regulation of G protein-coupled receptor trafficking and signaling by Rab GTPases. <i>Small GTPases</i> , 2013, 4, 132-135.	0.7	13
53	Somatic Mutations in GRM1 in Cancer Alter Metabotropic Glutamate Receptor 1 Intracellular Localization and Signaling. <i>Molecular Pharmacology</i> , 2013, 83, 770-780.	1.0	28
54	Role of SAP97 Protein in the Regulation of Corticotropin-releasing Factor Receptor 1 Endocytosis and Extracellular Signal-regulated Kinase 1/2 Signaling. <i>Journal of Biological Chemistry</i> , 2013, 288, 15023-15034.	1.6	26

#	ARTICLE	IF	CITATIONS
55	Rab8 Modulates Metabotropic Glutamate Receptor Subtype 1 Intracellular Trafficking and Signaling in a Protein Kinase C-Dependent Manner. <i>Journal of Neuroscience</i> , 2012, 32, 16933-16942.	1.7	36
56	Regulation of GPCR activity, trafficking and localization by GPCR-interacting proteins. <i>British Journal of Pharmacology</i> , 2012, 165, 1717-1736.	2.7	294
57	Huntington's Disease and Group I Metabotropic Glutamate Receptors. <i>Molecular Neurobiology</i> , 2011, 43, 1-11.	1.9	47
58	Pyk2 uncouples metabotropic glutamate receptor G protein signaling but facilitates ERK1/2 activation. <i>Molecular Brain</i> , 2010, 3, 4.	1.3	40
59	CRF receptor 1 regulates anxiety behavior via sensitization of 5-HT ₂ receptor signaling. <i>Nature Neuroscience</i> , 2010, 13, 622-629.	7.1	176
60	Group I Metabotropic Glutamate Receptor Signalling and its Implication in Neurological Disease. <i>CNS and Neurological Disorders - Drug Targets</i> , 2010, 9, 574-595.	0.8	136
61	The Angiotensin II Type 1 Receptor Induces Membrane Blebbing by Coupling to Rho A, Rho Kinase, and Myosin Light Chain Kinase. <i>Molecular Pharmacology</i> , 2010, 77, 903-911.	1.0	40
62	Metabotropic Glutamate Receptor-Mediated Cell Signaling Pathways Are Altered in a Mouse Model of Huntington's Disease. <i>Journal of Neuroscience</i> , 2010, 30, 316-324.	1.7	83
63	Phosphorylation-independent Regulation of Metabotropic Glutamate Receptor 5 Desensitization and Internalization by G Protein-coupled Receptor Kinase 2 in Neurons. <i>Journal of Biological Chemistry</i> , 2009, 284, 23444-23453.	1.6	63
64	Calcineurin Inhibitor Protein (CAIN) Attenuates Group I Metabotropic Glutamate Receptor Endocytosis and Signaling. <i>Journal of Biological Chemistry</i> , 2009, 284, 28986-28994.	1.6	14
65	Phosphorylation-independent attenuation of GPCR signalling. <i>Trends in Pharmacological Sciences</i> , 2007, 28, 173-179.	4.0	104
66	Differential regulation of corticotropin releasing factor 1alpha receptor endocytosis and trafficking by beta-arrestins and Rab GTPases. <i>Journal of Neurochemistry</i> , 2006, 96, 934-949.	2.1	81
67	Regulation of metabotropic glutamate receptor signaling, desensitization and endocytosis. , 2006, 111, 260-271.		180
68	Inhibition of Metabotropic Glutamate Receptor Signaling by the Huntingtin-binding Protein Optineurin. <i>Journal of Biological Chemistry</i> , 2005, 280, 34840-34848.	1.6	127
69	Phosphorylation-independent Regulation of Metabotropic Glutamate Receptor 1 Signaling Requires G Protein-coupled Receptor Kinase 2 Binding to the Second Intracellular Loop. <i>Journal of Biological Chemistry</i> , 2005, 280, 24420-24427.	1.6	46
70	Green Fluorescent Protein-Tagged Î²-Arrestin Translocation as a Measure of G Protein-Coupled Receptor Activation. , 2004, 237, 121-126.		55
71	Ral and Phospholipase D2-Dependent Pathway for Constitutive Metabotropic Glutamate Receptor Endocytosis. <i>Journal of Neuroscience</i> , 2004, 24, 8752-8761.	1.7	82
72	Regulation of G protein-coupled receptor endocytosis and trafficking by Rab GTPases. <i>Life Sciences</i> , 2003, 74, 225-235.	2.0	184

#	ARTICLE	IF	CITATIONS
73	Phosphorylation-independent Regulation of Metabotropic Glutamate Receptor Signaling by G Protein-coupled Receptor Kinase 2. <i>Journal of Biological Chemistry</i> , 2002, 277, 25266-25272.	1.6	97
74	Rab5 Association with the Angiotensin II Type 1A Receptor Promotes Rab5 GTP Binding and Vesicular Fusion. <i>Journal of Biological Chemistry</i> , 2002, 277, 679-685.	1.6	117
75	β -Arrestins regulate a Ral-GDS β -Ral effector pathway that mediates cytoskeletal reorganization. <i>Nature Cell Biology</i> , 2002, 4, 547-555.	4.6	129
76	Spatial-Temporal Patterning of Metabotropic Glutamate Receptor-mediated Inositol 1,4,5-Triphosphate, Calcium, and Protein Kinase C Oscillations. <i>Journal of Biological Chemistry</i> , 2001, 276, 35900-35908.	1.6	64
77	Regulation of tyrosine kinase activation and granule release through β -arrestin by CXCR1. <i>Nature Immunology</i> , 2000, 1, 227-233.	7.0	215
78	Receptor/ β -Arrestin Complex Formation and the Differential Trafficking and Resensitization of β -Adrenergic and Angiotensin II Type 1A Receptors. <i>Molecular Endocrinology</i> , 2000, 14, 2040-2053.	3.7	93
79	G Protein-coupled Receptor Kinase-mediated Desensitization of Metabotropic Glutamate Receptor 1A Protects against Cell Death. <i>Journal of Biological Chemistry</i> , 2000, 275, 38213-38220.	1.6	111
80	G-Protein β -Coupled Receptor Kinase Activity in Hypertension. <i>Hypertension</i> , 2000, 35, 38-42.	1.3	138
81	Cellular Trafficking of G Protein-coupled Receptor/ β -Arrestin Endocytic Complexes. <i>Journal of Biological Chemistry</i> , 1999, 274, 10999-11006.	1.6	199
82	A β -Arrestin/Green Fluorescent Protein Biosensor for Detecting G Protein-coupled Receptor Activation. <i>Journal of Biological Chemistry</i> , 1997, 272, 27497-27500.	1.6	402
83	Amyloid β Oligomers Induce Sex-Specific Pathophysiological mGluR5 Signaling in Alzheimer Mice. <i>SSRN Electronic Journal</i> , 0, , .	0.4	4