

Yoshio Nakata

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2820342/publications.pdf>

Version: 2024-02-01

114
papers

2,862
citations

185998

28
h-index

189595

50
g-index

120
all docs

120
docs citations

120
times ranked

4609
citing authors

#	ARTICLE	IF	CITATIONS
1	Proposal of a Comprehensive and Multi-Component Approach to Promote Physical Activity among Japanese Office Workers: A Qualitative Focus Group Interview Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2172.	1.2	1
2	Comparisons of the Prevalence, Severity, and Risk Factors of Dysmenorrhea between Japanese Female Athletes and Non-Athletes in Universities. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 52.	1.2	6
3	Risk Factors of Sports-Related Injury in School-Aged Children and Adolescents: A Retrospective Questionnaire Survey. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 8662.	1.2	0
4	Music attenuates a widened central pulse pressure caused by resistance exercise: A randomized, single-blind, sham-controlled, crossover study. <i>European Journal of Sport Science</i> , 2021, 21, 1225-1233.	1.4	4
5	Different degree of intervention in 6-month weight-loss support and arterial stiffness: Secondary analysis of a randomized controlled trial. <i>Obesity Research and Clinical Practice</i> , 2021, 15, 93-95.	0.8	1
6	Comparison between volunteer- and expert-led versions of a community-based weight-loss intervention. <i>Preventive Medicine Reports</i> , 2021, 22, 101370.	0.8	1
7	Sports Specialization and Sports-Related Injuries in Japanese School-Aged Children and Adolescents: A Retrospective Descriptive Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7369.	1.2	8
8	Association between Endocrine Therapy and Weight Gain after Breast Cancer Diagnosis among Japanese Patients: A Retrospective Cohort Study. <i>Medical Sciences (Basel, Switzerland)</i> , 2021, 9, 50.	1.3	0
9	Associations of Objectively Measured Physical Activity and Sleep with Weight Loss Maintenance: A Preliminary Study of Japanese Adults. <i>Behavioral Sciences (Basel, Switzerland)</i> , 2020, 10, 3.	1.0	2
10	A Single Motivational Lecture Can Promote Modest Weight Loss: A Randomized Controlled Trial. <i>Obesity Facts</i> , 2020, 13, 267-278.	1.6	3
11	Association of abdominal fat with metabolic syndrome components in overweight women: effect of menopausal status. <i>Journal of Physiological Anthropology</i> , 2020, 39, 12.	1.0	5
12	Olive leaf tea is beneficial for lipid metabolism in adults with prediabetes: an exploratory randomized controlled trial. <i>Nutrition Research</i> , 2019, 67, 60-66.	1.3	25
13	Web-based intervention to promote weight-loss maintenance using an activity monitor: A randomized controlled trial. <i>Preventive Medicine Reports</i> , 2019, 14, 100839.	0.8	13
14	Effects of Vibrotactile Feedback on Sedentary Behaviors in Adults: A Pilot Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4612.	1.2	2
15	Comparison of glucose monitoring between Freestyle Libre Pro and iPro2 in patients with diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2019, 10, 851-856.	1.1	16
16	Combined effects of lactotripeptide and aerobic exercise on cognitive function and cerebral oxygenation in middle-aged and older adults. <i>American Journal of Clinical Nutrition</i> , 2019, 109, 353-360.	2.2	8
17	Accuracy of 12 Wearable Devices for Estimating Physical Activity Energy Expenditure Using a Metabolic Chamber and the Doubly Labeled Water Method: Validation Study. <i>JMIR MHealth and UHealth</i> , 2019, 7, e13938.	1.8	60
18	Comparison of accelerometer-measured sedentary behavior, and light- and moderate-to-vigorous-intensity physical activity in white- and blue-collar workers in a Japanese manufacturing plant. <i>Journal of Occupational Health</i> , 2018, 60, 246-253.	1.0	30

#	ARTICLE	IF	CITATIONS
19	Randomized Trial Of Amino Acid Mixture Combined With Physical Activity Promotion In Overweight Adults. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 57-58.	0.2	0
20	Randomized trial of amino acid mixture combined with physical activity promotion for abdominal fat reduction in overweight adults. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2018, Volume 11, 23-33.	1.1	7
21	An Exploratory Study of the Effects of Continuous Intake of Olive Leaf Tea on Physique and Glucose and Lipid Metabolism. <i>Nihon EiyÅ•ShokuryÅ•Gakkai Shi = Nippon EiyÅ•ShokuryÅ•Gakkaishi = Journal of Japanese Society of Nutrition and Food Science</i> , 2018, 71, 121-131.	0.2	4
22	Simultaneous Validation of Seven Physical Activity Questionnaires Used in Japanese Cohorts for Estimating Energy Expenditure: A Doubly Labeled Water Study. <i>Journal of Epidemiology</i> , 2018, 28, 437-442.	1.1	22
23	A Strategy To Reduce The Dropout Rate In A Volunteer-led Community Weight-loss Program. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 70.	0.2	0
24	Effect of partially-abraded brown rice consumption on body weight and the indicators of glucose and lipid metabolism in pre-diabetic adults: A randomized controlled trial. <i>Clinical Nutrition ESPEN</i> , 2017, 19, 9-15.	0.5	9
25	Predictive Indicators of Early Fitness Club Membership Termination in Japan. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 221-222.	0.2	0
26	Clinical Research Support in Mito Kyodo General Hospital: Current Practice and Future Problems. <i>Journal of the Japanese Association of Rural Medicine</i> , 2017, 65, 1177-1187.	0.0	0
27	Is it possible to increase muscle mass and basal metabolic rate during weight loss?. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2017, 66, 209-212.	0.0	1
28	Dose-ranging pilot randomized trial of amino acid mixture combined with physical activity promotion for reducing abdominal fat in overweight adults. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2017, Volume 10, 297-309.	1.1	10
29	Comparability of activity monitors used in Asian and Western-country studies for assessing free-living sedentary behaviour. <i>PLoS ONE</i> , 2017, 12, e0186523.	1.1	53
30	Validation of Physical Activity Estimated Using Wearable Devices under Free-living Conditions. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 550.	0.2	0
31	<i>CDH13</i> Polymorphisms are Associated with Adiponectin Levels and Metabolic Syndrome Traits Independently of Visceral Fat Mass. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 309-319.	0.9	14
32	Accuracy of Wearable Devices for Estimating Total Energy Expenditure. <i>JAMA Internal Medicine</i> , 2016, 176, 702.	2.6	159
33	An Exploratory Randomized Crossover Trial to Investigate the Palatability of Partially Abraded Brown Rice. <i>Nihon EiyÅ•ShokuryÅ•Gakkai Shi = Nippon EiyÅ•ShokuryÅ•Gakkaishi = Journal of Japanese Society of Nutrition and Food Science</i> , 2016, 69, 249-255.	0.2	1
34	A common genetic variant of the chromogranin A-derived peptide catestatin is associated with atherogenesis and hypertension in a Japanese population. <i>Endocrine Journal</i> , 2015, 62, 797-804.	0.7	15
35	<i>ADIPOQ</i> polymorphisms are associated with insulin resistance in Japanese women. <i>Endocrine Journal</i> , 2015, 62, 513-521.	0.7	5
36	Compliance With Physical Activity Guidelines Among Japanese Adults Using An Accelerometer And GPAQ. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 405.	0.2	0

#	ARTICLE	IF	CITATIONS
37	Logistic regression analysis for identifying the factors affecting development of non-invasive blood glucose calibration model by near-infrared spectroscopy. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2015, 148, 128-133.	1.8	18
38	Current review of intervention studies on obesity and the role of physical activity in weight control. <i>The Journal of Physical Fitness and Sports Medicine</i> , 2015, 4, 321-329.	0.2	3
39	Association between age and dynamic balance capability assessed by use of force plates. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2015, 64, 419-425.	0.0	3
40	Do dispatcher instructions facilitate bystander-initiated cardiopulmonary resuscitation and improve outcomes in patients with out-of-hospital cardiac arrest? A comparison of family and non-family bystanders. <i>Resuscitation</i> , 2014, 85, 315-319.	1.3	45
41	The FTO genotype as a useful predictor of body weight maintenance: Initial data from a 5-year follow-up study. <i>Metabolism: Clinical and Experimental</i> , 2014, 63, 912-917.	1.5	20
42	Weight Loss Maintenance for 2 Years after a 6-Month Randomised Controlled Trial Comparing Education-Only and Group-Based Support in Japanese Adults. <i>Obesity Facts</i> , 2014, 7, 376-387.	1.6	17
43	Pilot study of locomotion improvement using hybrid assistive limb in chronic stroke patients. <i>BMC Neurology</i> , 2013, 13, 141.	0.8	144
44	Combined effect of branched-chain amino acids and taurine supplementation on delayed onset muscle soreness and muscle damage in high-intensity eccentric exercise. <i>Journal of the International Society of Sports Nutrition</i> , 2013, 10, 51.	1.7	61
45	Feasibility of Rehabilitation Training With a Newly Developed Wearable Robot for Patients With Limited Mobility. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 1080-1087.	0.5	142
46	<i>rs206936 is associated with body mass index in obese Japanese women. <i>Endocrine Journal</i> , 2013, 60, 991-1000.	0.7	16
47	Adherence to and effects of multidirectional stepping exercise in the elderly: A long-term observational study following a randomized controlled trial. <i>The Journal of Physical Fitness and Sports Medicine</i> , 2013, 2, 127-134.	0.2	5
48	Replication Study of 15 Recently Published Loci for Body Fat Distribution in the Japanese Population. <i>Journal of Atherosclerosis and Thrombosis</i> , 2013, 20, 336-350.	0.9	16
49	Correction to: Comparison of Education-Only versus Group-Based Intervention in Promoting Weight Loss: A Randomised Controlled Trial. <i>Obesity Facts</i> , 2013, 6, 89-90.	1.6	0
50	Influence of Cardiorespiratory Fitness and Drinking Habits on Total Cancer Mortality: A Cohort Study of Japanese Man. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2013, 62, 375-381.	0.0	0
51	Effects of <i>FTO</i> Genotype on Weight Loss and Metabolic Risk Factors in Response to Calorie Restriction Among Japanese Women. <i>Obesity</i> , 2012, 20, 1122-1126.	1.5	24
52	Genetic variations in the CYP17A1 and NT5C2 genes are associated with a reduction in visceral and subcutaneous fat areas in Japanese women. <i>Journal of Human Genetics</i> , 2012, 57, 46-51.	1.1	38
53	Association between type 2 diabetes genetic susceptibility loci and visceral and subcutaneous fat area as determined by computed tomography. <i>Journal of Human Genetics</i> , 2012, 57, 305-310.	1.1	23
54	Electrocardiographic Determinants of the Polymorphic QRS Morphology in Idiopathic Right Ventricular Outflow Tract Tachycardia. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 521-526.	0.8	29

#	ARTICLE	IF	CITATIONS
55	Application of Robot Suit HAL to Gait Rehabilitation of Stroke Patients: A Case Study. <i>Lecture Notes in Computer Science</i> , 2012, , 184-187.	1.0	6
56	Computed tomography analysis of the association between the SH2B1 rs7498665 single-nucleotide polymorphism and visceral fat area. <i>Journal of Human Genetics</i> , 2011, 56, 716-719.	1.1	24
57	Comparison of Education-Only versus Group-Based Intervention in Promoting Weight Loss: A Randomised Controlled Trial. <i>Obesity Facts</i> , 2011, 4, 222-228.	1.6	14
58	Increased Low-intensity Household And Moderate-intensity Locomotive Activities Are Correlated With Weight Loss Magnitude In Women. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 115.	0.2	0
59	Presence of structural heart disease and left ventricular dysfunction predict hospitalizations for new-onset heart failure after right ventricular apical pacing. <i>Europace</i> , 2011, 13, 230-236.	0.7	7
60	Association of variations in the FTO, SCG3 and MTMR9 genes with metabolic syndrome in a Japanese population. <i>Journal of Human Genetics</i> , 2011, 56, 647-651.	1.1	69
61	Physical activity and intra-abdominal fat reduction: effects of age, obesity phenotype and vigorous physical activity. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2010, 59, 68-68.	0.0	2
62	Response of Coronary Heart Disease Risk Factors to Changes in Body Fat during Diet-Induced Weight Reduction in Japanese Obese Men: A Pilot Study. <i>Annals of Nutrition and Metabolism</i> , 2010, 56, 1-8.	1.0	4
63	Air Displacement Plethysmography for Estimating Body Composition Changes with Weight Loss in Middle-Aged Japanese Men. <i>Obesity Facts</i> , 2010, 3, 357-362.	1.6	10
64	Polymorphisms in NRXN3, TFAP2B, MSRA, LYPLAL1, FTO and MC4R and their effect on visceral fat area in the Japanese population. <i>Journal of Human Genetics</i> , 2010, 55, 738-742.	1.1	36
65	Prevention of Atrial Fibrillation Recurrence With Corticosteroids After Radiofrequency Catheter Ablation. <i>Journal of the American College of Cardiology</i> , 2010, 56, 1463-1472.	1.2	156
66	The effects of vigorous physical activity on intra-abdominal fat levels: A preliminary study of middle-aged Japanese men. <i>Diabetes Research and Clinical Practice</i> , 2010, 88, 34-41.	1.1	16
67	Association between obesity and polymorphisms in SEC16B, TMEM18, GNPDA2, BDNF, FAIM2 and MC4R in a Japanese population. <i>Journal of Human Genetics</i> , 2009, 54, 727-731.	1.1	115
68	Effect of Weight Reduction with Dietary Intervention on Arterial Distensibility and Endothelial Function in Obese Men. <i>Angiology</i> , 2009, 60, 351-357.	0.8	67
69	Screening of 336 single-nucleotide polymorphisms in 85 obesity-related genes revealed McKusickâ€“Kaufman syndrome gene variants are associated with metabolic syndrome. <i>Journal of Human Genetics</i> , 2009, 54, 230-235.	1.1	7
70	Metabolic rate and fuel utilization during sleep assessed by whole-body indirect calorimetry. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 920-926.	1.5	77
71	Effect of Habitual Aerobic Exercise on Body Weight and Arterial Function in Overweight and Obese Men. <i>American Journal of Cardiology</i> , 2009, 104, 823-828.	0.7	55
72	PPARG Genotype Accounts for Part of Individual Variation in Body Weight Reduction in Response to Calorie Restriction. <i>Obesity</i> , 2009, 17, 1924-1931.	1.5	39

#	ARTICLE	IF	CITATIONS
73	Obesity phenotype and intra-abdominal fat responses to regular aerobic exercise. <i>Diabetes Research and Clinical Practice</i> , 2009, 84, 230-238.	1.1	15
74	Factors alleviating metabolic syndrome via diet-induced weight loss with or without exercise in overweight Japanese women. <i>Preventive Medicine</i> , 2009, 48, 351-356.	1.6	20
75	Weight reduction can decrease circulating soluble lectin-like oxidized low-density lipoprotein receptor-1 levels in overweight middle-aged men. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 1209-1214.	1.5	22
76	Combination of polymorphisms in the β 2-adrenergic receptor and nitric oxide synthase 3 genes increases the risk for hypertension. <i>Journal of Hypertension</i> , 2009, 27, 1377-1383.	0.3	19
77	EFFECTS OF HABITUAL EXERCISE AND CANDIDATE GENE POLYMORPHISMS RELATED TO BONE ON CALCANEAL QUANTITATIVE ULTRASOUND IN MIDDLE-AGED AND ELDERLY JAPANESE. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2009, 58, 421-430.	0.0	0
78	Effects of additional resistance training during diet-induced weight loss on bone mineral density in overweight premenopausal women. <i>Journal of Bone and Mineral Metabolism</i> , 2008, 26, 172-177.	1.3	29
79	Variations in the FTO gene are associated with severe obesity in the Japanese. <i>Journal of Human Genetics</i> , 2008, 53, 546-553.	1.1	219
80	INSIG2 gene rs7566605 polymorphism is associated with severe obesity in Japanese. <i>Journal of Human Genetics</i> , 2008, 53, 857-862.	1.1	43
81	Effects of Acute Aerobic Exercise on High-Molecular-Weight Adiponectin. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 1271-1276.	0.2	25
82	EFFECTS OF CHANGE IN DAILY PHYSICAL ACTIVITY DURING AN EXERCISE INTERVENTION ON VITAL AGE AND PHYSICAL FITNESS AGE. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2008, 57, 463-474.	0.0	1
83	EFFECTS OF EXERCISE ON VISCERAL FAT IN OBESE MIDDLE-AGED MEN : COMPARISON TO DIETARY MODIFICATION. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2008, 57, 89-100.	0.0	6
84	PERSONALITY AND SELF-EFFICACY FACTORS IN WEIGHT MAINTENANCE AFTER WEIGHT REDUCTION PROGRAM. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2008, 57, 197-206.	0.0	1
85	Effects of Square-Stepping Exercise on Agility in Older Adults. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, S376.	0.2	0
86	Functional Single-Nucleotide Polymorphisms in the Secretogranin III (SCG3) Gene that Form Secretory Granules with Appetite-Related Neuropeptides Are Associated with Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 1145-1154.	1.8	40
87	Association of single-nucleotide polymorphisms in MTMR9 gene with obesity. <i>Human Molecular Genetics</i> , 2007, 16, 3017-3026.	1.4	51
88	A comparison of the prevalence of the metabolic syndrome and its components among native Japanese and Japanese Brazilians residing in Japan and Brazil. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 508-514.	3.1	18
89	Effects of diet with or without exercise on leptin and anticoagulation proteins levels in obesity. <i>Blood Coagulation and Fibrinolysis</i> , 2007, 18, 389-394.	0.5	15
90	Impact of weight reduction on production of platelet-derived microparticles and fibrinolytic parameters in obesity. <i>Thrombosis Research</i> , 2007, 119, 45-53.	0.8	112

#	ARTICLE	IF	CITATIONS
91	The influence of physical activity-induced energy expenditure on the variance in body weight change among individuals during a diet intervention. <i>Obesity Research and Clinical Practice</i> , 2007, 1, 109-117.	0.8	9
92	Effect of weight reduction on concentration of plasma total homocysteine in obese Japanese men. <i>Obesity Research and Clinical Practice</i> , 2007, 1, 213-221.	0.8	5
93	Plasma fat concentration increases in visceral fat obese men during high-intensity endurance exercise. <i>Obesity Research and Clinical Practice</i> , 2007, 1, 273-279.	0.8	2
94	Central Obesity and Health-related Factors among Middle-aged Men: a Comparison among Native Japanese and Japanese-Brazilians Residing in Brazil and Japan. <i>Journal of Physiological Anthropology</i> , 2007, 26, 339-347.	1.0	11
95	Effects of Aerobic Exercise on Metabolic Syndrome Improvement in Response to Weight Reduction. <i>Obesity</i> , 2007, 15, 2478-2484.	1.5	62
96	Lower HDL-cholesterol among healthy middle-aged Japanese-Brazilians in São Paulo compared to Natives and Japanese-Brazilians in Japan. <i>European Journal of Epidemiology</i> , 2007, 22, 33-42.	2.5	10
97	Effects of obesity phenotype on fat metabolism in obese men during endurance exercise. <i>International Journal of Obesity</i> , 2006, 30, 1189-1196.	1.6	19
98	Effects of Exercise During Diet-Induced Weight Loss on Bone Mineral Density in Obese Middle-Aged Men. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, S530.	0.2	0
99	Weight loss reduces plasma endothelin-1 concentration in obese men. <i>Experimental Biology and Medicine</i> , 2006, 231, 1044-7.	1.1	17
100	Effects of aerobic exercise and obesity phenotype on abdominal fat reduction in response to weight loss. <i>International Journal of Obesity</i> , 2005, 29, 1259-1266.	1.6	55
101	Effects Of Rebound After Weight Loss On Coronary Heart Disease Risk Factors. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, S268.	0.2	0
102	Validation Of Multi-frequency Bioelectrical Impedance Method To Estimate Changes In Body Composition During Weight Loss. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, S298.	0.2	0
103	EFFECTS OF DIET PLUS EXERCISE ON VISCERAL FAT IN OBESE WOMEN : WITH SPECIAL REFERENCE TO THE INCREASE IN VO ₂ max. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2004, 53, 311-319.	0.0	0
104	Regional Body Composition Changes Exhibit Opposing Effects on Coronary Heart Disease Risk Factors. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 923-929.	1.1	116
105	Target Value of Intraabdominal Fat Area for Improving Coronary Heart Disease Risk Factors. <i>Obesity</i> , 2004, 12, 695-703.	4.0	29
106	Health benefits associated with exercise habituation in older Japanese men. <i>Aging Clinical and Experimental Research</i> , 2004, 16, 53-59.	1.4	6
107	Body Composition Measurements by Dual-Energy X-ray Absorptiometry Differ Between Two Analysis Modes. <i>Journal of Clinical Densitometry</i> , 2004, 7, 443-447.	0.5	10
108	Estimation of Visceral Fat Area from Anthropometric Measurements in Japanese Women. <i>Medicine and Science in Sports and Exercise</i> , 2004, 36, S73.	0.2	0

#	ARTICLE	IF	CITATIONS
109	Effects of Exercise Intensity on Physical Fitness and Risk Factors for Coronary Heart Disease. Obesity, 2003, 11, 1131-1139.	4.0	52
110	A COMPARISON OF SINGLE-AND MULTI-FREQUENCY BIOELECTRICAL IMPEDANCE METHODS TO ASSESS HUMAN BODY COMPOSITION. Japanese Journal of Physical Fitness and Sports Medicine, 2003, 52, 443-453.	0.0	1
111	Effects of Weight Loss Program with Diet and Exercise on Vital Age in Obese Middle-aged Women. International Journal of Sport and Health Science, 2003, 1, 89-94.	0.0	0
112	EFFECTS OF CHANGE IN BODY MASS AND BODY COMPOSITION DURING BODY MASS REDUCTION ON BONE MASS IN OBESE MIDDLE-AGED WOMEN. Japanese Journal of Physical Fitness and Sports Medicine, 2002, 51, 129-137.	0.0	3
113	Effects of Obesity Phenotype on Coronary Heart Disease Risk Factors in Response to Weight Loss. Obesity, 2002, 10, 757-766.	4.0	22
114	EVALUATION OF DOPPLER FLOW WAVE FOR PERIPHERAL ARTERIAL OCCLUSIVE DISEASE. The Journal of the Japanese Practical Surgeon Society, 1989, 50, 2552-2558.	0.0	0