

Qing Lan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2820532/publications.pdf>

Version: 2024-02-01

180
papers

7,080
citations

50170

46
h-index

76769

74
g-index

180
all docs

180
docs citations

180
times ranked

11067
citing authors

#	ARTICLE	IF	CITATIONS
1	Epigenetic aging biomarkers and occupational exposure to benzene, trichloroethylene and formaldehyde. <i>Environment International</i> , 2022, 158, 106871.	4.8	18
2	Phytoestrogens and lung cancer risk: a nested case-control study in never-smoking Chinese women. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 643-651.	2.2	6
3	Night shift work, chemical coexposures and risk of female breast cancer in the Norwegian Offshore Petroleum Workers (NOPW) cohort: a prospectively recruited case-cohort study. <i>BMJ Open</i> , 2022, 12, e056396.	0.8	2
4	Quality of dietary carbohydrate is more important than its quantity in lipid peroxidation. <i>American Journal of Clinical Nutrition</i> , 2022, 116, 189-196.	2.2	3
5	Prediagnosis Leisure-Time Physical Activity and Lung Cancer Survival: A Pooled Analysis of 11 Cohorts. <i>JNCI Cancer Spectrum</i> , 2022, 6, .	1.4	7
6	Circulatory metabolites trigger ex vivo arterial endothelial cell dysfunction in population chronically exposed to diesel exhaust. <i>Particle and Fibre Toxicology</i> , 2022, 19, 20.	2.8	5
7	Endogenous sex hormones, aromatase activity and lung cancer risk in postmenopausal never-smoking women. <i>International Journal of Cancer</i> , 2022, 151, 699-707.	2.3	5
8	Proteomic analysis of serum in workers exposed to diesel engine exhaust. <i>Environmental and Molecular Mutagenesis</i> , 2022, 63, 18-28.	0.9	4
9	Incidence of myeloid malignancies by subtype in Hong Kong and comparisons with Asian and white men and women in the United States. <i>Leukemia and Lymphoma</i> , 2022, 63, 1917-1924.	0.6	2
10	Lipid peroxidation biomarkers associated with height and obesity measures in the opposite direction in women. <i>Obesity</i> , 2022, 30, 1257-1267.	1.5	3
11	B-Cell NHL Subtype Risk Associated with Autoimmune Conditions and PRS. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1103-1110.	1.1	4
12	Occupational trichloroethylene exposure and antinuclear antibodies: a cross-sectional study in China. <i>Occupational and Environmental Medicine</i> , 2022, 79, 717-720.	1.3	3
13	Tooth Loss and Risk of Lung Cancer among Urban Chinese Adults: A Cohort Study with Meta-Analysis. <i>Cancers</i> , 2022, 14, 2428.	1.7	3
14	Cohort Profile: Norwegian Offshore Petroleum Workers (NOPW) Cohort. <i>International Journal of Epidemiology</i> , 2021, 50, 398-399.	0.9	7
15	Patterns of Human Leukocyte Antigen Class I and Class II Associations and Cancer. <i>Cancer Research</i> , 2021, 81, 1148-1152.	0.4	15
16	Associations of coffee and tea consumption with lung cancer risk. <i>International Journal of Cancer</i> , 2021, 148, 2457-2470.	2.3	10
17	Metabolome-wide association study of occupational exposure to benzene. <i>Carcinogenesis</i> , 2021, 42, 1326-1336.	1.3	14
18	Genome-wide homozygosity and risk of four non-Hodgkin lymphoma subtypes. , 2021, 5, 200-217.		0

#	ARTICLE	IF	CITATIONS
19	Sub-multiplicative interaction between polygenic risk score and household coal use in relation to lung adenocarcinoma among never-smoking women in Asia. <i>Environment International</i> , 2021, 147, 105975.	4.8	12
20	Genetically Inferred Telomere Length and Testicular Germ Cell Tumor Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1275-1278.	1.1	2
21	A Prospective Investigation of Circulating Metabolome Identifies Potential Biomarkers for Gastric Cancer Risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 1634-1642.	1.1	9
22	Elevated Alu retroelement copy number among workers exposed to diesel engine exhaust. <i>Occupational and Environmental Medicine</i> , 2021, 78, 823-828.	1.3	6
23	Elevated urinary mutagenicity among those exposed to bituminous coal combustion emissions or diesel engine exhaust. <i>Environmental and Molecular Mutagenesis</i> , 2021, 62, 458-470.	0.9	9
24	Genomic and evolutionary classification of lung cancer in never smokers. <i>Nature Genetics</i> , 2021, 53, 1348-1359.	9.4	81
25	Commute patterns, residential traffic-related air pollution, and lung cancer risk in the prospective UK Biobank cohort study. <i>Environment International</i> , 2021, 155, 106698.	4.8	12
26	Household air pollution from, and fuel efficiency of, different coal types following local cooking practices in Xuanwei, China. <i>Environmental Pollution</i> , 2021, 290, 117949.	3.7	1
27	Characterization of the humoral immune response to the EBV proteome in extranodal NK/T-cell lymphoma. <i>Scientific Reports</i> , 2021, 11, 23664.	1.6	4
28	Prediagnostic blood levels of organochlorines and risk of non-Hodgkin lymphoma in three prospective cohorts in China and Singapore. <i>International Journal of Cancer</i> , 2020, 146, 839-849.	2.3	8
29	Prediagnostic serum sCD27 and sCD30 in serial samples and risks of non-Hodgkin lymphoma subtypes. <i>International Journal of Cancer</i> , 2020, 146, 3312-3319.	2.3	4
30	Association of Dietary Fiber and Yogurt Consumption With Lung Cancer Risk. <i>JAMA Oncology</i> , 2020, 6, e194107.	3.4	67
31	Ischaemic heart disease and stroke mortality by specific coal type among non-smoking women with substantial indoor air pollution exposure in China. <i>International Journal of Epidemiology</i> , 2020, 49, 56-68.	0.9	20
32	Circulating markers of cellular immune activation in prediagnostic blood sample and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). <i>International Journal of Cancer</i> , 2020, 146, 2394-2405.	2.3	21
33	Tuberculosis infection and lung adenocarcinoma: Mendelian randomization and pathway analysis of genome-wide association study data from never-smoking Asian women. <i>Genomics</i> , 2020, 112, 1223-1232.	1.3	15
34	Serum ghrelin and esophageal and gastric cancer in two cohorts in China. <i>International Journal of Cancer</i> , 2020, 146, 2728-2735.	2.3	21
35	The IARC Monographs: Updated Procedures for Modern and Transparent Evidence Synthesis in Cancer Hazard Identification. <i>Journal of the National Cancer Institute</i> , 2020, 112, 30-37.	3.0	69
36	Association between coffee drinking and telomere length in the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial. <i>PLoS ONE</i> , 2020, 15, e0226972.	1.1	5

#	ARTICLE	IF	CITATIONS
37	Genetic risk of extranodal natural killer T-cell lymphoma: a genome-wide association study in multiple populations. <i>Lancet Oncology</i> , The, 2020, 21, 306-316.	5.1	49
38	White Blood Cell Count and Risk of Incident Lung Cancer in the UK Biobank. <i>JNCI Cancer Spectrum</i> , 2020, 4, pkz102.	1.4	22
39	Reproductive factors and lung cancer risk: a comprehensive systematic review and meta-analysis. <i>BMC Public Health</i> , 2020, 20, 1458.	1.2	14
40	Occupational exposure to carbon black nanoparticles increases inflammatory vascular disease risk: an implication of an ex vivo biosensor assay. <i>Particle and Fibre Toxicology</i> , 2020, 17, 47.	2.8	20
41	Characterization of outdoor air pollution from solid fuel combustion in Xuanwei and Fuyuan, a rural region of China. <i>Scientific Reports</i> , 2020, 10, 11335.	1.6	10
42	A Prospective Study of Circulating Chemokines and Angiogenesis Markers and Risk of Multiple Myeloma and Its Precursor. <i>JNCI Cancer Spectrum</i> , 2020, 4, pkz104.	1.4	10
43	Environmental health literacy and household air pollution-associated symptoms in Kenya: a cross-sectional study. <i>Environmental Health</i> , 2020, 19, 89.	1.7	10
44	A Quantitative Meta-Analysis of the Relation between Occupational Benzene Exposure and Biomarkers of Cytogenetic Damage. <i>Environmental Health Perspectives</i> , 2020, 128, 87004.	2.8	8
45	Benzene exposure response and risk of lymphoid neoplasms in Chinese workers: A multicenter case-cohort study. <i>American Journal of Industrial Medicine</i> , 2020, 63, 741-754.	1.0	6
46	Carbon content in airway macrophages and genomic instability in Chinese carbon black packers. <i>Archives of Toxicology</i> , 2020, 94, 761-771.	1.9	22
47	Genome-wide Association Study Identifies HLA-DPB1 as a Significant Risk Factor for Severe Aplastic Anemia. <i>American Journal of Human Genetics</i> , 2020, 106, 264-271.	2.6	25
48	Lipid Trait Variants and the Risk of Non-Hodgkin Lymphoma Subtypes: A Mendelian Randomization Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1074-1078.	1.1	13
49	Associations between reproductive factors and biliary tract cancers in women from the Biliary Tract Cancers Pooling Project. <i>Journal of Hepatology</i> , 2020, 73, 863-872.	1.8	12
50	Prediagnostic serum concentrations of organochlorine pesticides and non-Hodgkin lymphoma: A nested case-control study in the Norwegian Janus Serum Bank Cohort. <i>Environmental Research</i> , 2020, 187, 109515.	3.7	3
51	Genetic overlap between autoimmune diseases and non-Hodgkin lymphoma subtypes. <i>Genetic Epidemiology</i> , 2019, 43, 844-863.	0.6	28
52	The Establishment of the Household Air Pollution Consortium (HAPCO). <i>Atmosphere</i> , 2019, 10, 422.	1.0	0
53	Constituents of Household Air Pollution and Risk of Lung Cancer among Never-Smoking Women in Xuanwei and Fuyuan, China. <i>Environmental Health Perspectives</i> , 2019, 127, 97001.	2.8	52
54	Association of Untargeted Urinary Metabolomics and Lung Cancer Risk Among Never-Smoking Women in China. <i>JAMA Network Open</i> , 2019, 2, e1911970.	2.8	24

#	ARTICLE	IF	CITATIONS
55	Estimation of Source-Specific Occupational Benzene Exposure in a Population-Based Caseâ€Control Study of Non-Hodgkin Lymphoma. <i>Annals of Work Exposures and Health</i> , 2019, 63, 842-855.	0.6	4
56	Human exposure to trichloroethylene is associated with increased variability of blood DNA methylation that is enriched in genes and pathways related to autoimmune disease and cancer. <i>Epigenetics</i> , 2019, 14, 1112-1124.	1.3	24
57	Association between occupational exposure to trichloroethylene and serum levels of microRNAs: a cross-sectional molecular epidemiology study in China. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 1077-1085.	1.1	6
58	Household coal combustion, indoor air pollutants, and circulating immunologic/inflammatory markers in rural China. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2019, 82, 411-421.	1.1	4
59	Alterations in immune and renal biomarkers among workers occupationally exposed to low levels of trichloroethylene below current regulatory standards. <i>Occupational and Environmental Medicine</i> , 2019, 76, 376-381.	1.3	9
60	The Metabolome: a Key Measure for Exposome Research in Epidemiology. <i>Current Epidemiology Reports</i> , 2019, 6, 93-103.	1.1	57
61	Variation in ribosomal DNA copy number is associated with lung cancer risk in a prospective cohort study. <i>Carcinogenesis</i> , 2019, 40, 975-978.	1.3	16
62	The respiratory tract microbiome and its relationship to lung cancer and environmental exposures found in rural china. <i>Environmental and Molecular Mutagenesis</i> , 2019, 60, 617-623.	0.9	22
63	Pre-diagnostic serum concentrations of organochlorines and risk of acute myeloid leukemia: A nested case-control study in the Norwegian Janus Serum Bank Cohort. <i>Environment International</i> , 2019, 125, 229-235.	4.8	13
64	Benzene Exposure Response and Risk of Myeloid Neoplasms in Chinese Workers: A Multicenter Caseâ€Cohort Study. <i>Journal of the National Cancer Institute</i> , 2019, 111, 465-474.	3.0	26
65	Is high vitamin B12 status a cause of lung cancer?. <i>International Journal of Cancer</i> , 2019, 145, 1499-1503.	2.3	58
66	Lung cancer risk by geologic coal deposits: A caseâ€control study of female neverâ€smokers from Xuanwei and Fuyuan, China. <i>International Journal of Cancer</i> , 2019, 144, 2918-2927.	2.3	32
67	Circulating sCD27 and sCD30 in preâ€diagnostic samples collected fifteen years apart and future nonâ€Hodgkin lymphoma risk. <i>International Journal of Cancer</i> , 2019, 144, 1780-1785.	2.3	7
68	Genetically Determined Height and Risk of Non-hodgkin Lymphoma. <i>Frontiers in Oncology</i> , 2019, 9, 1539.	1.3	6
69	The metabolome: A key measure for exposome research in epidemiology. <i>Current Epidemiology Reports</i> , 2019, 6, 93-103.	1.1	18
70	Prospective study of blood metabolites associated with colorectal cancer risk. <i>International Journal of Cancer</i> , 2018, 143, 527-534.	2.3	41
71	Overall and Central Obesity and Risk of Lung Cancer: A Pooled Analysis. <i>Journal of the National Cancer Institute</i> , 2018, 110, 831-842.	3.0	78
72	Dietary Glycemic Load, Glycemic Index, and Carbohydrate Intake on the Risk of Lung Cancer among Men and Women in Shanghai. <i>Nutrition and Cancer</i> , 2018, 70, 671-677.	0.9	7

#	ARTICLE	IF	CITATIONS
73	Cardiovascular effects among workers exposed to multiwalled carbon nanotubes. <i>Occupational and Environmental Medicine</i> , 2018, 75, 351-358.	1.3	36
74	Prospective metabolomics study identifies potential novel blood metabolites associated with pancreatic cancer risk. <i>International Journal of Cancer</i> , 2018, 143, 2161-2167.	2.3	36
75	p53 and K-ras mutations in lung tissues and sputum samples of individuals exposed to smoky coal emissions in Xuan Wei County, China. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2018, 829-830, 70-74.	0.9	4
76	Serologic markers of viral infection and risk of non-Hodgkin lymphoma: A pooled study of three prospective cohorts in China and Singapore. <i>International Journal of Cancer</i> , 2018, 143, 570-579.	2.3	23
77	Adductomic signatures of benzene exposure provide insights into cancer induction. <i>Carcinogenesis</i> , 2018, 39, 661-668.	1.3	42
78	Use and Reliability of Exposure Assessment Methods in Occupational Case-Control Studies in the General Population: Past, Present, and Future. <i>Annals of Work Exposures and Health</i> , 2018, 62, 1047-1063.	0.6	24
79	Two high-risk susceptibility loci at 6p25.3 and 14q32.13 for Waldenström macroglobulinemia. <i>Nature Communications</i> , 2018, 9, 4182.	5.8	15
80	Identification of gene expression predictors of occupational benzene exposure. <i>PLoS ONE</i> , 2018, 13, e0205427.	1.1	13
81	Outdoor air pollution and mosaic loss of chromosome Y in older men from the Cardiovascular Health Study. <i>Environment International</i> , 2018, 116, 239-247.	4.8	32
82	Pre-diagnostic urinary 15-keto- Δ^8 -prostaglandin level and liver cancer risk: Results from the Shanghai Women's and Men's Health Studies. <i>International Journal of Cancer</i> , 2018, 143, 1896-1903.	2.3	8
83	Circulating cotinine concentrations and lung cancer risk in the Lung Cancer Cohort Consortium (LC3). <i>International Journal of Epidemiology</i> , 2018, 47, 1760-1771.	0.9	15
84	Alcohol and lung cancer risk among never smokers: A pooled analysis from the international lung cancer consortium and the SYNERGY study. <i>International Journal of Cancer</i> , 2017, 140, 1976-1984.	2.3	35
85	Lung cancer risk in welders and foundry workers with a history of heavy smoking in the USA: The National Lung Screening Trial. <i>Occupational and Environmental Medicine</i> , 2017, 74, 440-448.	1.3	20
86	Genome-wide association analysis implicates dysregulation of immunity genes in chronic lymphocytic leukaemia. <i>Nature Communications</i> , 2017, 8, 14175.	5.8	75
87	Evaluating Exposure-Response Associations for Non-Hodgkin Lymphoma with Varying Methods of Assigning Cumulative Benzene Exposure in the Shanghai Women's Health Study. <i>Annals of Work Exposures and Health</i> , 2017, 61, 56-66.	0.6	8
88	A Prospective Study of Urinary Prostaglandin E2 Metabolite, Helicobacter pylori Antibodies, and Gastric Cancer Risk. <i>Clinical Infectious Diseases</i> , 2017, 64, 1380-1386.	2.9	19
89	Sleep Duration across the Adult Lifecourse and Risk of Lung Cancer Mortality: A Cohort Study in Xuanwei, China. <i>Cancer Prevention Research</i> , 2017, 10, 327-336.	0.7	11
90	A prospective study of mitochondrial DNA copy number and the risk of prostate cancer. <i>Cancer Causes and Control</i> , 2017, 28, 529-538.	0.8	18

#	ARTICLE	IF	CITATIONS
91	A cross-sectional study of changes in markers of immunological effects and lung health due to exposure to multi-walled carbon nanotubes. <i>Nanotoxicology</i> , 2017, 11, 395-404.	1.6	58
92	Quartz in ash, and air in a high lung cancer incidence area in China. <i>Environmental Pollution</i> , 2017, 221, 318-325.	3.7	23
93	Circulating resistin levels and risk of multiple myeloma in three prospective cohorts. <i>British Journal of Cancer</i> , 2017, 117, 1241-1245.	2.9	12
94	0271â€¦Adverse effects on specific markers of cardiovascular risk among workers exposed to multi-walled carbon nanotubes. , 2017, , .		0
95	Personal exposure to fine particulate matter and benzo[a]pyrene from indoor air pollution and leukocyte mitochondrial DNA copy number in rural China. <i>Carcinogenesis</i> , 2017, 38, 893-899.	1.3	46
96	Changes in DNA methylation induced by multi-walled carbon nanotube exposure in the workplace. <i>Nanotoxicology</i> , 2017, 11, 1195-1210.	1.6	41
97	Lupus-related single nucleotide polymorphisms and risk of diffuse large B-cell lymphoma. <i>Lupus Science and Medicine</i> , 2017, 4, e000187.	1.1	15
98	Genetic Modifiers of Progression-Free Survival in Never-Smoking Lung Adenocarcinoma Patients Treated with First-Line Tyrosine Kinase Inhibitors. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017, 195, 663-673.	2.5	24
99	Profiling the Serum Albumin Cys34 Adductome of Solid Fuel Users in Xuanwei and Fuyuan, China. <i>Environmental Science & Technology</i> , 2017, 51, 46-57.	4.6	33
100	Occupational exposure to diesel engine exhaust and alterations in immune/inflammatory markers: a cross-sectional molecular epidemiology study in China. <i>Carcinogenesis</i> , 2017, 38, 1104-1111.	1.3	21
101	A New Approach Combining Analytical Methods for Workplace Exposure Assessment of Inhalable Multi-Walled Carbon Nanotubes. <i>Annals of Work Exposures and Health</i> , 2017, 61, 759-772.	0.6	9
102	Leukocyte telomere length and renal cell carcinoma survival in two studies. <i>British Journal of Cancer</i> , 2017, 117, 752-755.	2.9	17
103	A prospective study of immune and inflammation markers and risk of lung cancer among female never smokers in Shanghai. <i>Carcinogenesis</i> , 2017, 38, 1004-1010.	1.3	31
104	Cooking Coal Use and All-Cause and Cause-Specific Mortality in a Prospective Cohort Study of Women in Shanghai, China. <i>Environmental Health Perspectives</i> , 2016, 124, 1384-1389.	2.8	42
105	Polymorphisms in pre-miRNA genes and cooking oil fume exposure as well as their interaction on the risk of lung cancer in a Chinese nonsmoking female population. <i>OncoTargets and Therapy</i> , 2016, 9, 395.	1.0	24
106	Polymorphism of Rs9387478 Correlates with Overall Survival in Female Nonsmoking Patients with Lung Cancer. <i>International Journal of Biological Markers</i> , 2016, 31, 144-152.	0.7	4
107	Prospective cohort study of general and central obesity, weight change trajectory and risk of major cancers among Chinese women. <i>International Journal of Cancer</i> , 2016, 139, 1461-1470.	2.3	48
108	O18-5â€¦Occupational exposure to diesel exhaust and alterations in immune/inflammatory markers. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
109	Polymorphisms in miR-135a-2, miR-219-2 and miR-211 as well as their interaction with cooking oil fume exposure on the risk of lung cancer in Chinese nonsmoking females: a case-control study. <i>BMC Cancer</i> , 2016, 16, 751.	1.1	14
110	Association between GWAS-identified lung adenocarcinoma susceptibility loci and EGFR mutations in never-smoking Asian women, and comparison with findings from Western populations. <i>Human Molecular Genetics</i> , 2016, 26, ddw414.	1.4	50
111	Subtype-specific incidence rates of lymphoid malignancies in Hong Kong compared to the United States, 2001-2010. <i>Cancer Epidemiology</i> , 2016, 42, 15-23.	0.8	39
112	Effects of occupational exposure to carbon black on peripheral white blood cell counts and lymphocyte subsets. <i>Environmental and Molecular Mutagenesis</i> , 2016, 57, 615-622.	0.9	17
113	High-resolution metabolomics of occupational exposure to trichloroethylene. <i>International Journal of Epidemiology</i> , 2016, 45, 1517-1527.	0.9	87
114	Female chromosome X mosaicism is age-related and preferentially affects the inactivated X chromosome. <i>Nature Communications</i> , 2016, 7, 11843.	5.8	86
115	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. <i>Nature Communications</i> , 2016, 7, 10933.	5.8	94
116	Evaluation of Automatically Assigned Job-Specific Interview Modules. <i>Annals of Occupational Hygiene</i> , 2016, 60, 885-899.	1.9	10
117	Meta-analysis of genome-wide association studies identifies multiple lung cancer susceptibility loci in never-smoking Asian women. <i>Human Molecular Genetics</i> , 2016, 25, 620-629.	1.4	50
118	Genetically predicted longer telomere length is associated with increased risk of B-cell lymphoma subtypes. <i>Human Molecular Genetics</i> , 2016, 25, 1663-1676.	1.4	52
119	Low Levels of Circulating Adiponectin Are Associated with Multiple Myeloma Risk in Overweight and Obese Individuals. <i>Cancer Research</i> , 2016, 76, 1935-1941.	0.4	30
120	Occupational Exposure to Multi-Walled Carbon Nanotubes During Commercial Production Synthesis and Handling. <i>Annals of Occupational Hygiene</i> , 2016, 60, 305-317.	1.9	40
121	Retrospective benzene exposure assessment for a multi-center case-cohort study of benzene-exposed workers in China. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2016, 26, 334-340.	1.8	9
122	Clinical analysis of 1629 newly diagnosed malignant lymphomas in current residents of Sichuan province, China. <i>Hematological Oncology</i> , 2016, 34, 193-199.	0.8	12
123	Winner's Curse Correction and Variable Thresholding Improve Performance of Polygenic Risk Modeling Based on Genome-Wide Association Study Summary-Level Data. <i>PLoS Genetics</i> , 2016, 12, e1006493.	1.5	98
124	Genetic variants associated with longer telomere length are associated with increased lung cancer risk among never-smoking women in Asia: a report from the female lung cancer consortium in Asia. <i>International Journal of Cancer</i> , 2015, 137, 311-319.	2.3	72
125	Genetic susceptibility to diffuse large B-cell lymphoma in a pooled study of three Eastern Asian populations. <i>European Journal of Haematology</i> , 2015, 95, 442-448.	1.1	30
126	Analysis of Heritability and Shared Heritability Based on Genome-Wide Association Studies for Thirteen Cancer Types. <i>Journal of the National Cancer Institute</i> , 2015, 107, djv279.	3.0	152

#	ARTICLE	IF	CITATIONS
127	Soluble levels of <scp>CD</scp>27 and <scp>CD</scp>30 are associated with risk of non-Hodgkin lymphoma in three Chinese prospective cohorts. International Journal of Cancer, 2015, 137, 2688-2695.	2.3	15
128	A genome-wide association study of marginal zone lymphoma shows association to the HLA region. Nature Communications, 2015, 6, 5751.	5.8	58
129	Characterization of Large Structural Genetic Mosaicism in Human Autosomes. American Journal of Human Genetics, 2015, 96, 487-497.	2.6	101
130	Occupational exposure to diesel engine exhaust and alterations in lymphocyte subsets. Occupational and Environmental Medicine, 2015, 72, 354-359.	1.3	22
131	Associations of Non-Hodgkin Lymphoma (NHL) Risk With Autoimmune Conditions According to Putative NHL Loci. American Journal of Epidemiology, 2015, 181, 406-421.	1.6	54
132	Does household use of biomass fuel cause lung cancer? A systematic review and evaluation of the evidence for the GBD 2010 study. Thorax, 2015, 70, 433-441.	2.7	67
133	Circulating immune/inflammation markers in Chinese workers occupationally exposed to formaldehyde. Carcinogenesis, 2015, 36, 852-857.	1.3	14
134	Household air pollution and cancers other than lung: a meta-analysis. Environmental Health, 2015, 14, 24.	1.7	58
135	A retrospective cohort study of cause-specific mortality and incidence of hematopoietic malignancies in Chinese benzene-exposed workers. International Journal of Cancer, 2015, 137, 2184-2197.	2.3	50
136	Gene-expression profiling of buccal epithelium among non-smoking women exposed to household air pollution from smoky coal. Carcinogenesis, 2015, 36, bgv150.	1.3	17
137	Mitochondrial DNA Copy Number and Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma Risk in Two Prospective Studies. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 148-153.	1.1	27
138	Characterization of Changes in Gene Expression and Biochemical Pathways at Low Levels of Benzene Exposure. PLoS ONE, 2014, 9, e91828.	1.1	36
139	Household Air Pollution (HAP) and Cancer: What (HAP) Pens Next?. Journal of Pulmonary & Respiratory Medicine, 2014, 04, 189.	0.1	0
140	Household air pollution and lung cancer in China: a review of studies in Xuanwei. Chinese Journal of Cancer, 2014, 33, 471-5.	4.9	37
141	0442...Elucidating mechanisms using comparative molecular epidemiology: Immunologic alterations in workers exposed to trichloroethylene and formaldehyde. Occupational and Environmental Medicine, 2014, 71, A125-A125.	1.3	0
142	Historical Occupational Trichloroethylene Air Concentrations Based on Inspection Measurements From Shanghai, China. Annals of Occupational Hygiene, 2014, 59, 62-78.	1.9	7
143	Telomere Length Varies by DNA Extraction Method: Implications for Epidemiologic Research Letter. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 1129-1130.	1.1	23
144	Pooled Analysis of Mitochondrial DNA Copy Number and Lung Cancer Risk in Three Prospective Studies. Cancer Epidemiology Biomarkers and Prevention, 2014, 23, 2977-2980.	1.1	14

#	ARTICLE	IF	CITATIONS
145	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Peripheral T-Cell Lymphomas: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. Journal of the National Cancer Institute Monographs, 2014, 2014, 66-75.	0.9	52
146	Integrative analysis of prognosis data on multiple cancer subtypes. Biometrics, 2014, 70, 480-488.	0.8	15
147	Etiologic Heterogeneity Among Non-Hodgkin Lymphoma Subtypes: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. Journal of the National Cancer Institute Monographs, 2014, 2014, 130-144.	0.9	265
148	Personal and Indoor PM _{2.5} Exposure from Burning Solid Fuels in Vented and Unvented Stoves in a Rural Region of China with a High Incidence of Lung Cancer. Environmental Science & Technology, 2014, 48, 8456-8464.	4.6	152
149	Genome-wide association study identifies multiple susceptibility loci for diffuse large B cell lymphoma. Nature Genetics, 2014, 46, 1233-1238.	9.4	147
150	Genome-wide Association Study Identifies Five Susceptibility Loci for Follicular Lymphoma outside the HLA Region. American Journal of Human Genetics, 2014, 95, 462-471.	2.6	96
151	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. Journal of the National Cancer Institute Monographs, 2014, 2014, 41-51.	0.9	82
152	Telomere Length in White Blood Cell DNA and Lung Cancer: A Pooled Analysis of Three Prospective Cohorts. Cancer Research, 2014, 74, 4090-4098.	0.4	112
153	Smoky coal, tobacco smoking, and lung cancer risk in Xuanwei, China. Lung Cancer, 2014, 84, 31-35.	0.9	50
154	Mitochondrial DNA copy number and future risk of B-cell lymphoma in a nested case-control study in the prospective EPIC cohort. Blood, 2014, 124, 530-535.	0.6	46
155	History of lung disease and risk of lung cancer in a population with high household fuel combustion exposures in rural China. Lung Cancer, 2013, 81, 343-346.	0.9	23
156	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. Nature Genetics, 2013, 45, 868-876.	9.4	179
157	Longer Telomere Length in Peripheral White Blood Cells Is Associated with Risk of Lung Cancer and the rs2736100 (CLPTM1L-TERT) Polymorphism in a Prospective Cohort Study among Women in China. PLoS ONE, 2013, 8, e59230.	1.1	106
158	Risk of lung cancer associated with domestic use of coal in Xuanwei, China: retrospective cohort study. BMJ, The, 2012, 345, e5414-e5414.	3.0	113
159	Genome-wide association analysis identifies new lung cancer susceptibility loci in never-smoking women in Asia. Nature Genetics, 2012, 44, 1330-1335.	9.4	286
160	Constitutive Mitochondrial DNA Copy Number in Peripheral Blood of Melanoma Families with and without CDKN2A Mutations. Journal of Carcinogenesis & Mutagenesis, 2012, S4, .	0.3	5
161	Genetic variation in Th1/Th2 pathway genes and risk of non-Hodgkin lymphoma: a pooled analysis of three population-based case-control studies. British Journal of Haematology, 2011, 153, 341-350.	1.2	34
162	Genetic susceptibility for chronic lymphocytic leukemia among Chinese in Hong Kong. European Journal of Haematology, 2010, 85, 492-495.	1.1	35

#	ARTICLE	IF	CITATIONS
163	Occupational exposure to trichloroethylene is associated with a decline in lymphocyte subsets and soluble CD27 and CD30 markers. <i>Carcinogenesis</i> , 2010, 31, 1592-1596.	1.3	48
164	Large-scale evaluation of candidate genes identifies associations between DNA repair and genomic maintenance and development of benzene hematotoxicity. <i>Carcinogenesis</i> , 2009, 30, 50-58.	1.3	49
165	A Prospective Study of Telomere Length Measured by Monochrome Multiplex Quantitative PCR and Risk of Non-Hodgkin Lymphoma. <i>Clinical Cancer Research</i> , 2009, 15, 7429-7433.	3.2	103
166	Genetic variation in caspase genes and risk of non-Hodgkin lymphoma: a pooled analysis of 3 population-based case-control studies. <i>Blood</i> , 2009, 114, 264-267.	0.6	42
167	Variation in lung cancer risk by smoky coal subtype in Xuanwei, China. <i>International Journal of Cancer</i> , 2008, 123, 2164-2169.	2.3	81
168	A prospective study of mitochondrial DNA copy number and risk of non-Hodgkin lymphoma. <i>Blood</i> , 2008, 112, 4247-4249.	0.6	112
169	Low-Dose, Occupational Exposure to the Leukemogen Benzene Induces Robust Changes in the Blood Transcriptome Associated with Altered Immune System Biology.. <i>Blood</i> , 2008, 112, 1207-1207.	0.6	2
170	Genotype frequency and F ST analysis of polymorphisms in immunoregulatory genes in Chinese and Caucasian populations. <i>Immunogenetics</i> , 2007, 59, 839-852.	1.2	27
171	Genetic polymorphisms in the oxidative stress pathway and susceptibility to non-Hodgkin lymphoma. <i>Human Genetics</i> , 2007, 121, 161-168.	1.8	65
172	Cytokine polymorphisms in the Th1/Th2 pathway and susceptibility to non-Hodgkin lymphoma. <i>Blood</i> , 2006, 107, 4101-4108.	0.6	166
173	Lymphocyte toxicity and T cell receptor excision circles in workers exposed to benzene. <i>Chemico-Biological Interactions</i> , 2005, 153-154, 111-115.	1.7	12
174	Polymorphisms in the DNA nucleotide excision repair genes and lung cancer risk in Xuan Wei, China. <i>International Journal of Cancer</i> , 2005, 116, 768-773.	2.3	110
175	Polymorphisms in Cytokine and Cellular Adhesion Molecule Genes and Susceptibility to Hematotoxicity among Workers Exposed to Benzene. <i>Cancer Research</i> , 2005, 65, 9574-9581.	0.4	56
176	Smoky coal exposure, NBS1 polymorphisms, p53 protein accumulation, and lung cancer risk in Xuan Wei, China. <i>Lung Cancer</i> , 2005, 49, 317-323.	0.9	41
177	Detection of p53 and K-ras mutations in sputum of individuals exposed to smoky coal emissions in Xuan Wei County, China. <i>Carcinogenesis</i> , 2004, 26, 303-308.	1.3	26
178	Hematotoxicity in Workers Exposed to Low Levels of Benzene. <i>Science</i> , 2004, 306, 1774-1776.	6.0	533
179	Oxidative damage-related genes AKR1C3 and OGG1 modulate risks for lung cancer due to exposure to PAH-rich coal combustion emissions. <i>Carcinogenesis</i> , 2004, 25, 2177-2181.	1.3	147
180	No apparent association between NAT1 and NAT2 genotypes and risk of stomach cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 384-6.	1.1	5