

Rakibul Islam

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2821014/rakibul-islam-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86
papers

1,976
citations

18
h-index

44
g-index

99
ext. papers

4,188
ext. citations

4.9
avg, IF

4.84
L-index

#	Paper	IF	Citations
86	Global Burden of Cardiovascular Diseases and Risk Factors, 1990-2019: Update From the GBD 2019 Study. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 2982-3021	15.1	922
85	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990-2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021 , 397, 2337-2360	40	97
84	Trends in incidence of total or type 2 diabetes: systematic review. <i>BMJ, The</i> , 2019 , 366, l5003	5.9	88
83	Global Consensus Position Statement on the Use of Testosterone Therapy for Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 4660-4666	5.6	81
82	Safety and efficacy of testosterone for women: a systematic review and meta-analysis of randomised controlled trial data. <i>Lancet Diabetes and Endocrinology, the</i> , 2019 , 7, 754-766	18.1	80
81	SAT-LB001 Traditional Sex Steroids and Ketoandrogen Levels by Menstrual Cycle Stage, Age and Body Mass Index in Women Aged 18-39 Years. <i>Journal of the Endocrine Society</i> , 2019 , 3,	0.4	78
80	Understanding variation in prevalence estimates of polycystic ovary syndrome: a systematic review and meta-analysis. <i>Human Reproduction Update</i> , 2018 , 24, 694-709	15.8	70
79	Androgens During the Reproductive Years: What Is Normal for Women?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 5382-5392	5.6	42
78	Prevalence of menopausal symptoms in Asian midlife women: a systematic review. <i>Climacteric</i> , 2015 , 18, 157-76	3.1	39
77	Global Consensus Position Statement on the Use of Testosterone Therapy for Women. <i>Climacteric</i> , 2019 , 22, 429-434	3.1	30
76	Barriers to Cervical Cancer and Breast Cancer Screening Uptake in Low-Income and Middle-Income Countries: A Systematic Review. <i>Asian Pacific Journal of Cancer Prevention</i> , 2017 , 18, 1751-1763	1.7	29
75	A systematic review of intravaginal testosterone for the treatment of vulvovaginal atrophy. <i>Menopause</i> , 2018 , 25, 704-709	2.5	26
74	The prevalence of symptomatic pelvic floor disorders in women in Bangladesh. <i>Climacteric</i> , 2016 , 19, 558-564	3.1	23
73	Awareness of breast cancer and barriers to breast screening uptake in Bangladesh: A population based survey. <i>Maturitas</i> , 2016 , 84, 68-74	5	23
72	Prevalence of symptomatic pelvic floor disorders in community-dwelling women in low and middle-income countries: a systematic review and meta-analysis. <i>International Urogynecology Journal</i> , 2019 , 30, 2001-2011	2	20
71	Trends in the incidence of diagnosed diabetes: a multicountry analysis of aggregate data from 22 million diagnoses in high-income and middle-income settings. <i>Lancet Diabetes and Endocrinology, the</i> , 2021 , 9, 203-211	18.1	20
70	Prevalence of, and risk factors for, symptomatic pelvic organ prolapse in Rural Bangladesh: a cross-sectional survey study. <i>International Urogynecology Journal</i> , 2016 , 27, 1753-1759	2	18

69	Prevalence of menopausal symptoms in Australian women at midlife: a systematic review. <i>Climacteric</i> , 2014 , 17, 529-39	3.1	18
68	Lack of Understanding of Cervical Cancer and Screening Is the Leading Barrier to Screening Uptake in Women at Midlife in Bangladesh: Population-Based Cross-Sectional Survey. <i>Oncologist</i> , 2015 , 20, 1386-92	5.7	17
67	Vasomotor symptoms in women in Asia appear comparable with women in Western countries: a systematic review. <i>Menopause</i> , 2017 , 24, 1313-1322	2.5	16
66	Prevalence and severity of vasomotor symptoms and joint pain in women at midlife in Bangladesh: a population-based survey. <i>Menopause</i> , 2016 , 23, 731-9	2.5	15
65	Determinants of exposure to mass media family planning messages among indigenous people in Bangladesh: a study on the Garo. <i>Journal of Biosocial Science</i> , 2009 , 41, 221-9	1.6	15
64	Challenges in recruitment to an epidemiological study of young Australian women: the Grollo-Ruzzene Foundation Young Women's Health Study. <i>Australian and New Zealand Journal of Public Health</i> , 2019 , 43, 131-136	2.3	14
63	Associations between androgens and sexual function in premenopausal women: a cross-sectional study. <i>Lancet Diabetes and Endocrinology</i> , 2020 , 8, 693-702	18.1	14
62	Utilization of maternal health care services among indigenous women in Bangladesh: A study on the Mru tribe. <i>Women and Health</i> , 2017 , 57, 108-118	1.7	13
61	The prevalence of sexual dysfunctions and sexually related distress in young women: a cross-sectional survey. <i>Fertility and Sterility</i> , 2020 , 113, 426-434	4.8	12
60	Effects of testosterone therapy for women: a systematic review and meta-analysis protocol. <i>Systematic Reviews</i> , 2019 , 8, 19	3	11
59	A systematic review of trends in all-cause mortality among people with diabetes. <i>Diabetologia</i> , 2020 , 63, 1718-1735	10.3	11
58	Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990-2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet Public Health</i> , 2021 , 6, e482-e499	22.4	11
57	Weekly updates of national living evidence-based guidelines: methods for the Australian living guidelines for care of people with COVID-19. <i>Journal of Clinical Epidemiology</i> , 2021 , 131, 11-21	5.7	9
56	Global Consensus Position Statement on the use of Testosterone Therapy for Women. <i>Maturitas</i> , 2019 , 128, 89-93	5	8
55	Global Consensus Position Statement on the Use of Testosterone Therapy for Women. <i>Journal of Sexual Medicine</i> , 2019 , 16, 1331-1337	1.1	8
54	Bangladesh Midlife Women's Health Study (BMWHS): methods, challenges and experiences. <i>Maturitas</i> , 2015 , 80, 89-94	5	8
53	Distribution of Body Hair in Young Australian Women and Associations With Serum Androgen Concentrations. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	8
52	Systematic review and meta-analysis of prevalence of, and risk factors for, pelvic floor disorders in community-dwelling women in low and middle-income countries: a protocol study. <i>BMJ Open</i> , 2017 , 7, e015626	3	7

51	Hormonal contraceptive use in Australian women: Who is using what?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2019 , 59, 717-724	1.7	7
50	Prevalence of sexual symptoms in relation to menopause in women in Asia: a systematic review. <i>Menopause</i> , 2018 , 25, 231-238	2.5	6
49	Family planning knowledge and current use of contraception among the Mru indigenous women in Bangladesh: a multivariate analysis. <i>Open Access Journal of Contraception</i> , 2012 , 9	1.4	5
48	Sex preference as a determinant of contraceptive use in matrilineal societies: a study on the Garo of Bangladesh. <i>European Journal of Contraception and Reproductive Health Care</i> , 2009 , 14, 301-6	1.8	5
47	Prevalence and determinants of menstrual regulation among ever-married women in Bangladesh: evidence from a national survey. <i>Reproductive Health</i> , 2019 , 16, 123	3.5	4
46	Socioeconomic differentials in hypertension based on JNC7 and ACC/AHA 2017 guidelines mediated by body mass index: Evidence from Nepal demographic and health survey. <i>PLoS ONE</i> , 2020 , 15, e0218767	3.7	4
45	Diabetes mortality and trends before 25 years of age: an analysis of the Global Burden of Disease Study 2019.. <i>Lancet Diabetes and Endocrinology</i> , 2022 ,	18.1	4
44	Use of community-based reference ranges to estimate the prevalence of polycystic ovary syndrome by the recognised diagnostic criteria, a cross-sectional study. <i>Human Reproduction</i> , 2021 , 36, 1611-1620	5.7	4
43	Prevalence, awareness, treatment, and control of hypertension in Bangladesh: Findings from National Demographic and Health Survey, 2017-2018. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 1830-1842	2.2	4
42	Types of urinary incontinence in Bangladeshi women at midlife: Prevalence and risk factors. <i>Maturitas</i> , 2018 , 116, 18-23	5	3
41	Substituting serum anti-Müllerian hormone for polycystic ovary morphology increases the number of women diagnosed with polycystic ovary syndrome: a community-based cross-sectional study. <i>Human Reproduction</i> , 2021 ,	5.7	3
40	Prevalence of hypertension and controlled hypertension among United States adults: Evidence from NHANES 2017-18 survey. <i>International Journal of Cardiology: Hypertension</i> , 2020 , 7, 100061	1.6	3
39	Longitudinal changes over three years in sex steroid hormone levels in women aged 70 years and over. <i>Clinical Endocrinology</i> , 2021 , 94, 443-448	3.4	3
38	Associations between blood sex steroid concentrations and risk of major adverse cardiovascular events in healthy older women in Australia: a prospective cohort substudy of the ASPREE trial.. <i>The Lancet Healthy Longevity</i> , 2022 , 3, e109-e118	9.5	2
37	Effect of maternal dietary niacin intake on congenital anomalies: a systematic review and meta-analysis. <i>European Journal of Nutrition</i> , 2021 , 1	5.2	2
36	1593-P: Time Trends in Diabetes Incidence and Obesity Prevalence in Six Countries. <i>Diabetes</i> , 2019 , 68, 1593-P	0.9	2
35	A Priority-Based Process Scheduling Algorithm in Cloud Computing. <i>Advances in Intelligent Systems and Computing</i> , 2019 , 239-248	0.4	2
34	Differing performance of two assays for the measurement of anti-Müllerian hormone in premenopausal women: A cross-sectional study. <i>Clinical Endocrinology</i> , 2021 , 95, 169-175	3.4	2

33	Awareness, treatment, and control of diabetes in Bangladesh: evidence from the Bangladesh Demographic and Health Survey 2017/18		2
32	Psychometric validation of diabetes distress scale in Bangladeshi population.. <i>Scientific Reports</i> , 2022 , 12, 562	4.9	1
31	Prevalence of undiagnosed diabetes and the relative importance of its risk factors among adults in Bangladesh: Findings from a nationwide survey.. <i>Diabetes Research and Clinical Practice</i> , 2022 , 109228	7.4	1
30	Prevalence of Low Sexual Desire With Associated Distress Across the Adult Life Span: An Australian Cross-Sectional Study. <i>Journal of Sexual Medicine</i> , 2020 , 17, 1885-1895	1.1	1
29	Prevalence, awareness, treatment, and control of hypertension in Bangladesh: Findings from National Demographic and Health Survey, 2017-18		1
28	AuthorsResponse to Letter to the Editor on awareness of breast cancer and barriers to breast screening uptake in Bangladesh: A population-based survey. <i>Maturitas</i> , 2016 , 88, 58	5	1
27	Prevalence of, and risk factors for, diabetes and prediabetes in Bangladesh: Evidence from the national survey using a multilevel Poisson regression model with a robust variance		1
26	A prospective controlled study of sexual function and sexually related personal distress up to 12 months after premenopausal risk-reducing bilateral salpingo-oophorectomy. <i>Menopause</i> , 2021 , 28, 748-755	7.5	1
25	Performance Analysis of AC-DC Converter Based Self Excited DC Shunt Motor Using Single Tuned Passive Filter 2018 ,		1
24	Understanding systematic reviews and meta-analyses. <i>Climacteric</i> , 2020 , 23, 323-324	3.1	0
23	Health system readiness for non-communicable diseases at the primary care level: a systematic review.. <i>BMJ Open</i> , 2022 , 12, e060387	3	0
22	The prevalence of hypoactive sexual desire disorder in Australian and Iranian women at midlife. <i>Menopause</i> , 2020 , 27, 1274-1280	2.5	0
21	Effect of exercise on symptoms of premenstrual syndrome in low and middle-income countries: a protocol for systematic review and meta-analysis. <i>BMJ Open</i> , 2020 , 10, e039274	3	0
20	Association between household air pollution and child mortality in Myanmar using a multilevel mixed-effects Poisson regression with robust variance. <i>Scientific Reports</i> , 2021 , 11, 12983	4.9	0
19	Testosterone and androstenedione are positively associated with anti-Müllerian hormone in premenopausal women. <i>Clinical Endocrinology</i> , 2021 , 95, 752-759	3.4	0
18	Medical waste management-related factors affecting health and experiences of health risks among medical waste handlers in low and middle-income countries: a systematic review protocol of qualitative studies.. <i>BMJ Open</i> , 2022 , 12, e056037	3	0
17	Prevalence of, and risk factors for, diabetes and prediabetes in Bangladesh: Evidence from the national survey using a multilevel Poisson regression model with a robust variance. <i>PLOS Global Public Health</i> , 2022 , 2, e0000461		0
16	Reply: A single cut-off value of anti-Müllerian hormone should not be used for the diagnosis of PCOS in all reproductive-aged women.. <i>Human Reproduction</i> , 2022 ,	5.7	

15	Mediation Effect of Metal Mixtures in the Association Between Socioeconomic Status and Self-rated Health Among US Adults: A Weighted Quantile Sum Mediation Approach. <i>Exposure and Health</i> ,1	8.8
14	1615-P: A Multicountry Trend Analysis of Diabetes Incidence. <i>Diabetes</i> , 2019, 68, 1615-P	0.9
13	1659-P: A Systematic Review of Trends in All-Cause Mortality among People with Diabetes. <i>Diabetes</i> , 2019, 68, 1659-P	0.9
12	Prevalence of and Risk Factors for Depressive Symptoms and Antidepressant Use in Young Australian Women: A Cross-Sectional Study. <i>Journal of Women's Health</i> , 2021, 30, 997-1005	3
11	Response to Letter to the Editor: "Distribution of Body Hair in Young Australian Women and Associations with Serum Androgen Concentrations". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105,	5.6
10	Sex Differences in the Association between Internet Usage and Overweight/Obesity: Evidence from a Nationally Representative Survey in Nepal. <i>Sexes</i> , 2021, 2, 132-143	0.3
9	Iron insufficiency among young Australian women: a population-based survey. <i>Internal Medicine Journal</i> , 2020, 50, 420-426	1.6
8	Major flaws in "double and triple burden of non-communicable diseases and its determinants among adults in Bangladesh: Evidence from a recent demographic and health survey" .. <i>International Journal of Clinical Practice</i> , 2021, 75, e14977	2.9
7	Socioeconomic differentials in hypertension based on JNC7 and ACC/AHA 2017 guidelines mediated by body mass index: Evidence from Nepal demographic and health survey 2020, 15, e0218767	
6	Socioeconomic differentials in hypertension based on JNC7 and ACC/AHA 2017 guidelines mediated by body mass index: Evidence from Nepal demographic and health survey 2020, 15, e0218767	
5	Socioeconomic differentials in hypertension based on JNC7 and ACC/AHA 2017 guidelines mediated by body mass index: Evidence from Nepal demographic and health survey 2020, 15, e0218767	
4	Socioeconomic differentials in hypertension based on JNC7 and ACC/AHA 2017 guidelines mediated by body mass index: Evidence from Nepal demographic and health survey 2020, 15, e0218767	
3	Socioeconomic differentials in hypertension based on JNC7 and ACC/AHA 2017 guidelines mediated by body mass index: Evidence from Nepal demographic and health survey 2020, 15, e0218767	
2	Socioeconomic differentials in hypertension based on JNC7 and ACC/AHA 2017 guidelines mediated by body mass index: Evidence from Nepal demographic and health survey 2020, 15, e0218767	
1	Awareness, Treatment, and Control of Diabetes in Bangladesh: Evidence from the Bangladesh Demographic and Health Survey 2017/18. <i>International Journal of Clinical Practice</i> , 2022, 2022, 1-9	2.9