

# Ping Xie

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2821768/publications.pdf>

Version: 2024-02-01

20  
papers

446  
citations

840776

11  
h-index

752698

20  
g-index

20  
all docs

20  
docs citations

20  
times ranked

582  
citing authors

#	ARTICLE	IF	CITATIONS
1	S100A8 and S100A9 Are Induced by Decreased Hydration in the Epidermis and Promote Fibroblast Activation and Fibrosis in the Dermis. <i>American Journal of Pathology</i> , 2016, 186, 109-122.	3.8	69
2	Hydration Status Regulates Sodium Flux and Inflammatory Pathways through Epithelial Sodium Channel (ENaC) in the Skin. <i>Journal of Investigative Dermatology</i> , 2015, 135, 796-806.	0.7	58
3	Sodium channel Na <sup>v</sup> is a regulator in epithelial sodium homeostasis. <i>Science Translational Medicine</i> , 2015, 7, 312ra177.	12.4	53
4	S100A12 Induced in the Epidermis by Reduced Hydration Activates Dermal Fibroblasts and Causes Dermal Fibrosis. <i>Journal of Investigative Dermatology</i> , 2017, 137, 650-659.	0.7	36
5	The Expression of Proinflammatory Genes in Epidermal Keratinocytes Is Regulated by Hydration Status. <i>Journal of Investigative Dermatology</i> , 2014, 134, 1044-1055.	0.7	35
6	C/EBP- $\beta$ Modulates Transcription of Tubulointerstitial Nephritis Antigen in Obstructive Uropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 807-819.	6.1	32
7	Thermal injury model in the rabbit ear with quantifiable burn progression and hypertrophic scar. <i>Wound Repair and Regeneration</i> , 2017, 25, 327-337.	3.0	31
8	Epigenetic priming enhances antitumor immunity in platinum-resistant ovarian cancer. <i>Journal of Clinical Investigation</i> , 2022, 132, .	8.2	28
9	Intravenous curcumin efficacy on healing and scar formation in rabbit ear wounds under nonischemic, ischemic, and ischemia-reperfusion conditions. <i>Wound Repair and Regeneration</i> , 2014, 22, 730-739.	3.0	25
10	Systemic administration of hemoglobin improves ischemic wound healing. <i>Journal of Surgical Research</i> , 2015, 194, 696-705.	1.6	13
11	Local Application of Statins Significantly Reduced Hypertrophic Scarring in a Rabbit Ear Model. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2017, 5, e1294.	0.6	12
12	Liposome-encapsulated statins reduce hypertrophic scarring through topical application. <i>Wound Repair and Regeneration</i> , 2020, 28, 460-469.	3.0	11
13	Knockdown of sodium channel Na <sub>v</sub> reduces dermatitis symptoms in rabbit skin. <i>Laboratory Investigation</i> , 2020, 100, 751-761.	3.7	9
14	A dehydrated, aseptically-processed human amnion/chorion allograft accelerates healing in a delayed murine excisional wound model. <i>Experimental Cell Research</i> , 2021, 400, 112512.	2.6	7
15	Topical Administration of Oxygenated Hemoglobin Improved Wound Healing in an Ischemic Rabbit Ear Model. <i>Plastic and Reconstructive Surgery</i> , 2016, 137, 534-543.	1.4	6
16	Imiquimod-induced skin inflammation is relieved by knockdown of sodium channel Na <sup>v</sup> . <i>Experimental Dermatology</i> , 2019, 28, 576-584.	2.9	6
17	Renal dysfunction aggravated impaired cutaneous wound healing in diabetic mice. <i>Wound Repair and Regeneration</i> , 2019, 27, 49-58.	3.0	5
18	Application of decellularized human reticular allograft dermal matrix promotes rapid re-epithelialization in a diabetic murine excisional wound model. <i>Cytotherapy</i> , 2021, 23, 672-676.	0.7	4

#	ARTICLE	IF	CITATIONS
19	Topical application of <i>Dermatophagoides farinae</i> or oxazolone induces symptoms of atopic dermatitis in the rabbit ear. <i>Archives of Dermatological Research</i> , 2017, 309, 567-578.	1.9	3
20	Treatment with pembrolizumab in combination with the oncolytic virus pelareorep promotes anti-tumor immunity in patients with advanced pancreatic adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2021, 39, 4144-4144.	1.6	3