

Ricardo C Benine

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2822443/publications.pdf>

Version: 2024-02-01

51
papers

1,088
citations

567144

15
h-index

414303

32
g-index

52
all docs

52
docs citations

52
times ranked

1127
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Poptella fuscata</i> , a new Stethaprionini from the upper Amazon basin, Peru (Characiformes: Tj ETQq1 1 0.784314 rgBT /Overlock 0.7	0.7	2
2	Evolutionary history of Heptapteridae catfishes using ultraconserved elements (Teleostei,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702 Td 18	0.7	18
3	Accelerated Diversification Explains the Exceptional Species Richness of Tropical Characoid Fishes. Systematic Biology, 2021, 71, 78-92.	2.7	42
4	<i>Moenkhausia andrica</i> (Characiformes: Characidae): a new species from the rio Tapajás basin, Brazil, with minute fin hooklets in females. Journal of Fish Biology, 2021, 99, 1380-1392.	0.7	2
5	A new Amazonian species of <i>Brachychalcinus</i> (Characiformes: Characidae) from the Trombetas River basin, Brazil. Journal of Fish Biology, 2020, 96, 950-955.	0.7	4
6	Ichthyofauna of the ribeirão Sucuri, tributary of rio Tietê, upper rio Paraná basin, southeastern Brazil. Check List, 2020, 16, 711-728.	0.1	3
7	Redescription of <i>Moenkhausia melogramma</i> (Characiformes: Characidae), a poorly known tetra from the western Amazon basin. Neotropical Ichthyology, 2020, 18, .	0.5	2
8	New species of the Corumbataia cuestae group (Siluriformes: Loricariidae) from the Rio Tocantins basin, with comments on its phylogenetic relationships. Neotropical Ichthyology, 2020, 18, .	0.5	0
9	A new species of <i>Poptella</i> (Characiformes: Characidae: Stethaprioninae) from the Rio Juma, Rio Madeira basin, Brazil. Neotropical Ichthyology, 2019, 17, .	0.5	2
10	Ichthyofauna of streams of the Rio Sapucaia-basin, upper Rio Paraná system, Minas Gerais, Brazil. Biota Neotropica, 2019, 19, .	0.2	4
11	A new species of <i>Hemigrammus</i> Gill 1858 (Characiformes: Characidae) from the upper Rio Negro, Amazon basin, Brazil. Zootaxa, 2019, 4555, 407.	0.2	3
12	<i>Moenkhausia restricta</i> , a new species from the upper Rio Negro, Amazon basin, northwestern Brazil (Characiformes: Characidae).	0.2	2
13	Taxonomy of <i>Moenkhausia australis</i> Eigenmann, 1908 (Characiformes, Characidae) with a discussion on its phylogenetic relationships. Zootaxa, 2019, 4688, zootaxa.4688.2.3.	0.2	4
14	A new species of <i>Tetragonopterus</i> (Characiformes: Characidae) from Central Amazon lowlands, Brazil. Neotropical Ichthyology, 2018, 16, .	0.5	2
15	<i>Moenkhausia goya</i> (Characiformes: Characidae): a new species from the upper rio Tocantins basin, Central Brazil. Zootaxa, 2018, 4514, 87.	0.2	2
16	Description of a new species of <i>Moenkhausia</i> (Characiformes: Characidae) from the upper Paraguay basin, Central Brazil, with comments on its phylogenetic relationships. Neotropical Ichthyology, 2018, 16, .	0.5	4
17	Taxonomy based on science is necessary for global conservation. PLoS Biology, 2018, 16, e2005075.	2.6	149
18	Length-weight relationships for seven fish species of the Napo River, Upper Amazon, Peru. Journal of Applied Ichthyology, 2017, 33, 1062-1064.	0.3	1

#	ARTICLE	IF	CITATIONS
19	A new species of <i>Brachychalcinus</i> (Characiformes: Characidae) from the rio Xingu basin, Serra do Cachimbo, Brazil. <i>Zootaxa</i> , 2017, 4362, 564-574.	0.2	5
20	Redescription of <i>Moenkhausia megalops</i> (Eigenmann, 1907), a widespread tetra from the Amazon basin (Characiformes, Characidae). <i>Zoosystematics and Evolution</i> , 2017, 93, 255-264.	0.4	4
21	<i>Moenkhausia venerei</i> (Characiformes: Characidae), a new species from the rio Araguaia, Central Brazil. <i>Zootaxa</i> , 2016, 4105, 159-70.	0.2	6
22	Revision of the South American genus <i>Tetragonopterus</i> Cuvier, 1816 (Teleostei: Characidae) with description of four new species. <i>Zootaxa</i> , 2016, 4200, 1.	0.2	15
23	Amazon aquatic biodiversity imperiled by oil spills. <i>Biodiversity and Conservation</i> , 2016, 25, 2831-2834.	1.2	32
24	Molecular phylogeny of the Neotropical fish genus <i>Tetragonopterus</i> (Teleostei: Characiformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 54	1.2	14
25	An inventory of coastal freshwater fishes from Amapá highlighting the occurrence of eight new records for Brazil. <i>ZooKeys</i> , 2016, 606, 127-140.	0.5	7
26	A new species of <i>Moenkhausia</i> (Characiformes, Characidae) from the Içá River, Amazon Basin, northern Brazil. <i>Zoosystematics and Evolution</i> , 2016, 92, 203-209.	0.4	2
27	Description of three new species of <i>Moenkhausia</i> (Teleostei, Characiformes, Characidae) with the definition of the <i>Moenkhausia jamesi</i> species complex. <i>Zootaxa</i> , 2015, 3986, 401-20.	0.2	8
28	A new species of <i>Moenkhausia Eigenmann</i> (Characiformes: Characidae) from the upper rio Juruena basin, Central Brazil. <i>Zootaxa</i> , 2015, 4032, 417-25.	0.2	9
29	Taxonomic revision and molecular phylogeny of Gymnocorymbus Eigenmann, 1908 (Teleostei, Characiformes, Characidae). <i>Zootaxa</i> , 2015, 3956, 1.	0.2	13
30	An assessment approach for application of spermatic data in phylogenetic analyses: within the genus <i>Moenkhausia</i> Eigenmann, 1903 (Characiformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 29	0.2	10
31	Morphological and molecular evidence for two new species of <i>Tetragonopterus</i> (Characiformes: Characidae) from central Brazil. <i>Journal of Fish Biology</i> , 2013, 82, 1613-1631.	0.7	14
32	Molecular phylogeny of <i>Moenkhausia</i> (Characidae) inferred from mitochondrial and nuclear DNA evidence. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2013, 51, 327-332.	0.6	21
33	Molecular phylogeny of Aphyocharacinae (Characiformes, Characidae) with morphological diagnoses for the subfamily and recognized genera. <i>Molecular Phylogenetics and Evolution</i> , 2012, 64, 297-307.	1.2	26
34	<i>Astyanax pirapuan</i> : a new characid species from the upper Rio Paraguay system, Mato Grosso, Central Brazil (Characiformes, Characidae). <i>Zootaxa</i> , 2011, 2749, 40.	0.2	11
35	Spermatic characteristics and sperm evolution on the subfamily Stevardiinae (Ostariophysi: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 16	0.5	16
36	<i>Markiana nigripinnis</i> (Perugia, 1891) as a putative member of the subfamily Stevardiinae (Characiformes: Tj ETQq0,0,0 rgBT /Overlock 13	0.5	13

#	ARTICLE	IF	CITATIONS
37	A new species of <i>Tetragonopterus</i> Cuvier, 1816 (Characiformes: Characidae: Tetragonopterinae) from the rio Jari, Amapá, northern Brazil. <i>Neotropical Ichthyology</i> , 2011, 9, 49-56.	0.5	61
38	Phylogenetic relationships within the speciose family Characidae (Teleostei: Ostariophysi): Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td Biology, 2011, 11, 275.	3.2	270
39	A new species of <i>Tetragonopterus</i> Cuvier, 1816 (Characiformes, Characidae, Tetragonopterinae) from the upper rio Araguaia, Central Brazil. <i>Zootaxa</i> , 2011, 2911, .	0.2	4
40	A new species of <i>Ctenobrycon</i> Eigenmann, 1908 (Characiformes: Characidae) from the rio Orinoco basin, Venezuela. <i>Zootaxa</i> , 2010, 2715, 59.	0.2	1
41	New species of <i>Moenkhausia</i> Eigenmann, 1903 (Characiformes: Characidae) with comments on the <i>Moenkhausia oligolepis</i> species complex. <i>Neotropical Ichthyology</i> , 2009, 7, 161-168.	0.5	60
42	A new species of <i>Hyphessobrycon</i> (Characiformes: Characidae) from rio Portuguesa, rio Orinoco basin, Venezuela. <i>Zootaxa</i> , 2008, 1747, 61.	0.2	5
43	A new <i>Moenkhausia</i> Eigenmann, 1903 (Ostariophysi: Characiformes) from Chapada Diamantina, rio Paraguaçu Basin, Bahia, Northeastern Brazil. <i>Neotropical Ichthyology</i> , 2007, 5, 259-262.	0.5	15
44	On a new species of the genus <i>Moenkhausia</i> Eigenmann (Ostariophysi: Characidae). <i>Zootaxa</i> , 2007, 1525, .	0.2	6
45	A new species of <i>Hemigrammus</i> Gill, 1858 (Characiformes: Characidae) from rio Caura, Venezuela. <i>Zootaxa</i> , 2007, 1610, 53-59.	0.2	7
46	A new species of <i>Microglanis</i> (Siluriformes: Pseudopimelodidae) from upper rio Paraná basin, Brazil. <i>Neotropical Ichthyology</i> , 2005, 3, 579-585.	0.5	13
47	Estrutura e composição da ictiofauna de riachos da bacia do Rio Grande no estado de São Paulo, sudeste do Brasil. <i>Biota Neotropica</i> , 2004, 4, 01-39.	1.0	54
48	A new species of <i>Creagrutus</i> Gunther (Teleostei: Ostariophysi: Characiformes), from the upper Rio Parana basin, central Brazil. <i>Journal of Fish Biology</i> , 2004, 64, 597-611.	0.7	19
49	<i>Moenkhausia bonita</i> : A New Small Characin Fish from the Rio Paraguay Basin, Southwestern Brazil (Characiformes: Characidae). <i>Copeia</i> , 2004, 2004, 68-73.	1.4	17
50	Estrutura e composição da ictiofauna de riachos do rio Paranapanema, Sudeste e Sul do Brasil. <i>Biota Neotropica</i> , 2003, 3, 1-31.	1.0	68
51	<i>Lophobrycon weitzmani</i> , a new genus and species of glandulocaudine fish (Characiformes:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 707 Td Ichthyology, 2003, 1, 11-19.	0.5	20