

# Hao-Yang Mi

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2823391/hao-yang-mi-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141  
papers

5,286  
citations

40  
h-index

67  
g-index

149  
ext. papers

6,585  
ext. citations

5.9  
avg, IF

6.3  
L-index

#	Paper	IF	Citations
141	Facile preparation of lightweight high-strength biodegradable polymer/multi-walled carbon nanotubes nanocomposite foams for electromagnetic interference shielding. <i>Carbon</i> , <b>2016</b> , 105, 305-313	10.4	277
140	Highly Stretchable and Biocompatible Strain Sensors Based on Mussel-Inspired Super-Adhesive Self-Healing Hydrogels for Human Motion Monitoring. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 20897-20909	9.5	265
139	Highly compressible ultra-light anisotropic cellulose/graphene aerogel fabricated by bidirectional freeze drying for selective oil absorption. <i>Carbon</i> , <b>2018</b> , 132, 199-209	10.4	202
138	Biocompatible, self-healing, highly stretchable polyacrylic acid/reduced graphene oxide nanocomposite hydrogel sensors via mussel-inspired chemistry. <i>Carbon</i> , <b>2018</b> , 136, 63-72	10.4	196
137	Characterization of thermoplastic polyurethane/polylactic acid (TPU/PLA) tissue engineering scaffolds fabricated by microcellular injection molding. <i>Materials Science and Engineering C</i> , <b>2013</b> , 33, 4767-76	8.3	187
136	Mussel-inspired electroactive chitosan/graphene oxide composite hydrogel with rapid self-healing and recovery behavior for tissue engineering. <i>Carbon</i> , <b>2017</b> , 125, 557-570	10.4	184
135	High-performance flexible triboelectric nanogenerator based on porous aerogels and electrospun nanofibers for energy harvesting and sensitive self-powered sensing. <i>Nano Energy</i> , <b>2018</b> , 48, 327-336	17.1	138
134	Fabrication of scaffolds in tissue engineering: A review. <i>Frontiers of Mechanical Engineering</i> , <b>2018</b> , 13, 107-119	3.3	125
133	Highly transparent, stretchable, and rapid self-healing polyvinyl alcohol/cellulose nanofibril hydrogel sensors for sensitive pressure sensing and human motion detection. <i>Sensors and Actuators B: Chemical</i> , <b>2019</b> , 295, 159-167	8.5	114
132	Fabrication of Poly(lactic acid)/Graphene Oxide Foams with Highly Oriented and Elongated Cell Structure via Unidirectional Foaming Using Supercritical Carbon Dioxide. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2015</b> , 54, 758-768	3.9	102
131	Electrospinning thermoplastic polyurethane/graphene oxide scaffolds for small diameter vascular graft applications. <i>Materials Science and Engineering C</i> , <b>2015</b> , 49, 40-50	8.3	98
130	ZIF-8-Based Membranes for Carbon Dioxide Capture and Separation. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2017</b> , 5, 11204-11214	8.3	97
129	Shish-kebab-structured poly( $\epsilon$ -caprolactone) nanofibers hierarchically decorated with chitosan-poly( $\epsilon$ -caprolactone) copolymers for bone tissue engineering. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2015</b> , 7, 6955-65	9.5	93
128	Shape memory thermoplastic polyurethane (TPU)/poly( $\epsilon$ -caprolactone) (PCL) blends as self-knotting sutures. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , <b>2016</b> , 64, 94-103	4.1	93
127	Magnetically driven superhydrophobic silica sponge decorated with hierarchical cobalt nanoparticles for selective oil absorption and oil/water separation. <i>Chemical Engineering Journal</i> , <b>2018</b> , 337, 541-551	14.7	88
126	Poly( $\epsilon$ -caprolactone) (PCL)/cellulose nano-crystal (CNC) nanocomposites and foams. <i>Cellulose</i> , <b>2014</b> , 21, 2727-2741	5.5	87
125	The morphology, properties, and shape memory behavior of polylactic acid/thermoplastic polyurethane blends. <i>Polymer Engineering and Science</i> , <b>2015</b> , 55, 70-80	2.3	72

124	Electrospun aligned poly(propylene carbonate) microfibers with chitosan nanofibers as tissue engineering scaffolds. <i>Carbohydrate Polymers</i> , <b>2015</b> , 117, 941-949	10.3	69
123	Synthesis of DOPO-HQ-functionalized graphene oxide as a novel and efficient flame retardant and its application on polylactic acid: Thermal property, flame retardancy, and mechanical performance. <i>Journal of Colloid and Interface Science</i> , <b>2018</b> , 524, 267-278	9.3	68
122	Thermoplastic polyurethane/hydroxyapatite electrospun scaffolds for bone tissue engineering: effects of polymer properties and particle size. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2014</b> , 102, 1434-44	3.5	68
121	Effect of Poly(butylene succinate) on Poly(lactic acid) Foaming Behavior: Formation of Open Cell Structure. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2015</b> , 54, 6199-6207	3.9	63
120	Lightweight multifunctional polypropylene/carbon nanotubes/carbon black nanocomposite foams with segregated structure, ultralow percolation threshold and enhanced electromagnetic interference shielding performance. <i>Composites Science and Technology</i> , <b>2020</b> , 193, 108116	8.6	62
119	Biocompatible, degradable thermoplastic polyurethane based on polycaprolactone-block-polytetrahydrofuran-block-polycaprolactone copolymers for soft tissue engineering. <i>Journal of Materials Chemistry B</i> , <b>2017</b> , 5, 4137-4151	7.3	60
118	Electrospinning of unidirectionally and orthogonally aligned thermoplastic polyurethane nanofibers: fiber orientation and cell migration. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2015</b> , 103, 593-603	5.4	58
117	Electrospun poly (butylene succinate)/cellulose nanocrystals bio-nanocomposite scaffolds for tissue engineering: Preparation, characterization and in vitro evaluation. <i>Polymer Testing</i> , <b>2018</b> , 71, 101-109	4.5	57
116	Superhydrophobic Graphene/Cellulose/Silica Aerogel with Hierarchical Structure as Superabsorbers for High Efficiency Selective Oil Absorption and Recovery. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2018</b> , 57, 1745-1755	3.9	55
115	Triboelectric Nanogenerators Made of Porous Polyamide Nanofiber Mats and Polyimide Aerogel Film: Output Optimization and Performance in Circuits. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 30596-30606	9.5	55
114	Comparison between PCL/hydroxyapatite (HA) and PCL/halloysite nanotube (HNT) composite scaffolds prepared by co-extrusion and gas foaming. <i>Materials Science and Engineering C</i> , <b>2017</b> , 72, 53-61	8.3	54
113	Superior Impact Toughness and Excellent Storage Modulus of Poly(lactic acid) Foams Reinforced by Shish-Kebab Nanoporous Structure. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 21071-21076	9.5	53
112	Fabrication of poly(ε-caprolactone) tissue engineering scaffolds with fibrillated and interconnected pores utilizing microcellular injection molding and polymer leaching. <i>RSC Advances</i> , <b>2017</b> , 7, 43432-43444	3.7	52
111	Double network hydrogel for tissue engineering. <i>Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology</i> , <b>2018</b> , 10, e1520	9.2	51
110	Highly porous composite aerogel based triboelectric nanogenerators for high performance energy generation and versatile self-powered sensing. <i>Nanoscale</i> , <b>2018</b> , 10, 23131-23140	7.7	51
109	Morphology, mechanical properties, and mineralization of rigid thermoplastic polyurethane/hydroxyapatite scaffolds for bone tissue applications: effects of fabrication approaches and hydroxyapatite size. <i>Journal of Materials Science</i> , <b>2014</b> , 49, 2324-2337	4.3	50
108	Poly (propylene carbonate)-based in situ nanofibrillar biocomposites with enhanced miscibility, dynamic mechanical properties, rheological behavior and extrusion foaming ability. <i>Composites Part B: Engineering</i> , <b>2017</b> , 123, 112-123	10	47
107	Molecular Beacon Nano-Sensors for Probing Living Cancer Cells. <i>Trends in Biotechnology</i> , <b>2017</b> , 35, 347-359	5.1	45

106	Fabrication of porous synthetic polymer scaffolds for tissue engineering. <i>Journal of Cellular Plastics</i> , <b>2015</b> , 51, 165-196	1.5	43
105	Promoting Endothelial Cell Affinity and Antithrombogenicity of Polytetrafluoroethylene (PTFE) by Mussel-Inspired Modification and RGD/Heparin Grafting. <i>Journal of Materials Chemistry B</i> , <b>2018</b> , 6, 3475-3485	7.2	42
104	Morphology, mechanical properties, and shape memory effects of poly(lactic acid)/ thermoplastic polyurethane blend scaffolds prepared by thermally induced phase separation. <i>Journal of Cellular Plastics</i> , <b>2014</b> , 50, 361-379	1.5	41
103	Highly Durable Superhydrophobic Polymer Foams Fabricated by Extrusion and Supercritical CO Foaming for Selective Oil Absorption. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 7479-7487	9.5	40
102	Fabrication of fibrous silica sponges by self-assembly electrospinning and their application in tissue engineering for three-dimensional tissue regeneration. <i>Chemical Engineering Journal</i> , <b>2018</b> , 331, 652-662	14.7	40
101	Preparation of thermoplastic polyurethane/graphene oxide composite scaffolds by thermally induced phase separation. <i>Polymer Composites</i> , <b>2014</b> , 35, 1408-1417	3	40
100	Stretchable gelatin/silver nanowires composite hydrogels for detecting human motion. <i>Materials Letters</i> , <b>2019</b> , 237, 53-56	3.3	40
99	High performance high-density polyethylene/hydroxyapatite nanocomposites for load-bearing bone substitute: fabrication, in vitro and in vivo biocompatibility evaluation. <i>Composites Science and Technology</i> , <b>2019</b> , 175, 100-110	8.6	39
98	Enhancing the Performance of a Stretchable and Transparent Triboelectric Nanogenerator by Optimizing the Hydrogel Ionic Electrode Property. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 23474-23483	9.5	39
97	Approaches to Fabricating Multiple-Layered Vascular Scaffolds Using Hybrid Electrospinning and Thermally Induced Phase Separation Methods. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2016</b> , 55, 882-892	3.9	39
96	Fabrication of triple-layered vascular grafts composed of silk fibers, polyacrylamide hydrogel, and polyurethane nanofibers with biomimetic mechanical properties. <i>Materials Science and Engineering C</i> , <b>2019</b> , 98, 241-249	8.3	39
95	Controlling Superwettability by Microstructure and Surface Energy Manipulation on Three-Dimensional Substrates for Versatile Gravity-Driven Oil/Water Separation. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 37529-37535	9.5	37
94	Synthesis of Polyurethane Scaffolds with Tunable Properties by Controlled Crosslinking of Tri-Block Copolymer and Polycaprolactone Triol for Tissue Regeneration. <i>Chemical Engineering Journal</i> , <b>2018</b> , 348, 786-798	14.7	37
93	Fabrication of thermoplastic polyurethane tissue engineering scaffold by combining microcellular injection molding and particle leaching. <i>Journal of Materials Research</i> , <b>2014</b> , 29, 911-922	2.5	37
92	Fabrication of Porous Poly( $\epsilon$ -caprolactone) Scaffolds Containing Chitosan Nanofibers by Combining Extrusion Foaming, Leaching, and Freeze-Drying Methods. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2014</b> , 53, 17909-17918	3.9	36
91	Patchable micro/nanodevices interacting with skin. <i>Biosensors and Bioelectronics</i> , <b>2018</b> , 122, 189-204	11.8	36
90	Electrospinning Homogeneous Nanofibrous Poly(propylene carbonate)/Gelatin Composite Scaffolds for Tissue Engineering. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2014</b> , 53, 9391-9400	3.9	35
89	Carbon nanotube (CNT) and nanofibrillated cellulose (NFC) reinforcement effect on thermoplastic polyurethane (TPU) scaffolds fabricated via phase separation using dimethyl sulfoxide (DMSO) as solvent. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , <b>2016</b> , 62, 417-427	4.1	35

88	Fabrication of polylactic acid/polyethylene glycol (PLA/PEG) porous scaffold by supercritical CO <sub>2</sub> foaming and particle leaching. <i>Polymer Engineering and Science</i> , <b>2015</b> , 55, 1339-1348	2.3	34
87	A novel thermoplastic polyurethane scaffold fabrication method based on injection foaming with water and supercritical carbon dioxide as coblowing agents. <i>Polymer Engineering and Science</i> , <b>2014</b> , 54, 2947-2957	2.3	34
86	Synthetic Melanin E-Ink. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 16553-16560	9.5	33
85	Instantaneous self-assembly of three-dimensional silica fibers in electrospinning: Insights into fiber deposition behavior. <i>Materials Letters</i> , <b>2017</b> , 204, 45-48	3.3	32
84	Mechanical properties, crystallization characteristics, and foaming behavior of polytetrafluoroethylene-reinforced poly(lactic acid) composites. <i>Polymer Engineering and Science</i> , <b>2017</b> , 57, 570-580	2.3	32
83	Fabrication of triple-layered vascular scaffolds by combining electrospinning, braiding, and thermally induced phase separation. <i>Materials Letters</i> , <b>2015</b> , 161, 305-308	3.3	31
82	Development of biomimetic thermoplastic polyurethane/fibroin small-diameter vascular grafts via a novel electrospinning approach. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2018</b> , 106, 985-996	5.4	31
81	Manipulating the structure and mechanical properties of thermoplastic polyurethane/polycaprolactone hybrid small diameter vascular scaffolds fabricated via electrospinning using an assembled rotating collector. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , <b>2018</b> , 78, 433-441	4.1	30
80	Preparation, Properties, and Applications of Graphene-Based Hydrogels. <i>Frontiers in Chemistry</i> , <b>2018</b> , 6, 450	5	29
79	Fabrication of fluffy shish-kebab structured nanofibers by electrospinning, CO <sub>2</sub> escaping foaming and controlled crystallization for biomimetic tissue engineering scaffolds. <i>Chemical Engineering Journal</i> , <b>2019</b> , 372, 785-795	14.7	26
78	Formation of stretched fibrils and nanohybrid shish-kebabs in isotactic polypropylene-based nanocomposites by application of a dynamic oscillatory shear. <i>Chemical Engineering Journal</i> , <b>2018</b> , 348, 546-556	14.7	25
77	Morphological Structure, Rheological Behavior, Mechanical Properties and Sound Insulation Performance of Thermoplastic Rubber Composites Reinforced by Different Inorganic Fillers. <i>Polymers</i> , <b>2018</b> , 10,	4.5	25
76	Influence and prediction of processing parameters on the properties of microcellular injection molded thermoplastic polyurethane based on an orthogonal array test. <i>Journal of Cellular Plastics</i> , <b>2013</b> , 49, 439-458	1.5	25
75	High-strength, flexible and cycling-stable piezo-resistive polymeric foams derived from thermoplastic polyurethane and multi-wall carbon nanotubes. <i>Composites Part B: Engineering</i> , <b>2020</b> , 199, 108279	10	25
74	Properties and fibroblast cellular response of soft and hard thermoplastic polyurethane electrospun nanofibrous scaffolds. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2015</b> , 103, 960-70	3.5	24
73	Enhancing the Performance of Fabric-Based Triboelectric Nanogenerators by Structural and Chemical Modification. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 16916-16927	9.5	23
72	Highly Stretchable, Self-Healable, Freezing-Tolerant, and Transparent Polyacrylic Acid/Nanochitin Composite Hydrogel for Self-Powered Multifunctional Sensors. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2021</b> , 9, 9209-9220	8.3	22
71	Preparation of highly porous interconnected poly(lactic acid) scaffolds based on a novel dynamic elongational flow procedure. <i>Materials and Design</i> , <b>2016</b> , 101, 285-293	8.1	21

70	Fabrication of shish-kebab structured poly( $\epsilon$ -caprolactone) electrospun nanofibers that mimic collagen fibrils: Effect of solvents and matrigel functionalization. <i>Polymer</i> , <b>2014</b> , 55, 5396-5406	3.9	20
69	Characterization and properties of electrospun thermoplastic polyurethane blend fibers: Effect of solution rheological properties on fiber formation. <i>Journal of Materials Research</i> , <b>2013</b> , 28, 2339-2350	2.5	20
68	In vitro evaluations of electrospun nanofiber scaffolds composed of poly( $\epsilon$ -caprolactone) and polyethylenimine. <i>Journal of Materials Research</i> , <b>2015</b> , 30, 1808-1819	2.5	19
67	Fabrication of Three-Dimensional Fluffy Nanofibrous Scaffolds for Tissue Engineering via Electrospinning and CO <sub>2</sub> Escaping Foaming. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2019</b> , 58, 9412-9421	3.9	18
66	Gradient wetting state for droplet transportation and efficient fog harvest on nanopillared cicada wing surface. <i>Materials Letters</i> , <b>2018</b> , 221, 123-127	3.3	18
65	Asymmetric layered structural design with segregated conductive network for absorption-dominated high-performance electromagnetic interference shielding. <i>Chemical Engineering Journal</i> , <b>2021</b> , 416, 129083	14.7	18
64	Engineering multilayered MXene/electrospun poly(lactic acid) membrane with increscent electromagnetic interference (EMI) shielding for integrated Joule heating and energy generating. <i>Composites Communications</i> , <b>2021</b> , 26, 100770	6.7	18
63	Post-crosslinkable biodegradable thermoplastic polyurethanes: Synthesis, and thermal, mechanical, and degradation properties. <i>Materials and Design</i> , <b>2017</b> , 127, 106-114	8.1	17
62	Polyamide 6 modified polypropylene with remarkably enhanced mechanical performance, thermal properties, and foaming ability via pressure-induced-flow processing approach. <i>Advances in Polymer Technology</i> , <b>2018</b> , 37, 2721-2729	1.9	17
61	Approach to Fabricating Thermoplastic Polyurethane Blends and Foams with Tunable Properties by Twin-Screw Extrusion and Microcellular Injection Molding. <i>Advances in Polymer Technology</i> , <b>2014</b> , 33,	1.9	17
60	Enhanced strength and foamability of high-density polyethylene prepared by pressure-induced flow and low-temperature crosslinking. <i>RSC Advances</i> , <b>2016</b> , 6, 34422-34427	3.7	17
59	Formation of nanoscale pores in shish-kebab structured isotactic polypropylene by supercritical CO <sub>2</sub> foaming. <i>Materials Letters</i> , <b>2016</b> , 167, 274-277	3.3	17
58	A flexible semitransparent dual-electrode hydrogel based triboelectric nanogenerator with tough interfacial bonding and high energy output. <i>Journal of Materials Chemistry C</i> , <b>2020</b> , 8, 5752-5760	7.1	16
57	Nanofibrous Electrospun Polymers for Reprogramming Human Cells. <i>Cellular and Molecular Bioengineering</i> , <b>2014</b> , 7, 379-393	3.9	16
56	Cell evolution and compressive properties of styrene-butadiene-styrene toughened and calcium carbonate reinforced polystyrene extrusion foams with supercritical carbon dioxide. <i>Journal of Applied Polymer Science</i> , <b>2016</b> , 133,	2.9	16
55	A novel multiple soaking temperature (MST) method to prepare polylactic acid foams with bi-modal open-pore structure and their potential in tissue engineering applications. <i>Journal of Supercritical Fluids</i> , <b>2015</b> , 103, 28-37	4.2	15
54	Silk and Silk Composite Aerogel-Based Biocompatible Triboelectric Nanogenerators for Efficient Energy Harvesting. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2020</b> , 59, 12399-12408	3.9	15
53	Investigation of poly(l-lactic acid)/graphene oxide composites crystallization and nanopore foaming behaviors via supercritical carbon dioxide low temperature foaming. <i>Journal of Materials Research</i> , <b>2016</b> , 31, 348-359	2.5	15

52	Excellent properties and extrusion foaming behavior of PPC/PS/PTFE composites with an in situ fibrillated PTFE nanofibrillar network. <i>RSC Advances</i> , <b>2016</b> , 6, 3176-3185	3.7	15
51	Effect of poly(ethylene glycol) on the properties and foaming behavior of macroporous poly(lactic acid)/sodium chloride scaffold. <i>Journal of Applied Polymer Science</i> , <b>2014</b> , 131, n/a-n/a	2.9	15
50	Hierarchically decorated electrospun poly( $\epsilon$ -caprolactone)/nanohydroxyapatite composite nanofibers for bone tissue engineering. <i>Journal of Materials Science</i> , <b>2015</b> , 50, 4174-4186	4.3	14
49	Facile fabrication of fully biodegradable and biorenewable poly (lactic acid)/poly (butylene adipate-co-terephthalate) in-situ nanofibrillar composites with high strength, good toughness and excellent heat resistance. <i>Polymer Degradation and Stability</i> , <b>2020</b> , 171, 109044	4.7	14
48	Superhydrophobic cellulose nanofibril/silica fiber/Fe <sub>3</sub> O <sub>4</sub> nanocomposite aerogel for magnetically driven selective oil absorption. <i>Cellulose</i> , <b>2020</b> , 27, 8909-8922	5.5	13
47	A novel online visualization system for observing polymer extrusion foaming. <i>Polymer Testing</i> , <b>2016</b> , 52, 225-233	4.5	13
46	Novel polydimethylsiloxane (PDMS) composites reinforced with three-dimensional continuous silica fibers. <i>Materials Letters</i> , <b>2018</b> , 210, 173-176	3.3	12
45	The Effect of Talc on the Mechanical, Crystallization and Foaming Properties of Poly(Lactic Acid). <i>Journal of Macromolecular Science - Physics</i> , <b>2016</b> , 55, 908-924	1.4	12
44	Freezing-tolerant, widely detectable and ultra-sensitive composite organohydrogel for multiple sensing applications. <i>Journal of Materials Chemistry C</i> , <b>2021</b> , 9, 10127-10137	7.1	11
43	Robust superhydrophobic fluorinated fibrous silica sponge with fire retardancy for selective oil absorption in harsh environment. <i>Separation and Purification Technology</i> , <b>2020</b> , 241, 116700	8.3	10
42	Improved crystallizability and processability of ultra high molecular weight polyethylene modified by poly(amido amine) dendrimers. <i>Polymer Engineering and Science</i> , <b>2017</b> , 57, 153-160	2.3	10
41	Novel foaming method to fabricate microcellular injection molded polycarbonate parts using sodium chloride and active carbon as nucleating agents. <i>Polymer Engineering and Science</i> , <b>2015</b> , 55, 1634-1642	2.3	10
40	Shish-Kebab-Structured UHMWPE Coating for Efficient and Cost-Effective Oil-Water Separation. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 58252-58262	9.5	9
39	Versatile Janus Composite Nonwoven Solar Absorbers with Salt Resistance for Efficient Wastewater Purification and Desalination. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 24945-24958	8.5	9
38	Skinless porous films generated by supercritical CO <sub>2</sub> foaming for high-performance complementary shaped triboelectric nanogenerators and self-powered sensors. <i>Nano Energy</i> , <b>2021</b> , 87, 106148	17.1	9
37	Fabrication and modification of wavy multicomponent vascular grafts with biomimetic mechanical properties, antithrombogenicity, and enhanced endothelial cell affinity. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2019</b> , 107, 2397-2408	3.5	8
36	Ultrastable and Durable Silicone Coating on Polycarbonate Surface Realized by Nanoscale Interfacial Engineering. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 13296-13304	9.5	8
35	Fabrication of polystyrene/nano-CaCO <sub>3</sub> foams with unimodal or bimodal cell structure from extrusion foaming using supercritical carbon dioxide. <i>Polymer Composites</i> , <b>2016</b> , 37, 1864-1873	3	8

34	Preparation of fast-degrading poly(lactic acid)/soy protein concentrate biocomposite foams via supercritical CO <sub>2</sub> foaming. <i>Polymer Engineering and Science</i> , <b>2019</b> , 59, 1753-1762	2.3	8
33	Effect of dynamic oscillation shear flow intensity on the mechanical and morphological properties of high-density polyethylene: An integrated experimental and molecular dynamics simulation study. <i>Polymer Testing</i> , <b>2019</b> , 80, 106122	4.5	8
32	External flow-induced highly oriented and dense nanohybrid shish-kebabs: A strategy for achieving high performance in poly (lactic acid) composites. <i>Composites Communications</i> , <b>2022</b> , 29, 101042	6.7	8
31	Superior mechanical performance of in-situ nanofibrillar HDPE/PTFE composites with highly oriented and compacted nanohybrid shish-kebab structure. <i>Composites Science and Technology</i> , <b>2021</b> , 207, 108715	8.6	8
30	Enhanced sound insulation and mechanical properties based on inorganic fillers/thermoplastic elastomer composites. <i>Journal of Thermoplastic Composite Materials</i> , <b>2019</b> , 32, 936-950	1.9	8
29	. <i>IEEE Access</i> , <b>2020</b> , 8, 71083-71092	3.5	8
28	Recent advancements in self-healing composite elastomers for flexible strain sensors: Materials, healing systems, and features. <i>Sensors and Actuators A: Physical</i> , <b>2021</b> , 329, 112800	3.9	8
27	Preparation of poly(propylene carbonate)/nano calcium carbonate composites and their supercritical carbon dioxide foaming behavior. <i>Journal of Applied Polymer Science</i> , <b>2015</b> , 132, n/a-n/a	2.9	7
26	Poly[(Butyl acrylate)-co-(butyl methacrylate)] as Transparent Tribopositive Material for High-Performance Hydrogel-Based Triboelectric Nanogenerators. <i>ACS Applied Polymer Materials</i> , <b>2020</b> , 2, 5219-5227	4.3	7
25	Multifunctional electromagnetic interference shielding films comprised of multilayered thermoplastic polyurethane membrane and silver nanowire. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2021</b> , 147, 106472	8.4	7
24	Assessment of a passive exoskeleton system on spinal biomechanics and subjective responses during manual repetitive handling tasks among construction workers. <i>Safety Science</i> , <b>2021</b> , 142, 105382	5.8	7
23	Preparation of SiCp/Al composite Bismuthate glass material and its application in mirror blanks. <i>RSC Advances</i> , <b>2015</b> , 5, 52167-52173	3.7	6
22	Green fabrication of double-sided self-supporting triboelectric nanogenerator with high durability for energy harvesting and self-powered sensing. <i>Nano Energy</i> , <b>2022</b> , 93, 106827	17.1	6
21	Polystyrene/multi-wall carbon nanotube composite and its foam assisted by ultrasound vibration. <i>Journal of Cellular Plastics</i> , <b>2017</b> , 53, 273-285	1.5	5
20	Tracking Control of PZT-Driven Compliant Precision Positioning Micromanipulator. <i>IEEE Access</i> , <b>2020</b> , 8, 126477-126487	3.5	5
19	Superefficient and robust polymer coating for bionic manufacturing of superwetting surfaces with Bose petal effect and lotus leaf effect. <i>Progress in Organic Coatings</i> , <b>2021</b> , 151, 106090	4.8	5
18	Carbon black and polydopamine modified non-woven fabric enabling efficient solar steam generation towards seawater desalination and wastewater purification. <i>Separation and Purification Technology</i> , <b>2022</b> , 278, 119621	8.3	5
17	Control of Networked Control System With Data Packet Dropout via Observer-Based Controller. <i>IEEE Access</i> , <b>2020</b> , 8, 58300-58309	3.5	4



16	Design and Optimization Principles of Cylindrical Sliding Triboelectric Nanogenerators. <i>Micromachines</i> , <b>2021</b> , 12,	3.3	4
15	Superhydrophobic UHMWPE Foams with High Mechanical Robustness and Durability Fabricated by Supercritical CO <sub>2</sub> Foaming. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2021</b> , 9, 12663-12673	8.3	4
14	Two-Mode-Dependent Controller Design for Networked Markov System With Time-Delay in Both S/C Link and C/A Link. <i>IEEE Access</i> , <b>2020</b> , 8, 56181-56190	3.5	2
13	Fabrication of wrinkled thermoplastic polyurethane foams by dynamic supercritical carbon dioxide foaming. <i>Journal of Supercritical Fluids</i> , <b>2022</b> , 180, 105429	4.2	2
12	Highly Stable and Transparent Conductive Film Realized by Semi-embedded Polydopamine/Silver Nanowire Network. <i>Materials Today Communications</i> , <b>2020</b> , 25, 101551	2.5	2
11	Matrigel immobilization on the shish-kebab structured poly( $\epsilon$ -caprolactone) nanofibers for skin tissue engineering <b>2016</b> ,		2
10	Fabrication of Thermoplastic Polyurethane Foams with Wrinkled Pores and Superior Energy Absorption Properties by CO <sub>2</sub> Foaming and Fast Chilling. <i>Macromolecular Materials and Engineering</i> , <b>2020</b> , 310, 2100600	3.9	1
9	Robust and efficient UV-reflecting one-dimensional photonic crystals enabled by organic/inorganic nanocomposite thin films for photoprotection of transparent polymers. <i>Journal of Materials Chemistry C</i> , <b>2021</b> , 9, 4223-4232	7.1	1
8	Fabrication of skinless cellular poly (vinylidene fluoride) films by surface-constrained supercritical CO <sub>2</sub> foaming using elastic gas barrier layers. <i>Journal of Supercritical Fluids</i> , <b>2022</b> , 184, 105562	4.2	1
7	Preparation of polymeric superhydrophobic surfaces and analysis of their wettability. <i>Heat and Mass Transfer</i> , <b>2015</b> , 51, 1437-1444	2.2	0
6	Delay-range-dependent H <sub>2</sub> synchronization approaches for time-delay chaotic systems. <i>International Journal of Computer Mathematics</i> , 1-17	1.2	0
5	Synthesis and Fabrication of Supramolecular Polydimethylsiloxane-Based Nanocomposite Elastomer for Versatile and Intelligent Sensing. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2021</b> , 60, 10419-10430	3.9	0
4	Fabrication of Polyether Ether Ketone Foams with Superior Properties and Mitigated Weld Lines by Microcellular Injection Molding. <i>Advanced Engineering Materials</i> , <b>2021</b> , 23, 2100766	3.5	0
3	Distributed Consensus Algorithm for Nonholonomic Wheeled Mobile Robot. <i>Security and Communication Networks</i> , <b>2021</b> , 2021, 1-9	1.9	0
2	Preparation and properties of thermoplastic polyurethane foams with bimodal structure based on TPU/PDMS blends. <i>Journal of Supercritical Fluids</i> , <b>2021</b> , 177, 105324	4.2	0
1	Finite-time bounded control design for one-sided Lipschitz differential inclusions. <i>Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering</i> , <b>2021</b> , 235, 943-951	1	1