

Jeffrey H Samet

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2824515/jeffrey-h-samet-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

315
papers

10,513
citations

61
h-index

88
g-index

337
ext. papers

11,925
ext. citations

4.8
avg, IF

6.18
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 315 | Acute pain management for patients receiving maintenance methadone or buprenorphine therapy. <i>Annals of Internal Medicine</i> , 2006 , 144, 127-34 | 8 | 292 |
| 314 | Screening and brief intervention for drug use in primary care: the ASPIRE randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 502-13 | 27.4 | 222 |
| 313 | Compliance with zidovudine therapy in patients infected with human immunodeficiency virus, type 1: a cross-sectional study in a municipal hospital clinic. <i>American Journal of Medicine</i> , 1992 , 92, 495-502 | 2.4 | 206 |
| 312 | Alcohol consumption and antiretroviral adherence among HIV-infected persons with alcohol problems. <i>Alcoholism: Clinical and Experimental Research</i> , 2004 , 28, 572-7 | 3.7 | 191 |
| 311 | Alcohol consumption and HIV disease progression. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2007 , 46, 194-9 | 3.1 | 180 |
| 310 | Benefits of linking primary medical care and substance abuse services: patient, provider, and societal perspectives. <i>Archives of Internal Medicine</i> , 2001 , 161, 85-91 | | 167 |
| 309 | Assessing missed opportunities for HIV testing in medical settings. <i>Journal of General Internal Medicine</i> , 2004 , 19, 349-56 | 4 | 166 |
| 308 | Office-based management of opioid dependence with buprenorphine: clinical practices and barriers. <i>Journal of General Internal Medicine</i> , 2008 , 23, 1393-8 | 4 | 164 |
| 307 | Alcohol Use and Human Immunodeficiency Virus (HIV) Infection: Current Knowledge, Implications, and Future Directions. <i>Alcoholism: Clinical and Experimental Research</i> , 2016 , 40, 2056-2072 | 3.7 | 159 |
| 306 | Collaborative care of opioid-addicted patients in primary care using buprenorphine: five-year experience. <i>Archives of Internal Medicine</i> , 2011 , 171, 425-31 | | 158 |
| 305 | PTSD in urban primary care: high prevalence and low physician recognition. <i>Journal of General Internal Medicine</i> , 2007 , 22, 719-26 | 4 | 155 |
| 304 | Trillion virion delay: time from testing positive for HIV to presentation for primary care. <i>Archives of Internal Medicine</i> , 1998 , 158, 734-40 | | 146 |
| 303 | Persistent pain is associated with substance use after detoxification: a prospective cohort analysis. <i>Addiction</i> , 2007 , 102, 752-60 | 4.6 | 141 |
| 302 | Trends in Receipt of Buprenorphine and Naltrexone for Opioid Use Disorder Among Adolescents and Young Adults, 2001-2014. <i>JAMA Pediatrics</i> , 2017 , 171, 747-755 | 8.3 | 137 |
| 301 | Understanding delay to medical care for HIV infection: the long-term non-presenter. <i>Aids</i> , 2001 , 15, 77-85.5 | | 135 |
| 300 | HIV status and the risk of ischemic stroke among men. <i>Neurology</i> , 2015 , 84, 1933-40 | 6.5 | 134 |
| 299 | Alcohol and HIV disease progression: weighing the evidence. <i>Current HIV/AIDS Reports</i> , 2010 , 7, 226-33 | 5.9 | 134 |

| | | | |
|-----|---|------|-----|
| 298 | Uptake and adherence to highly active antiretroviral therapy among HIV-infected people with alcohol and other substance use problems: the impact of substance abuse treatment. <i>Addiction</i> , 2004 , 99, 361-8 | 4.6 | 133 |
| 297 | Office-Based Opioid Treatment with Buprenorphine (OBOT-B): Statewide Implementation of the Massachusetts Collaborative Care Model in Community Health Centers. <i>Journal of Substance Abuse Treatment</i> , 2016 , 60, 6-13 | 4.2 | 129 |
| 296 | Addiction consultation services - Linking hospitalized patients to outpatient addiction treatment. <i>Journal of Substance Abuse Treatment</i> , 2017 , 79, 1-5 | 4.2 | 122 |
| 295 | Detecting alcohol problems in HIV-infected patients: use of the CAGE questionnaire. <i>AIDS Research and Human Retroviruses</i> , 2004 , 20, 151-5 | 1.6 | 119 |
| 294 | Alcohol consumption and HIV disease progression: are they related?. <i>Alcoholism: Clinical and Experimental Research</i> , 2003 , 27, 862-7 | 3.7 | 111 |
| 293 | Sexual ethics. Disclosure of HIV-positive status to partners. <i>Archives of Internal Medicine</i> , 1998 , 158, 253-7 | | 108 |
| 292 | Brief intervention for medical inpatients with unhealthy alcohol use: a randomized, controlled trial. <i>Annals of Internal Medicine</i> , 2007 , 146, 167-76 | 8 | 106 |
| 291 | Addressing alcohol problems in primary care: a cluster randomized, controlled trial of a systems intervention. The screening and intervention in primary care (SIP) study. <i>Annals of Internal Medicine</i> , 2003 , 138, 372-82 | 8 | 103 |
| 290 | Low bone density in patients receiving methadone maintenance treatment. <i>Drug and Alcohol Dependence</i> , 2006 , 85, 258-62 | 4.9 | 100 |
| 289 | Chronic care management for dependence on alcohol and other drugs: the AHEAD randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 1156-67 | 27.4 | 99 |
| 288 | Identifying prescription opioid use disorder in primary care: diagnostic characteristics of the Current Opioid Misuse Measure (COMM). <i>Pain</i> , 2011 , 152, 397-402 | 8 | 99 |
| 287 | Long-term retention in Office Based Opioid Treatment with buprenorphine. <i>Journal of Substance Abuse Treatment</i> , 2017 , 74, 65-70 | 4.2 | 97 |
| 286 | The relationship between sexual and physical abuse and substance abuse consequences. <i>Journal of Substance Abuse Treatment</i> , 2002 , 22, 121-8 | 4.2 | 94 |
| 285 | Impact of health literacy on depressive symptoms and mental health-related: quality of life among adults with addiction. <i>Journal of General Internal Medicine</i> , 2006 , 21, 818-22 | 4 | 91 |
| 284 | Receipt of Timely Addiction Treatment and Association of Early Medication Treatment With Retention in Care Among Youths With Opioid Use Disorder. <i>JAMA Pediatrics</i> , 2018 , 172, 1029-1037 | 8.3 | 90 |
| 283 | The case for chronic disease management for addiction. <i>Journal of Addiction Medicine</i> , 2008 , 2, 55-65 | 3.8 | 89 |
| 282 | The risk of incident coronary heart disease among veterans with and without HIV and hepatitis C. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2011 , 4, 425-32 | 5.8 | 88 |
| 281 | Burden of medical illness in drug- and alcohol-dependent persons without primary care. <i>American Journal on Addictions</i> , 2004 , 13, 33-45 | 3.7 | 87 |

| | | | |
|-----|---|------|----|
| 280 | Health literacy, antiretroviral adherence, and HIV-RNA suppression: a longitudinal perspective. <i>Journal of General Internal Medicine</i> , 2006 , 21, 835-40 | 4 | 86 |
| 279 | Treating homeless opioid dependent patients with buprenorphine in an office-based setting. <i>Journal of General Internal Medicine</i> , 2007 , 22, 171-6 | 4 | 84 |
| 278 | A transitional opioid program to engage hospitalized drug users. <i>Journal of General Internal Medicine</i> , 2010 , 25, 803-8 | 4 | 83 |
| 277 | Primary Care Patients with Drug Use Report Chronic Pain and Self-Medicating with Alcohol and Other Drugs. <i>Journal of General Internal Medicine</i> , 2016 , 31, 486-91 | 4 | 81 |
| 276 | Screening and brief intervention for unhealthy drug use in primary care settings: randomized clinical trials are needed. <i>Journal of Addiction Medicine</i> , 2010 , 4, 123-30 | 3.8 | 79 |
| 275 | Improving Adherence to Long-term Opioid Therapy Guidelines to Reduce Opioid Misuse in Primary Care: A Cluster-Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2017 , 177, 1265-1272 | 11.5 | 78 |
| 274 | Clinical factors associated with prescription drug use disorder in urban primary care patients with chronic pain. <i>Journal of Pain</i> , 2010 , 11, 1047-55 | 5.2 | 78 |
| 273 | Improving emergency medicine residents' approach to patients with alcohol problems: a controlled educational trial. <i>Annals of Emergency Medicine</i> , 2002 , 40, 50-62 | 2.1 | 78 |
| 272 | Homeless chronicity and health-related quality of life trajectories among adults with addictions. <i>Medical Care</i> , 2005 , 43, 574-85 | 3.1 | 77 |
| 271 | Alcohol Use in Patients with Chronic Liver Disease. <i>New England Journal of Medicine</i> , 2018 , 379, 1251-1261 | 9.2 | 77 |
| 270 | Primary medical care and reductions in addiction severity: a prospective cohort study. <i>Addiction</i> , 2005 , 100, 70-8 | 4.6 | 73 |
| 269 | Management of adults recovering from alcohol or other drug problems: relapse prevention in primary care. <i>JAMA - Journal of the American Medical Association</i> , 1998 , 279, 1227-31 | 27.4 | 72 |
| 268 | Linking alcohol- and drug-dependent adults to primary medical care: a randomized controlled trial of a multi-disciplinary health intervention in a detoxification unit. <i>Addiction</i> , 2003 , 98, 509-16 | 4.6 | 68 |
| 267 | Physician unawareness of serious substance abuse. <i>American Journal of Drug and Alcohol Abuse</i> , 1997 , 23, 343-54 | 3.7 | 67 |
| 266 | Alcohol abuse and dependence in Latinos living in the United States: validation of the CAGE (4M) questions. <i>Archives of Internal Medicine</i> , 1999 , 159, 718-24 | | 67 |
| 265 | Methadone in Primary Care - One Small Step for Congress, One Giant Leap for Addiction Treatment. <i>New England Journal of Medicine</i> , 2018 , 379, 7-8 | 59.2 | 67 |
| 264 | Professional satisfaction experienced when caring for substance-abusing patients: faculty and resident physician perspectives. <i>Journal of General Internal Medicine</i> , 2002 , 17, 373-6 | 4 | 66 |
| 263 | Estimated Prevalence of Opioid Use Disorder in Massachusetts, 2011-2015: A Capture-Recapture Analysis. <i>American Journal of Public Health</i> , 2018 , 108, 1675-1681 | 5.1 | 66 |

| | | | |
|-----|---|------|----|
| 262 | The impact of trauma exposure and post-traumatic stress disorder on healthcare utilization among primary care patients. <i>Medical Care</i> , 2008 , 46, 388-93 | 3.1 | 65 |
| 261 | A randomized controlled trial to enhance antiretroviral therapy adherence in patients with a history of alcohol problems. <i>Antiviral Therapy</i> , 2005 , 10, 83-93 | 1.6 | 65 |
| 260 | Physical and sexual abuse in women infected with the human immunodeficiency virus: increased illness and health care utilization. <i>Archives of Internal Medicine</i> , 2000 , 160, 1659-64 | | 64 |
| 259 | The functioning and well being of persons who seek treatment for drug and alcohol use. <i>Journal of Substance Abuse</i> , 1998 , 10, 75-84 | | 62 |
| 258 | Association of alcohol consumption with HIV sex- and drug-risk behaviors among drug users. <i>Journal of Substance Abuse Treatment</i> , 2001 , 21, 129-34 | 4.2 | 62 |
| 257 | The association between alcohol consumption and prevalent cardiovascular diseases among HIV-infected and HIV-uninfected men. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010 , 53, 247-53 | 3.1 | 61 |
| 256 | Overdose after detoxification: a prospective study. <i>Drug and Alcohol Dependence</i> , 2007 , 89, 161-9 | 4.9 | 61 |
| 255 | The severity of unhealthy alcohol use in hospitalized medical patients. The spectrum is narrow. <i>Journal of General Internal Medicine</i> , 2006 , 21, 381-5 | 4 | 61 |
| 254 | Sex trafficking and initiation-related violence, alcohol use, and HIV risk among HIV-infected female sex workers in Mumbai, India. <i>Journal of Infectious Diseases</i> , 2011 , 204 Suppl 5, S1229-34 | 7 | 57 |
| 253 | Substance abuse treatment and risk behaviors among HIV-infected persons with alcohol problems. <i>Journal of Substance Abuse Treatment</i> , 2005 , 28, 3-9 | 4.2 | 55 |
| 252 | Association of Prescribed Opioids With Increased Risk of Community-Acquired Pneumonia Among Patients With and Without HIV. <i>JAMA Internal Medicine</i> , 2019 , 179, 297-304 | 11.5 | 54 |
| 251 | Associations between alcohol, heroin, and cocaine use and high risk sexual behaviors among detoxification patients. <i>American Journal of Drug and Alcohol Abuse</i> , 2007 , 33, 169-78 | 3.7 | 53 |
| 250 | Slowing the revolving door: stabilization programs reduce homeless persons' substance use after detoxification. <i>Journal of Substance Abuse Treatment</i> , 2003 , 24, 197-207 | 4.2 | 53 |
| 249 | The doctor-patient relationship and HIV-infected patients' satisfaction with primary care physicians. <i>Journal of General Internal Medicine</i> , 2000 , 15, 462-9 | 4 | 53 |
| 248 | Translational methods in biostatistics: linear mixed effect regression models of alcohol consumption and HIV disease progression over time. <i>Epidemiologic Perspectives and Innovations</i> , 2007 , 4, 8 | | 52 |
| 247 | Suicidal behavior, drug use and depressive symptoms after detoxification: a 2-year prospective study. <i>Drug and Alcohol Dependence</i> , 2004 , 76 Suppl, S21-9 | 4.9 | 51 |
| 246 | Beyond CAGE. <i>Archives of Internal Medicine</i> , 1996 , 156, 2287 | | 50 |
| 245 | Inconsistent condom use among HIV-infected patients with alcohol problems. <i>Drug and Alcohol Dependence</i> , 2004 , 73, 159-66 | 4.9 | 48 |

| | | | |
|-----|--|------|----|
| 244 | Alcohol use and sex risk behaviors among HIV-infected female sex workers (FSWs) and HIV-infected male clients of FSWs in India. <i>AIDS and Behavior</i> , 2010 , 14 Suppl 1, S74-83 | 4.3 | 46 |
| 243 | Do brief measures of readiness to change predict alcohol consumption and consequences in primary care patients with unhealthy alcohol use?. <i>Alcoholism: Clinical and Experimental Research</i> , 2007 , 31, 428-35 | 3.7 | 46 |
| 242 | The association between hepatitis C infection and prevalent cardiovascular disease among HIV-infected individuals. <i>Aids</i> , 2007 , 21, 193-7 | 3.5 | 46 |
| 241 | Barriers to treatment of hepatitis C in HIV/HCV-coinfected adults with alcohol problems. <i>Alcoholism: Clinical and Experimental Research</i> , 2006 , 30, 1520-6 | 3.7 | 46 |
| 240 | Alcohol and coronary heart disease: the answer awaits a randomized controlled trial. <i>Circulation</i> , 2005 , 112, 1379-81 | 16.7 | 45 |
| 239 | Chronic pain, craving, and illicit opioid use among patients receiving opioid agonist therapy. <i>Drug and Alcohol Dependence</i> , 2016 , 166, 26-31 | 4.9 | 45 |
| 238 | Alcohol use and HIV risk behaviors among HIV-infected hospitalized patients in St. Petersburg, Russia. <i>Drug and Alcohol Dependence</i> , 2005 , 79, 251-6 | 4.9 | 42 |
| 237 | The use of the mini-mental state examination in recruitment for substance abuse research studies. <i>Drug and Alcohol Dependence</i> , 2006 , 82, 231-7 | 4.9 | 41 |
| 236 | Training Community-Based Clinicians in Screening and Brief Intervention for Substance Abuse Problems: Translating Evidence into Practice. <i>Substance Abuse</i> , 2000 , 21, 21-31 | 3.8 | 41 |
| 235 | The impact of alcohol use on depressive symptoms in human immunodeficiency virus-infected patients. <i>Addiction</i> , 2008 , 103, 1461-7 | 4.6 | 40 |
| 234 | Episodic homelessness and health care utilization in a prospective cohort of HIV-infected persons with alcohol problems. <i>BMC Health Services Research</i> , 2006 , 6, 19 | 2.9 | 40 |
| 233 | Factors associated with initiation of primary medical care for HIV-infected persons. <i>American Journal of Medicine</i> , 1994 , 97, 347-53 | 2.4 | 40 |
| 232 | Does readiness to change predict subsequent alcohol consumption in medical inpatients with unhealthy alcohol use?. <i>Addictive Behaviors</i> , 2009 , 34, 636-40 | 4.2 | 38 |
| 231 | Screening in special populations: a "case study" of recent Vietnamese immigrants. <i>American Journal of Medicine</i> , 1997 , 102, 435-40 | 2.4 | 38 |
| 230 | Recent drug use, homelessness and increased short-term mortality in HIV-infected persons with alcohol problems. <i>Aids</i> , 2008 , 22, 415-20 | 3.5 | 38 |
| 229 | Primary care quality and addiction severity: a prospective cohort study. <i>Health Services Research</i> , 2007 , 42, 755-72 | 3.4 | 38 |
| 228 | Measuring Adherence Among HIV-Infected Persons: Is MEMS Consummate Technology?. <i>AIDS and Behavior</i> , 2001 , 5, 21-30 | 4.3 | 38 |
| 227 | Some medical inpatients with unhealthy alcohol use may benefit from brief intervention. <i>Journal of Studies on Alcohol and Drugs</i> , 2009 , 70, 426-35 | 1.9 | 36 |

| | | | |
|-----|---|------|----|
| 226 | Think HIV: why physicians should lower their threshold for HIV testing. <i>Archives of Internal Medicine</i> , 1999 , 159, 1994-2000 | | 35 |
| 225 | A Randomized Controlled Trial to Enhance Antiretroviral Therapy Adherence in Patients with a History of Alcohol Problems. <i>Antiviral Therapy</i> , 2005 , 10, 83-93 | 1.6 | 35 |
| 224 | Promoting substance use education among generalist physicians: an evaluation of the Chief Resident Immersion Training (CRIT) program. <i>Journal of General Internal Medicine</i> , 2009 , 24, 40-7 | 4 | 34 |
| 223 | Need and non-need factors associated with addiction treatment utilization in a cohort of homeless and housed urban poor. <i>Medical Care</i> , 2006 , 44, 225-33 | 3.1 | 34 |
| 222 | Intoxication before intercourse and risky sexual behavior in male veterans with and without human immunodeficiency virus infection. <i>Medical Care</i> , 2006 , 44, S31-6 | 3.1 | 34 |
| 221 | Hospitalization decision in febrile intravenous drug users. <i>American Journal of Medicine</i> , 1990 , 89, 53-7 | 2.4 | 34 |
| 220 | Marijuana use and achievement of abstinence from alcohol and other drugs among people with substance dependence: a prospective cohort study. <i>Drug and Alcohol Dependence</i> , 2014 , 142, 91-7 | 4.9 | 30 |
| 219 | HERMITAGE--a randomized controlled trial to reduce sexually transmitted infections and HIV risk behaviors among HIV-infected Russian drinkers. <i>Addiction</i> , 2015 , 110, 80-90 | 4.6 | 29 |
| 218 | Engagement and Substance Dependence in a Primary Care-Based Addiction Treatment Program for People Infected with HIV and People at High-Risk for HIV Infection. <i>Journal of Substance Abuse Treatment</i> , 2015 , 59, 59-66 | 4.2 | 28 |
| 217 | Association of Treatment With Medications for Opioid Use Disorder With Mortality After Hospitalization for Injection Drug Use-Associated Infective Endocarditis. <i>JAMA Network Open</i> , 2020 , 3, e2016228 | 10.4 | 28 |
| 216 | "It is easier for me to shoot up": stigma, abandonment, and why HIV-positive drug users in Russia fail to link to HIV care. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017 , 29, 559-563 ^{2.2} | | 28 |
| 215 | Prevalence and treatment of opioid use disorders among primary care patients in six health systems. <i>Drug and Alcohol Dependence</i> , 2020 , 207, 107732 | 4.9 | 28 |
| 214 | Oral health of substance-dependent individuals: impact of specific substances. <i>Journal of Substance Abuse Treatment</i> , 2011 , 41, 179-85 | 4.2 | 27 |
| 213 | Non-fatal opioid-related overdoses among adolescents in Massachusetts 2012-2014. <i>Drug and Alcohol Dependence</i> , 2019 , 194, 28-31 | 4.9 | 27 |
| 212 | Linkage with primary medical care in a prospective cohort of adults with addictions in inpatient detoxification: room for improvement. <i>Health Services Research</i> , 2004 , 39, 587-606 | 3.4 | 26 |
| 211 | Improving Alcoholism Treatment Across the Spectrum of Services. <i>Alcoholism: Clinical and Experimental Research</i> , 2001 , 25, 128-135 | 3.7 | 26 |
| 210 | A Model Clinic for the Initial Evaluation and Establishment of Primary Care for Persons Infected With Human Immunodeficiency Virus. <i>Archives of Internal Medicine</i> , 1995 , 155, 1629 | | 26 |
| 209 | A Case for Enhanced Linkage of Substance Abusers to Primary Medical Care. <i>Substance Abuse</i> , 1996 , 17, 181-192 | 3.8 | 26 |

| | | | |
|-----|---|-----|----|
| 208 | Management of hospitalized intravenous drug users: role of the internist. <i>American Journal of Medicine</i> , 1994 , 96, 551-8 | 2.4 | 26 |
| 207 | Stigma and Human Rights Abuses against People Who Inject Drugs in Russia--A Qualitative Investigation to Inform Policy and Public Health Strategies. <i>PLoS ONE</i> , 2015 , 10, e0136030 | 3.7 | 25 |
| 206 | Punitive policing and associated substance use risks among HIV-positive people in Russia who inject drugs. <i>Journal of the International AIDS Society</i> , 2014 , 17, 19043 | 5.4 | 24 |
| 205 | Awareness of hepatitis C diagnosis is associated with less alcohol use among persons co-infected with HIV. <i>Journal of General Internal Medicine</i> , 2007 , 22, 822-5 | 4 | 24 |
| 204 | Characteristics and Receipt of Medication Treatment Among Young Adults Who Experience a Nonfatal Opioid-Related Overdose. <i>Annals of Emergency Medicine</i> , 2020 , 75, 29-38 | 2.1 | 24 |
| 203 | HIV Stigma and Unhealthy Alcohol Use Among People Living with HIV in Russia. <i>AIDS and Behavior</i> , 2017 , 21, 2609-2617 | 4.3 | 23 |
| 202 | Receipt of addiction treatment as a consequence of a brief intervention for drug use in primary care: a randomized trial. <i>Addiction</i> , 2017 , 112, 818-827 | 4.6 | 23 |
| 201 | Chronic hepatitis C virus infection is associated with all-cause and liver-related mortality in a cohort of HIV-infected patients with alcohol problems. <i>Addiction</i> , 2014 , 109, 62-70 | 4.6 | 23 |
| 200 | Recent cigarette smoking and HIV disease progression: no evidence of an association. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2011 , 23, 947-56 | 2.2 | 23 |
| 199 | Discontinuation from HIV medical care: squandering treatment opportunities. <i>Journal of Health Care for the Poor and Underserved</i> , 2003 , 14, 244-55 | 1.4 | 23 |
| 198 | Alcohol abusers in primary care: readiness to change behavior. <i>American Journal of Medicine</i> , 1998 , 105, 302-6 | 2.4 | 23 |
| 197 | Alcohol Use and HIV Disease Progression in an Antiretroviral Naive Cohort. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018 , 77, 492-501 | 3.1 | 22 |
| 196 | No detectable association between frequency of marijuana use and health or healthcare utilization among primary care patients who screen positive for drug use. <i>Journal of General Internal Medicine</i> , 2014 , 29, 133-9 | 4 | 22 |
| 195 | Brief interventions with substance-abusing patients. <i>Medical Clinics of North America</i> , 1997 , 81, 867-79 | 7 | 22 |
| 194 | Alcohol counseling reflects higher quality of primary care. <i>Journal of General Internal Medicine</i> , 2008 , 23, 1482-6 | 4 | 22 |
| 193 | Methadone dose, take home status, and hospital admission among methadone maintenance patients. <i>Journal of Addiction Medicine</i> , 2012 , 6, 186-90 | 3.8 | 21 |
| 192 | Evolution of depressive symptoms in human immunodeficiency virus-infected patients entering primary care. <i>Journal of Nervous and Mental Disease</i> , 2001 , 189, 76-83 | 1.8 | 21 |
| 191 | Associations of sex trafficking history with recent sexual risk among HIV-infected FSWs in India. <i>AIDS and Behavior</i> , 2014 , 18, 555-61 | 4.3 | 20 |

| | | | |
|-----|--|------|----|
| 190 | Risk of mortality during four years after substance detoxification in urban adults. <i>Journal of Urban Health</i> , 2007 , 84, 272-82 | 5.8 | 20 |
| 189 | Hepatitis C infection is associated with depressive symptoms in HIV-infected adults with alcohol problems. <i>American Journal of Gastroenterology</i> , 2006 , 101, 1804-10 | 0.7 | 20 |
| 188 | Introducing evidence-based practices into substance abuse treatment using organization development methods. <i>American Journal of Drug and Alcohol Abuse</i> , 2006 , 32, 555-60 | 3.7 | 20 |
| 187 | Improving participation in HIV clinical trials: impact of a brief intervention. <i>HIV Clinical Trials</i> , 2001 , 2, 205-12 | | 20 |
| 186 | Provider and patient perspectives on barriers to buprenorphine adherence and the acceptability of video directly observed therapy to enhance adherence. <i>Addiction Science & Clinical Practice</i> , 2019 , 14, 11 | 4.1 | 19 |
| 185 | Nondisclosure of HIV infection to sex partners and alcohol's role: a Russian experience. <i>AIDS and Behavior</i> , 2013 , 17, 390-8 | 4.3 | 19 |
| 184 | Inflammatory cytokines and mortality in a cohort of HIV-infected adults with alcohol problems. <i>Aids</i> , 2014 , 28, 1059-64 | 3.5 | 19 |
| 183 | Is cannabis use associated with HIV drug and sex risk behaviors among Russian HIV-infected risky drinkers?. <i>Drug and Alcohol Dependence</i> , 2013 , 132, 74-80 | 4.9 | 19 |
| 182 | Alcohol consumption patterns in HIV-infected adults with alcohol problems. <i>Drug and Alcohol Dependence</i> , 2010 , 112, 160-3 | 4.9 | 19 |
| 181 | Cost-effectiveness of treatment for hepatitis C in an urban cohort co-infected with HIV. <i>American Journal of Medicine</i> , 2007 , 120, 272-9 | 2.4 | 19 |
| 180 | Health utility ratings for a spectrum of alcohol-related health states. <i>Medical Care</i> , 2005 , 43, 541-50 | 3.1 | 19 |
| 179 | HIV testing in substance abusers. <i>American Journal of Drug and Alcohol Abuse</i> , 1999 , 25, 269-80 | 3.7 | 19 |
| 178 | How accurate are blood (or breath) tests for identifying self-reported heavy drinking among people with alcohol dependence?. <i>Alcohol and Alcoholism</i> , 2014 , 49, 423-9 | 3.5 | 18 |
| 177 | Initiation and engagement in chronic disease management care for substance dependence. <i>Drug and Alcohol Dependence</i> , 2011 , 115, 80-6 | 4.9 | 18 |
| 176 | Is unhealthy substance use associated with failure to receive cancer screening and flu vaccination? A retrospective cross-sectional study. <i>BMJ Open</i> , 2011 , 1, e000046 | 3 | 18 |
| 175 | Mitigating risky sexual behaviors among Russian narcology hospital patients: the PREVENT (Partnership to Reduce the Epidemic Via Engagement in Narcology Treatment) randomized controlled trial. <i>Addiction</i> , 2008 , 103, 1474-83 | 4.6 | 18 |
| 174 | FIB-4 stage of liver fibrosis predicts incident heart failure among HIV-infected and uninfected patients. <i>Hepatology</i> , 2017 , 66, 1286-1295 | 11.2 | 17 |
| 173 | Association between alcohol use and inflammatory biomarkers over time among younger adults with HIV-The Russia ARCH Observational Study. <i>PLoS ONE</i> , 2019 , 14, e0219710 | 3.7 | 17 |

| | | | |
|-----|---|------|----|
| 172 | Human immunodeficiency virus, hepatitis C, and inflammatory biomarkers in individuals with alcohol problems: a cross-sectional study. <i>BMC Infectious Diseases</i> , 2013 , 13, 399 | 4 | 17 |
| 171 | Phosphatidylethanol confirmed alcohol use among ART-naïve HIV-infected persons who denied consumption in rural Uganda. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017 , 29, 1442-1447 | 2.2 | 17 |
| 170 | A Hepatitis C Treatment Program Based in a Safety-Net Hospital Patient-Centered Medical Home. <i>Annals of Family Medicine</i> , 2017 , 15, 258-261 | 2.9 | 17 |
| 169 | Impact of lifetime alcohol use on liver fibrosis in a population of HIV-infected patients with and without hepatitis C coinfection. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37, 1527-35 | 3.7 | 17 |
| 168 | Erectile dysfunction drug receipt, risky sexual behavior and sexually transmitted diseases in HIV-infected and HIV-uninfected men. <i>Journal of General Internal Medicine</i> , 2010 , 25, 115-21 | 4 | 17 |
| 167 | Impact of hepatitis C on HIV progression in adults with alcohol problems. <i>Alcoholism: Clinical and Experimental Research</i> , 2007 , 31, 829-36 | 3.7 | 17 |
| 166 | Emergency department and hospital utilization among alcohol and drug-dependent detoxification patients without primary medical care. <i>American Journal of Drug and Alcohol Abuse</i> , 2006 , 32, 435-52 | 3.7 | 17 |
| 165 | Sex trade, sexual risk, and nondisclosure of HIV serostatus: findings from HIV-infected persons with a history of alcohol problems. <i>AIDS and Behavior</i> , 2006 , 10, 149-57 | 4.3 | 17 |
| 164 | Screening for sexually transmitted infections in substance abuse treatment programs. <i>Drug and Alcohol Dependence</i> , 2003 , 70, 93-9 | 4.9 | 17 |
| 163 | Dermatologic manifestations in HIV-infected patients: a primary care perspective. <i>Mayo Clinic Proceedings</i> , 1999 , 74, 658-60 | 6.4 | 17 |
| 162 | Opioid substitution therapy-time to replace the term. <i>Lancet, The</i> , 2015 , 385, 1508-9 | 4.0 | 16 |
| 161 | Chronic Opioid Therapy in People Living With Human Immunodeficiency Virus: Patients' Perspectives on Risks, Monitoring, and Guidelines. <i>Clinical Infectious Diseases</i> , 2019 , 68, 291-297 | 11.6 | 16 |
| 160 | Aberrant drug-related behaviors: unsystematic documentation does not identify prescription drug use disorder. <i>Pain Medicine</i> , 2012 , 13, 1436-43 | 2.8 | 16 |
| 159 | Pain is associated with heroin use over time in HIV-infected Russian drinkers. <i>Addiction</i> , 2013 , 108, 1779-87 | 4.6 | 16 |
| 158 | Interleukin-6 is associated with noninvasive markers of liver fibrosis in HIV-infected patients with alcohol problems. <i>AIDS Research and Human Retroviruses</i> , 2013 , 29, 1110-6 | 1.6 | 16 |
| 157 | Substance abuse treatment and hospitalization among a cohort of HIV-infected individuals with alcohol problems. <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 389-94 | 3.7 | 16 |
| 156 | Long-term Infective Endocarditis Mortality Associated With Injection Opioid Use in the United States: A Modeling Study. <i>Clinical Infectious Diseases</i> , 2021 , 73, e3661-e3669 | 11.6 | 16 |
| 155 | Chronic care management for substance dependence in primary care among patients with co-occurring disorders. <i>Psychiatric Services</i> , 2015 , 66, 72-9 | 3.3 | 15 |

| | | | |
|-----|--|------|----|
| 154 | Hepatitis C virus infection is associated with painful symptoms in HIV-infected adults. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2012 , 24, 820-7 | 2.2 | 15 |
| 153 | The Short Inventory of Problems-Modified for Drug Use (SIP-DU): validity in a primary care sample. <i>American Journal on Addictions</i> , 2012 , 21, 257-62 | 3.7 | 15 |
| 152 | Substance abuse treatment utilization among adults living with HIV/AIDS and alcohol or drug problems. <i>Journal of Substance Abuse Treatment</i> , 2011 , 41, 233-42 | 4.2 | 15 |
| 151 | Alcohol consumption and lipodystrophy in HIV-infected adults with alcohol problems. <i>Alcohol</i> , 2009 , 43, 65-71 | 2.7 | 15 |
| 150 | Models of Medical Care for HIV-infected Drug Users. <i>Substance Abuse</i> , 1995 , 16, 131-139 | 3.8 | 15 |
| 149 | The substance-using human immunodeficiency virus patient: approaches to outpatient management. <i>American Journal of Medicine</i> , 1996 , 101, 435-44 | 2.4 | 15 |
| 148 | Unhealthy Alcohol Use is Associated with Monocyte Activation Prior to Starting Antiretroviral Therapy. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 2422-6 | 3.7 | 14 |
| 147 | Discrepancy in diagnosis and treatment of post-traumatic stress disorder (PTSD): treatment for the wrong reason. <i>Journal of Behavioral Health Services and Research</i> , 2012 , 39, 190-201 | 1.7 | 14 |
| 146 | Effect of exposure to injection drugs or alcohol on antigen-specific immune responses in HIV and hepatitis C virus coinfection. <i>Journal of Infectious Diseases</i> , 2007 , 195, 847-56 | 7 | 14 |
| 145 | Health assessment of HIV-infected refugees. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2003 , 34, 251-4 | 3.1 | 14 |
| 144 | Substance abuse treatment and emergency department utilization among a cohort of HIV-infected persons with alcohol problems. <i>Journal of Substance Abuse Treatment</i> , 2003 , 25, 37-42 | 4.2 | 14 |
| 143 | Liver fibrosis and accelerated immune dysfunction (immunosenescence) among HIV-infected Russians with heavy alcohol consumption - an observational cross-sectional study. <i>BMC Gastroenterology</i> , 2019 , 20, 1 | 3 | 14 |
| 142 | Very early disengagement and subsequent re-engagement in primary care Office Based Opioid Treatment (OBOT) with buprenorphine. <i>Journal of Substance Abuse Treatment</i> , 2017 , 79, 12-19 | 4.2 | 13 |
| 141 | Effect of Zinc Supplementation vs Placebo on Mortality Risk and HIV Disease Progression Among HIV-Positive Adults With Heavy Alcohol Use: A Randomized Clinical Trial. <i>JAMA Network Open</i> , 2020 , 3, e204330 | 10.4 | 13 |
| 140 | Study protocol for the targeting effective analgesia in clinics for HIV (TEACH) study - a cluster randomized controlled trial and parallel cohort to increase guideline concordant care for long-term opioid therapy among people living with HIV. <i>HIV Research and Clinical Practice</i> , 2019 , 20, 48-63 | 1.7 | 13 |
| 139 | Pain is associated with risky drinking over time among HIV-infected persons in St. Petersburg, Russia. <i>Drug and Alcohol Dependence</i> , 2014 , 144, 87-92 | 4.9 | 13 |
| 138 | Depressive symptoms and antiretroviral therapy (ART) initiation among HIV-infected Russian drinkers. <i>AIDS and Behavior</i> , 2014 , 18, 1085-93 | 4.3 | 13 |
| 137 | Associations between partner violence perpetration and history of STI among HIV-infected substance using men in Russia. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2013 , 25, 646-51 | 2.2 | 13 |

| | | | |
|-----|---|------|----|
| 136 | Emergency department use by primary care patients at a safety-net hospital. <i>Archives of Internal Medicine</i> , 2012 , 172, 278-80 | | 13 |
| 135 | Education of preventive medicine residents: alcohol, tobacco, and other drug abuse. <i>American Journal of Preventive Medicine</i> , 2003 , 24, 101-5 | 6.1 | 13 |
| 134 | Sexual violence from police and HIV risk behaviours among HIV-positive women who inject drugs in St. Petersburg, Russia—a mixed methods study. <i>Journal of the International AIDS Society</i> , 2016 , 19, 2087-94 | 5.4 | 13 |
| 133 | Insights on the Russian HCV Care Cascade: Minimal HCV Treatment for HIV/HCV Co-infected PWID in St. Petersburg. <i>Hepatology, Medicine and Policy</i> , 2016 , 1, | | 13 |
| 132 | Documented opioid use disorder and its treatment in primary care patients across six U.S. health systems. <i>Journal of Substance Abuse Treatment</i> , 2020 , 112S, 41-48 | 4.2 | 13 |
| 131 | Tapering off and returning to buprenorphine maintenance in a primary care Office Based Addiction Treatment (OBAT) program. <i>Drug and Alcohol Dependence</i> , 2018 , 189, 166-171 | 4.9 | 12 |
| 130 | CD8+ T-cells count in acute myocardial infarction in HIV disease in a predominantly male cohort. <i>BioMed Research International</i> , 2015 , 2015, 246870 | 3 | 12 |
| 129 | Effect of quality chronic disease management for alcohol and drug dependence on addiction outcomes. <i>Journal of Substance Abuse Treatment</i> , 2012 , 43, 389-96 | 4.2 | 12 |
| 128 | Low vitamin d status of patients in methadone maintenance treatment. <i>Journal of Addiction Medicine</i> , 2009 , 3, 134-8 | 3.8 | 12 |
| 127 | The substance-abusing patient and primary care: Linkage via the addiction treatment system? 1 Preliminary data were presented at the annual meeting of the Society of General Internal Medicine, May 5, 1995, and published in abstract form in the <i>Journal of General Internal Medicine</i> 1995; 10 (Suppl. 2): 79. <i>Substance Abuse</i> , 1997 , 18, 187-195 | 3.8 | 12 |
| 126 | Association of violence victimization with inconsistent condom use in HIV-infected persons. <i>AIDS and Behavior</i> , 2006 , 10, 201-7 | 4.3 | 12 |
| 125 | Disclosure of HIV status. <i>AIDS Patient Care and STDs</i> , 1999 , 13, 265-7 | 5.8 | 12 |
| 124 | Design of a randomized controlled trial of zinc supplementation to improve markers of mortality and HIV disease progression in HIV-positive drinkers in St. Petersburg, Russia. <i>HIV Clinical Trials</i> , 2018 , 19, 101-111 | | 11 |
| 123 | Linking Infectious and Narcology Care (LINC) in Russia: design, intervention and implementation protocol. <i>Addiction Science & Clinical Practice</i> , 2016 , 11, 10 | 4.1 | 11 |
| 122 | Zinc deficiency and advanced liver fibrosis among HIV and hepatitis C co-infected anti-retroviral naïve persons with alcohol use in Russia. <i>PLoS ONE</i> , 2019 , 14, e0218852 | 3.7 | 11 |
| 121 | Social Desirability Bias Impacts Self-Reported Alcohol Use Among Persons With HIV in Uganda. <i>Alcoholism: Clinical and Experimental Research</i> , 2019 , 43, 2591-2598 | 3.7 | 11 |
| 120 | Are opioid dependence and methadone maintenance treatment (MMT) documented in the medical record? A patient safety issue. <i>Journal of General Internal Medicine</i> , 2009 , 24, 1007-11 | 4 | 11 |
| 119 | HIV Physicians and Chronic Opioid Therapy: It's Time to Raise the Bar. <i>AIDS and Behavior</i> , 2019 , 23, 1057-1061 | 4.61 | 11 |

| | | | |
|-----|--|------|----|
| 118 | Lifetime marijuana and alcohol use, and cognitive dysfunction in people with human immunodeficiency virus infection. <i>Substance Abuse</i> , 2018 , 39, 116-123 | 3.8 | 10 |
| 117 | Alcohol Consumption in Ugandan HIV-Infected Household-Brewers Versus Non-Brewers. <i>AIDS and Behavior</i> , 2016 , 20, 2408-2417 | 4.3 | 10 |
| 116 | Prevalence and correlates of non-disclosure of HIV serostatus to sex partners among HIV-infected female sex workers and HIV-infected male clients of female sex workers in India. <i>AIDS and Behavior</i> , 2013 , 17, 399-406 | 4.3 | 10 |
| 115 | Risky alcohol use and serum aminotransferase levels in HIV-infected adults with and without hepatitis C. <i>Journal of Studies on Alcohol and Drugs</i> , 2013 , 74, 266-70 | 1.9 | 10 |
| 114 | Interpersonal violence exposure and alcohol treatment utilization among medical inpatients with alcohol dependence. <i>Journal of Substance Abuse Treatment</i> , 2008 , 34, 464-70 | 4.2 | 10 |
| 113 | Implications of cannabis use and heavy alcohol use on HIV drug risk behaviors in Russian heroin users. <i>AIDS and Behavior</i> , 2008 , 12, 662-9 | 4.3 | 10 |
| 112 | Improving the Delivery of Chronic Opioid Therapy Among People Living With Human Immunodeficiency Virus: A Cluster Randomized Clinical Trial. <i>Clinical Infectious Diseases</i> , 2021 , 73, e2052-e2058 ^{11.6} | 11.6 | 10 |
| 111 | Brief intervention for daily marijuana users identified by screening in primary care: A subgroup analysis of the ASPIRE randomized clinical trial. <i>Substance Abuse</i> , 2016 , 37, 336-42 | 3.8 | 9 |
| 110 | Psychoactive medications and disengagement from office based opioid treatment (obot) with buprenorphine. <i>Drug and Alcohol Dependence</i> , 2017 , 170, 9-16 | 4.9 | 9 |
| 109 | Lifetime and recent alcohol use and bone mineral density in adults with HIV infection and substance dependence. <i>Medicine (United States)</i> , 2017 , 96, e6759 | 1.8 | 9 |
| 108 | The spectrum of unhealthy drug use and quality of care for hypertension and diabetes: a longitudinal cohort study. <i>BMJ Open</i> , 2015 , 5, e008508 | 3 | 9 |
| 107 | Does experiencing homelessness affect women's motivation to change alcohol or drug use?. <i>American Journal on Addictions</i> , 2014 , 23, 76-83 | 3.7 | 9 |
| 106 | Physical health and drinking among medical inpatients with unhealthy alcohol use: a prospective study. <i>Alcoholism: Clinical and Experimental Research</i> , 2010 , 34, 1257-65 | 3.7 | 9 |
| 105 | Relationship of depressive symptoms and mental health functioning to repeat detoxification. <i>Journal of Substance Abuse Treatment</i> , 2005 , 29, 117-23 | 4.2 | 9 |
| 104 | Substance abuse treatment and receipt of liver specialty care among persons coinfectd with HIV/HCV who have alcohol problems. <i>Journal of Substance Abuse Treatment</i> , 2006 , 31, 411-7 | 4.2 | 9 |
| 103 | Mortality in HIV-Infected Alcohol and Drug Users in St. Petersburg, Russia. <i>PLoS ONE</i> , 2016 , 11, e0166539 ^{3.7} | 3.7 | 9 |
| 102 | False-positive HIV diagnoses: lessons from Ugandan and Russian research cohorts. <i>HIV Clinical Trials</i> , 2018 , 19, 15-22 | | 8 |
| 101 | Heroin Use and HIV Disease Progression: Results from a Pilot Study of a Russian Cohort. <i>AIDS and Behavior</i> , 2015 , 19, 1089-97 | 4.3 | 8 |

| | | | |
|-----|---|------|---|
| 100 | Managed care of substance abuse disorders. Implications for generalist physicians. <i>Medical Clinics of North America</i> , 1997 , 81, 1053-69 | 7 | 8 |
| 99 | Establishment of a multidisciplinary Health Evaluation and Linkage to Primary care (HELP) clinic in a detoxification unit. <i>Journal of Addictive Diseases</i> , 2004 , 23, 33-45 | 1.7 | 8 |
| 98 | Against Medical Advice Discharges in Injection and Non-injection Drug Use-associated Infective Endocarditis: A Nationwide Cohort Study. <i>Clinical Infectious Diseases</i> , 2021 , 73, e2484-e2492 | 11.6 | 8 |
| 97 | Marijuana Use and Its Associations With Pain, Opioid Dose, and HIV Viral Suppression Among Persons Living With HIV on Chronic Opioid Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 82, 195-201 | 3.1 | 8 |
| 96 | Provider opioid prescribing practices and the belief that opioids keep people living with HIV engaged in care: a cross-sectional study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2019 , 31, 1140-1144 | 2.2 | 8 |
| 95 | FIB-4 stage of liver fibrosis is associated with incident heart failure with preserved, but not reduced, ejection fraction among people with and without HIV or hepatitis C. <i>Progress in Cardiovascular Diseases</i> , 2020 , 63, 184-191 | 8.5 | 7 |
| 94 | Alcohol Consumption and Bone Mineral Density in People with HIV and Substance Use Disorder: A Prospective Cohort Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2018 , 42, 1518 | 3.7 | 7 |
| 93 | Predictors of active injection drug use in a cohort of patients infected with hepatitis C virus. <i>American Journal of Public Health</i> , 2013 , 103, 105-11 | 5.1 | 7 |
| 92 | Alcohol Use and Food Insecurity Among People Living with HIV in Mbarara, Uganda and St. Petersburg, Russia. <i>AIDS and Behavior</i> , 2017 , 21, 724-733 | 4.3 | 7 |
| 91 | Factors associated with attendance in 12-step groups (Alcoholics Anonymous/Narcotics Anonymous) among adults with alcohol problems living with HIV/AIDS. <i>Drug and Alcohol Dependence</i> , 2011 , 113, 165-71 | 4.9 | 7 |
| 90 | Update in addiction medicine for the generalist. <i>Journal of General Internal Medicine</i> , 2007 , 22, 1190-4 | 4 | 7 |
| 89 | Association for medical education and research in substance abuse. <i>Addiction</i> , 2006 , 101, 10-5 | 4.6 | 7 |
| 88 | Acceptability and Feasibility of a Mobile Health Application for Video Directly Observed Therapy of Buprenorphine for Opioid Use Disorders in an Office-based Setting. <i>Journal of Addiction Medicine</i> , 2020 , 14, 319-325 | 3.8 | 7 |
| 87 | HIV Stigma and Substance Use Among HIV-Positive Russians with Risky Drinking. <i>AIDS and Behavior</i> , 2017 , 21, 2618-2627 | 4.3 | 6 |
| 86 | Fatal and non-fatal overdose after narcology hospital discharge among Russians living with HIV/AIDS who inject drugs. <i>International Journal of Drug Policy</i> , 2017 , 39, 114-120 | 5.5 | 6 |
| 85 | Role of substance use in HIV care cascade outcomes among people who inject drugs in Russia. <i>Addiction Science & Clinical Practice</i> , 2017 , 12, 30 | 4.1 | 6 |
| 84 | Promoting addiction medicine teaching through functional mentoring by co-training generalist chief residents with faculty mentors. <i>Substance Abuse</i> , 2018 , 39, 377-383 | 3.8 | 6 |
| 83 | Chronic disease and recent addiction treatment utilization among alcohol and drug dependent adults. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2011 , 6, 28 | 3.4 | 6 |

| | | | |
|----|--|-----|---|
| 82 | . <i>Substance Abuse</i> , 2000 , 21, 21-31 | 3.8 | 6 |
| 81 | Rapid Versus Laboratory-Based Testing for HIV and Hepatitis C at a Drug Detoxification Treatment Center: A Randomized Trial. <i>Journal of Infectious Diseases</i> , 2020 , 222, S376-S383 | 7 | 6 |
| 80 | Opioid and cocaine use among primary care patients on buprenorphine-Self-report and urine drug tests. <i>Drug and Alcohol Dependence</i> , 2018 , 192, 245-249 | 4.9 | 6 |
| 79 | Pain and Mortality Risk in a Cohort of HIV-Infected Persons with Alcohol Use Disorders. <i>AIDS and Behavior</i> , 2016 , 20, 583-9 | 4.3 | 5 |
| 78 | Which patients receive an addiction consult? A preliminary analysis of the INREACH (INpatient REadmission post-Addiction Consult Help) study. <i>Journal of Substance Abuse Treatment</i> , 2019 , 106, 35-42 | 4.2 | 5 |
| 77 | The prescription of addiction medications after implementation of chronic care management for substance dependence in primary care. <i>Journal of Substance Abuse Treatment</i> , 2015 , 52, 17-23 | 4.2 | 5 |
| 76 | Stigma and quality of co-located care for HIV-positive people in addiction treatment in Ukraine: a cross-sectional study. <i>Journal of the International AIDS Society</i> , 2020 , 23, e25492 | 5.4 | 5 |
| 75 | The Relationship Between Spirituality/Religiousness and Unhealthy Alcohol Use Among HIV-Infected Adults in Southwestern Uganda. <i>AIDS and Behavior</i> , 2018 , 22, 1802-1813 | 4.3 | 5 |
| 74 | A Research Agenda to Advance the Coordination of Care for General Medical and Substance Use Disorders. <i>Psychiatric Services</i> , 2017 , 68, 400-404 | 3.3 | 5 |
| 73 | A budget impact analysis of rapid human immunodeficiency virus screening in Veterans Administration emergency departments. <i>Journal of Emergency Medicine</i> , 2012 , 42, 719-26 | 1.5 | 5 |
| 72 | Injury Among Detoxification Patients: Alcohol Users—Greater Risk. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 212-217 | 3.7 | 5 |
| 71 | Alcohol and medication interactions in primary care patients: common and unrecognized. <i>American Journal of Medicine</i> , 2003 , 114, 407-10 | 2.4 | 5 |
| 70 | Costochondritis: a morbid complication in a survivor of cardiopulmonary resuscitation. <i>American Journal of Medicine</i> , 1987 , 83, 362-4 | 2.4 | 5 |
| 69 | Discontinuation from HIV Medical Care: Squandering Treatment Opportunities. <i>Journal of Health Care for the Poor and Underserved</i> , 2003 , 14, 244-255 | 1.4 | 5 |
| 68 | Hazardous alcohol use, antiretroviral therapy receipt, and viral suppression in people living with HIV who inject drugs in the United States, India, Russia, and Vietnam. <i>Aids</i> , 2020 , 34, 2285-2294 | 3.5 | 5 |
| 67 | A strengths-based case management intervention to link HIV-positive people who inject drugs in Russia to HIV care. <i>Aids</i> , 2019 , 33, 1467-1476 | 3.5 | 5 |
| 66 | PRimary Care Opioid Use Disorders treatment (PROUD) trial protocol: a pragmatic, cluster-randomized implementation trial in primary care for opioid use disorder treatment. <i>Addiction Science & Clinical Practice</i> , 2021 , 16, 9 | 4.1 | 5 |
| 65 | Pain and Risk Behaviors Among HIV-Infected Persons in St. Petersburg, Russia. <i>AIDS and Behavior</i> , 2017 , 21, 1775-1781 | 4.3 | 4 |

| | | | |
|----|---|------|---|
| 64 | Alcohol Types and HIV Disease Progression Among HIV-Infected Drinkers Not Yet on Antiretroviral Therapy in Russia and Uganda. <i>AIDS and Behavior</i> , 2017 , 21, 204-215 | 4.3 | 4 |
| 63 | Attitudinal Barriers to Analgesic Use among Patients with Substance Use Disorders. <i>Pain Research and Treatment</i> , 2012 , 2012, 167062 | 1.9 | 4 |
| 62 | Clinical impact, costs, and cost-effectiveness of hospital-based strategies for addressing the US opioid epidemic: a modelling study. <i>Lancet Public Health</i> , 2021 , | 22.4 | 4 |
| 61 | Inpatient addiction consultation and post-discharge 30-day acute care utilization. <i>Drug and Alcohol Dependence</i> , 2020 , 213, 108081 | 4.9 | 4 |
| 60 | Video directly observed therapy intervention using a mobile health application among opioid use disorder patients receiving office-based buprenorphine treatment: protocol for a pilot randomized controlled trial. <i>Addiction Science & Clinical Practice</i> , 2020 , 15, 30 | 4.1 | 4 |
| 59 | Predictors of pain-related functional impairment among people living with HIV on long-term opioid therapy. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 33, 507-515 | 2.2 | 4 |
| 58 | Injury among detoxification patients: alcohol users' greater risk. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 212-7 | 3.7 | 4 |
| 57 | Hepatitis C virus infection and pain sensitivity in patients on methadone or buprenorphine maintenance therapy for opioid use disorders. <i>Drug and Alcohol Dependence</i> , 2015 , 153, 286-92 | 4.9 | 3 |
| 56 | Design of a randomized controlled trial to Link Infectious and Narcology Care (LINC-II) in St. Petersburg, Russia. <i>Addiction Science & Clinical Practice</i> , 2020 , 15, 1 | 4.1 | 3 |
| 55 | Food Insecurity, HIV Disease Progression and Access to Care Among HIV-Infected Russians not on ART. <i>AIDS and Behavior</i> , 2017 , 21, 3486-3495 | 4.3 | 3 |
| 54 | Association of recent incarceration with traumatic injury, substance use-related health consequences, and health care utilization. <i>Journal of Addiction Medicine</i> , 2014 , 8, 66-72 | 3.8 | 3 |
| 53 | [Commentary]Can one be an expert in addiction medicine without expertise in pain management?. <i>Addiction</i> , 2008 , 103, 2006-7 | 4.6 | 3 |
| 52 | Behavioral assessments in Russian addiction treatment inpatients: a comparison of audio computer-assisted self-interviewing and interviewer-administered questionnaires. <i>HIV Clinical Trials</i> , 2008 , 9, 247-53 | | 3 |
| 51 | A Method for Modeling Utilization Data from Multiple Sources: Application in a Study of Linkage to Primary Care. <i>Health Services and Outcomes Research Methodology</i> , 2002 , 3, 211-223 | 1.6 | 3 |
| 50 | Screening and brief intervention for lower-risk drug use in primary care: A pilot randomized trial. <i>Drug and Alcohol Dependence</i> , 2020 , 213, 108001 | 4.9 | 3 |
| 49 | Effects of Heavy Drinking on T-Cell Phenotypes Consistent with Immunosenescence in Untreated HIV Infection. <i>Alcoholism: Clinical and Experimental Research</i> , 2016 , 40, 1737-43 | 3.7 | 3 |
| 48 | Nontraditional Alcohol and Opioid Agonist Treatment Interventions. <i>Medical Clinics of North America</i> , 2018 , 102, 683-696 | 7 | 3 |
| 47 | Recreational drug use among primary care patients: implications of a positive self-report. <i>Annals of Family Medicine</i> , 2015 , 13, 257-60 | 2.9 | 2 |

| | | | |
|----|---|-----|---|
| 46 | Introduction to the special issue on the HEALing Communities Study. <i>Drug and Alcohol Dependence</i> , 2020 , 217, 108327 | 4.9 | 2 |
| 45 | Tutorial in Biostatistics: The use of generalized additive models to evaluate alcohol consumption as an exposure variable. <i>Drug and Alcohol Dependence</i> , 2020 , 209, 107944 | 4.9 | 2 |
| 44 | Substance use during sexual and physical assault in HIV-infected persons. <i>Violence and Victims</i> , 2007 , 22, 216-25 | 1.1 | 2 |
| 43 | HIV Pre-exposure Prophylaxis and Buprenorphine at a Drug Detoxification Center During the Opioid Epidemic: Opportunities and Challenges. <i>AIDS and Behavior</i> , 2021 , 25, 2591-2598 | 4.3 | 2 |
| 42 | Are decreases in drug use risk associated with reductions in HIV sex risk behaviors among adults in an urban hospital primary care setting?. <i>Preventive Medicine Reports</i> , 2016 , 4, 410-6 | 2.6 | 2 |
| 41 | Prevalence and Medication Treatment of Opioid Use Disorder Among Primary Care Patients with Hepatitis C and HIV. <i>Journal of General Internal Medicine</i> , 2021 , 36, 930-937 | 4 | 2 |
| 40 | Patients at a drug detoxification center share perspectives on how to increase hepatitis C treatment uptake: A qualitative study. <i>Drug and Alcohol Dependence</i> , 2021 , 220, 108526 | 4.9 | 2 |
| 39 | Female Gender and HIV Transmission Risk Behaviors Among People Living with HIV Who Have Ever Used Injection Drugs in St. Petersburg, Russia. <i>AIDS and Behavior</i> , 2018 , 22, 2830-2839 | 4.3 | 2 |
| 38 | Receipt of medications for opioid use disorder among youth engaged in primary care: data from 6 health systems. <i>Addiction Science & Clinical Practice</i> , 2021 , 16, 46 | 4.1 | 2 |
| 37 | Violence, HIV Risks, and Polysubstance Use Among HIV-Positive People Who Inject Drugs in Ukraine. <i>AIDS and Behavior</i> , 2021 , 25, 2120-2130 | 4.3 | 2 |
| 36 | Assessing the interaction between depressive symptoms and alcohol use prior to antiretroviral therapy on viral suppression among people living with HIV in Rural Uganda. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020 , 32, 1251-1257 | 2.2 | 1 |
| 35 | Unhealthy alcohol use in primary care patients who screen positive for drug use. <i>Substance Abuse</i> , 2017 , 38, 303-308 | 3.8 | 1 |
| 34 | Variations in prescription opioids and related harms: a key to understanding and effective policy. <i>Addiction</i> , 2014 , 109, 183-5 | 4.6 | 1 |
| 33 | Disparities in safe sex counseling & behavior among individuals with substance dependence: a cross-sectional study. <i>Reproductive Health</i> , 2012 , 9, 35 | 3.5 | 1 |
| 32 | Operating characteristics of carbohydrate-deficient transferrin (CDT) for identifying unhealthy alcohol use in adults with HIV infection. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2011 , 23, 1483-91 | 2.2 | 1 |
| 31 | Primary medical care and reductions in HIV risk behaviors in adults with addictions. <i>Journal of Addictive Diseases</i> , 2007 , 26, 17-25 | 1.7 | 1 |
| 30 | Professional satisfaction experienced when caring for substance-abusing patients. <i>Journal of General Internal Medicine</i> , 2002 , 17, 373-376 | 4 | 1 |
| 29 | A call for papers. <i>Journal of General Internal Medicine</i> , 2001 , 16, 70-71 | 4 | 1 |

| | | | |
|----|--|-----|---|
| 28 | Opioid Use Disorder.. <i>Annals of Internal Medicine</i> , 2022 , 175, ITC1-ITC16 | 8 | 1 |
| 27 | Exploring the Association Between Social Support and Hazardous Alcohol Use Among Persons Living with HIV in South Western Uganda.. <i>AIDS and Behavior</i> , 2022 , 1 | 4.3 | 1 |
| 26 | Stigma and ART initiation among people with HIV and a lifetime history of illicit drug use in Saint-Petersburg, Russia-A prospective cohort analysis.. <i>International Journal of Drug Policy</i> , 2022 , 102, 103600 | 5.5 | 1 |
| 25 | Per-protocol analysis of the ZINC trial for HIV disease among alcohol users. <i>Trials</i> , 2021 , 22, 226 | 2.8 | 1 |
| 24 | Hazardous alcohol use is associated with greater pain interference and prescription opioid misuse among persons living with HIV and chronic pain. <i>BMC Public Health</i> , 2021 , 21, 564 | 4.1 | 1 |
| 23 | HIV and Substance Use Stigma, Intersectional Stigma and Healthcare Among HIV-Positive PWID in Russia. <i>AIDS and Behavior</i> , 2021 , 25, 2815-2826 | 4.3 | 1 |
| 22 | Use of an android phone application for automated text messages in international settings: A case study in an HIV clinical trial in St. Petersburg, Russia. <i>Clinical Trials</i> , 2018 , 15, 36-43 | 2.2 | 1 |
| 21 | Serodiscordant partnerships and opportunities for pre-exposure prophylaxis among partners of women and men living with HIV in St. Petersburg, Russia. <i>PLoS ONE</i> , 2018 , 13, e0207402 | 3.7 | 1 |
| 20 | Lack of Association Between Recent Cannabis Use and Advanced Liver Fibrosis Among HIV-positive Heavy Drinkers. <i>Current HIV Research</i> , 2021 , 19, 324-331 | 1.3 | 1 |
| 19 | Do Urine Drug Tests Reveal Substance Misuse Among Patients Prescribed Opioids for Chronic Pain?. <i>Journal of General Internal Medicine</i> , 2021 , 1 | 4 | 1 |
| 18 | Linking HIV-positive people in addiction care to HIV services in St. Petersburg, Russia - Mixed-methods implementation study of strengths-based case management. <i>Global Public Health</i> , 2021 , 16, 1711-1723 | 3.5 | 0 |
| 17 | Painful Subjects: Treating Chronic Pain among People Living with HIV in the Age of Opioid Risk. <i>Medical Anthropology Quarterly</i> , 2021 , 35, 141-158 | 2.5 | 0 |
| 16 | Race and satisfaction with pain management among patients with HIV receiving long-term opioid therapy. <i>Drug and Alcohol Dependence</i> , 2021 , 222, 108662 | 4.9 | 0 |
| 15 | Emergency Department Utilization Among People Living With HIV on Chronic Opioid Therapy. <i>Journal of the International Association of Providers of AIDS Care</i> , 2021 , 20, 23259582211010952 | 1.7 | 0 |
| 14 | Post-traumatic stress disorder and risky opioid use among persons living with HIV and chronic pain. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 1-8 | 2.2 | 0 |
| 13 | Integrating substance use care into primary care for adolescents and young adults: Lessons learned. <i>Journal of Substance Abuse Treatment</i> , 2021 , 129, 108376 | 4.2 | 0 |
| 12 | Video directly observed therapy for patients receiving office-based buprenorphine - A pilot randomized controlled trial. <i>Drug and Alcohol Dependence</i> , 2021 , 227, 108917 | 4.9 | 0 |
| 11 | Testing and treatment for latent tuberculosis infection in people living with HIV and substance dependence: a prospective cohort study.. <i>BMJ Open</i> , 2022 , 12, e058751 | 3 | 0 |

| | | |
|----|---|-----|
| 10 | Contraceptive Use Among HIV-Infected Females with History of Injection Drug Use in St. Petersburg, Russia. <i>AIDS and Behavior</i> , 2018 , 22, 1787-1791 | 4.3 |
| 9 | The New South Wales Drug Summit: a view from a local foreign observer. <i>Medical Journal of Australia</i> , 2000 , 173, 264-5 | 4 |
| 8 | Impact of the international collaborative addiction medicine research fellowship on physicians' future engagement in addiction research.. <i>Substance Abuse</i> , 2022 , 43, 809-814 | 3.8 |
| 7 | A collaborative care intervention to improve opioid prescribing among providers caring for persons with HIV: Impact on satisfaction, confidence, and trust.. <i>Drug and Alcohol Dependence</i> , 2021 , 231, 109250 | 4.9 |
| 6 | Addressing drug abuse: policy deliberations in the great south land. <i>Public Health Reports</i> , 2000 , 115, 476-9 | 2.5 |
| 5 | Hazardous Alcohol Use, Impulsivity, and HIV-Risk Behavior Among HIV-Positive Russian Patients With a History of Injection Drug Use. <i>American Journal on Addictions</i> , 2021 , 30, 164-172 | 3.7 |
| 4 | Naloxone receipt and overdose prevention care among people with HIV on chronic opioid therapy. <i>Aids</i> , 2021 , 35, 697-700 | 3.5 |
| 3 | Improving Outpatient Management of Patients On Chronic Opioid Therapy. <i>Infectious Disease Clinics of North America</i> , 2020 , 34, 621-635 | 6.5 |
| 2 | Pilot study of tolerability and safety of opioid receptor antagonists as novel therapies for chronic pain among persons living with HIV with past year heavy drinking: a randomized controlled trial. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 1-10 | 2.2 |
| 1 | Impact of illicit opioid use on markers of monocyte activation and systemic inflammation in people living with HIV.. <i>PLoS ONE</i> , 2022 , 17, e0265504 | 3.7 |