

Gufeng He

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2824721/publications.pdf>

Version: 2024-02-01

57
papers

1,227
citations

361413

20
h-index

377865

34
g-index

58
all docs

58
docs citations

58
times ranked

1958
citing authors

#	ARTICLE	IF	CITATIONS
1	A Unique Blend of 2-Fluorenyl-9-anthracene and 2-Anthryl-9-anthracene Showing White Emission and High Charge Mobility. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 722-727.	13.8	94
2	Highly conductive and uniform graphene oxide modified PEDOT:PSS electrodes for ITO-Free organic light emitting diodes. <i>Journal of Materials Chemistry C</i> , 2014, 2, 4044-4050.	5.5	85
3	A Unique Blend of 2-Fluorenyl-9-anthracene and 2-Anthryl-9-anthracene Showing White Emission and High Charge Mobility. <i>Angewandte Chemie</i> , 2017, 129, 740-745.	2.0	70
4	Highly Conductive and Uniform Alginate/Silver Nanowire Composite Transparent Electrode by Room Temperature Solution Processing for Organic Light Emitting Diode. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 11811-11818.	8.0	58
5	Angular BN-Heteroacenes with <i>syn</i> -Structure-Induced Promising Properties as Host Materials of Blue Organic Light-Emitting Diodes. <i>Organic Letters</i> , 2016, 18, 3618-3621.	4.6	57
6	AIE-active, highly thermally and morphologically stable, mechanochromic and efficient solid emitters for low color temperature OLEDs. <i>Journal of Materials Chemistry C</i> , 2014, 2, 7552-7560.	5.5	56
7	Low roughness silver nanowire flexible transparent electrode by low temperature solution-processing for organic light emitting diodes. <i>Organic Electronics</i> , 2017, 49, 9-18.	2.6	56
8	A highly conductive and smooth AgNW/PEDOT:PSS film treated by hot-pressing as electrode for organic light emitting diode. <i>Organic Electronics</i> , 2017, 43, 182-188.	2.6	53
9	PVP-assisted synthesis of shape-controlled CuFeS ₂ nanocrystals for Li-ion batteries. <i>Journal of Materials Science</i> , 2015, 50, 4250-4257.	3.7	48
10	Highly conductive silver nanowire transparent electrode by selective welding for organic light emitting diode. <i>Organic Electronics</i> , 2018, 60, 9-15.	2.6	48
11	Video-Rate Holographic Display Using Azo-Dye-Doped Liquid Crystal. <i>Journal of Display Technology</i> , 2014, 10, 438-443.	1.2	46
12	High efficiency green phosphorescent organic light-emitting diodes with a low roll-off at high brightness. <i>Organic Electronics</i> , 2013, 14, 2854-2858.	2.6	41
13	Hydrofluoroethers as orthogonal solvents for all-solution processed perovskite quantum-dot light-emitting diodes. <i>Nano Energy</i> , 2018, 51, 358-365.	16.0	40
14	Improved Kerr constant and response time of polymer-stabilized blue phase liquid crystal with a reactive diluent. <i>Applied Physics Letters</i> , 2013, 102, .	3.3	37
15	Highly conductive PEDOT:PSS and graphene oxide hybrid film from a dipping treatment with hydroiodic acid for organic light emitting diodes. <i>Journal of Materials Chemistry C</i> , 2016, 4, 8528-8534.	5.5	36
16	Low-temperature MoO ₃ film from a facile synthetic route for an efficient anode interfacial layer in organic optoelectronic devices. <i>Journal of Materials Chemistry C</i> , 2014, 2, 158-163.	5.5	33
17	Low-voltage blue-phase liquid crystals with polyaniline-functionalized graphene nanosheets. <i>Journal of Materials Chemistry C</i> , 2014, 2, 1730.	5.5	29
18	Achieving Hybridized Local and Charge-Transfer Excited State and Excellent OLED Performance Through Facile Doping. <i>Advanced Optical Materials</i> , 2017, 5, 1700466.	7.3	25

#	ARTICLE	IF	CITATIONS
19	High-Efficiency Video-Rate Holographic Display Using Quantum Dot Doped Liquid Crystal. <i>Journal of Display Technology</i> , 2016, 12, 362-367.	1.2	23
20	Highly robust and ultrasmooth copper nanowire electrode by one-step coating for organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2018, 6, 9158-9165.	5.5	22
21	A highly efficient, transparent and stable charge generation unit based on a p-doped monolayer. <i>Organic Electronics</i> , 2013, 14, 1337-1343.	2.6	21
22	Phosphorus and silicon-bridged stilbenes: synthesis and optoelectronic properties. <i>Dalton Transactions</i> , 2016, 45, 18308-18312.	3.3	20
23	AIE-active mechanochromic materials based N-phenylcarbazol-substituted tetraarylethene for OLED applications. <i>RSC Advances</i> , 2015, 5, 19176-19181.	3.6	19
24	Highly Efficient and Stable Electron Injection Layer for Inverted Organic Light-Emitting Diodes. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 6438-6443.	8.0	19
25	Improved efficiency roll-off at high brightness in simplified phosphorescent organic light emitting diodes with a crossfading-host. <i>Organic Electronics</i> , 2013, 14, 2682-2686.	2.6	18
26	Novel Solution-Processed ZnO-Based Electron Injection Layer for Organic Light-Emitting Diodes. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2017, 214, 1700583.	1.8	15
27	High efficiency non-doped white organic light-emitting diodes based on blue exciplex emission. <i>Organic Electronics</i> , 2018, 56, 216-220.	2.6	15
28	Enhancing the performance of LARP-synthesized CsPbBr ₃ nanocrystal LEDs by employing a dual hole injection layer. <i>RSC Advances</i> , 2020, 10, 17653-17659.	3.6	13
29	Enhanced hole injection by introducing an electron-withdrawing layer in inverted quantum dot light-emitting diodes. <i>Organic Electronics</i> , 2019, 68, 22-27.	2.6	12
30	Highly reliable copper nanowire electrode with enhanced transmittance and robustness for organic light emitting diodes. <i>Organic Electronics</i> , 2019, 65, 70-76.	2.6	12
31	Hole-transporting small molecules as a mixed host for efficient solution processed green phosphorescent organic light emitting diodes. <i>Organic Electronics</i> , 2016, 38, 29-34.	2.6	10
32	Dynamics of peristrophic multiplexing in holographic polymer-dispersed liquid crystal. <i>Liquid Crystals</i> , 2014, 41, 673-684.	2.2	9
33	Transmissive Interferometric Display With Single-Layer Fabry-Pérot Filter. <i>Journal of Display Technology</i> , 2015, 11, 715-719.	1.2	9
34	Enhanced performances of quantum dot light-emitting diodes with doped emitting layers by manipulating the charge carrier balance. <i>Journal of Materials Chemistry C</i> , 2017, 5, 5018-5023.	5.5	9
35	Revealing the influence of hole injection material's molecular orientation on OLED's performance. <i>Organic Electronics</i> , 2018, 59, 301-305.	2.6	9
36	High Efficiency Non-Doped White Organic Light Emitting Diodes Based on a Bilayer Interface-Exciplex Structure. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019, 216, 1900034.	1.8	9

#	ARTICLE	IF	CITATIONS
37	Enhanced performance of inverted CsPbBr ₃ nanocrystal LEDs via Zn(II) doping. <i>Organic Electronics</i> , 2021, 96, 106253.	2.6	9
38	Inverted Tandem Phosphorescence Organic Light-Emitting Diodes Based on $\text{MoO}_3/\text{Al/Cs}_2\text{CO}_3$ Charge Generation Unit. <i>Journal of Display Technology</i> , 2015, 11, 341-345.	1.2	8
39	P.111: Double Hybrid Tandem White OLED Employing a Novel Charge Generation Unit. <i>Digest of Technical Papers SID International Symposium</i> , 2013, 44, 1403-1406.	0.3	4
40	P.110: High Efficiency OLEDs Based on the Gradient Doping in Transporting Layers. <i>Digest of Technical Papers SID International Symposium</i> , 2013, 44, 1400-1402.	0.3	4
41	Double-layer Fabry-Pérot filter interferometric modulator display. <i>Journal of Information Display</i> , 2013, 14, 121-125.	4.0	3
42	Enhancing the Hole Injection and Transporting of Organic Light-Emitting Diodes by Utilizing Gradient Doping. <i>Molecular Crystals and Liquid Crystals</i> , 2013, 574, 129-134.	0.9	3
43	Improved efficiency of blue phosphorescence organic light-emitting diodes with irregular stepwise doping emitting layers. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013, 210, 489-493.	1.8	3
44	26.1: Distinguished Paper: Single-Layer Fabry-Pérot Interferometric Display for Both Color and Intensity Modulations. <i>Digest of Technical Papers SID International Symposium</i> , 2014, 45, 338-340.	0.3	2
45	High efficiency organic light-emitting diodes based on the gradient doping and nonlinear cross-fading doping in transporting layers. <i>Journal of the Society for Information Display</i> , 2014, 22, 83-88.	2.1	2
46	P.113: Improving the Carrier Balance with Hybrid Hole Transporting Layer and Electron Blocking Layer in Quantum Dot Light-Emitting Diodes. <i>Digest of Technical Papers SID International Symposium</i> , 2018, 49, 1636-1639.	0.3	2
47	Metal-Organic Framework for Efficient Electron Injection. <i>Advanced Optical Materials</i> , 2021, 9, 2002053.	7.3	2
48	High Efficiency Nondoped White Organic Light-Emitting Diodes Based on All-Exciplex Emission. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2021, 218, 2100064.	1.8	2
49	Dynamic Holographic Display Based on Perovskite Nanocrystal Doped Liquid Crystal Film. <i>IEEE Photonics Journal</i> , 2021, 13, 1-6.	2.0	2
50	P.17: Integration of Solution Processed Oxide TFTs with Normal Structure OLEDs for Low-voltage Operated Top-Emitting AMOLEDs. <i>Digest of Technical Papers SID International Symposium</i> , 2013, 44, 1044-1046.	0.3	1
51	P.130: Highly Conductive Graphene and PEDOT: PSS Hybrid Film with the Treatment by Hydroiodic Acid for Indium Tin Oxide-Free Flexible Organic Light Emitting Diodes. <i>Digest of Technical Papers SID International Symposium</i> , 2015, 46, 1654-1657.	0.3	1
52	43.3: Room Temperature Solution Processing Silver Nanowire Transparent Electrode by Combining with a Biocompatible Polymer for Organic Light Emitting Diode. <i>Digest of Technical Papers SID International Symposium</i> , 2018, 49, 471-474.	0.3	1
53	33.4: Enhanced Adhesion and Stability of Silver Nanowire Transparent Electrode for OLED by Compositing with a Biocompatible Polymer without High Temperature Treatment. <i>Digest of Technical Papers SID International Symposium</i> , 2018, 49, 422-425.	0.3	1
54	P.141: WITHDRAWN: P.142: Highly Efficient Inverted Phosphorescence OLEDs Based on Ultrathin Emitting Layer. <i>Digest of Technical Papers SID International Symposium</i> , 2014, 45, 1518-1521.	0.3	0

#	ARTICLE	IF	CITATIONS
55	Pâ€93: Highly Conductive and Uniform Graphene hybrid Electrode with Chemical Reduction for Flexible Organic Lightâ€Emitting Diodes. Digest of Technical Papers SID International Symposium, 2014, 45, 1336-1339.	0.3	0
56	Pâ€143: Realization of High Efficiency Green Phosphorescent Topâ€Emitting Organic Lightâ€Emitting Diodes by Employing Ultrathin Nonâ€Doped Emissive Layer. Digest of Technical Papers SID International Symposium, 2014, 45, 1522-1525.	0.3	0
57	85â€5: <i>Lateâ€Newsâ€Paper:</i> Real Time Dynamic Holographic Display Based on Perovskite Doped Liquid Crystal. Digest of Technical Papers SID International Symposium, 2020, 51, 1292-1295.	0.3	0