

Yonghong Deng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2825060/publications.pdf>

Version: 2024-02-01

163
papers

8,486
citations

34105
52
h-index

54911
84
g-index

164
all docs

164
docs citations

164
times ranked

9598
citing authors

#	ARTICLE	IF	CITATIONS
1	Gas Generation Mechanism in Li-Metal Batteries. Energy and Environmental Materials, 2022, 5, 327-336.	12.8	27
2	Understanding the lithium dendrites growth in garnet-based solid-state lithium metal batteries. Journal of Power Sources, 2022, 521, 230921.	7.8	24
3	Cryo-Electron Tomography of Highly Deformable and Adherent Solid-Electrolyte Interphase Exoskeleton in Li-Metal Batteries with Ether-Based Electrolyte. Advanced Materials, 2022, 34, e2108252.	21.0	20
4	Cryo-Electron Tomography of Highly Deformable and Adherent Solid-Electrolyte Interphase Exoskeleton in Li-Metal Batteries with Ether-Based Electrolyte (Adv. Mater. 13/2022). Advanced Materials, 2022, 34, .	21.0	2
5	Integrated design of ultrathin crosslinked network polymer electrolytes for flexible and stable all-solid-state lithium batteries. Energy Storage Materials, 2022, 47, 453-461.	18.0	63
6	A Polymer-in-Salt Electrolyte Enables Room Temperature Lithium Metal Batteries. Journal of the Electrochemical Society, 2022, 169, 040562.	2.9	2
7	Room-temperature all-solid-state lithium metal batteries based on ultrathin polymeric electrolytes. Journal of Materials Chemistry A, 2022, 10, 13969-13977.	10.3	10
8	A three-dimensional crosslinked chitosan sulfate network binder for high-performance Li-S batteries. Journal of Energy Chemistry, 2021, 56, 171-178.	12.9	22
9	A Four-Armed Polyacrylic Acid Homopolymer Binder with Enhanced Performance for SiO ₂ /Graphite Anode. Macromolecular Materials and Engineering, 2021, 306, .	3.6	8
10	Metal chelation based supramolecular self-assembly enables a high-performance organic anode for lithium ion batteries. Chemical Engineering Journal, 2021, 413, 127525.	12.7	8
11	Additive stabilization of SEI on graphite observed using cryo-electron microscopy. Energy and Environmental Science, 2021, 14, 4882-4889.	30.8	73
12	Formation of Excellent Cathode/Electrolyte Interface with UV-Cured Polymer Electrolyte through In Situ Strategy. Journal of the Electrochemical Society, 2021, 168, 020511.	2.9	10
13	Natural Cocoons Enabling Flexible and Stable Fabric Lithium-Sulfur Full Batteries. Nano-Micro Letters, 2021, 13, 84.	27.0	30
14	Water-based dual-network conductive polymer binders for high-performance Li-S batteries. Electrochimica Acta, 2021, 371, 137822.	5.2	13
15	Poor Stability of Li ₂ CO ₃ in the Solid Electrolyte Interphase of a Lithium-Metal Anode Revealed by Cryo-Electron Microscopy. Advanced Materials, 2021, 33, e2100404.	21.0	147
16	Stable Lithium Metal Anodes with a GaO Artificial Solid Electrolyte Interphase in Damp Air. ACS Applied Materials & Interfaces, 2021, 13, 21467-21473.	8.0	9
17	Probing the Na metal solid electrolyte interphase via cryo-transmission electron microscopy. Nature Communications, 2021, 12, 3066.	12.8	92
18	Composite polymer electrolytes with uniform distribution of ionic liquid-grafted ZIF-90 nanofillers for high-performance solid-state Li batteries. Chemical Engineering Journal, 2021, 412, 128733.	12.7	66

#	ARTICLE	IF	CITATIONS
19	Tale of Three Phosphate Additives for Stabilizing NCM811/Graphite Pouch Cells: Significance of Molecular Structure in Dictating Interphases and Cell Performance. ACS Applied Materials & Interfaces, 2021, 13, 29676-29690.	8.0	13
20	Silicon-Based Lithium Ion Battery Systems: State-of-the-Art from Half and Full Cell Viewpoint. Advanced Functional Materials, 2021, 31, 2102546.	14.9	83
21	Room-Temperature Solid-State Lithium Metal Batteries Using Metal Organic Framework Compositd Comb-Like Methoxy Poly(ethylene glycol) Acrylate Solid Polymer Electrolytes. Macromolecular Materials and Engineering, 2021, 306, 2100336.	3.6	7
22	Generating lithium fluoride-abundant interphase on layered lithium-rich oxide cathode with lithium 1,1,2,2,3,3-hexafluoropropane-1,3-disulfonimide. Journal of Power Sources, 2021, 507, 230278.	7.8	11
23	Enabling high-energy flexible solid-state lithium ion batteries at room temperature. Chemical Engineering Journal, 2021, 424, 130335.	12.7	13
24	An in situ photopolymerized composite solid electrolyte from halloysite nanotubes and comb-like polycaprolactone for high voltage lithium metal batteries. Journal of Materials Chemistry A, 2021, 9, 9826-9836.	10.3	29
25	Poly (methyl vinyl ether-alt-maleic anhydride) as an ecofriendly electrolyte additive for high-voltage lithium-rich oxides with improved stability of interphase. Electrochimica Acta, 2021, 400, 139467.	5.2	4
26	Cathode-anode reaction products interplay enabling high performance of LiNi _{0.8} Co _{0.1} Mn _{0.1} O ₂ /artificial graphite pouch batteries at elevated temperature. Journal of Power Sources, 2021, 514, 230583.	7.8	8
27	LiCoO ₂ /Graphite Cells with Localized High Concentration Carbonate Electrolytes for Higher Energy Density. Liquids, 2021, 1, 60-74.	2.5	5
28	Enhanced Thermoelectric Performance by Strong Phonon Scattering at the Heterogeneous Interfaces of the Mg ₂ Sn/Mg ₃ Sb ₂ High-Content Nanocomposite. ACS Applied Materials & Interfaces, 2021, 13, 56164-56170.	8.0	11
29	FeIII chelated organic anode with ultrahigh rate performance and ultra-long cycling stability for lithium-ion batteries. Energy Storage Materials, 2020, 24, 432-438.	18.0	25
30	An In Situ Polymerized Comb-Like PLA/PEG-based Solid Polymer Electrolyte for Lithium Metal Batteries. Journal of the Electrochemical Society, 2020, 167, 070504.	2.9	24
31	Sunlight helps self-healing of liquid-crystalline gels of lignin-graft PMMA doped with GO and azobenzene. Liquid Crystals, 2020, 47, 1170-1179.	2.2	6
32	Multifunctional Fluoroethylene Carbonate for Improving High-Temperature Performance of LiNi _{0.8} Mn _{0.1} Co _{0.1} O ₂ SiO _x @Graphite Lithium-Ion Batteries. ACS Applied Energy Materials, 2020, 3, 9989-10000.	5.1	19
33	Hyperbranched PCL/PS Copolymer-Based Solid Polymer Electrolytes Enable Long Cycle Life of Lithium Metal Batteries. Journal of the Electrochemical Society, 2020, 167, 110532.	2.9	21
34	Self-Healing Double-Cross-Linked Supramolecular Binders of a Polyacrylamide-Grafted Soy Protein Isolate for Li-S Batteries. ACS Sustainable Chemistry and Engineering, 2020, 8, 12799-12808.	6.7	33
35	Low-Cost and Environmentally Friendly Biopolymer Binders for Li-S Batteries. Macromolecules, 2020, 53, 8539-8547.	4.8	25
36	Effect of Pd and Au on Hydrogen Abstraction and C-C Cleavage in Photoconversion of Glycerol: Beyond Charge Separation. Journal of Physical Chemistry C, 2020, 124, 20320-20327.	3.1	6

#	ARTICLE	IF	CITATIONS
37	500 Wh kg ⁻¹ Class Li Metal Battery Enabled by a Self-Organized Core-Shell Composite Anode. <i>Advanced Materials</i> , 2020, 32, e2004793.	21.0	86
38	Ionic-liquid induced enhanced performance of perovskite light-emitting diodes. <i>Journal Physics D: Applied Physics</i> , 2020, 53, 384002.	2.8	5
39	Exploring porous zeolitic imidazolate frame work-8 (ZIF-8) as an efficient filler for high-performance poly(ethyleneoxide)-based solid polymer electrolytes. <i>Nano Research</i> , 2020, 13, 2259-2267.	10.4	82
40	Water-Based Dual-Cross-Linked Polymer Binders for High-Energy-Density Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 29316-29323.	8.0	9
41	Lithiophilic Zn Sites in Porous CuZn Alloy Induced Uniform Li Nucleation and Dendrite-free Li Metal Deposition. <i>Nano Letters</i> , 2020, 20, 2724-2732.	9.1	134
42	New Lithium Salt Forms Interphases Suppressing Both Li Dendrite and Polysulfide Shuttling. <i>Advanced Energy Materials</i> , 2020, 10, 1903937.	19.5	58
43	Artificial solid electrolyte interphase modified porous SiO composite as anode material for lithium ion batteries. <i>Solid State Ionics</i> , 2020, 347, 115272.	2.7	10
44	Hollow nanotubular clay composited comb-like methoxy poly(ethylene glycol) acrylate polymer as solid polymer electrolyte for lithium metal batteries. <i>Electrochimica Acta</i> , 2020, 340, 135995.	5.2	39
45	Mechanism Study of Unsaturated Tripropargyl Phosphate as an Efficient Electrolyte Additive Forming Multifunctional Interphases in Lithium Ion and Lithium Metal Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 10443-10451.	8.0	47
46	Self-Regulated Phenomenon of Inorganic Artificial Solid Electrolyte Interphase for Lithium Metal Batteries. <i>Nano Letters</i> , 2020, 20, 4029-4037.	9.1	78
47	Transition metal oxides as lithium-free cathodes for solid-state lithium metal batteries. <i>Nano Energy</i> , 2020, 74, 104867.	16.0	25
48	An ultrahigh-areal-capacity SiO _x negative electrode for lithium ion batteries. <i>Journal of Power Sources</i> , 2020, 464, 228244.	7.8	21
49	Green Design of Si/SiO ₂ /C Composites as High-Performance Anodes for Lithium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2020, 3, 3884-3892.	5.1	43
50	Synthesis of silicon anode binders with ultra-high content of catechol groups and the effect of molecular weight on battery performance. <i>Journal of Power Sources</i> , 2020, 463, 228188.	7.8	30
51	Carbonyl-coordinating polymers for high-voltage solid-state lithium batteries: Solid polymer electrolytes. <i>MRS Energy & Sustainability</i> , 2020, 7, 1.	3.0	27
52	Water-based phytic acid-crosslinked supramolecular binders for lithium-sulfur batteries. <i>Chemical Engineering Journal</i> , 2020, 395, 124981.	12.7	49
53	Effects of Co doping sites on the electrochemical performance of LiNi _{0.5} Mn _{1.5} O ₄ as a cathode material. <i>Ionics</i> , 2020, 26, 3777-3783.	2.4	9
54	Exploring synergetic effects of vinylene carbonate and 1,3-propane sultone on LiNi _{0.6} Mn _{0.2} Co _{0.2} O ₂ /graphite cells with excellent high-temperature performance. <i>Journal of Power Sources</i> , 2019, 437, 226929.	7.8	21

#	ARTICLE	IF	CITATIONS
55	Freestanding Lamellar Porous Carbon Stacks for Low-Temperature-Foldable Supercapacitors. <i>Small</i> , 2019, 15, e1902071.	10.0	39
56	Trap-Assisted Charge Injection into Large Bandgap Polymer Semiconductors. <i>Materials</i> , 2019, 12, 2427.	2.9	3
57	Novel multi-block conductive binder with polybutadiene for Si anodes in lithium-ion batteries. <i>Electrochimica Acta</i> , 2019, 315, 58-66.	5.2	22
58	One-pot synthesis of crosslinked polymer electrolyte beyond 5V oxidation potential for all-solid-state lithium battery. <i>Journal of Power Sources</i> , 2019, 431, 1-7.	7.8	26
59	Film-forming electrolyte additives for rechargeable lithium-ion batteries: progress and outlook. <i>Journal of Materials Chemistry A</i> , 2019, 7, 8700-8722.	10.3	135
60	Exploiting Pulping Waste as an Ecofriendly Multifunctional Binder for Lithium Sulfur Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 8413-8418.	6.7	21
61	Lignin-Derived Nitrogen-Doped Porous Carbon as a High-Rate Anode Material for Sodium Ion Batteries. <i>Journal of the Electrochemical Society</i> , 2019, 166, A423-A428.	2.9	24
62	Nitrogen, Oxygen and Cobalt multiple-doped graphitized mesoporous carbon as a cost-effective carbon host with high sulfur content for lithium-sulfur batteries. <i>Journal of Alloys and Compounds</i> , 2019, 787, 1356-1364.	5.5	11
63	UV-cured polymer electrolyte for LiNi _{0.85} Co _{0.05} Al _{0.10} O ₂ /Li solid state battery working at ambient temperature. <i>Energy Storage Materials</i> , 2019, 22, 337-345.	18.0	82
64	Overcharge Investigations of LiCoO ₂ /Graphite Lithium Ion Batteries with Different Electrolytes. <i>ACS Applied Energy Materials</i> , 2019, 2, 8615-8624.	5.1	14
65	A robust aqueous-processable polymer binder for long-life, high-performance lithium sulfur battery. <i>Energy Storage Materials</i> , 2019, 21, 61-68.	18.0	58
66	How electrolyte additives work in Li-ion batteries. <i>Energy Storage Materials</i> , 2019, 20, 208-215.	18.0	78
67	Lignin derived Si@C composite as a high performance anode material for lithium ion batteries. <i>Solid State Ionics</i> , 2018, 319, 77-82.	2.7	29
68	A facile solvent-free method for NaBH ₄ and Na ₂ B ₁₂ H ₁₂ synthesis. <i>Inorganica Chimica Acta</i> , 2018, 474, 16-21.	2.4	4
69	Synthesis of triblock copolymer polydopamine-polyacrylic-polyoxyethylene with excellent performance as a binder for silicon anode lithium-ion batteries. <i>RSC Advances</i> , 2018, 8, 4604-4609.	3.6	31
70	High voltage, solvent-free solid polymer electrolyte based on a star-comb PDLLA-PEG copolymer for lithium ion batteries. <i>RSC Advances</i> , 2018, 8, 6373-6380.	3.6	30
71	Multiphase surface growth of hydrophobic ZIF-8 on melamine sponge for excellent oil/water separation and effective catalysis in a Knoevenagel reaction. <i>Journal of Materials Chemistry A</i> , 2018, 6, 3258-3263.	10.3	202
72	Flexible polyimides through one-pot synthesis as water-soluble binders for silicon anodes in lithium ion batteries. <i>Journal of Power Sources</i> , 2018, 379, 26-32.	7.8	69

#	ARTICLE	IF	CITATIONS
73	Polyethylenimine and dithiocarbamate decorated melamine sponges for fast copper (II) ions removal from aqueous solution. <i>Applied Surface Science</i> , 2018, 445, 471-477.	6.1	40
74	In-situ preparation of poly(ethylene oxide)/Li3PS4 hybrid polymer electrolyte with good nanofiller distribution for rechargeable solid-state lithium batteries. <i>Journal of Power Sources</i> , 2018, 387, 72-80.	7.8	95
75	Tuning protein adsorption on charged polyelectrolyte brushes via salinity adjustment. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018, 539, 37-45.	4.7	19
76	Introducing catalyst in alkaline membrane for improved performance direct borohydride fuel cells. <i>Journal of Power Sources</i> , 2018, 374, 113-120.	7.8	17
77	Magnesio-mechanochemical reduced SiO for high-performance lithium ion batteries. <i>Journal of Power Sources</i> , 2018, 407, 112-122.	7.8	36
78	Glycinamide modified polyacrylic acid as high-performance binder for silicon anodes in lithium-ion batteries. <i>Journal of Power Sources</i> , 2018, 406, 102-109.	7.8	66
79	Aqueous-processable polymer binder with strong mechanical and polysulfide-trapping properties for high performance of lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 18660-18668.	10.3	51
80	Novel Lignin-Derived Water-Soluble Binder for Micro Silicon Anode in Lithium-Ion Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 12621-12629.	6.7	68
81	A large-size, bipolar-stacked and high-safety solid-state lithium battery with integrated electrolyte and cathode. <i>Journal of Power Sources</i> , 2018, 394, 57-66.	7.8	65
82	Spontaneous repairing liquid metal/Si nanocomposite as a smart conductive-additive-free anode for lithium-ion battery. <i>Nano Energy</i> , 2018, 50, 359-366.	16.0	89
83	Robust polymer nanofilms with bioengineering and environmental applications via facile and highly efficient covalent layer-by-layer assembly. <i>Journal of Materials Chemistry B</i> , 2018, 6, 3742-3750.	5.8	18
84	Electrochromic Metal Oxides: Recent Progress and Prospect. <i>Advanced Electronic Materials</i> , 2018, 4, 1800185.	5.1	195
85	Na3NH2B12H12 as high performance solid electrolyte for all-solid-state Na-ion batteries. <i>Journal of Power Sources</i> , 2018, 396, 574-579.	7.8	32
86	A Quadruple-Hydrogen-Bonded Supramolecular Binder for High-Performance Silicon Anodes in Lithium-Ion Batteries. <i>Small</i> , 2018, 14, e1801189.	10.0	171
87	Superior lithium ion conduction of polymer electrolyte with comb-like structure via solvent-free copolymerization for bipolar all-solid-state lithium battery. <i>Journal of Materials Chemistry A</i> , 2018, 6, 13438-13447.	10.3	80
88	Simple fabrication of multi-functional melamine sponges. <i>Materials Letters</i> , 2017, 190, 119-122.	2.6	32
89	Tin nanoparticles embedded in porous N-doped graphene-like carbon network as high-performance anode material for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2017, 699, 730-737.	5.5	36
90	Thermoresponsive Melamine Sponges with Switchable Wettability by Interface-Initiated Atom Transfer Radical Polymerization for Oil/Water Separation. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 8967-8974.	8.0	138

#	ARTICLE	IF	CITATIONS
91	Three-dimensional porous graphene-encapsulated CNT@SnO ₂ composite for high-performance lithium and sodium storage. <i>Electrochimica Acta</i> , 2017, 230, 212-221.	5.2	94
92	Three-dimensional porous carbon-coated graphene composite as high-stable and long-life anode for sodium-ion batteries. <i>Chemical Engineering Journal</i> , 2017, 316, 645-654.	12.7	49
93	Self-Healing Gelatin Hydrogels Cross-Linked by Combining Multiple Hydrogen Bonding and Ionic Coordination. <i>Macromolecular Rapid Communications</i> , 2017, 38, 1700018.	3.9	74
94	Surface modification of melamine sponges for pH-responsive oil absorption and desorption. <i>Applied Surface Science</i> , 2017, 416, 798-804.	6.1	56
95	Na ₃ V ₂ (PO ₄) ₃ /C nanofiber bifunction as anode and cathode materials for sodium-ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2017, 21, 2985-2995.	2.5	30
96	Recent Progress in Graphite Intercalation Compounds for Rechargeable Metal (Li, Na, K, Al)-Ion Batteries. <i>Advanced Science</i> , 2017, 4, 1700146.	11.2	390
97	Facile synthesis of anhydrous Li ₂ B ₁₂ H ₁₂ with high purity by solvent-free method. <i>Inorganica Chimica Acta</i> , 2017, 464, 147-151.	2.4	8
98	Ionic Liquid Mediated Synthesis of Lath Shaped CuO Micro-Assembles as Extremely Stable Anode Material for Lithium-Ion Batteries. <i>Chinese Journal of Chemistry</i> , 2017, 35, 1299-1304.	4.9	3
99	Dynamic Supramolecular Hydrogels: Regulating Hydrogel Properties through Self-Complementary Quadruple Hydrogen Bonds and Thermo-Switch. <i>ACS Macro Letters</i> , 2017, 6, 641-646.	4.8	90
100	Fabrication of Anion-Exchange Polymer Layered Graphene-Melamine Electrodes for Membrane Capacitive Deionization. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 325-333.	6.7	41
101	A Triblock Copolymer Design Leads to Robust Hybrid Hydrogels for High-Performance Flexible Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 36301-36310.	8.0	34
102	Transportation and release of Janus micromotors by two-stage rocket hydrogel. <i>Journal of Materials Chemistry A</i> , 2017, 5, 18442-18447.	10.3	14
103	Ultrahigh-Capacity Organic Anode with High-Rate Capability and Long Cycle Life for Lithium-Ion Batteries. <i>ACS Energy Letters</i> , 2017, 2, 2140-2148.	17.4	124
104	Quantum Dots: Stabilization of Black Phosphorous Quantum Dots in PMMA Nanofiber Film and Broadband Nonlinear Optics and Ultrafast Photonics Application (<i>Adv. Funct. Mater.</i> 32/2017). <i>Advanced Functional Materials</i> , 2017, 27, .	14.9	1
105	Core/shell nanostructured Na ₃ V ₂ (PO ₄) ₃ /C/TiO ₂ composite nanofibers as a stable anode for sodium-ion batteries. <i>Journal of Power Sources</i> , 2017, 362, 147-159.	7.8	54
106	Stabilization of Black Phosphorous Quantum Dots in PMMA Nanofiber Film and Broadband Nonlinear Optics and Ultrafast Photonics Application. <i>Advanced Functional Materials</i> , 2017, 27, 1702437.	14.9	136
107	Graphene/cyclodextrin-based nanocomposite hydrogel with enhanced strength and thermo-responsive ability. <i>Carbohydrate Polymers</i> , 2017, 174, 804-811.	10.2	21
108	Direct Preparation of Hollow Nanospheres with Kraft Lignin: A Facile Strategy for Effective Utilization of Biomass Waste. <i>BioResources</i> , 2016, 11, .	1.0	17

#	ARTICLE	IF	CITATIONS
109	Aggregation-induced emission: the origin of lignin fluorescence. <i>Polymer Chemistry</i> , 2016, 7, 3502-3508.	3.9	72
110	Probing the interactions between lignin and inorganic oxides using atomic force microscopy. <i>Applied Surface Science</i> , 2016, 390, 617-622.	6.1	29
111	PVA/Carbon Dot Nanocomposite Hydrogels for Simple Introduction of Ag Nanoparticles with Enhanced Antibacterial Activity. <i>Macromolecular Materials and Engineering</i> , 2016, 301, 1352-1362.	3.6	60
112	One-Step Fabrication of a Novel Agar/Polyacrylamide/Graphene Oxide Nanocomposite Double Network Hydrogel with High Mechanical Properties. <i>Advanced Engineering Materials</i> , 2016, 18, 1799-1807.	3.5	55
113	Pickering emulsion-based fabrication of epoxy and amine microcapsules for dual core self-healing coating. <i>Composites Science and Technology</i> , 2016, 133, 51-59.	7.8	99
114	Preparation of renewable lignin-derived nitrogen-doped carbon nanospheres as anodes for lithium-ion batteries. <i>RSC Advances</i> , 2016, 6, 77143-77150.	3.6	42
115	An Injectable Hydrogel with Excellent Self-Healing Property Based on Quadruple Hydrogen Bonding. <i>Macromolecular Chemistry and Physics</i> , 2016, 217, 2172-2181.	2.2	48
116	Conductivity Enhancement of Poly(3,4-ethylenedioxythiophene)/Lignosulfonate Acid Complexes via Pickering Emulsion Polymerization. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 7193-7199.	6.7	19
117	Ambient-temperature fabrication of melamine-based sponges coated with hydrophobic lignin shells by surface dip adsorbing for oil/water separation. <i>RSC Advances</i> , 2016, 6, 106928-106934.	3.6	31
118	Hollow lignin azo colloids encapsulated avermectin with high anti-photolysis and controlled release performance. <i>Industrial Crops and Products</i> , 2016, 87, 191-197.	5.2	88
119	Self-assembly of kraft lignin into nanospheres in dioxane-water mixtures. <i>Holzforschung</i> , 2016, 70, 725-731.	1.9	52
120	Preparation of Nanocapsules via the Self-Assembly of Kraft Lignin: A Totally Green Process with Renewable Resources. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 1946-1953.	6.7	115
121	Fabrication of Lignosulfonate Vesicular Reverse Micelles to Immobilize Horseradish Peroxidase. <i>Industrial & Engineering Chemistry Research</i> , 2016, 55, 2731-2737.	3.7	20
122	Reduction of lignin color via one-step UV irradiation. <i>Green Chemistry</i> , 2016, 18, 695-699.	9.0	176
123	Slow relaxation mode of sodium lignosulfonate in saline solutions. <i>Holzforschung</i> , 2015, 69, 17-23.	1.9	9
124	Preparation of Photoresponsive Azo Polymers Based on Lignin, a Renewable Biomass Resource. <i>ACS Sustainable Chemistry and Engineering</i> , 2015, 3, 1111-1116.	6.7	28
125	Layer-by-Layer Self-Assembled Films of a Lignin-based Polymer through Hydrogen Bonding. <i>ACS Sustainable Chemistry and Engineering</i> , 2015, 3, 1215-1220.	6.7	9
126	Light scattering characterization of lignosulfonate structure in saline solutions. <i>Holzforschung</i> , 2015, 69, 377-383.	1.9	15

#	ARTICLE	IF	CITATIONS
127	Preparation of water-dispersive poly(3,4-ethylenedioxythiophene) (PEDOT) conductive nanoparticles in liginosulfonic acid solution. <i>Holzforschung</i> , 2015, 69, 539-545.	1.9	9
128	Lignin Reverse Micelles for UV-Absorbing and High Mechanical Performance Thermoplastics. <i>Industrial & Engineering Chemistry Research</i> , 2015, 54, 12025-12030.	3.7	73
129	Effect of Temperature on Polyelectrolyte Expansion of Lignosulfonate. <i>BioResources</i> , 2014, 10, .	1.0	8
130	H- and J-Aggregation of Fluorene-Based Chromophores. <i>Journal of Physical Chemistry B</i> , 2014, 118, 14536-14545.	2.6	147
131	Macroporous antibacterial hydrogels with tunable pore structures fabricated by using Pickering high internal phase emulsions as templates. <i>Polymer Chemistry</i> , 2014, 5, 4227-4234.	3.9	51
132	Aggregation of sodium lignosulfonate above a critical temperature. <i>Holzforschung</i> , 2014, 68, 641-647.	1.9	21
133	Formation of uniform colloidal spheres from lignin, a renewable resource recovered from pulping spent liquor. <i>Green Chemistry</i> , 2014, 16, 2156.	9.0	334
134	Reaction-Free Lignin Whitening via a Self-Assembly of Acetylated Lignin. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 10024-10028.	3.7	59
135	Fabrication of degradable polymer microspheres via pH-responsive chitosan-based Pickering emulsion photopolymerization. <i>RSC Advances</i> , 2014, 4, 29344-29351.	3.6	38
136	Multifunctional foams derived from poly(melamine formaldehyde) as recyclable oil absorbents. <i>Journal of Materials Chemistry A</i> , 2014, 2, 9994-9999.	10.3	134
137	Highly Regenerable Mussel-Inspired Fe ₃ O ₄ @Polydopamine-Ag Core-Shell Microspheres as Catalyst and Adsorbent for Methylene Blue Removal. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 8845-8852.	8.0	385
138	Renewable Lignin-Based Xerogels with Self-Cleaning Properties and Superhydrophobicity. <i>ACS Sustainable Chemistry and Engineering</i> , 2014, 2, 1729-1733.	6.7	103
139	Effect of Temperature on a Lignin-based Polymer with Two Types of Microstructures. <i>BioResources</i> , 2014, 9, .	1.0	0
140	Three-arm star compounds composed of 1,3,5-tri(azobenzeneethynyl)benzene cores and flexible PEO arms: synthesis, optical functions, hybrid Ormosil gel glasses. <i>Journal of Materials Chemistry C</i> , 2013, 1, 1791.	5.5	23
141	Determination of absolute molecular weight of sodium lignosulfonates (NaLS) by laser light scattering (LLS). <i>Holzforschung</i> , 2013, 67, 265-271.	1.9	14
142	Physicochemical properties of sodium lignosulfonates (NaLS) modified by laccase. <i>Holzforschung</i> , 2012, 66, 825-832.	1.9	32
143	Effect of calcium lignosulfonate on the hydration of the tricalcium aluminate-anhydrite system. <i>Cement and Concrete Research</i> , 2012, 42, 1549-1554.	11.0	27
144	Novel Method for the Determination of the Methoxyl Content in Lignin by Headspace Gas Chromatography. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 5307-5310.	5.2	57

#	ARTICLE	IF	CITATIONS
145	Effect of Molecular Weight of Polycarboxylate-type Superplasticizer on the Rheological Properties of Cement Pastes. <i>Polymers and Polymer Composites</i> , 2012, 20, 725-736.	1.9	11
146	Effect of molecular weight of sulphonated acetone-formaldehyde condensate on its adsorption and dispersion properties in cementitious system. <i>Cement and Concrete Research</i> , 2012, 42, 1043-1048.	11.0	42
147	Investigation of Aggregation and Assembly of Alkali Lignin Using Iodine as a Probe. <i>Biomacromolecules</i> , 2011, 12, 1116-1125.	5.4	162
148	Adsorption Characteristics of Lignosulfonates in Salt-Free and Salt-Added Aqueous Solutions. <i>Biomacromolecules</i> , 2011, 12, 3313-3320.	5.4	64
149	Effect of Molecular Weight on the Adsorption Characteristics of Lignosulfonates. <i>Journal of Physical Chemistry B</i> , 2011, 115, 14866-14873.	2.6	24
150	Lignosulfonate Separation Using Preparative Column Chromatography. <i>Industrial & Engineering Chemistry Research</i> , 2011, 50, 10792-10799.	3.7	23
151	Effect of Side Chains and Sulfonic Groups on the Performance of Polycarboxylate-Type Superplasticizers in Concentrated Cement Suspensions. <i>Journal of Dispersion Science and Technology</i> , 2011, 32, 203-212.	2.4	51
152	Synthesis and Evaluation of Polycarboxylate-Type Superplasticizers with Different Carboxylic Contents Used in a Cement System. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2011, 60, 923-938.	3.4	18
153	Isolation of lignosulfonate with low polydispersity index. <i>Chinese Chemical Letters</i> , 2010, 21, 1479-1481.	9.0	19
154	Influence of pH on the behavior of lignosulfonate macromolecules in aqueous solution. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2010, 371, 50-58.	4.7	118
155	pH EFFECT ON ELECTROSTATIC LAYER-BY-LAYER SELF-ASSEMBLY OF SODIUM LIGNOSULFONATE. <i>Acta Polymerica Sinica</i> , 2010, 010, 699-704.	0.0	4
156	Effect of straight-chain alcohols on the physicochemical properties of calcium lignosulfonate. <i>Journal of Colloid and Interface Science</i> , 2009, 338, 151-155.	9.4	40
157	SYNTHESIS, CHARACTERIZATION AND SELF-ASSEMBLY OF AN AZOBENZENE-CONTAINING AMPHIPHILIC ABA TRIBLOCK COPOLYMER. <i>Acta Polymerica Sinica</i> , 2009, 009, 128-133.	0.0	2
158	Sequentially adsorbed electrostatic multilayers of polyaniline and azo polyelectrolytes. <i>Polymer</i> , 2008, 49, 5504-5512.	3.8	21
159	Effect of dipping solution pH values on electrostatic layer-by-layer self-assembly of side-chain azo polyelectrolyte. <i>Frontiers of Chemistry in China: Selected Publications From Chinese Universities</i> , 2008, 3, 218-223.	0.4	2
160	Hybrid Colloids Composed of Two Amphiphilic Azo Polymers: Fabrication, Characterization, and Photoresponsive Properties. <i>Macromolecules</i> , 2007, 40, 6669-6678.	4.8	37
161	Formation of Photoresponsive Uniform Colloidal Spheres from an Amphiphilic Azobenzene-Containing Random Copolymer. <i>Macromolecules</i> , 2006, 39, 1108-1115.	4.8	110
162	Colloidal Sphere Formation, H-Aggregation, and Photoresponsive Properties of an Amphiphilic Random Copolymer Bearing Branched Azo Side Chains. <i>Macromolecules</i> , 2006, 39, 6590-6598.	4.8	78

#	ARTICLE	IF	CITATIONS
163	Amphiphilic Azo Polymer Spheres, Colloidal Monolayers, and Photoinduced Chromophore Orientation. Langmuir, 2005, 21, 6567-6571.	3.5	48