

Heesuk Kim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2825227/heesuk-kim-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

54 papers	2,065 citations	26 h-index	45 g-index
59 ext. papers	2,427 ext. citations	9.2 avg, IF	4.9 L-index

#	Paper	IF	Citations
54	Highly stretchable three-dimensional thermoelectric fabrics exploiting woven structure deformability and passivation-induced fiber elasticity. <i>Nano Energy</i> , 2022 , 97, 107143	17.1	2
53	Highly Selective Multiplex Quantitative Polymerase Chain Reaction with a Nanomaterial Composite Hydrogel for Precise Diagnosis of Viral Infection. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 30295-30305	9.5	9
52	Nanostructured Inorganic Chalcogenide-Carbon Nanotube Yarn having a High Thermoelectric Power Factor at Low Temperature. <i>ACS Nano</i> , 2021 ,	16.7	6
51	High-Performance Thermoelectric Fabric Based on a Stitched Carbon Nanotube Fiber. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 6257-6264	9.5	16
50	Enhanced Output Performance of All-Solution-Processed Organic Thermoelectrics: Spray Printing and Interface Engineering. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 26250-26257	9.5	4
49	Mass Transport Control by Surface Graphene Oxide for Selective CO Production from Electrochemical CO ₂ Reduction. <i>ACS Catalysis</i> , 2020 , 10, 3222-3231	13.1	29
48	High-Performance, Wearable Thermoelectric Generator Based on a Highly Aligned Carbon Nanotube Sheet. <i>ACS Applied Energy Materials</i> , 2020 , 3, 1199-1206	6.1	20
47	Elastomeric high- ϵ_r composites of low dielectric loss tangent: Experiment and simulation. <i>Composites Part B: Engineering</i> , 2020 , 201, 108337	10	5
46	High-performance compliant thermoelectric generators with magnetically self-assembled soft heat conductors for self-powered wearable electronics. <i>Nature Communications</i> , 2020 , 11, 5948	17.4	67
45	Carbon nanotube fibers with enhanced longitudinal carrier mobility for high-performance all-carbon thermoelectric generators. <i>Nanoscale</i> , 2019 , 11, 16919-16927	7.7	23
44	Stretchable Conductive Adhesives with Superior Electrical Stability as Printable Interconnects in Washable Textile Electronics. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 37043-37050	9.5	15
43	Fabrication of a MoS ₂ /Graphene Nanoribbon Heterojunction Network for Improved Thermoelectric Properties. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1901333	4.6	14
42	Enhanced electromechanical performance of P(VDF-TrFE-CTFE) thin films hybridized with highly dispersed carbon blacks. <i>Composites Part B: Engineering</i> , 2018 , 152, 133-138	10	12
41	High-performance thermoelectric bracelet based on carbon nanotube ink printed directly onto a flexible cable. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 19727-19734	13	32
40	Coaxial struts and microfractured structures of compressible thermoelectric foams for self-powered pressure sensors. <i>Nanoscale</i> , 2018 , 10, 18370-18377	7.7	14
39	Significantly reduced thermal conductivity and enhanced thermoelectric properties of single- and bi-layer graphene nanomeshes with sub-10 nm neck-width. <i>Nano Energy</i> , 2017 , 35, 26-35	17.1	62
38	A mechanistic study on the carrier properties of nitrogen-doped graphene derivatives using thermoelectric effect. <i>Carbon</i> , 2017 , 117, 447-453	10.4	18

37	Benzyl viologen-assisted simultaneous exfoliation and n-doping of MoS ₂ nanosheets via a solution process. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 5395-5401	7.1	9
36	Highly Ordered Nanoconfinement Effect from Evaporation-Induced Self-Assembly of Block Copolymers on In Situ Polymerized PEDOT:Tos. <i>ACS Macro Letters</i> , 2017 , 6, 386-392	6.6	19
35	Flexible and Robust Thermoelectric Generators Based on All-Carbon Nanotube Yarn without Metal Electrodes. <i>ACS Nano</i> , 2017 , 11, 7608-7614	16.7	146
34	High-Performance Thermoelectric Paper Based on Double Carrier-Filtering Processes at Nanowire Heterojunctions. <i>Advanced Energy Materials</i> , 2016 , 6, 1502181	21.8	128
33	Enhanced performance in capacitive force sensors using carbon nanotube/polydimethylsiloxane nanocomposites with high dielectric properties. <i>Nanoscale</i> , 2016 , 8, 5667-75	7.7	33
32	Development of Self-Doped Conjugated Polyelectrolytes with Controlled Work Functions and Application to Hole Transport Layer Materials for High-Performance Organic Solar Cells. <i>Advanced Materials Interfaces</i> , 2016 , 3, 1500703	4.6	34
31	Enhanced thermoelectric performance of PEDOT:PSS/PANI/CSA polymer multilayer structures. <i>Energy and Environmental Science</i> , 2016 , 9, 2806-2811	35.4	98
30	Colloidal Spherical Quantum Wells with Near-Unity Photoluminescence Quantum Yield and Suppressed Blinking. <i>ACS Nano</i> , 2016 , 10, 9297-9305	16.7	94
29	Directed self-assembly of rhombic carbon nanotube nanomesh films for transparent and stretchable electrodes. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 2319-2325	7.1	33
28	Enhanced thermopower in flexible tellurium nanowire films doped using single-walled carbon nanotubes with a rationally designed work function. <i>Carbon</i> , 2015 , 94, 577-584	10.4	27
27	High-concentration boron doping of graphene nanoplatelets by simple thermal annealing and their supercapacitive properties. <i>Scientific Reports</i> , 2015 , 5, 9817	4.9	86
26	A [2,2]paracyclophane triarylamine-based hole-transporting material for high performance perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 24215-24220	13	76
25	Remarkable Conversion Between n- and p-Type Reduced Graphene Oxide on Varying the Thermal Annealing Temperature. <i>Chemistry of Materials</i> , 2015 , 27, 7362-7369	9.6	119
24	Graphene oxide nanosheet wrapped white-emissive conjugated polymer nanoparticles. <i>ACS Nano</i> , 2014 , 8, 4248-56	16.7	21
23	Enhanced thermoelectric properties of the flexible tellurium nanowire film hybridized with single-walled carbon nanotube. <i>Synthetic Metals</i> , 2014 , 198, 340-344	3.6	15
22	Formation of electrically conducting, transparent films using silver nanoparticles connected by carbon nanotubes. <i>Thin Solid Films</i> , 2014 , 562, 445-450	2.2	4
21	Nitrogen-doped graphene nanosheets from bulk graphite using microwave irradiation. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 6361-8	9.5	88
20	Monte Carlo simulation studies on the effect of entropic attraction on the electric conductivity in polymer nano-composites. <i>Journal of Nanoscience and Nanotechnology</i> , 2014 , 14, 5103-8	1.3	2

19	Effects of size and interparticle interaction of silica nanoparticles on dispersion and electrical conductivity of silver/epoxy nanocomposites. <i>Journal of Applied Physics</i> , 2014 , 115, 154307	2.5	19
18	Controlled oxidation level of reduced graphene oxides and its effect on thermoelectric properties. <i>Macromolecular Research</i> , 2014 , 22, 1104-1108	1.9	44
17	Catalytic, conductive, and transparent platinum nanofiber webs for FTO-free dye-sensitized solar cells. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 3176-81	9.5	45
16	Enhancement of electrical and thermomechanical properties of silver nanowire composites by the introduction of nonconductive nanoparticles: experiment and simulation. <i>ACS Nano</i> , 2013 , 7, 851-6	16.7	75
15	Effect of multiwalled carbon nanotubes on the thermoelectric properties of a bismuth telluride matrix. <i>Current Applied Physics</i> , 2013 , 13, S111-S114	2.6	39
14	Highly stretchable dielectric nanocomposites based on single-walled carbon nanotube/ionic liquid gels. <i>Composites Science and Technology</i> , 2013 , 83, 40-46	8.6	35
13	Facile preparation of epoxy nanocomposites with highly dispersed graphite nanosheets and their dielectric properties. <i>Macromolecular Research</i> , 2012 , 20, 1197-1200	1.9	5
12	Acid-treated SWCNT/polyurethane nanoweb as a stretchable and transparent Conductor. <i>RSC Advances</i> , 2012 , 2, 10717	3.7	24
11	Photochemical grafting of organic alkenes to single-crystal TiO ₂ surfaces: a mechanistic study. <i>Langmuir</i> , 2012 , 28, 12085-93	4	12
10	Preparation of poly(methyl methacrylate)/clay nanocomposites using supercritical fluid process. <i>Composite Interfaces</i> , 2012 , 19, 565-572	2.3	6
9	Effects of silica particles on the electrical percolation threshold and thermomechanical properties of epoxy/silver nanocomposites. <i>Applied Physics Letters</i> , 2011 , 99, 043104	3.4	25
8	Photochemical grafting and patterning of biomolecular layers onto TiO ₂ thin films. <i>ACS Applied Materials & Interfaces</i> , 2009 , 1, 1013-22	9.5	34
7	Grafting of molecular layers to oxidized gallium nitride surfaces via phosphonic acid linkages. <i>Surface Science</i> , 2008 , 602, 2382-2388	1.8	47
6	Covalent molecular functionalization of diamond thin-film transistors. <i>Diamond and Related Materials</i> , 2007 , 16, 1608-1615	3.5	17
5	Covalent photochemical functionalization of amorphous carbon thin films for integrated real-time biosensing. <i>Langmuir</i> , 2006 , 22, 9598-605	4	90
4	Photochemical functionalization of gallium nitride thin films with molecular and biomolecular layers. <i>Langmuir</i> , 2006 , 22, 8121-6	4	72
3	Covalent functionalization and biomolecular recognition properties of DNA-modified silicon nanowires. <i>Nanotechnology</i> , 2005 , 16, 1868-1873	3.4	67
2	Artificial Trinuclear Metallopeptidase Synthesized by Cross-Linkage of a Molecular Bowl with a Polystyrene Derivative. <i>Journal of the American Chemical Society</i> , 2000 , 122, 7742-7749	16.4	24

1

Highly Integrated, Wearable Carbon-Nanotube-Yarn-Based Thermoelectric Generators Achieved by Selective Inkjet-Printed Chemical Doping. *Advanced Energy Materials*,2200256

21.83