

# Samson A Jenekhe

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2825315/publications.pdf>

Version: 2024-02-01

212  
papers

23,301  
citations

4658

85  
h-index

7950

149  
g-index

217  
all docs

217  
docs citations

217  
times ranked

15579  
citing authors



#	ARTICLE	IF	CITATIONS
1	Electron Transport Materials for Organic Light-Emitting Diodes. Chemistry of Materials, 2004, 16, 4556-4573.	6.7	1,519
2	Excimers and Exciplexes of Conjugated Polymers. Science, 1994, 265, 765-768.	12.6	1,263
3	New Conjugated Polymers with Donor-Acceptor Architectures: Synthesis and Photophysics of Carbazole-Quinoline and Phenothiazine-Quinoline Copolymers and Oligomers Exhibiting Large Intramolecular Charge Transfer. Macromolecules, 2001, 34, 7315-7324.	4.8	735
4	One-Dimensional Nanostructures of $\pi$ -Conjugated Molecular Systems: Assembly, Properties, and Applications from Photovoltaics, Sensors, and Nanophotonics to Nanoelectronics. Chemistry of Materials, 2011, 23, 682-732.	6.7	617
5	High Electron Mobility in Ladder Polymer Field-Effect Transistors. Journal of the American Chemical Society, 2003, 125, 13656-13657.	13.7	495
6	7.7% Efficient All-Polymer Solar Cells. Advanced Materials, 2015, 27, 4578-4584.	21.0	414
7	Perylenediimide Nanowires and Their Use in Fabricating Field-Effect Transistors and Complementary Inverters. Nano Letters, 2007, 7, 2847-2853.	9.1	410
8	n-Type Semiconducting Naphthalene Diimide-Perylene Diimide Copolymers: Controlling Crystallinity, Blend Morphology, and Compatibility Toward High-Performance All-Polymer Solar Cells. Journal of the American Chemical Society, 2015, 137, 4424-4434.	13.7	374
9	All-Polymer Solar Cells with 3.3% Efficiency Based on Naphthalene Diimide-Selenophene Copolymer Acceptor. Journal of the American Chemical Society, 2013, 135, 14960-14963.	13.7	363
10	Conjugated Donor-Acceptor Copolymer Semiconductors with Large Intramolecular Charge Transfer: Synthesis, Optical Properties, Electrochemistry, and Field Effect Carrier Mobility of Thienopyrazine-Based Copolymers. Macromolecules, 2006, 39, 8712-8719.	4.8	355
11	Highly Efficient Solar Cells Based on Poly(3-butylthiophene) Nanowires. Journal of the American Chemical Society, 2008, 130, 5424-5425.	13.7	333
12	Electrochemical Properties and Electronic Structures of Conjugated Polyquinolines and Polyanthrazolines. Chemistry of Materials, 1996, 8, 579-589.	6.7	325
13	Electroluminescence of Multicomponent Conjugated Polymers. 1. Roles of Polymer/Polymer Interfaces in Emission Enhancement and Voltage-Tunable Multicolor Emission in Semiconducting Polymer/Polymer Heterojunctions. Macromolecules, 2000, 33, 2069-2082.	4.8	285
14	High-Mobility Ambipolar Transistors and High-Gain Inverters from a Donor-Acceptor Copolymer Semiconductor. Advanced Materials, 2010, 22, 478-482.	21.0	284
15	Polydisperse Aggregates of ZnO Nanocrystallites: A Method for Energy Conversion Efficiency Enhancement in Dye-Sensitized Solar Cells. Advanced Functional Materials, 2008, 18, 1654-1660.	14.9	278
16	Efficient Solar Cells from Layered Nanostructures of Donor and Acceptor Conjugated Polymers. Chemistry of Materials, 2004, 16, 4647-4656.	6.7	276
17	New n-Type Organic Semiconductors: Synthesis, Single Crystal Structures, Cyclic Voltammetry, Photophysics, Electron Transport, and Electroluminescence of a Series of Diphenylanthrazolines. Journal of the American Chemical Society, 2003, 125, 13548-13558.	13.7	272
18	Fabrication of Field-Effect Transistors from Hexathiapentacene Single-Crystal Nanowires. Nano Letters, 2007, 7, 668-675.	9.1	272



#	ARTICLE	IF	CITATIONS
19	Electroluminescence and Photophysical Properties of Polyquinolines. <i>Macromolecules</i> , 1999, 32, 7422-7429.	4.8	264
20	Efficient photovoltaic cells from semiconducting polymer heterojunctions. <i>Applied Physics Letters</i> , 2000, 77, 2635-2637.	3.3	251
21	Nonfullerene Polymer Solar Cells with 8.5% Efficiency Enabled by a New Highly Twisted Electron Acceptor Dimer. <i>Advanced Materials</i> , 2016, 28, 124-131.	21.0	250
22	Phthalimide-Based Polymers for High Performance Organic Thin-Film Transistors. <i>Journal of the American Chemical Society</i> , 2009, 131, 7206-7207.	13.7	243
23	Naphthalene Diimide-Based Polymer Semiconductors: Synthesis, Structure–Property Correlations, and n-Channel and Ambipolar Field-Effect Transistors. <i>Chemistry of Materials</i> , 2012, 24, 1434-1442.	6.7	237
24	Electrospun Nanofibers of Blends of Conjugated Polymers: Morphology, Optical Properties, and Field-Effect Transistors. <i>Macromolecules</i> , 2005, 38, 4705-4711.	4.8	224
25	Beyond Fullerenes: Design of Nonfullerene Acceptors for Efficient Organic Photovoltaics. <i>Journal of the American Chemical Society</i> , 2014, 136, 14589-14597.	13.7	213
26	New Thiophene-Linked Conjugated Poly(azomethine)s: Theoretical Electronic Structure, Synthesis, and Properties. <i>Macromolecules</i> , 2005, 38, 1958-1966.	4.8	208
27	Fluorenone-Containing Polyfluorenes and Oligofluorenes: Photophysics, Origin of the Green Emission and Efficient Green Electroluminescence. <i>Journal of Physical Chemistry B</i> , 2004, 108, 8689-8701.	2.6	207
28	Blue Light-Emitting Diodes with Good Spectral Stability Based on Blends of Poly(9,9-dioctylfluorene): Interplay between Morphology, Photophysics, and Device Performance. <i>Macromolecules</i> , 2003, 36, 5285-5296.	4.8	204
29	Efficient blue luminescence of a conjugated polymer exciplex. <i>Macromolecules</i> , 1994, 27, 739-742.	4.8	191
30	Enhanced Nonlinear Optical Response of Composite Materials. <i>Physical Review Letters</i> , 1995, 74, 1871-1874.	7.8	190
31	Crystalline Diblock Conjugated Copolymers: Synthesis, Self-Assembly, and Microphase Separation of Poly(3-butylthiophene)- <i>b</i> -poly(3-octylthiophene). <i>Macromolecules</i> , 2009, 42, 2317-2320.	4.8	190
32	Quinoxaline-Containing Polyfluorenes: Synthesis, Photophysics, and Stable Blue Electroluminescence. <i>Macromolecules</i> , 2005, 38, 1553-1563.	4.8	189
33	Effects of Side Chains on Thiazolothiazole-Based Copolymer Semiconductors for High Performance Solar Cells. <i>Advanced Energy Materials</i> , 2011, 1, 854-860.	19.5	183
34	Regioregular Poly(3-pentylthiophene): Synthesis, Self-Assembly of Nanowires, High-Mobility Field-Effect Transistors, and Efficient Photovoltaic Cells. <i>Macromolecules</i> , 2009, 42, 8817-8826.	4.8	178
35	n-Type Conjugated Oligoquinoline and Oligoquinoxaline with Triphenylamine Endgroups: Efficient Ambipolar Light Emitters for Device Applications. <i>Chemistry of Materials</i> , 2006, 18, 4924-4932.	6.7	172
36	Design of New Electron Acceptor Materials for Organic Photovoltaics: Synthesis, Electron Transport, Photophysics, and Photovoltaic Properties of Oligothiophene-Functionalized Naphthalene Diimides. <i>Chemistry of Materials</i> , 2011, 23, 4563-4577.	6.7	171



#	ARTICLE	IF	CITATIONS
37	Polymer Nanowire/Fullerene Bulk Heterojunction Solar Cells: How Nanostructure Determines Photovoltaic Properties. <i>ACS Nano</i> , 2010, 4, 1861-1872.	14.6	170
38	Alkyl chain length dependence of the field-effect carrier mobility in regioregular poly(3-alkylthiophene)s. <i>Synthetic Metals</i> , 2005, 148, 169-173.	3.9	165
39	Finite Size Effects on Electroluminescence of Nanoscale Semiconducting Polymer Heterojunctions. <i>Chemistry of Materials</i> , 1997, 9, 409-412.	6.7	164
40	Non-Fullerene Acceptor-Based Bulk Heterojunction Polymer Solar Cells: Engineering the Nanomorphology via Processing Additives. <i>Advanced Energy Materials</i> , 2011, 1, 946-953.	19.5	161
41	All-Polymer Bulk Heterojunction Solar Cells with 4.8% Efficiency Achieved by Solution Processing from a Co-Solvent. <i>Advanced Materials</i> , 2014, 26, 6080-6085.	21.0	161
42	New conjugated polyanthrazolines containing thiophene moieties in the main chain. <i>Macromolecules</i> , 1991, 24, 6806-6808.	4.8	160
43	Self-Assembly, Molecular Packing, and Electron Transport in n-Type Polymer Semiconductor Nanobelts. <i>Chemistry of Materials</i> , 2008, 20, 4712-4719.	6.7	159
44	Polybenzobisazoles Are Efficient Electron Transport Materials for Improving the Performance and Stability of Polymer Light-Emitting Diodes. <i>Chemistry of Materials</i> , 2002, 14, 4775-4780.	6.7	158
45	Fine-Tuning the 3D Structure of Nonfullerene Electron Acceptors Toward High-Performance Polymer Solar Cells. <i>Advanced Materials</i> , 2015, 27, 3266-3272.	21.0	158
46	Synthesis, Cyclic Voltammetric Studies, and Electrogenerated Chemiluminescence of a New Donor-Acceptor Molecule: 3,7-[Bis[4-phenyl-2-quinolyl]]-10-methylphenothiazine. <i>Journal of the American Chemical Society</i> , 2001, 123, 9112-9118.	13.7	156
47	Charge Photogeneration for a Series of Thiazolo-Thiazole Donor Polymers Blended with the Fullerene Electron Acceptors PCBM and ICBA. <i>Advanced Functional Materials</i> , 2013, 23, 3286-3298.	14.9	155
48	Synthesis and processing of heterocyclic polymers as electronic, optoelectronic, and nonlinear optical materials. 2. New series of conjugated rigid-rod polyquinolines and polyanthrazolines. <i>Macromolecules</i> , 1993, 26, 895-905.	4.8	154
49	Bulk Heterojunction Solar Cells from Poly(3-butylthiophene)/Fullerene Blends: In Situ Self-Assembly of Nanowires, Morphology, Charge Transport, and Photovoltaic Properties. <i>Chemistry of Materials</i> , 2008, 20, 6199-6207.	6.7	154
50	Tetraazabenzodifluoranthene Diimides: Building Blocks for Solution-Processable n-Type Organic Semiconductors. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 5513-5517.	13.8	154
51	n-Type Conjugated Dendrimers: Convergent Synthesis, Photophysics, Electroluminescence, and Use as Electron-Transport Materials for Light-Emitting Diodes. <i>Chemistry of Materials</i> , 2004, 16, 4657-4666.	6.7	148
52	Complexation-mediated solubilization and processing of rigid-chain and ladder polymers in aprotic organic solvents. <i>Macromolecules</i> , 1990, 23, 4419-4429.	4.8	147
53	Thiophene-Linked Polyphenylquinoxaline: A New Electron Transport Conjugated Polymer for Electroluminescent Devices. <i>Macromolecules</i> , 1999, 32, 3824-3826.	4.8	147
54	The Role of Mesoscopic PCBM Crystallites in Solvent Vapor Annealed Copolymer Solar Cells. <i>ACS Nano</i> , 2009, 3, 627-636.	14.6	140



#	ARTICLE	IF	CITATIONS
55	High-Mobility n-Type Conjugated Polymers Based on Electron-Deficient Tetraazabenzodifluoranthene Diimide for Organic Electronics. <i>Journal of the American Chemical Society</i> , 2013, 135, 14920-14923.	13.7	140
56	Organometallic Donor–Acceptor Conjugated Polymer Semiconductors: Tunable Optical, Electrochemical, Charge Transport, and Photovoltaic Properties. <i>Macromolecules</i> , 2009, 42, 671-681.	4.8	135
57	New Random Copolymer Acceptors Enable Additive-Free Processing of 10.1% Efficient All-Polymer Solar Cells with Near-Unity Internal Quantum Efficiency. <i>ACS Energy Letters</i> , 2019, 4, 1162-1170.	17.4	134
58	Charge Carrier Mobility in Blends of Poly(9,9-dioctylfluorene) and Poly(3-hexylthiophene). <i>Macromolecules</i> , 2003, 36, 7759-7764.	4.8	131
59	Thieno[3,4- <i>c</i> ]pyrrole-4,6-dione-Based Donor–Acceptor Conjugated Polymers for Solar Cells. <i>Macromolecules</i> , 2011, 44, 269-277.	4.8	127
60	n-Type Naphthalene Diimide–Biselenophene Copolymer for All-Polymer Bulk Heterojunction Solar Cells. <i>Macromolecules</i> , 2012, 45, 9056-9062.	4.8	123
61	Solar Cells Based on Block Copolymer Semiconductor Nanowires: Effects of Nanowire Aspect Ratio. <i>ACS Nano</i> , 2011, 5, 376-384.	14.6	121
62	A high-conductivity n-type polymeric ink for printed electronics. <i>Nature Communications</i> , 2021, 12, 2354.	12.8	120
63	Supramolecular Self-Assembly of Three-Dimensional Nanostructures and Microstructures: Å Microcapsules from Electroactive and Photoactive Rod–Coil–Rod Triblock Copolymers. <i>Macromolecules</i> , 2000, 33, 4610-4612.	4.8	119
64	Morphology and Field-Effect Mobility of Charge Carriers in Binary Blends of Poly(3-hexylthiophene) with Poly[2-methoxy-5-(2-ethylhexoxy)-1,4-phenylenevinylene] and Polystyrene. <i>Macromolecules</i> , 2004, 37, 9835-9840.	4.8	115
65	Excited-state complexes of conjugated polymers. <i>Advanced Materials</i> , 1995, 7, 309-311.	21.0	112
66	Ground-state electron transfer in all-polymer donor–acceptor heterojunctions. <i>Nature Materials</i> , 2020, 19, 738-744.	27.5	111
67	Solution-Processed Highly Efficient Blue Phosphorescent Polymer Light-Emitting Diodes Enabled by a New Electron Transport Material. <i>Advanced Materials</i> , 2010, 22, 4744-4748.	21.0	110
68	Phenothiazine-Phenylquinoline Donor–Acceptor Molecules: Å Effects of Structural Isomerism on Charge Transfer Photophysics and Electroluminescence. <i>Journal of Physical Chemistry B</i> , 2005, 109, 19584-19594.	2.6	109
69	New Ambipolar Organic Semiconductors. 2. Effects of Electron Acceptor Strength on Intramolecular Charge Transfer Photophysics, Highly Efficient Electroluminescence, and Field-Effect Charge Transport of Phenoxazine-Based Donor–Acceptor Materials. <i>Chemistry of Materials</i> , 2008, 20, 4212-4223.	6.7	106
70	New Soluble n-Type Conjugated Polymers for Use as Electron Transport Materials in Light-Emitting Diodes. <i>Macromolecules</i> , 2004, 37, 3554-3563.	4.8	105
71	Conjugated Donor–Acceptor Copolymer Semiconductors. Synthesis, Optical Properties, Electrochemistry, and Field-Effect Carrier Mobility of Pyridopyrazine-Based Copolymers. <i>Macromolecules</i> , 2008, 41, 7021-7028.	4.8	105
72	Benzobisthiazole–Thiophene Copolymer Semiconductors: Synthesis, Enhanced Stability, Field-Effect Transistors, and Efficient Solar Cells. <i>Macromolecules</i> , 2009, 42, 8615-8618.	4.8	105



#	ARTICLE	IF	CITATIONS
73	Spin coating of conjugated polymers for electronic and optoelectronic applications. <i>Thin Solid Films</i> , 2005, 479, 254-260.	1.8	102
74	Benzobisthiazole-Based Donor–Acceptor Copolymer Semiconductors for Photovoltaic Cells and Highly Stable Field-Effect Transistors. <i>Macromolecules</i> , 2011, 44, 7207-7219.	4.8	101
75	Photoinduced Hole Transfer Becomes Suppressed with Diminished Driving Force in Polymer–Fullerene Solar Cells While Electron Transfer Remains Active. <i>Advanced Functional Materials</i> , 2013, 23, 1238-1249.	14.9	101
76	Field-Effect Mobility of Charge Carriers in Blends of Regioregular Poly(3-alkylthiophene)s. <i>Journal of Physical Chemistry B</i> , 2003, 107, 1749-1754.	2.6	100
77	Efficient solar cells based on a new phthalimide-based donor–acceptor copolymer semiconductor: morphology, charge-transport, and photovoltaic properties. <i>Journal of Materials Chemistry</i> , 2009, 19, 5303.	6.7	100
78	Enhanced Open Circuit Voltage and Efficiency of Donor–Acceptor Copolymer Solar Cells by Using Indene-C60 Bisadduct. <i>Chemistry of Materials</i> , 2012, 24, 1995-2001.	6.7	100
79	New Solution–Processable Electron Transport Materials for Highly Efficient Blue Phosphorescent OLEDs. <i>Advanced Functional Materials</i> , 2011, 21, 3889-3899.	14.9	98
80	Enhanced Performance of Bulk Heterojunction Solar Cells Using Block Copoly(3-alkylthiophene)s. <i>Chemistry of Materials</i> , 2010, 22, 2020-2026.	6.7	97
81	Synthesis and processing of heterocyclic polymers as electronic, optoelectronic, and nonlinear optical materials. 1. New conjugated rigid-rod benzobisthiazole polymers. <i>Chemistry of Materials</i> , 1992, 4, 1282-1290.	6.7	93
82	Plastic Electrochromic Devices: Electrochemical Characterization and Device Properties of a Phenothiazine-Phenylquinoline Donor–Acceptor Polymer. <i>Chemistry of Materials</i> , 2003, 15, 1264-1272.	6.7	92
83	Solution–Processed, Alkali Metal–Salt–Doped, Electron–Transport Layers for High–Performance Phosphorescent Organic Light–Emitting Diodes. <i>Advanced Functional Materials</i> , 2012, 22, 5126-5136.	14.9	89
84	All-Polymer Solar Cells with 9.4% Efficiency from Naphthalene Diimide-Biselenophene Copolymer Acceptor. <i>Chemistry of Materials</i> , 2018, 30, 6540-6548.	6.7	88
85	n-Channel Field-Effect Transistors from Blends of Conjugated Polymers. <i>Journal of Physical Chemistry B</i> , 2002, 106, 6129-6132.	2.6	87
86	Electronic structure and properties of alternating donor–acceptor conjugated copolymers: 3,4-Ethylenedioxythiophene (EDOT) copolymers and model compounds. <i>Polymer</i> , 2006, 47, 699-708.	3.8	87
87	Nanophase-Separated Blends of Acceptor and Donor Conjugated Polymers. Efficient Electroluminescence from Binary Polyquinoline/Poly(2-methoxy-5-(2-ethylhexyloxy)-1,4-phenylenevinylene) and Polyquinoline/Poly(3-octylthiophene) Blends. <i>Macromolecules</i> , 2003, 36, 6577-6587.	4.8	86
88	Influence of Molecular Weight on the Organic Electrochemical Transistor Performance of Ladder–Type Conjugated Polymers. <i>Advanced Materials</i> , 2022, 34, e2106235.	21.0	86
89	Regioregular Head-to-Tail Poly(4-alkylquinoline)s: Synthesis, Characterization, Self-Organization, Photophysics, and Electroluminescence of New n-Type Conjugated Polymers. <i>Macromolecules</i> , 2003, 36, 8958-8968.	4.8	85
90	Electroluminescence of Multicomponent Conjugated Polymers. 2. Photophysics and Enhancement of Electroluminescence from Blends of Polyquinolines. <i>Macromolecules</i> , 2002, 35, 382-393.	4.8	82



#	ARTICLE	IF	CITATIONS
91	Sequential Processing for Organic Photovoltaics: Design Rules for Morphology Control by Tailored Semi-Orthogonal Solvent Blends. <i>Advanced Energy Materials</i> , 2015, 5, 1402020.	19.5	82
92	Crystalline Random Conjugated Copolymers with Multiple Side Chains: Tunable Intermolecular Interactions and Enhanced Charge Transport and Photovoltaic Properties. <i>Macromolecules</i> , 2010, 43, 3306-3313.	4.8	81
93	Mesoscale Morphology and Charge Transport in Colloidal Networks of Poly(3-hexylthiophene). <i>Macromolecules</i> , 2011, 44, 3801-3809.	4.8	81
94	Effects of Molecular Structure on the Electroactive and Optical Properties of Conjugated Rigid-Rod Poly(benzobisazoles). <i>Chemistry of Materials</i> , 1995, 7, 672-682.	6.7	79
95	High-performance multilayered phosphorescent OLEDs by solution-processed commercial electron-transport materials. <i>Journal of Materials Chemistry</i> , 2012, 22, 4660.	6.7	79
96	Synthesis and processing of heterocyclic polymers as electronic, optoelectronic, and nonlinear optical materials. 3. New conjugated polyquinolines with electron-donor or -acceptor side groups. <i>Chemistry of Materials</i> , 1993, 5, 633-640.	6.7	78
97	Block Conjugated Copolymers: Toward Quantum-Well Nanostructures for Exploring Spatial Confinement Effects on Electronic, Optoelectronic, and Optical Phenomena. <i>Macromolecules</i> , 1996, 29, 6189-6192.	4.8	75
98	Self-Assembly of Polypeptide-Conjugated Polymer/Polypeptide Triblock Copolymers in Rod-Rod and Coil-Rod-Coil Conformations. <i>Macromolecules</i> , 2008, 41, 1846-1852.	4.8	74
99	Photoinduced Charge Transfer and Polaron Dynamics in Polymer and Hybrid Photovoltaic Thin Films: Organic vs Inorganic Acceptors. <i>Journal of Physical Chemistry C</i> , 2011, 115, 24403-24410.	3.1	74
100	Polyfluorenes Containing Dibenzo[a,c]phenazine Segments: Synthesis and Efficient Blue Electroluminescence from Intramolecular Charge Transfer States. <i>Macromolecules</i> , 2007, 40, 804-813.	4.8	73
101	New n-type polymer semiconductors based on naphthalene diimide and selenophene derivatives for organic field-effect transistors. <i>Polymer Chemistry</i> , 2013, 4, 3187.	3.9	73
102	New Thiazolothiazole Copolymer Semiconductors for Highly Efficient Solar Cells. <i>Macromolecules</i> , 2011, 44, 6245-6248.	4.8	72
103	Electronic Properties and Field-Effect Transistors of Thiophene-Based Donor-Acceptor Conjugated Copolymers. <i>Macromolecular Rapid Communications</i> , 2005, 26, 1835-1840.	3.9	71
104	Thin-film processing and optical properties of conjugated rigid-rod polyquinolines for nonlinear optical applications. <i>Chemistry of Materials</i> , 1992, 4, 95-104.	6.7	70
105	Efficient blue organic light-emitting diodes based on an oligoquinoline. <i>Applied Physics Letters</i> , 2005, 86, 061106.	3.3	70
106	New Poly(arylene vinylene)s Based on Diketopyrrolopyrrole for Ambipolar Transistors. <i>Chemistry of Materials</i> , 2011, 23, 4618-4624.	6.7	70
107	High Mobility Thiazole-Diketopyrrolopyrrole Copolymer Semiconductors for High Performance Field-Effect Transistors and Photovoltaic Devices. <i>Macromolecules</i> , 2012, 45, 9029-9037.	4.8	70
108	Polyethylenimine Interfacial Layers in Inverted Organic Photovoltaic Devices: Effects of Ethoxylation and Molecular Weight on Efficiency and Temporal Stability. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 26167-26175.	8.0	70



#	ARTICLE	IF	CITATIONS
109	Nanolayered Heterojunctions of Donor and Acceptor Conjugated Polymers of Interest in Light Emitting and Photovoltaic Devices: A Photoinduced Electron Transfer at Polythiophene/Polyquinoline Interfaces. <i>Journal of Physical Chemistry B</i> , 2001, 105, 2479-2482.	2.6	69
110	New Didecyloxyphenylene-acceptor Alternating Conjugated Copolymers: Synthesis, Properties, and Optoelectronic Device Applications. <i>Macromolecules</i> , 2008, 41, 6952-6959.	4.8	69
111	Modification of PCBM Crystallization via Incorporation of C <sub>60</sub> in Polymer/Fullerene Solar Cells. <i>Advanced Functional Materials</i> , 2013, 23, 514-522.	14.9	68
112	New Ambipolar Organic Semiconductors. 1. Synthesis, Single-Crystal Structures, Redox Properties, and Photophysics of Phenoxazine-Based Donor-acceptor Molecules. <i>Chemistry of Materials</i> , 2008, 20, 4200-4211.	6.7	67
113	Waveguiding in substrate supported and freestanding films of insoluble conjugated polymers. <i>Applied Physics Letters</i> , 1993, 62, 115-117.	3.3	65
114	Phenoxazine-Based Conjugated Polymers: A New Class of Organic Semiconductors for Field-Effect Transistors. <i>Macromolecules</i> , 2005, 38, 7983-7991.	4.8	65
115	Supramolecular Photophysics of Self-Assembled Block Copolymers Containing Luminescent Conjugated Polymers. <i>Journal of Physical Chemistry B</i> , 2000, 104, 6332-6335.	2.6	63
116	Side chain engineering of n-type conjugated polymer enhances photocurrent and efficiency of all-polymer solar cells. <i>Chemical Communications</i> , 2014, 50, 10801.	4.1	62
117	Small-Bandgap Conducting Polymers Based on Conjugated Poly(heteroarylene methines). 1. Precursor Poly(heteroarylene methylenes). <i>Macromolecules</i> , 1995, 28, 454-464.	4.8	60
118	Poly(3-hexylthiophene)-b-poly(3-cyclohexylthiophene): Synthesis, microphase separation, thin film transistors, and photovoltaic applications. <i>Journal of Polymer Science Part A</i> , 2010, 48, 614-626.	2.3	60
119	Efficient Phthalimide Copolymer-Based Bulk Heterojunction Solar Cells: How the Processing Additive Influences Nanoscale Morphology and Photovoltaic Properties. <i>Advanced Energy Materials</i> , 2012, 2, 575-582.	19.5	60
120	n-Channel polymer thin film transistors with long-term air-stability and durability and their use in complementary inverters. <i>Journal of Materials Chemistry</i> , 2011, 21, 16461.	6.7	59
121	A New Synthetic Route to Soluble Polyquinolines with Tunable Photophysical, Redox, and Electroluminescent Properties. <i>Macromolecules</i> , 2005, 38, 9539-9547.	4.8	58
122	Dithienopyrrole-quinoxaline/pyridopyrazine donor-acceptor polymers: synthesis and electrochemical, optical, charge-transport, and photovoltaic properties. <i>Journal of Materials Chemistry</i> , 2011, 21, 4971.	6.7	54
123	Charge generation and energy transfer in hybrid polymer/infrared quantum dot solar cells. <i>Energy and Environmental Science</i> , 2013, 6, 769.	30.8	51
124	Third-Order Nonlinear Optical Properties of a Series of Systematically Designed Conjugated Rigid-Rod Polyquinolines. <i>Materials Research Society Symposia Proceedings</i> , 1992, 247, 253.	0.1	49
125	Poly(naphthalene diimide-bithiophene) Prepared by Direct (Hetero)arylation Polymerization for Efficient All-Polymer Solar Cells. <i>Chemistry of Materials</i> , 2018, 30, 5353-5361.	6.7	49
126	Conducting Ladder Polymers: An Insulator-to-Metal Transition and Evolution of Electronic Structure upon Protonation by Poly(styrenesulfonic Acid). <i>Journal of Physical Chemistry B</i> , 2002, 106, 11172-11177.	2.6	48



#	ARTICLE	IF	CITATIONS
127	Bis(Naphthalene Imide)diphenylanthrazolines: A New Class of Electron Acceptors for Efficient Nonfullerene Organic Solar Cells and Applicable to Multiple Donor Polymers. <i>Advanced Energy Materials</i> , 2015, 5, 1402041.	19.5	48
128	Nanowires of oligothiophene-functionalized naphthalene diimides: self assembly, morphology, and all-nanowire bulk heterojunction solar cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 24373.	6.7	47
129	Air-Stable Ambipolar Field-Effect Transistors and Complementary Logic Circuits from Solution-Processed n/p Polymer Heterojunctions. <i>ACS Applied Materials &amp; Interfaces</i> , 2010, 2, 2974-2977.	8.0	46
130	Charge Transport in Poly(3-butylthiophene) Nanowires and Their Nanocomposites with an Insulating Polymer. <i>Macromolecules</i> , 2012, 45, 7514-7519.	4.8	44
131	High-Performance n-Channel Thin-Film Field-Effect Transistors Based on a Nanowire-Forming Polymer. <i>Advanced Functional Materials</i> , 2013, 23, 2060-2071.	14.9	44
132	New Thienothiadiazole-Based Conjugated Copolymers for Electronics and Optoelectronics. <i>Macromolecules</i> , 2012, 45, 3732-3739.	4.8	41
133	High-Efficiency Electroluminescence from New Blue-Emitting Oligoquinolines Bearing Pyrenyl or Triphenyl Endgroups. <i>Journal of Physical Chemistry C</i> , 2007, 111, 6875-6882.	3.1	40
134	Adding new functions to organic semiconductor nanowires by assembling metal nanoparticles onto their surfaces. <i>Journal of Materials Chemistry</i> , 2008, 18, 5395.	6.7	40
135	Novel n-Type Conjugated Ladder Heteroarenes: Synthesis, Self-Assembly of Nanowires, Electron Transport, and Electroluminescence of Bisindenoanthrazolines. <i>Chemistry of Materials</i> , 2010, 22, 5786-5796.	6.7	40
136	Polymer/Polymer Blend Solar Cells Using Tetraazabenzodifluoranthene Diimide Conjugated Polymers as Electron Acceptors. <i>Macromolecules</i> , 2015, 48, 1759-1766.	4.8	39
137	Hole Transfer from Low Band Gap Quantum Dots to Conjugated Polymers in Organic/Inorganic Hybrid Photovoltaics. <i>Journal of Physical Chemistry Letters</i> , 2013, 4, 280-284.	4.6	38
138	Binary Blends of Polymer Semiconductors: Nanocrystalline Morphology Retards Energy Transfer and Facilitates Efficient White Electroluminescence. <i>Macromolecular Rapid Communications</i> , 2006, 27, 2053-2059.	3.9	36
139	Thiazolothiazole Donor-Acceptor Conjugated Polymer Semiconductors for Photovoltaic Applications. <i>Macromolecules</i> , 2014, 47, 4199-4209.	4.8	35
140	Chlorophyll-layer-inserted poly(3-hexyl-thiophene) solar cell having a high light-to-current conversion efficiency up to 1.48%. <i>Applied Physics Letters</i> , 2005, 87, 123102.	3.3	34
141	Organic nonvolatile memory devices utilizing intrinsic charge-trapping phenomena in an n-type polymer semiconductor. <i>Organic Electronics</i> , 2016, 31, 104-110.	2.6	34
142	Polymer Films on Electrodes. 30. Electrochemistry and Scanning Electrochemical Microscopy Characterization of Benzimidazolebenzophenanthroline-Type Ladder (BBL) and Semiladder (BBB) Polymer Films. <i>Chemistry of Materials</i> , 2001, 13, 2824-2832.	6.7	33
143	The effects of Ta <sub>2</sub> O <sub>5</sub> films as cathodic buffer layers in inverted polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2014, 2, 9361-9370.	10.3	33
144	Photoinduced Electron Transfer in Binary Blends of Conjugated Polymers. <i>Chemistry of Materials</i> , 1996, 8, 2401-2404.	6.7	32



#	ARTICLE	IF	CITATIONS
145	Designing High Performance Nonfullerene Electron Acceptors with Rylene Imides for Efficient Organic Photovoltaics. Chemistry of Materials, 2020, 32, 195-204.	6.7	32
146	New sulfone-based electron-transport materials with high triplet energy for highly efficient blue phosphorescent organic light-emitting diodes. Journal of Materials Chemistry C, 2014, 2, 10129-10137.	5.5	31
147	Synthesis and characterization of carbon atom bridged heterocyclic polymers of specified conjugation length. 1. Novel polyterthiophenes. Macromolecules, 1990, 23, 2848-2854.	4.8	30
148	Third-order nonlinear optical properties of thin films of poly(p-phenylene benzobisthiazole) and its molecular composites with polyamides. Applied Physics Letters, 1991, 58, 663-665.	3.3	30
149	New poly(p-phenylene vinylene) derivatives with two oxadiazole rings per repeat unit: Synthesis, photophysical properties, electroluminescence, and metal ion recognition. Journal of Polymer Science Part A, 2004, 42, 2112-2123.	2.3	30
150	Enhanced carrier mobility and electrical stability of n-channel polymer thin film transistors by use of low-k dielectric buffer layer. Applied Physics Letters, 2011, 99, .	3.3	30
151	Barbiturate end-capped non-fullerene acceptors for organic solar cells: tuning acceptor energetics to suppress geminate recombination losses. Chemical Communications, 2018, 54, 2966-2969.	4.1	29
152	Ternary blend all-polymer solar cells: enhanced performance and evidence of parallel-like bulk heterojunction mechanism. MRS Communications, 2015, 5, 229-234.	1.8	27
153	Lewis acid coordination complexes of polymers: 3. Poly(benzobisimidazobenzophenanthroline) ladder and semiladder polymers. Polymer, 1994, 35, 4313-4325.	3.8	26
154	Block Co-oligomers for Organic Electronics and Optoelectronics: Synthesis, Photophysics, Electroluminescence, and Field-Effect Charge Transport of Oligothiophene- <i>b</i> -oligoquinoline- <i>b</i> -oligothiophene Triblock Co-oligomers. Macromolecules, 2008, 41, 3588-3597.	4.8	25
155	Highly Efficient Phosphorescent Light-Emitting Diodes by Using an Electron-Transport Material with High Electron Affinity. Journal of Physical Chemistry C, 2009, 113, 18448-18450.	3.1	25
156	Naphthobisthiazole diimide-based n-type polymer semiconductors: synthesis, $\pi$ -stacking, field-effect charge transport, and all-polymer solar cells. Polymer Chemistry, 2014, 5, 5707.	3.9	25
157	Effects of ladder structure on the electronic properties and field-effect transistor performance of Poly(benzobisimidazobenzophenanthroline). Organic Electronics, 2019, 69, 301-307.	2.6	25
158	Organic Semiconductors at the University of Washington: Advancements in Materials Design and Synthesis and toward Industrial Scale Production. Advanced Materials, 2021, 33, e1904239.	21.0	25
159	Refractive index and nonlinear optical properties of polyaniline derivatives. Journal of Polymer Science, Part B: Polymer Physics, 1994, 32, 195-200.	2.1	24
160	Poly(pyrazinoquinoxaline)s: Newn-Type Conjugated Polymers That Exhibit Highly Reversible Reduction and High Electron Affinity. Macromolecular Rapid Communications, 2004, 25, 1829-1834.	3.9	24
161	A fast mover with a bright spark. Nature Materials, 2008, 7, 354-355.	27.5	23
162	Elucidating the impact of molecular weight on morphology, charge transport, photophysics and performance of all-polymer solar cells. Journal of Materials Chemistry A, 2020, 8, 21070-21083.	10.3	23



#	ARTICLE	IF	CITATIONS
163	Annealing temperature dependence of the efficiency and vertical phase segregation of polymer/polymer bulk heterojunction photovoltaic cells. Applied Physics Letters, 2014, 104, .	3.3	22
164	Regioregular poly(3-alkenylthiophene): Synthesis and electrochemical, photophysical, charge transport, and photovoltaic properties. Journal of Polymer Science Part A, 2010, 48, 4681-4690.	2.3	21
165	Driving Force and Optical Signatures of Bipolaron Formation in Chemically Doped Conjugated Polymers. Advanced Materials, 2021, 33, e2000228.	21.0	21
166	Semiconducting polymer quantum wires. Applied Physics Letters, 1997, 70, 487-489.	3.3	20
167	Multiple Electrochemical Doping-Induced Insulator-to-Conductor Transitions Observed in the Conjugated Ladder Polymer Polybenzimidazobenzophenanthroline (BBL)#. Journal of Physical Chemistry B, 2000, 104, 9430-9437.	2.6	20
168	Nanostructure determines the intensity-dependence of open-circuit voltage in plastic solar cells. Journal of Applied Physics, 2010, 108, 084320.	2.5	19
169	Photodegradation of Emissive Conjugated Copolymers and Oligomers Containing Thienopyrazine. Macromolecules, 2008, 41, 339-345.	4.8	18
170	On the Origin of Seebeck Coefficient Inversion in Highly Doped Conducting Polymers. Advanced Functional Materials, 2022, 32, .	14.9	18
171	Low-Vapor-Pressure Solvent Additives Function as Polymer Swelling Agents in Bulk Heterojunction Organic Photovoltaics. Journal of Physical Chemistry C, 2018, 122, 16574-16588.	3.1	17
172	Effects of a Fluorinated Donor Polymer on the Morphology, Photophysics, and Performance of All-Polymer Solar Cells Based on Naphthalene Diimide-arylene Copolymer Acceptors. ACS Applied Materials & Interfaces, 2020, 12, 16490-16502.	8.0	17
173	Model compound studies of small bandgap conjugated poly(heteroarylene methines). Macromolecular Chemistry and Physics, 1998, 199, 655-666.	2.2	16
174	Conjugated polymers. Polymer Chemistry, 2013, 4, 5142.	3.9	16
175	Nonlinear Optical Properties of Ladder Polymers and Their Model Compound. Materials Research Society Symposia Proceedings, 1990, 214, 55.	0.1	15
176	Nanorheological approach for characterization of electroluminescent polymer thin films. Applied Physics Letters, 2003, 83, 2563-2565.	3.3	15
177	Protonation-Induced Transient Amphiphilicity Drives the Self-Assembly of Conjugated Polymers into Spheres and Other Aggregates. Langmuir, 2003, 19, 8625-8628.	3.5	14
178	Overcoming excitonic bottleneck in organic solar cells: electronic structure and spectra of novel semiconducting donor-acceptor block copolymers. Physical Chemistry Chemical Physics, 2011, 13, 7630.	2.8	14
179	Preparation and application of polystyrene-grafted alumina core-shell nanoparticles for dielectric surface passivation in solution-processed polymer thin film transistors. Organic Electronics, 2019, 65, 305-310.	2.6	13
180	Organic Polymer Semiconductor Superlattices. Materials Research Society Symposia Proceedings, 1989, 173, 589.	0.1	12



#	ARTICLE	IF	CITATIONS
181	Improved electron injection and transport by use of baking soda as a low-cost, air-stable, n-dopant for solution-processed phosphorescent organic light-emitting diodes. <i>Applied Physics Letters</i> , 2013, 102, 233305.	3.3	12
182	New Silicon-Containing Polyquinolines: Synthesis, Characterization, and Electroluminescence. <i>Macromolecular Chemistry and Physics</i> , 2005, 206, 1271-1279.	2.2	10
183	Color-Stable White Organic Light-Emitting Diodes Utilizing a Blue-Emitting Electron-Transport Layer. <i>ACS Omega</i> , 2018, 3, 12549-12553.	3.5	10
184	Comparative Study of Selenophene- and Thiophene-Containing n-Type Semiconducting Polymers for High Performance All-Polymer Solar Cells. <i>ACS Applied Polymer Materials</i> , 2021, 3, 49-59.	4.4	9
185	Synthesis and electro-optical properties of spiro-bifluorenylvinylene-based polymers for light-emitting diodes applications. <i>Journal of Materials Chemistry</i> , 2006, 16, 4123.	6.7	8
186	A thermally stable polymer molecular composite. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1995, 33, 577-580.	2.1	7
187	Chromogenic Effects in Polymers: An Overview of the Diverse Ways of Tuning Optical Properties in Real Time. <i>ACS Symposium Series</i> , 2004, , 2-15.	0.5	6
188	Cubic Nonlinear Optical Properties of Thin Films of a Series of Aromatic Schiff Base Polymers. <i>Materials Research Society Symposia Proceedings</i> , 1992, 247, 247.	0.1	5
189	Nonlinear optical properties of complexes of $\pi$ -conjugated polymers. <i>Polymers for Advanced Technologies</i> , 1994, 5, 161-170.	3.2	5
190	Benzodithiophene-based wide-bandgap small-molecule donors for organic photovoltaics with large open-circuit voltages. <i>Organic Electronics</i> , 2021, 88, 105996.	2.6	5
191	Amphiphilic Peptoid-Directed Assembly of Oligoanilines into Highly Crystalline Conducting Nanotubes. <i>Macromolecular Rapid Communications</i> , 2022, 43, e2100639.	3.9	5
192	Electroactive and Photoactive Nanostructured Materials from Self-Organizing Rod-Coil Copolymers: Synthesis and Electroluminescent Devices. <i>ACS Symposium Series</i> , 1997, , 475-494.	0.5	4
193	Large Cubic Nonlinear Optical Properties of Organic Semiconductor Superlattices. <i>Materials Research Society Symposia Proceedings</i> , 1989, 173, 595.	0.1	3
194	Excited-State Intramolecular Proton Transfer in Polymers. <i>Materials Research Society Symposia Proceedings</i> , 1995, 413, 97.	0.1	3
195	Light-Emitting Diodes with Voltage-Switchable Colors from Semiconducting Polymer/Polymer Heterojunctions. <i>Materials Research Society Symposia Proceedings</i> , 1997, 488, 539.	0.1	3
196	Toward Electrically Pumped Organic Diode Lasers: Electroluminescence of Proton Transfer Polymers. <i>Materials Research Society Symposia Proceedings</i> , 1997, 488, 545.	0.1	3
197	Charge transport in tri-p-tolylamine doped tris(naphthalenyl)benzene glass. <i>Journal of Applied Physics</i> , 2000, 88, 3501-3505.	2.5	3
198	Preparation and Third-Order Nonlinear Optical Properties of Host-Guest Molecular Composites. <i>Materials Research Society Symposia Proceedings</i> , 1992, 277, 189.	0.1	2



#	ARTICLE	IF	CITATIONS
199	Solar Cells: Fine-Tuning the 3D Structure of Nonfullerene Electron Acceptors Toward High-Performance Polymer Solar Cells (Adv. Mater. 21/2015). Advanced Materials, 2015, 27, 3340-3340.	21.0	2
200	New Amorphous and Crystalline Complexes of Conjugated Aromatic Schiff Base Polymers. Materials Research Society Symposia Proceedings, 1992, 277, 197.	0.1	1
201	The electrochemical properties of polyaniline derivatives: poly(4,4'-diphenylamine methylenes) and poly(4,4'-diphenylimine methines). Polymer Bulletin, 1995, 34, 63-69.	3.3	1
202	Electroactive and Photoactive Rod-Coil Block Copolymers: Self-Organization and Photophysical Properties. Materials Research Society Symposia Proceedings, 1997, 488, 551.	0.1	1
203	Nanocomposites of metallophthalocyanines and conjugated Polymers. Materials Research Society Symposia Proceedings, 1997, 488, 741.	0.1	1
204	Quantum Confinement Effects in Thin Films of Block Conjugated Copolymer Heterostructures. ACS Symposium Series, 1998, , 160-177.	0.5	1
205	Voltage-Tunable Multicolor Electroluminescence from Single-Layer Polymer Blends and Bilayer Polymer Films. ACS Symposium Series, 2004, , 188-200.	0.5	1
206	Synthesis of Oligoquinoline Dendronized Fullerenes for Potential Use in Organic Photovoltaic Devices. Bulletin of the Korean Chemical Society, 2012, 33, 2703-2706.	1.9	1
207	Effects of Complexation on the Glass Transition Temperature of Polymers. Materials Research Society Symposia Proceedings, 1990, 215, 23.	0.1	0
208	Ionic Complexes Of Conjugated Oligoquinolines. Materials Research Society Symposia Proceedings, 1997, 488, 563.	0.1	0
209	In Situ Attenuated Total Reflection FTIR Spectroelectrochemistry Of Polybenzimidazobenzophenanthroline (BBL). Materials Research Society Symposia Proceedings, 1999, 598, 355.	0.1	0
210	Electrochromic Devices Based on Ladder Polymer and Phenothiazine-Quinoline Copolymer Films. ACS Symposium Series, 2004, , 34-50.	0.5	0
211	Chemical Modification on Hierarchically Structured ZnO Films for Energy Conversion Efficiency Enhancement of Dye-Sensitized Solar Cells. Materials Research Society Symposia Proceedings, 2008, 1102, 1.	0.1	0
212	The effect of quantum dot ligand treatments on polaron lifetime and photovoltaic device performance. , 2011, , .		0