

# Tiruvoor G Nagaraja

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2825766/tiruvoor-g-nagaraja-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161  
papers

4,399  
citations

34  
h-index

61  
g-index

174  
ext. papers

5,248  
ext. citations

2.8  
avg, IF

5.54  
L-index

#	Paper	IF	Citations
161	Shiga Toxin-Producing <i>Escherichia coli</i> in Feces of Finisher Pigs: Isolation, Identification, and Public Health Implications of Major and Minor Serogroups <i>Journal of Food Protection</i> , <b>2021</b> , 84, 169-180	2.5	6
160	Bacterial community analysis of purulent material from liver abscesses of crossbred cattle and Holstein steers fed finishing diets with or without tylosin. <i>Journal of Animal Science</i> , <b>2021</b> , 99,	0.7	2
159	Identification, Shiga toxin subtypes and prevalence of minor serogroups of Shiga toxin-producing <i>Escherichia coli</i> in feedlot cattle feces. <i>Scientific Reports</i> , <b>2021</b> , 11, 8601	4.9	1
158	28 In-feed or In-water Antibiotic Administration Did Not Influence the Fecal Prevalence and Antimicrobial Susceptibility Profiles of <i>Salmonella</i> in Piglets. <i>Journal of Animal Science</i> , <b>2021</b> , 99, 26-27	0.7	0
157	38 Evaluation of Sorghum Phenolic Compounds for Their Antimicrobial Activities Against Liver Abscess Causing Pathogens in Feedlot Cattle. <i>Journal of Animal Science</i> , <b>2021</b> , 99, 32-32	0.7	
156	Draft Genome Sequences of <i>Salmonella enterica</i> subsp. Serotype IIIb_61:l,v:1,5,(7) Strains Isolated from Wheat Grains. <i>Microbiology Resource Announcements</i> , <b>2021</b> , 10,	1.3	1
155	29 Live Yeast and Yeast Extracts with and Without Pharmacological Levels of Zinc on Nursery Pig Growth Performance and Fecal <i>Escherichia coli</i> Antimicrobial Resistance. <i>Journal of Animal Science</i> , <b>2021</b> , 99, 28-29	0.7	1
154	48 Evaluation of Antimicrobial Activities of Phytophenols Against Bacterial Pathogens That Cause Liver Abscesses in Feedlot Cattle. <i>Journal of Animal Science</i> , <b>2021</b> , 99, 151-151	0.7	78
153	Antimicrobial Activity of Sorghum Phenolic Extract on Bovine Foodborne and Mastitis-Causing Pathogens. <i>Antibiotics</i> , <b>2021</b> , 10,	4.9	1
152	Faecal concentrations of ceftiofur metabolites in finisher pigs administered intramuscularly with ceftiofur. <i>Veterinary Medicine and Science</i> , <b>2021</b> , 7, 1800-1806	2.1	1
151	Shiga Toxin-Producing in Wheat Grains: Detection and Isolation by Polymerase Chain Reaction and Culture Methods. <i>Foodborne Pathogens and Disease</i> , <b>2021</b> , 18, 752-760	3.8	
150	Leukotoxin production by <i>Fusobacterium necrophorum</i> strains in relation to severity of liver abscesses in cattle. <i>Anaerobe</i> , <b>2021</b> , 69, 102344	2.8	2
149	Effects of corn stalk inclusion and tylosin on performance, rumination, ruminal papillae morphology, and gut pathogens associated with liver abscesses from finishing beef steers. <i>Livestock Science</i> , <b>2021</b> , 251, 104623	1.7	2
148	Whole-genome sequencing analysis of uncommon Shiga toxin-producing <i>Escherichia coli</i> from cattle: Virulence gene profiles, antimicrobial resistance predictions, and identification of novel O-serogroups. <i>Food Microbiology</i> , <b>2021</b> , 99, 103821	6	2
147	Effects of Zinc and Menthol-Based Diets on Co-Selection of Antibiotic Resistance among and spp. in Beef Cattle. <i>Animals</i> , <b>2021</b> , 11,	3.1	1
146	Potential risk-factors affecting <i>Salmonella</i> sp. and <i>Escherichia coli</i> occurrence and distribution in Midwestern United States swine feed mills. <i>Journal of Applied Microbiology</i> , <b>2020</b> , 129, 1744-1750	4.7	1
145	Impact of added copper, alone or in combination with chlortetracycline, on growth performance and antimicrobial resistance of fecal enterococci of weaned piglets. <i>Journal of Animal Science</i> , <b>2020</b> , 98,	0.7	3

144	265 Evaluating the route of antibiotic administration and its effect on nursery pig growth performance. <i>Journal of Animal Science</i> , <b>2020</b> , 98, 90-91	0.7	
143	18 Impact of in-feed vs. in-water antibiotic administrations on the fecal prevalence and antimicrobial susceptibilities of <i>Campylobacter</i> and <i>Salmonella</i> in piglets. <i>Journal of Animal Science</i> , <b>2020</b> , 98, 35-36	0.7	0
142	Population structure of serotype Mbandaka reveals similar virulence potential irrespective of source and phylogenomic stratification. <i>F1000Research</i> , <b>2020</b> , 9, 1142	3.6	1
141	Diseases of the Hepatobiliary System <b>2020</b> , 921-955.e6		
140	388 Nutrition and the Ruminant Microbiome: Emerging Frontiers from an Old Friend. <i>Journal of Animal Science</i> , <b>2020</b> , 98, 171-171	0.7	0
139	Single-Cell-Based Digital PCR Detection and Association of Shiga Toxin-Producing <i>Escherichia coli</i> Serogroups and Major Virulence Genes. <i>Journal of Clinical Microbiology</i> , <b>2020</b> , 58,	9.7	3
138	Multiplex PCR Assays for the Detection of One Hundred and Thirty Seven Serogroups of Shiga Toxin-Producing Associated With Cattle. <i>Frontiers in Cellular and Infection Microbiology</i> , <b>2020</b> , 10, 378	5.9	9
137	Polymerase Chain Reaction-Based Prevalence of Serogroups of Known to Carry Shiga Toxin Genes in Feces of Finisher Pigs. <i>Foodborne Pathogens and Disease</i> , <b>2020</b> , 17, 782-791	3.8	1
136	Associations Between Season, Processing Plant, and Hide Cleanliness Scores with Prevalence and Concentration of Major Shiga Toxin-Producing on Beef Cattle Hides. <i>Foodborne Pathogens and Disease</i> , <b>2020</b> , 17, 611-619	3.8	1
135	Age Dependence of Antimicrobial Resistance Among Fecal Bacteria in Animals: A Scoping Review. <i>Frontiers in Veterinary Science</i> , <b>2020</b> , 7, 622495	3.1	4
134	Quantification of Bacteria Indicative of Fecal and Environmental Contamination from Hides to Carcasses. <i>Foodborne Pathogens and Disease</i> , <b>2019</b> , 16, 844-855	3.8	4
133	Effects of Tylosin Administration Routes on the Prevalence of Antimicrobial Resistance Among Fecal Enterococci of Finishing Swine. <i>Foodborne Pathogens and Disease</i> , <b>2019</b> , 16, 309-316	3.8	3
132	DNA Microarray-Based Genomic Characterization of the Pathotypes of <i>Escherichia coli</i> O26, O45, O103, O111, and O145 Isolated from Feces of Feedlot Cattle. <i>Journal of Food Protection</i> , <b>2019</b> , 82, 395-404	2.5	3
131	Leukotoxic activity of <i>Fusobacterium necrophorum</i> of cattle origin. <i>Anaerobe</i> , <b>2019</b> , 56, 51-56	2.8	2
130	Analysis of virulence potential of <i>Escherichia coli</i> O145 isolated from cattle feces and hide samples based on whole genome sequencing. <i>PLoS ONE</i> , <b>2019</b> , 14, e0225057	3.7	2
129	Analysis of virulence potential of <i>Escherichia coli</i> O145 isolated from cattle feces and hide samples based on whole genome sequencing <b>2019</b> , 14, e0225057		
128	Analysis of virulence potential of <i>Escherichia coli</i> O145 isolated from cattle feces and hide samples based on whole genome sequencing <b>2019</b> , 14, e0225057		
127	Analysis of virulence potential of <i>Escherichia coli</i> O145 isolated from cattle feces and hide samples based on whole genome sequencing <b>2019</b> , 14, e0225057		

126	Analysis of virulence potential of Escherichia coli O145 isolated from cattle feces and hide samples based on whole genome sequencing <b>2019</b> , 14, e0225057		
125	Effects of dietary energy level and intake of corn by-product-based diets on newly received growing cattle: antibody production, acute phase protein response, stress, and immunocompetency of healthy and morbid animals. <i>Journal of Animal Science</i> , <b>2018</b> , 96, 1474-1483	0.7	1
124	Comparison data of a two-target real-time PCR assay with and without an internal control in detecting from cattle lymph nodes. <i>Data in Brief</i> , <b>2018</b> , 18, 1819-1824	1.2	
123	A multiplex real-time PCR assay, based on invA and pagC genes, for the detection and quantification of Salmonella enterica from cattle lymph nodes. <i>Journal of Microbiological Methods</i> , <b>2018</b> , 148, 110-116	2.8	23
122	Effects of high condensed-tannin substrate, prior dietary tannin exposure, antimicrobial inclusion, and animal species on fermentation parameters following a 48 h in vitro incubation. <i>Journal of Animal Science</i> , <b>2018</b> , 96, 343-353	0.7	4
121	Antimicrobial resistance of Enterococcus faecium strains isolated from commercial probiotic products used in cattle and swine. <i>Journal of Animal Science</i> , <b>2018</b> , 96, 912-920	0.7	9
120	Genetic Analysis of Virulence Potential of O104 Serotypes Isolated From Cattle Feces Using Whole Genome Sequencing. <i>Frontiers in Microbiology</i> , <b>2018</b> , 9, 341	5.7	7
119	DNA microarray-based assessment of virulence potential of Shiga toxin gene-carrying Escherichia coli O104:H7 isolated from feedlot cattle feces. <i>PLoS ONE</i> , <b>2018</b> , 13, e0196490	3.7	7
118	Comparative genomics reveals differences in mobile virulence genes of Escherichia coli O103 pathotypes of bovine fecal origin. <i>PLoS ONE</i> , <b>2018</b> , 13, e0191362	3.7	2
117	Detection and Quantification of Seven Major Serogroups of Shiga Toxin-Producing Escherichia coli on Hides of Cull Dairy, Cull Beef, and Fed Beef Cattle at Slaughter. <i>Journal of Food Protection</i> , <b>2018</b> , 81, 1236-1244	2.5	4
116	Validation and Application of a Real-Time PCR Assay Based on the CRISPR Array for Serotype-Specific Detection and Quantification of Enterohemorrhagic Escherichia coli O157:H7 in Cattle Feces. <i>Journal of Food Protection</i> , <b>2018</b> , 81, 1157-1164	2.5	3
115	Whole genome shotgun sequencing revealed highly polymorphic genome regions and genes in Escherichia coli O157:H7 isolates collected from a single feedlot. <i>PLoS ONE</i> , <b>2018</b> , 13, e0202775	3.7	1
114	Effects of chlortetracycline alone or in combination with direct fed microbials on nursery pig growth performance and antimicrobial resistance of fecal Escherichia coli. <i>Journal of Animal Science</i> , <b>2018</b> , 96, 5166-5178	0.7	9
113	Distribution of the Gene Cluster and Associated Genetic Determinants among Swine from a Controlled Feeding Trial. <i>Genes</i> , <b>2018</b> , 9,	4.2	10
112	Bayesian estimation of sensitivity and specificity of culture- and PCR-based methods for the detection of six major non-O157 Escherichia coli serogroups in cattle feces. <i>Preventive Veterinary Medicine</i> , <b>2018</b> , 161, 90-99	3.1	4
111	Campylobacter Prevalence and Quinolone Susceptibility in Feces of Preharvest Feedlot Cattle Exposed to Enrofloxacin for the Treatment of Bovine Respiratory Disease. <i>Foodborne Pathogens and Disease</i> , <b>2018</b> , 15, 377-385	3.8	1
110	Feedlot- and Pen-Level Prevalence of Enterohemorrhagic Escherichia coli in Feces of Commercial Feedlot Cattle in Two Major U.S. Cattle Feeding Areas. <i>Foodborne Pathogens and Disease</i> , <b>2017</b> , 14, 309-317	3.8	16
109	Spiral Plating Method To Quantify the Six Major Non-O157 Escherichia coli Serogroups in Cattle Feces. <i>Journal of Food Protection</i> , <b>2017</b> , 848-856	2.5	5

108	A Randomized Trial to Assess the Effect of Fluoroquinolone Metaphylaxis on the Fecal Prevalence and Quinolone Susceptibilities of Salmonella and Campylobacter in Feedlot Cattle. <i>Foodborne Pathogens and Disease</i> , <b>2017</b> , 14, 600-607	3.8	7
107	Bacterial flora of liver abscesses in crossbred beef cattle and Holstein steers fed finishing diets with or without tylosin. <i>Journal of Animal Science</i> , <b>2017</b> , 95, 3425-3434	0.7	4
106	Shiga Toxin Subtypes of Non-O157 Serogroups Isolated from Cattle Feces. <i>Frontiers in Cellular and Infection Microbiology</i> , <b>2017</b> , 7, 121	5.9	19
105	Bacterial flora of liver abscesses in crossbred beef cattle and Holstein steers fed finishing diets with or without tylosin. <i>Journal of Animal Science</i> , <b>2017</b> , 95, 3425	0.7	3
104	Efficacy of a Salmonella Siderophore Receptor Protein Vaccine on Fecal Shedding and Lymph Node Carriage of Salmonella in Commercial Feedlot Cattle. <i>Foodborne Pathogens and Disease</i> , <b>2016</b> , 13, 517-25	3.8	10
103	Effects of limonene on ruminal concentrations, fermentation, and lysine degradation in cattle. <i>Journal of Animal Science</i> , <b>2016</b> , 94, 3420-3430	0.7	8
102	Multiplex Quantitative PCR Assays for the Detection and Quantification of the Six Major Non-O157 Escherichia coli Serogroups in Cattle Feces. <i>Journal of Food Protection</i> , <b>2016</b> , 79, 66-74	2.5	18
101	Targeted Amplicon Sequencing for Single-Nucleotide-Polymorphism Genotyping of Attaching and Effacing Escherichia coli O26:H11 Cattle Strains via a High-Throughput Library Preparation Technique. <i>Applied and Environmental Microbiology</i> , <b>2016</b> , 82, 640-9	4.8	12
100	Pooling of Immunomagnetic Separation Beads Does Not Affect Detection Sensitivity of Six Major Serogroups of Shiga Toxin-Producing Escherichia coli in Cattle Feces. <i>Journal of Food Protection</i> , <b>2016</b> , 79, 59-65	2.5	9
99	Development of 11-Plex MOL-PCR Assay for the Rapid Screening of Samples for Shiga Toxin-Producing Escherichia coli. <i>Frontiers in Cellular and Infection Microbiology</i> , <b>2016</b> , 6, 92	5.9	8
98	Escherichia coli O104 in Feedlot Cattle Feces: Prevalence, Isolation and Characterization. <i>PLoS ONE</i> , <b>2016</b> , 11, e0152101	3.7	14
97	Effects of Menthol Supplementation in Feedlot Cattle Diets on the Fecal Prevalence of Antimicrobial-Resistant Escherichia coli. <i>PLoS ONE</i> , <b>2016</b> , 11, e0168983	3.7	10
96	Genome Sequences of Salmonella enterica subsp. enterica Serovar Lubbock Strains Isolated from Liver Abscesses of Feedlot Cattle. <i>Genome Announcements</i> , <b>2016</b> , 4,		2
95	Liver abscesses in cattle: A review of incidence in Holsteins and of bacteriology and vaccine approaches to control in feedlot cattle. <i>Journal of Animal Science</i> , <b>2016</b> , 94, 1620-32	0.7	49
94	Prevalence and Quinolone Susceptibilities of Salmonella Isolated from the Feces of Preharvest Cattle Within Feedlots that Used a Fluoroquinolone to Treat Bovine Respiratory Disease. <i>Foodborne Pathogens and Disease</i> , <b>2016</b> , 13, 303-8	3.8	6
93	Virulence Gene Profiles and Clonal Relationships of Escherichia coli O26:H11 Isolates from Feedlot Cattle as Determined by Whole-Genome Sequencing. <i>Applied and Environmental Microbiology</i> , <b>2016</b> , 82, 3900-3912	4.8	31
92	Nasal carriage of mecA-positive methicillin-resistant Staphylococcus aureus in pigs exhibits dose-response to zinc supplementation. <i>Foodborne Pathogens and Disease</i> , <b>2015</b> , 12, 159-63	3.8	15
91	First Report of Anaerobic Isolation of Salmonella enterica from Liver Abscesses of Feedlot Cattle. <i>Journal of Clinical Microbiology</i> , <b>2015</b> , 53, 3100-1	9.7	10

90	Summer and Winter Prevalence of Shiga Toxin-Producing Escherichia coli (STEC) O26, O45, O103, O111, O121, O145, and O157 in Feces of Feedlot Cattle. <i>Foodborne Pathogens and Disease</i> , <b>2015</b> , 12, 726-32	3.8	51
89	Genetic Diversity and Pathogenic Potential of Attaching and Effacing Escherichia coli O26:H11 Strains Recovered from Bovine Feces in the United States. <i>Applied and Environmental Microbiology</i> , <b>2015</b> , 81, 3671-8	4.8	17
88	Effects of chlortetracycline and copper supplementation on the prevalence, distribution, and quantity of antimicrobial resistance genes in the fecal metagenome of weaned pigs. <i>Preventive Veterinary Medicine</i> , <b>2015</b> , 119, 179-89	3.1	20
87	Genome Sequences of 64 Non-O157:H7 Shiga Toxin-Producing Escherichia coli Strains. <i>Genome Announcements</i> , <b>2015</b> , 3,		3
86	A Four-Plex Real-Time PCR Assay, Based on rfbE, stx1, stx2, and eae Genes, for the Detection and Quantification of Shiga Toxin-Producing Escherichia coli O157 in Cattle Feces. <i>Foodborne Pathogens and Disease</i> , <b>2015</b> , 12, 787-94	3.8	25
85	Effects of in-feed copper and tylosin supplementations on copper and antimicrobial resistance in faecal enterococci of feedlot cattle. <i>Journal of Applied Microbiology</i> , <b>2015</b> , 118, 1287-97	4.7	18
84	Effects of In-Feed Copper, Chlortetracycline, and Tylosin on the Prevalence of Transferable Copper Resistance Gene, tcrB, Among Fecal Enterococci of Weaned Piglets. <i>Foodborne Pathogens and Disease</i> , <b>2015</b> , 12, 670-8	3.8	18
83	A Comparison of Culture- and PCR-Based Methods to Detect Six Major Non-O157 Serogroups of Shiga Toxin-Producing Escherichia coli in Cattle Feces. <i>PLoS ONE</i> , <b>2015</b> , 10, e0135446	3.7	44
82	Effects of chlortetracycline and copper supplementation on antimicrobial resistance of fecal Escherichia coli from weaned pigs. <i>Preventive Veterinary Medicine</i> , <b>2014</b> , 114, 231-46	3.1	39
81	Escherichia coli O26 in feedlot cattle: fecal prevalence, isolation, characterization, and effects of an E. coli O157 vaccine and a direct-fed microbial. <i>Foodborne Pathogens and Disease</i> , <b>2014</b> , 11, 186-93	3.8	22
80	Fecal shedding of non-O157 serogroups of Shiga toxin-producing Escherichia coli in feedlot cattle vaccinated with an Escherichia coli O157:H7 SRP vaccine or fed a Lactobacillus-based direct-fed microbial. <i>Journal of Food Protection</i> , <b>2014</b> , 77, 732-7	2.5	15
79	Comparing real-time and conventional PCR to culture-based methods for detecting and quantifying Escherichia coli O157 in cattle feces. <i>Journal of Food Protection</i> , <b>2014</b> , 77, 314-9	2.5	9
78	Prevalence of Shiga toxin-producing Escherichia coli and associated virulence genes in feces of commercial feedlot cattle. <i>Foodborne Pathogens and Disease</i> , <b>2013</b> , 10, 835-41	3.8	41
77	Adhesion of Fusobacterium necrophorum to bovine endothelial cells is mediated by outer membrane proteins. <i>Veterinary Microbiology</i> , <b>2013</b> , 162, 813-818	3.3	11
76	Detection of Escherichia coli O104 in the feces of feedlot cattle by a multiplex PCR assay designed to target major genetic traits of the virulent hybrid strain responsible for the 2011 German outbreak. <i>Applied and Environmental Microbiology</i> , <b>2013</b> , 79, 3522-5	4.8	22
75	Occurrence of the transferable copper resistance gene tcrB among fecal enterococci of U.S. feedlot cattle fed copper-supplemented diets. <i>Applied and Environmental Microbiology</i> , <b>2013</b> , 79, 4369-75	4.8	45
74	Applicability of a multiplex PCR to detect O26, O45, O103, O111, O121, O145, and O157 serogroups of Escherichia coli in cattle feces. <i>Veterinary Microbiology</i> , <b>2012</b> , 156, 381-8	3.3	62
73	Applicability of a multiplex PCR to detect the seven major Shiga toxin-producing Escherichia coli based on genes that code for serogroup-specific O-antigens and major virulence factors in cattle feces. <i>Foodborne Pathogens and Disease</i> , <b>2012</b> , 9, 541-8	3.8	77



72	Evaluation of a multiplex real-time polymerase chain reaction for the quantification of Escherichia coli O157 in cattle feces. <i>Foodborne Pathogens and Disease</i> , <b>2012</b> , 9, 79-85	3.8	21
71	Prevalence of Food-Borne Pathogens in Organic Beef <b>2012</b> , 285-299		
70	Selection of fecal enterococci exhibiting tcrB-mediated copper resistance in pigs fed diets supplemented with copper. <i>Applied and Environmental Microbiology</i> , <b>2011</b> , 77, 5597-603	4.8	46
69	Animal- and truckload-level associations between Escherichia coli O157:H7 in feces and on hides at harvest and contamination of previsceration beef carcasses. <i>Journal of Food Protection</i> , <b>2010</b> , 73, 1030-7	4.5	35
68	Inclusion of dried or wet distillers grains at different levels in diets of feedlot cattle affects fecal shedding of Escherichia coli O157:H7. <i>Applied and Environmental Microbiology</i> , <b>2010</b> , 76, 7238-42	4.8	33
67	Rumen microbial population dynamics during adaptation to a high-grain diet. <i>Applied and Environmental Microbiology</i> , <b>2010</b> , 76, 7482-90	4.8	400
66	Genetic relatedness of Escherichia coli O157 isolates from cattle feces and preintervention beef carcasses. <i>Foodborne Pathogens and Disease</i> , <b>2010</b> , 7, 357-65	3.8	12
65	Prevalence of Escherichia coli O157:H7 in gut contents of beef cattle at slaughter. <i>Foodborne Pathogens and Disease</i> , <b>2010</b> , 7, 249-55	3.8	21
64	Effects of feeding elevated concentrations of copper and zinc on the antimicrobial susceptibilities of fecal bacteria in feedlot cattle. <i>Foodborne Pathogens and Disease</i> , <b>2010</b> , 7, 643-8	3.8	32
63	A multiplex PCR procedure for the detection of six major virulence genes in Escherichia coli O157:H7. <i>Journal of Microbiological Methods</i> , <b>2010</b> , 82, 85-9	2.8	91
62	Occurrence of tcrB, a transferable copper resistance gene, in fecal enterococci of swine. <i>Foodborne Pathogens and Disease</i> , <b>2010</b> , 7, 1089-97	3.8	27
61	Evaluation of feeding dried distiller grains with solubles and dry-rolled corn on the fecal prevalence of Escherichia coli O157:H7 and Salmonella spp. in cattle. <i>Foodborne Pathogens and Disease</i> , <b>2009</b> , 6, 145-53	3.8	25
60	Dietary interactions and interventions affecting Escherichia coli O157 colonization and shedding in cattle. <i>Foodborne Pathogens and Disease</i> , <b>2009</b> , 6, 785-92	3.8	53
59	Fusobacterium necrophorum: a ruminal bacterium that invades liver to cause abscesses in cattle. <i>Anaerobe</i> , <b>2009</b> , 15, 36-43	2.8	57
58	Efficacy of Escherichia coli O157:H7 siderophore receptor/porin proteins-based vaccine in feedlot cattle naturally shedding E. coli O157. <i>Foodborne Pathogens and Disease</i> , <b>2009</b> , 6, 893-9	3.8	53
57	Competitive exclusion Escherichia coli cultures on E. coli O157 growth in batch culture ruminal or fecal microbial fermentation. <i>Foodborne Pathogens and Disease</i> , <b>2009</b> , 6, 193-9	3.8	2
56	Potential associations between fecal shedding of Salmonella in feedlot cattle treated for apparent respiratory disease and subsequent adverse health outcomes. <i>Veterinary Research</i> , <b>2009</b> , 40, 2	3.8	14
55	Leukotoxin operon and differential expressions of the leukotoxin gene in bovine Fusobacterium necrophorum subspecies. <i>Anaerobe</i> , <b>2008</b> , 14, 13-8	2.8	14

54	Human <i>Fusobacterium necrophorum</i> strains have a leukotoxin gene and exhibit leukotoxic activity. <i>Journal of Medical Microbiology</i> , <b>2008</b> , 57, 225-231	3.2	28
53	Antimicrobial susceptibility of foodborne pathogens in organic or natural production systems: an overview. <i>Foodborne Pathogens and Disease</i> , <b>2008</b> , 5, 721-30	3.8	25
52	Impact of persistent bovine viral diarrhea viral infection on the duration and level of shedding of <i>Escherichia coli</i> O157 in calves. <i>Foodborne Pathogens and Disease</i> , <b>2008</b> , 5, 245-51	3.8	2
51	Niche marketing production practices for beef cattle in the United States and prevalence of foodborne pathogens. <i>Foodborne Pathogens and Disease</i> , <b>2008</b> , 5, 559-69	3.8	14
50	Associations between the presence and magnitude of <i>Escherichia coli</i> O157 in feces at harvest and contamination of preintervention beef carcasses. <i>Journal of Food Protection</i> , <b>2008</b> , 71, 1761-7	2.5	46
49	Evaluation of culture methods to identify bovine feces with high concentrations of <i>Escherichia coli</i> O157. <i>Applied and Environmental Microbiology</i> , <b>2007</b> , 73, 5253-60	4.8	21
48	Acidosis in feedlot cattle. <i>Veterinary Clinics of North America - Food Animal Practice</i> , <b>2007</b> , 23, 333-50, viii-ix	4.6	97
47	Liver abscesses in feedlot cattle. <i>Veterinary Clinics of North America - Food Animal Practice</i> , <b>2007</b> , 23, 351-69, ix	4.6	73
46	Ruminal acidosis in beef cattle: the current microbiological and nutritional outlook. <i>Journal of Dairy Science</i> , <b>2007</b> , 90 Suppl 1, E17-38	4	428
45	The two major subspecies of <i>Fusobacterium necrophorum</i> have distinct leukotoxin operon promoter regions. <i>Veterinary Microbiology</i> , <b>2006</b> , 112, 73-8	3.3	17
44	Pulsed-field gel electrophoresis patterns of <i>Escherichia coli</i> O157 isolates from Kansas feedlots. <i>Foodborne Pathogens and Disease</i> , <b>2006</b> , 3, 251-8	3.8	12
43	<i>Fusobacterium necrophorum</i> infections in animals: pathogenesis and pathogenic mechanisms. <i>Anaerobe</i> , <b>2005</b> , 11, 239-46	2.8	101
42	Ruminal and host adaptations to changes in frequency of protein supplementation <sup>1,2</sup> . <i>Journal of Animal Science</i> , <b>2004</b> , 82, 895-903	0.7	3
41	Immunogenicity and protective effects of truncated recombinant leukotoxin proteins of <i>Fusobacterium necrophorum</i> in mice. <i>Veterinary Microbiology</i> , <b>2003</b> , 93, 335-47	3.3	19
40	Leukotoxins of gram-negative bacteria. <i>Veterinary Microbiology</i> , <b>2002</b> , 84, 337-56	3.3	70
39	<i>Fusobacterium necrophorum</i> leukotoxin induces activation and apoptosis of bovine leukocytes. <i>Infection and Immunity</i> , <b>2002</b> , 70, 4609-20	3.7	49
38	Cloning, sequencing, and expression of the leukotoxin gene from <i>Fusobacterium necrophorum</i> . <i>Infection and Immunity</i> , <b>2001</b> , 69, 5447-55	3.7	38
37	Bacterial flora of liver abscesses in feedlot cattle fed tylosin or no tylosin. <i>Journal of Animal Science</i> , <b>1999</b> , 77, 973-8	0.7	28



36	Effect of virginiamycin on ruminal fermentation in cattle during adaptation to a high concentrate diet and during an induced acidosis. <i>Journal of Animal Science</i> , <b>1999</b> , 77, 2259-68	0.7	66
35	Effects of tylosin on concentrations of <i>Fusobacterium necrophorum</i> and fermentation products in the rumen of cattle fed a high-concentrate diet. <i>American Journal of Veterinary Research</i> , <b>1999</b> , 60, 1061-5	1.1	13
34	Nutrition and disease. <i>Veterinary Clinics of North America - Food Animal Practice</i> , <b>1998</b> , 14, 257-77	4.6	23
33	Ruminal microbial and fermentative changes associated with experimentally induced subacute acidosis in steers. <i>Journal of Animal Science</i> , <b>1998</b> , 76, 234-41	0.7	145
32	Liver abscesses in feedlot cattle: a review. <i>Journal of Animal Science</i> , <b>1998</b> , 76, 287-98	0.7	210
31	Antimicrobial susceptibility of <i>Fusobacterium necrophorum</i> isolated from bovine hepatic abscesses. <i>American Journal of Veterinary Research</i> , <b>1998</b> , 59, 44-7	1.1	14
30	Biochemical and ribotypic comparison of <i>Actinomyces pyogenes</i> and <i>A. pyogenes</i> -like organisms from liver abscesses, ruminal wall, and ruminal contents of cattle. <i>American Journal of Veterinary Research</i> , <b>1998</b> , 59, 271-6	1.1	30
29	Effect of <i>Fusobacterium necrophorum</i> leukotoxin vaccine on susceptibility to experimentally induced liver abscesses in cattle. <i>Journal of Animal Science</i> , <b>1997</b> , 75, 1160-6	0.7	18
28	Ribotyping to compare <i>Fusobacterium necrophorum</i> isolates from bovine liver abscesses, ruminal walls, and ruminal contents. <i>Applied and Environmental Microbiology</i> , <b>1997</b> , 63, 4671-8	4.8	28
27	<i>Fusobacterium necrophorum</i> infections: virulence factors, pathogenic mechanism and control measures. <i>Veterinary Research Communications</i> , <b>1996</b> , 20, 113-40	2.9	137
26	The serum neutralizing antibody response in cattle to <i>Fusobacterium necrophorum</i> leukotoxin and possible protection against experimentally induced hepatic abscesses. <i>Veterinary Research Communications</i> , <b>1996</b> , 20, 493-504	2.9	8
25	Serum neutralizing antibody response and protection against experimentally induced liver abscesses in steers vaccinated with <i>Fusobacterium necrophorum</i> . <i>American Journal of Veterinary Research</i> , <b>1996</b> , 57, 483-8	1.1	10
24	Serum neutralizing antibodies against <i>Fusobacterium necrophorum</i> leukotoxin in cattle with experimentally induced or naturally developed hepatic abscesses. <i>Journal of Animal Science</i> , <b>1994</b> , 72, 502-8	0.7	14
23	Biochemical and biological characterization of ruminal <i>Fusobacterium necrophorum</i> . <i>FEMS Microbiology Letters</i> , <b>1994</b> , 120, 81-6	2.9	29
22	Purification and quantification of <i>Fusobacterium necrophorum</i> leukotoxin by using monoclonal antibodies. <i>Veterinary Microbiology</i> , <b>1994</b> , 42, 121-33	3.3	12
21	Biological and biochemical characterization of <i>Fusobacterium necrophorum</i> leukotoxin. <i>American Journal of Veterinary Research</i> , <b>1994</b> , 55, 515-21	1.1	27
20	Selective enumeration of <i>Fusobacterium necrophorum</i> from the bovine rumen. <i>Applied and Environmental Microbiology</i> , <b>1994</b> , 60, 1387-9	4.8	26
19	Factors affecting the leukotoxin activity of <i>Fusobacterium necrophorum</i> . <i>Veterinary Microbiology</i> , <b>1992</b> , 32, 15-28	3.3	34

18	Moderation of ruminal fermentation by ciliated protozoa in cattle fed a high-grain diet. <i>Applied and Environmental Microbiology</i> , <b>1992</b> , 58, 2410-4	4.8	38
17	Hepatic ultrasonography and blood changes in cattle with experimentally induced hepatic abscesses. <i>American Journal of Veterinary Research</i> , <b>1991</b> , 52, 803-9	1.1	27
16	Steam-rolled wheat diets for finishing cattle: effects of dietary roughage and feed intake on finishing steer performance and ruminal metabolism. <i>Journal of Animal Science</i> , <b>1990</b> , 68, 2130-41	0.7	41
15	Ruminal ciliated protozoa in cattle fed finishing diets with or without supplemental fat. <i>Journal of Animal Science</i> , <b>1990</b> , 68, 2150-5	0.7	28
14	Dynamics of ruminal ciliated protozoa in feedlot cattle. <i>Applied and Environmental Microbiology</i> , <b>1990</b> , 56, 3174-8	4.8	23
13	Omasal ciliated protozoa in cattle, bison, and sheep. <i>Applied and Environmental Microbiology</i> , <b>1990</b> , 56, 409-12	4.8	16
12	Rumen Microbial Changes in Ionophore Antibiotic - Treated Steers with Experimentally Induced Acidosis. <i>Asian-Australasian Journal of Animal Sciences</i> , <b>1989</b> , 2, 465-468	2.4	3
11	Bacteriologic and histologic studies of hepatic abscesses in cattle. <i>American Journal of Veterinary Research</i> , <b>1988</b> , 49, 58-62	1.1	60
10	EFFECT OF LASALOCID, MONENSIN AND THIOPEPTIN ON LACTATE PRODUCTION FROM IN VITRO RUMEN FERMENTATION OF STARCH. <i>Canadian Journal of Animal Science</i> , <b>1986</b> , 66, 129-139	0.9	10
9	Effect of ionophore antibiotics on experimentally induced lactic acidosis in cattle. <i>American Journal of Veterinary Research</i> , <b>1985</b> , 46, 2444-52	1.1	30
8	Effect of lasalocid, monensin or thiopeptin on lactic acidosis in cattle. <i>Journal of Animal Science</i> , <b>1982</b> , 54, 649-58	0.7	70
7	Prevention of lactic acidosis in cattle by lasalocid or monensin. <i>Journal of Animal Science</i> , <b>1981</b> , 53, 206-16.7		57
6	Endotoxin shock in calves from intravenous injection of rumen bacterial endotoxin. <i>Journal of Animal Science</i> , <b>1979</b> , 49, 567-82	0.7	19
5	Chemical characteristics of rumen bacterial endotoxin. <i>Journal of Animal Science</i> , <b>1979</b> , 48, 1250-6	0.7	5
4	Endotoxic activity of cell-free rumen fluid from cattle fed hay or grain. <i>Canadian Journal of Microbiology</i> , <b>1978</b> , 24, 1253-61	3.2	10
3	Evidence of endotoxins in the rumen bacteria of cattle fed hay or grain. <i>Journal of Animal Science</i> , <b>1978</b> , 47, 226-34	0.7	32
2	Relationship of rumen gram-negative bacteria and free endotoxin to lactic acidosis in cattle. <i>Journal of Animal Science</i> , <b>1978</b> , 47, 1329-37	0.7	62
1	Gram-Negative Anaerobes 513-526		

