

Samantha Gruenheid

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2830003/publications.pdf>

Version: 2024-02-01

43
papers

3,768
citations

346980

22
h-index

286692

43
g-index

46
all docs

46
docs citations

46
times ranked

4449
citing authors

#	ARTICLE	IF	CITATIONS
1	Dissecting virulence: Systematic and functional analyses of a pathogenicity island. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 3597-3602.	3.3	557
2	Natural Resistance to Infection with Intracellular Pathogens: The Nramp1 Protein Is Recruited to the Membrane of the Phagosome. <i>Journal of Experimental Medicine</i> , 1997, 185, 717-730.	4.2	425
3	Intestinal infection triggers Parkinson's disease-like symptoms in <i>Pink1</i> ^{-/-} mice. <i>Nature</i> , 2019, 571, 565-569.	13.7	347
4	Enteropathogenic <i>E. coli</i> Tir binds Nck to initiate actin pedestal formation in host cells. <i>Nature Cell Biology</i> , 2001, 3, 856-859.	4.6	339
5	Microbial pathogenesis and cytoskeletal function. <i>Nature</i> , 2003, 422, 775-781.	13.7	293
6	Identification and characterization of NleA, a non-LEE-encoded type III translocated virulence factor of enterohaemorrhagic <i>Escherichia coli</i> O157:H7. <i>Molecular Microbiology</i> , 2004, 51, 1233-1249.	1.2	205
7	Molecular Analysis as an Aid To Assess the Public Health Risk of Non-O157 Shiga Toxin-Producing <i>Escherichia coli</i> Strains. <i>Applied and Environmental Microbiology</i> , 2008, 74, 2153-2160.	1.4	172
8	Regulation of Type III Secretion Hierarchy of Translocators and Effectors in Attaching and Effacing Bacterial Pathogens. <i>Infection and Immunity</i> , 2005, 73, 2135-2146.	1.0	156
9	The Nramp1 Protein and Its Role in Resistance to Infection and Macrophage Function. <i>Proceedings of the Association of American Physicians</i> , 1999, 111, 283-289.	2.1	133
10	Gut Feelings: Enteropathogenic <i>E. coli</i> (EPEC) Interactions with the Host. <i>Annual Review of Cell and Developmental Biology</i> , 2000, 16, 173-189.	4.0	119
11	Resistance to antimicrobial peptides in Gram-negative bacteria. <i>FEMS Microbiology Letters</i> , 2012, 330, 81-89.	0.7	119
12	The Bacterial Virulence Factor NleA Inhibits Cellular Protein Secretion by Disrupting Mammalian COPII Function. <i>Cell Host and Microbe</i> , 2007, 2, 160-171.	5.1	96
13	The bacterial virulence factor NleA is required for the disruption of intestinal tight junctions by enteropathogenic <i>Escherichia coli</i> . <i>Cellular Microbiology</i> , 2010, 12, 31-41.	1.1	91
14	OmpT Outer Membrane Proteases of Enterohemorrhagic and Enteropathogenic <i>Escherichia coli</i> Contribute Differently to the Degradation of Human LL-37. <i>Infection and Immunity</i> , 2012, 80, 483-492.	1.0	86
15	R-Spondin 2 signalling mediates susceptibility to fatal infectious diarrhoea. <i>Nature Communications</i> , 2013, 4, 1898.	5.8	65
16	<i>Salmonella enterica</i> Prophage Sequence Profiles Reflect Genome Diversity and Can Be Used for High Discrimination Subtyping. <i>Frontiers in Microbiology</i> , 2018, 9, 836.	1.5	53
17	A Syst-OMICS Approach to Ensuring Food Safety and Reducing the Economic Burden of Salmonellosis. <i>Frontiers in Microbiology</i> , 2017, 8, 996.	1.5	42
18	The CpxRA Two-Component System Is Essential for <i>Citrobacter rodentium</i> Virulence. <i>Infection and Immunity</i> , 2015, 83, 1919-1928.	1.0	31

#	ARTICLE	IF	CITATIONS
19	Enterobacteria and host resistance to infection. <i>Mammalian Genome</i> , 2018, 29, 558-576.	1.0	31
20	Enterohemorrhagic and enteropathogenic <i>Escherichia coli</i> evolved different strategies to resist antimicrobial peptides. <i>Gut Microbes</i> , 2012, 3, 556-561.	4.3	27
21	Role of uropathogenic <i>Escherichia coli</i> OmpT in the resistance against human cathelicidin LL-37. <i>FEMS Microbiology Letters</i> , 2013, 345, 64-71.	0.7	27
22	An outer membrane protease of the omptin family prevents activation of the <i>Citrobacter rodentium</i> PhoPQ two-component system by antimicrobial peptides. <i>Molecular Microbiology</i> , 2009, 74, 98-111.	1.2	26
23	Sec24 interaction is essential for localization and virulence-associated function of the bacterial effector protein NleA. <i>Cellular Microbiology</i> , 2012, 14, 1206-1218.	1.1	23
24	The <i>Salmonella enterica</i> Plasmidome as a Reservoir of Antibiotic Resistance. <i>Microorganisms</i> , 2020, 8, 1016.	1.6	23
25	Inhibition of Outer Membrane Proteases of the Omptin Family by Aprotinin. <i>Infection and Immunity</i> , 2015, 83, 2300-2311.	1.0	22
26	Identification and characterization of OmpT-like proteases in uropathogenic <i>Escherichia coli</i> clinical isolates. <i>MicrobiologyOpen</i> , 2019, 8, e915.	1.2	22
27	Culture-Dependent Bioprospecting of Bacterial Isolates From the Canadian High Arctic Displaying Antibacterial Activity. <i>Frontiers in Microbiology</i> , 2019, 10, 1836.	1.5	22
28	Perturbation of Host Cell Cytoskeleton by Cranberry Proanthocyanidins and Their Effect on Enteric Infections. <i>PLoS ONE</i> , 2011, 6, e27267.	1.1	22
29	R-Spondins Are Expressed by the Intestinal Stroma and are Differentially Regulated during <i>Citrobacter rodentium</i> - and DSS-Induced Colitis in Mice. <i>PLoS ONE</i> , 2016, 11, e0152859.	1.1	21
30	PmrC (EptA) and CptA Negatively Affect Outer Membrane Vesicle Production in <i>Citrobacter rodentium</i> . <i>Journal of Bacteriology</i> , 2019, 201, .	1.0	19
31	The inhibition of COPII trafficking is important for intestinal epithelial tight junction disruption during enteropathogenic <i>Escherichia coli</i> and <i>Citrobacter rodentium</i> infection. <i>Microbes and Infection</i> , 2013, 15, 738-744.	1.0	16
32	Identification of Potentially Diarrheagenic Atypical Enteropathogenic <i>Escherichia coli</i> Strains Present in Canadian Food Animals at Slaughter and in Retail Meats. <i>Applied and Environmental Microbiology</i> , 2013, 79, 3892-3896.	1.4	16
33	Systematic Analysis of Two-Component Systems in <i>Citrobacter rodentium</i> Reveals Positive and Negative Roles in Virulence. <i>Infection and Immunity</i> , 2017, 85, .	1.0	16
34	Loss of disease tolerance during <i>Citrobacter rodentium</i> infection is associated with impaired epithelial differentiation and hyperactivation of T cell responses. <i>Scientific Reports</i> , 2018, 8, 847.	1.6	15
35	The bacterial virulence factor NleA's involvement in intestinal tight junction disruption during Enteropathogenic <i>E. coli</i> infection is independent of its putative PDZ binding domain. <i>Gut Microbes</i> , 2010, 1, 114-118.	4.3	14
36	Antimicrobial Peptide Conformation as a Structural Determinant of Omptin Protease Specificity. <i>Journal of Bacteriology</i> , 2015, 197, 3583-3591.	1.0	14

#	ARTICLE	IF	CITATIONS
37	Characterization of the intestinal microbiota during <i>Citrobacter rodentium</i> infection in a mouse model of infection-triggered Parkinson's disease. <i>Gut Microbes</i> , 2020, 12, 1830694.	4.3	14
38	The Virulence Effect of CpxRA in <i>Citrobacter rodentium</i> Is Independent of the Auxiliary Proteins NlpE and CpxP. <i>Frontiers in Cellular and Infection Microbiology</i> , 2018, 8, 320.	1.8	11
39	Engineering surgical stitches to prevent bacterial infection. <i>Scientific Reports</i> , 2022, 12, 834.	1.6	9
40	Microbes and Parkinson's disease: from associations to mechanisms. <i>Trends in Microbiology</i> , 2022, 30, 749-760.	3.5	9
41	MicroRNA-9 Fine-Tunes Dendritic Cell Function by Suppressing Negative Regulators in a Cell-Type-Specific Manner. <i>Cell Reports</i> , 2020, 31, 107585.	2.9	8
42	The Cri1 locus is the common genetic cause of susceptibility to <i>Citrobacter rodentium</i> infection in C3H and FVB mouse strains. <i>Gut Microbes</i> , 2011, 2, 173-177.	4.3	6
43	A Mediterranean-like fat blend protects against the development of severe colitis in the mucin-2 deficient murine model. <i>Gut Microbes</i> , 2022, 14, 2055441.	4.3	4