

Ru-Jong Jeng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2832348/publications.pdf>

Version: 2024-02-01

224
papers

6,007
citations

76294

40
h-index

114418

63
g-index

230
all docs

230
docs citations

230
times ranked

6334
citing authors

#	ARTICLE	IF	CITATIONS
1	Immobilization of Air-Stable Copper Nanoparticles on Graphene Oxide Flexible Hybrid Films for Smart Clothes. <i>Polymers</i> , 2022, 14, 237.	2.0	4
2	Chromatic Fulleropyrrolidine as Long-Lived Metal-Free Catalyst for CO ₂ Photoreduction Reaction. <i>ChemSusChem</i> , 2022, 15, .	3.6	4
3	Novel strategy for flexible and super-hydrophobic SERS substrate fabricated by deposited gold nanoislands on organic semiconductor nanostructures for bio-detection. <i>Surface and Coatings Technology</i> , 2022, 435, 128251.	2.2	8
4	Thermoresponsive SERS Nanocapsules Constructed by Linear-Dendritic Poly(urea/malonamide) for Tunable Biomolecule Detection. <i>ACS Applied Polymer Materials</i> , 2022, 4, 240-249.	2.0	5
5	Amphiphilic Thermoresponsive Poly(Hydroxyaminoethers) as Effective Emulsifiers for Preparation of Waterborne Epoxy Resins. <i>Macromolecular Materials and Engineering</i> , 2022, 307, .	1.7	3
6	Fabrication of in situ magnetic capturing and Raman enhancing nanoplatelets for detection of bacteria and biomolecules. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 648, 129189.	2.3	5
7	A facile strategy to achieve polyurethane vitrimers from chemical recycling of poly(carbonate). <i>Chemical Engineering Journal Advances</i> , 2022, 11, 100316.	2.4	5
8	Optimization of the carrier recombination and transmission properties in perovskite LEDs by doping poly (4-vinylpyridine) and graphene quantum dots made of chitin. <i>Chemical Engineering Journal</i> , 2022, 444, 136518.	6.6	8
9	Solution-Processable Naphthalene Diimide-Based Conjugated Polymers as Organocatalysts for Photocatalytic CO ₂ Reaction with Extremely Stable Catalytic Activity for Over 330 Hours. <i>Chemistry of Materials</i> , 2022, 34, 4955-4963.	3.2	8
10	Effects of monomer rigidity on microstructures and properties of novel polyamide thin-film composite membranes prepared through interfacial polymerization for pervaporation dehydration. <i>Journal of Membrane Science</i> , 2022, 657, 120702.	4.1	9
11	Intelligent and thermo-responsive Au-pluronic® F127 nanocapsules for Raman-enhancing detection of biomolecules. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2022, 279, 121475.	2.0	4
12	Spiro-Twisted Benzoxazine Derivatives Bearing Nitrile Group for All-Solid-State Polymer Electrolytes in Lithium Batteries. <i>Polymers</i> , 2022, 14, 2869.	2.0	1
13	Reduced graphene oxide nanosheets decorated with core-shell of Fe ₃ O ₄ -Au nanoparticles for rapid SERS detection and hyperthermia treatment of bacteria. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2022, 281, 121578.	2.0	12
14	Robust thermoplastic polyurethane elastomers prepared from recycling polycarbonate. <i>Polymer</i> , 2021, 212, 123296.	1.8	14
15	Improved Blend Film Morphology and Free Carrier Generation Provide a High-Performance Ternary Polymer Solar Cell. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 1076-1085.	4.0	62
16	A novel multifunctional polymer ionic liquid as an additive in iodide electrolyte combined with silver mirror coating counter electrodes for quasi-solid-state dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2021, 9, 4907-4921.	5.2	17
17	Semi-Interpenetrating Polymer Network Electrolytes Based on a Spiro-Twisted Benzoxazine for All-Solid-State Lithium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2021, 4, 2663-2671.	2.5	14
18	Dendritic-based co-adsorbents for dye-sensitized solar cells: Effect of the generations and alkyl chain lengths. <i>Synthetic Metals</i> , 2021, 274, 116711.	2.1	1

#	ARTICLE	IF	CITATIONS
19	Elucidating the Efficiency of Polymer Solar Cells Based on Dicyano-Substituted Vinylene-“Thienothiophenylene”-Vinylene-“Benzodithiophenylene Copolymers: \hat{I}^2 -Isomers Outperform \hat{I}^{\pm} -Isomers. <i>Macromolecules</i> , 2021, 54, 7849-7861.	2.2	3
20	Realizing Stable High-Performance and Low-Energy-Loss Ternary Photovoltaics through Judicious Selection of the Third Component. <i>Solar Rrl</i> , 2021, 5, 2100450.	3.1	18
21	Greater miscibility and energy level alignment of conjugated polymers enhance the optoelectronic properties of ternary blend films in organic photovoltaics. <i>Dyes and Pigments</i> , 2021, 193, 109543.	2.0	6
22	Epoxy-Based Interlocking Membranes for All Solid-State Lithium Ion Batteries: The Effects of Amine Curing Agents on Electrochemical Properties. <i>Polymers</i> , 2021, 13, 3244.	2.0	5
23	Indacenodithiophene-based N-type conjugated polymers provide highly thermally stable ternary organic photovoltaics displaying a performance of 17.5%. <i>Journal of Materials Chemistry A</i> , 2021, 9, 9780-9790.	5.2	23
24	Small Molecules with Controllable Molecular Weights Passivate Surface Defects in Air-Stable $p\text{-i-n}$ Perovskite Solar Cells. <i>Advanced Electronic Materials</i> , 2021, 7, 2000870.	2.6	18
25	Sustainable Synthesis of Cyclic Carbonates from Terminal Epoxides by a Highly Efficient $\text{CaI}_{2\text{₂}/1,3\text{-Bis[tris(hydroxymethyl)-methylamino]-propane}$ Catalyst. <i>ACS Omega</i> , 2021, 6, 27279-27287.	1.6	6
26	Tough Polymer Electrolyte with an Intrinsically Stabilized Interface with Li Metal for All-Solid-State Lithium-Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2021, 125, 26339-26347.	1.5	10
27	Facile Fabrication of Flexible Electrodes and Immobilization of Silver Nanoparticles on Nanoscale Silicate Platelets to Form Highly Conductive Nanohybrid Films for Wearable Electronic Devices. <i>Nanomaterials</i> , 2020, 10, 65.	1.9	8
28	A Near-Infrared Absorption Small Molecule Acceptor for High-Performance Semitransparent and Colorful Binary and Ternary Organic Photovoltaics. <i>ChemSusChem</i> , 2020, 13, 903-913.	3.6	37
29	Surface properties of buffer layers affect the performance of PM6:Y6-based organic photovoltaics. <i>Organic Electronics</i> , 2020, 87, 105944.	1.4	19
30	Conjugated polyelectrolytes as promising hole transport materials for inverted perovskite solar cells: effect of ionic groups. <i>Journal of Materials Chemistry A</i> , 2020, 8, 25173-25177.	5.2	14
31	High-Performance Semitransparent Organic Photovoltaics Featuring a Surface Phase-Matched Transmission-Enhancing Ag/ITO Electrode. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 39496-39504.	4.0	32
32	Metal-free efficient dye-sensitized solar cells based on thioalkylated bithiophenyl organic dyes. <i>Journal of Materials Chemistry C</i> , 2020, 8, 15322-15330.	2.7	20
33	Size-dependent phase separation and thermomechanical properties of thermoplastic polyurethanes. <i>Polymer</i> , 2020, 210, 123075.	1.8	14
34	Design of Thienothiophene-Based Copolymers with Various Side Chain-End Groups for Efficient Polymer Solar Cells. <i>Polymers</i> , 2020, 12, 2964.	2.0	2
35	Green poly-lysine as electron-extraction modified layer with over 15% power conversion efficiency and its application in bio-based flexible organic solar cells. <i>Organic Electronics</i> , 2020, 87, 105924.	1.4	18
36	Facile synthesis toward self-dispersible waterborne comb-like Poly(hydroxyaminoethers). <i>Polymer</i> , 2020, 196, 122464.	1.8	5

#	ARTICLE	IF	CITATIONS
37	Highly crystalline two-dimensional copolymer with dominant face-on orientation for high performance polymer solar cells. <i>European Polymer Journal</i> , 2020, 134, 109799.	2.6	2
38	The role of Y6 as the third component in fullerene-free ternary organic photovoltaics. <i>Dyes and Pigments</i> , 2020, 181, 108613.	2.0	25
39	Commercially available jeffamine additives for perovskite solar cells. <i>Nanotechnology</i> , 2020, 31, 274002.	1.3	7
40	Evaluation of Carbon Dioxide-Based Urethane Acrylate Composites for Sealers of Root Canal Obturation. <i>Polymers</i> , 2020, 12, 482.	2.0	5
41	Silver nanoparticles embedded on mesoporous-silica modified reduced graphene-oxide nanosheets for SERS detection of uremic toxins and parathyroid hormone. <i>Applied Surface Science</i> , 2020, 521, 146372.	3.1	25
42	A facile strategy to achieve fully bio-based epoxy thermosets from eugenol. <i>Green Chemistry</i> , 2019, 21, 4475-4488.	4.6	95
43	Mesoporous Silica Nanospheres Decorated by Ag Nanoparticle Arrays with 5 nm Interparticle Gap Exhibit Insignificant Hot-Spot Raman Enhancing Effect. <i>Journal of Physical Chemistry C</i> , 2019, 123, 18528-18535.	1.5	8
44	Synthesis and properties of polyurea/malonamide dendritic co-adsorbents for dye-sensitized solar cells. <i>Polymer</i> , 2019, 179, 121673.	1.8	6
45	In Search of a Green Process: Polymeric Films with Ordered Arrays via a Water Droplet Technique. <i>Polymers</i> , 2019, 11, 1473.	2.0	2
46	A Facile Synthetic Route to Ether Diols Derived from 1,1-Cyclopentenylenylbisphenol for Robust Cardo-Type Polyurethanes. <i>Macromolecules</i> , 2019, 52, 959-967.	2.2	6
47	Floating SERS substrates of silver nanoparticles-graphene based nanosheets for rapid detection of biomolecules and clinical uremic toxins. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019, 576, 36-42.	2.3	30
48	Synthesis of Surfactant-Free and Morphology-Controllable Vanadium Diselenide for Efficient Counter Electrodes in Dye-Sensitized Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 25090-25099.	4.0	29
49	Enhancing performance of nonvolatile transistor memories via electron-accepting composition in triphenylamine-based random copolymers. <i>Journal of Polymer Science Part A</i> , 2019, 57, 1113-1121.	2.5	9
50	The green poly-lysine enantiomers as electron-extraction layers for high performance organic photovoltaics. <i>Journal of Materials Chemistry C</i> , 2019, 7, 12572-12579.	2.7	15
51	Synthesis and Properties of Cyclopentyl Cardo-Type Polyimides Based on Dicyclopentadiene. <i>Polymers</i> , 2019, 11, 2029.	2.0	4
52	Enhanced Device Performance and Stability of Organic Photovoltaics Incorporating a Star-Shaped Multifunctional Additive. <i>ACS Applied Energy Materials</i> , 2019, 2, 833-843.	2.5	14
53	Manipulated interparticle gaps of silver nanoparticles by dendron-exfoliated reduced graphene oxide nanohybrids for SERS detection. <i>Applied Surface Science</i> , 2019, 469, 887-895.	3.1	22
54	Si-Bridged Ladder-Type Small-Molecule Acceptors for High-Performance Organic Photovoltaics. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 1125-1134.	4.0	15

#	ARTICLE	IF	CITATIONS
55	Identification of the reaction mechanism between phenyl methacrylate and epoxy and its application in preparing low-dielectric epoxy thermosets with flexibility. <i>Polymer</i> , 2018, 140, 225-232.	1.8	33
56	Embedding a Diketopyrrolopyrrole-Based Cross-linking Interfacial Layer Enhances the Performance of Organic Photovoltaics. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 8885-8892.	4.0	15
57	Surface-enhanced Raman scattering of alkyne-conjugated MoS ₂ : a comparative study between metallic and semiconductor phases. <i>Journal of Materials Chemistry C</i> , 2018, 6, 1071-1082.	2.7	31
58	Bipolar 9-linked carbazole- π -dimesitylborane fluorophores for nondoped blue OLEDs and red phosphorescent OLEDs. <i>Dyes and Pigments</i> , 2018, 157, 101-108.	2.0	8
59	Honeycomb Surface with Shape Memory Behavior Fabricated via Breath Figure Process. <i>Macromolecular Materials and Engineering</i> , 2018, 303, 1700433.	1.7	13
60	Novel Multifunctional Luminescent Electrospun Fluorescent Nanofiber Chemosensor-Filters and Their Versatile Sensing of pH, Temperature, and Metal Ions. <i>Polymers</i> , 2018, 10, 1259.	2.0	18
61	Perovskite Solar Cells: Carbon Nanodot Additives Realize High-Performance Air-Stable p^{n} Perovskite Solar Cells Providing Efficiencies of up to 20.2% (<i>Adv. Energy Mater.</i> 34/2018). <i>Advanced Energy Materials</i> , 2018, 8, 1870147.	10.2	3
62	Carbon Nanodot Additives Realize High-Performance Air-Stable p^{n} Perovskite Solar Cells Providing Efficiencies of up to 20.2%. <i>Advanced Energy Materials</i> , 2018, 8, 1802323.	10.2	86
63	A star-shaped conjugated molecule featuring a triazole core and diketopyrrolopyrrole branches is an efficient electron-selective interlayer for inverted polymer solar cells. <i>RSC Advances</i> , 2018, 8, 31478-31489.	1.7	6
64	The Twisted Benzo[ghi]perylene-triimide Dimer as a 3D Electron Acceptor for Fullerene-Free Organic Photovoltaics. <i>Chemistry - A European Journal</i> , 2018, 24, 17590-17597.	1.7	9
65	100% Atom-Economy Efficiency of Recycling Polycarbonate into Versatile Intermediates. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 8964-8975.	3.2	56
66	Preparation, characterization and crystallization kinetics of Kenaf fiber/multi-walled carbon nanotube/poly(lactic acid) (PLA) green composites. <i>Materials Chemistry and Physics</i> , 2017, 196, 249-255.	2.0	56
67	Novel fluorescent chemosensory filter membranes composed of electrospun nanofibers with ultra-selective and reversible pH and Hg ²⁺ sensing characteristics. <i>Dyes and Pigments</i> , 2017, 143, 129-142.	2.0	30
68	Visibly transparent conjugated polymers based on non-alternant cyclopenta-fused emeraldicene for polymer solar cells. <i>Organic Electronics</i> , 2017, 49, 114-122.	1.4	6
69	Synthesis of di(ethylene glycol)-functionalized diketopyrrolopyrrole derivative-based side chain-conjugated polymers for bulk heterojunction solar cells. <i>RSC Advances</i> , 2017, 7, 1016-1025.	1.7	7
70	Frontispiece: Structure-Property Relationship Study of Donor and Acceptor 2,6-Disubstituted BODIPY Derivatives for High Performance Dye-Sensitized Solar Cells. <i>Chemistry - A European Journal</i> , 2017, 23, .	1.7	0
71	Structure-Property Relationship Study of Donor and Acceptor 2,6-Disubstituted BODIPY Derivatives for High Performance Dye-Sensitized Solar Cells. <i>Chemistry - A European Journal</i> , 2017, 23, 14747-14759.	1.7	19
72	A strategy for preparing spirobichroman dianhydride from bisphenol A and its resulting polyimide with low dielectric characteristic. <i>RSC Advances</i> , 2017, 7, 1101-1109.	1.7	8

#	ARTICLE	IF	CITATIONS
73	Au Nanoparticles Immobilized on Honeycomb-Like Polymeric Films for Surface-Enhanced Raman Scattering (SERS) Detection. <i>Polymers</i> , 2017, 9, 93.	2.0	37
74	Iterative synthesis of monodisperse pendants for making comb-like polyurethanes. <i>Polymer</i> , 2017, 119, 1-12.	1.8	15
75	Environment-noise-free optical heterodyne retardation measurement using a double-pass acousto-optic frequency shifter. <i>Optics Letters</i> , 2016, 41, 5138.	1.7	5
76	Insight into the mechanism and outcoupling enhancement of excimer-associated white light generation. <i>Chemical Science</i> , 2016, 7, 3556-3563.	3.7	108
77	Tailored honeycomb-like polymeric films based on amphiphilic poly(urea/malonamide) dendrons. <i>RSC Advances</i> , 2016, 6, 91981-91990.	1.7	13
78	Enhanced thermal stability of organic photovoltaics via incorporating triphenylamine derivatives as additives. <i>Solar Energy Materials and Solar Cells</i> , 2016, 157, 666-675.	3.0	24
79	Dendrons with urea/malonamide linkages for gate insulators of n-channel organic thin film transistors. <i>Reactive and Functional Polymers</i> , 2016, 108, 86-93.	2.0	9
80	The robustness of a thermoset of a main-chain type polybenzoxazine precursor prepared through a strategy of A ² and B ³ polycondensation. <i>RSC Advances</i> , 2016, 6, 18678-18684.	1.7	22
81	A study on the co-reaction of benzoxazine and triazine through a triazine-containing benzoxazine. <i>RSC Advances</i> , 2016, 6, 17539-17545.	1.7	15
82	MoS ₂ -Gd Chelate Magnetic Nanomaterials with Core-Shell Structure Used as Contrast Agents in <i>in Vivo</i> Magnetic Resonance Imaging. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 1827-1835.	4.0	40
83	Enhanced photovoltaic performance of inverted polymer solar cells by incorporating graphene nanosheet/AgNPs nanohybrids. <i>RSC Advances</i> , 2015, 5, 25192-25203.	1.7	14
84	Star-shaped organic semiconductors with planar triazine core and diketopyrrolopyrrole branches for solution-processed small-molecule organic solar cells. <i>Dyes and Pigments</i> , 2015, 115, 35-49.	2.0	36
85	Study on the Ring-Opening Polymerization of Benzoxazine through Multisubstituted Polybenzoxazine Precursors. <i>Macromolecules</i> , 2015, 48, 530-535.	2.2	68
86	Enhanced shape memory performance of polyurethanes via the incorporation of organic or inorganic networks. <i>RSC Advances</i> , 2015, 5, 16897-16910.	1.7	21
87	Peripheral group effects on the photophysical and photovoltaic properties of bulk-heterojunction type solar cells based on star-shaped conjugate molecules with triphenylamine core. <i>Materials Chemistry and Physics</i> , 2015, 163, 138-151.	2.0	8
88	Origin of the Rapid Trimerization of Cyanate Ester in a Benzoxazine/Cyanate Ester Blend. <i>Macromolecules</i> , 2015, 48, 2417-2421.	2.2	22
89	High-performance and high-durability perovskite photovoltaic devices prepared using ethylammonium iodide as an additive. <i>Journal of Materials Chemistry A</i> , 2015, 3, 9271-9277.	5.2	87
90	Enhanced efficiency of organic and perovskite photovoltaics from shape-dependent broadband plasmonic effects of silver nanoplates. <i>Solar Energy Materials and Solar Cells</i> , 2015, 140, 224-231.	3.0	77

#	ARTICLE	IF	CITATIONS
91	Fabrication of Gold Nanoparticles/Graphene-PDDA Nanohybrids for Bio-detection by SERS Nanotechnology. <i>Nanoscale Research Letters</i> , 2015, 10, 397.	3.1	51
92	Facile Solution Dropping Method: A Green Process for Dyeing TiO ₂ Electrodes of Dye-Sensitized Solar Cells with Enhanced Power Conversion Efficiency. <i>ACS Sustainable Chemistry and Engineering</i> , 2015, 3, 71-81.	3.2	12
93	Polythiophenes Comprising Conjugated Pendants for Polymer Solar Cells: A Review. <i>Materials</i> , 2014, 7, 2411-2439.	1.3	56
94	Highly concentrated MoS ₂ nanosheets in water achieved by thioglycolic acid as stabilizer and used as biomarkers. <i>RSC Advances</i> , 2014, 4, 42936-42941.	1.7	66
95	Honeycomb-like polymeric films from dendritic polymers presenting reactive pendent moieties. <i>Polymer</i> , 2014, 55, 1481-1490.	1.8	19
96	Polythiophenes comprising conjugated pendants toward long-term air-stable inverted polymer solar cells with high open circuit voltages. <i>Journal of Materials Chemistry A</i> , 2013, 1, 8950.	5.2	9
97	Determination of critical micelle concentration of dendritic surfactant synthesized via a selective ring-opening addition reaction. <i>Microchemical Journal</i> , 2013, 110, 48-53.	2.3	5
98	New carbazole-substituted anthracene derivatives based non-doped blue light-emitting devices with high brightness and efficiency. <i>Dyes and Pigments</i> , 2013, 99, 577-587.	2.0	36
99	Orderly arranged NLO materials on exfoliated layered templates based on dendrons with alternating moieties at the periphery. <i>Polymer Chemistry</i> , 2013, 4, 2747.	1.9	10
100	Nonlinear optical hyperbranched polyaspartimide/montmorillonite nanocomposites based on reactive fluorine- or phosphorous-containing organoclays. <i>Polymer</i> , 2013, 54, 3850-3859.	1.8	7
101	Novel polythiophene derivatives functionalized with conjugated side-chain pendants comprising triphenylamine/carbazole moieties for photovoltaic cell applications. <i>Polymer Chemistry</i> , 2013, 4, 506-519.	1.9	30
102	Nanocomposites with enhanced electrical properties based on biodegradable poly(butylene succinate) and polyetheramine modified carbon nanotube. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2012, 43, 322-328.	2.7	15
103	Preparation of Supramolecular Extenders with Precise Chain Lengths via Iterative Synthesis and Their Applications in Polyurethane Elastomers. <i>Macromolecules</i> , 2012, 45, 5358-5370.	2.2	14
104	Synthesis and photovoltaic properties of two-dimensional conjugated polythiophene derivatives presenting conjugated triphenylamine/thiophene moieties. <i>Polymer</i> , 2012, 53, 4091-4103.	1.8	21
105	Organic/Metallic Nanohybrids Based on Amphiphilic Dumbbell-Shaped Dendrimers. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 1897-1908.	4.0	23
106	Individual graphene oxide platelets through direct molecular exfoliation with globular amphiphilic hyperbranched polymers. <i>Polymer Chemistry</i> , 2012, 3, 1249.	1.9	26
107	Polythiophene derivatives functionalized with maleimide moiety as pendant for bulk heterojunction photovoltaic cells. <i>Journal of Polymer Research</i> , 2012, 19, 1.	1.2	6
108	Efficient non-doped blue light emitting diodes based on novel carbazole-substituted anthracene derivatives. <i>Organic Electronics</i> , 2012, 13, 43-52.	1.4	37

#	ARTICLE	IF	CITATIONS
109	Poly(urethane/malonamide) dendritic structures featuring blocked/deblocked isocyanate units. <i>Polymer Chemistry</i> , 2011, 2, 1139-1145.	1.9	6
110	Exfoliation of layered silicates through in situ controlled free radical polymerization mediated by a silicate-anchored initiator. <i>Polymer Chemistry</i> , 2011, 2, 2341.	1.9	8
111	Well-Defined Polyamide Synthesis from Diisocyanates and Diacids Involving Hindered Carbodiimide Intermediates. <i>Macromolecules</i> , 2011, 44, 46-59.	2.2	20
112	Sequential self-repetitive reaction toward wholly aromatic polyimides with highly stable optical nonlinearity. <i>Polymer Chemistry</i> , 2011, 2, 685-693.	1.9	21
113	Single-Layered Graphene Oxide Nanosheet/Polyaniline Hybrids Fabricated Through Direct Molecular Exfoliation. <i>Langmuir</i> , 2011, 27, 14563-14569.	1.6	58
114	Thermally stable hyperbranched nonlinear optical polyimides using an A_2+B_3 approach. <i>Materials Chemistry and Physics</i> , 2011, 127, 107-113.	2.0	10
115	Using a breath-figure method to self-organize honeycomb-like polymeric films from dendritic side-chain polymers. <i>Materials Chemistry and Physics</i> , 2011, 128, 157-165.	2.0	26
116	A reactive modifier that enhances the thermal mechanical properties of epoxy resin through the formation of multiple hydrogen-bonded network. <i>Journal of Polymer Research</i> , 2011, 18, 1169-1176.	1.2	13
117	Electrochemical impedance characterization and photovoltaic performance of N719 dye-sensitized solar cells using quaternized ammonium iodide containing polyfluorene electrolyte solutions. <i>Polymers for Advanced Technologies</i> , 2011, 22, 1650-1657.	1.6	9
118	Synthesis of quaternized ammonium iodide-containing conjugated polymer electrolytes and their application in dye-sensitized solar cells. <i>Polymer International</i> , 2011, 60, 483-492.	1.6	11
119	Tailored thermal and mechanical properties of epoxy resins prepared using multiply hydrogen-bonding reactive modifiers. <i>Journal of Applied Polymer Science</i> , 2011, 120, 2411-2420.	1.3	14
120	Bulky side-chain density effect on the photophysical, electrochemical and photovoltaic properties of polythiophene derivatives. <i>Polymer</i> , 2011, 52, 326-338.	1.8	30
121	Carbazole/fluorene copolymers with dimethylboron pendants for blue light-emitting diodes. <i>Polymer</i> , 2011, 52, 976-986.	1.8	22
122	Polythiophene derivative comprising carbazoles as pendant groups for polymer solar cell applications. <i>Thin Solid Films</i> , 2011, 519, 5264-5269.	0.8	10
123	Nanoscale organic/inorganic hybrids based on self-organized dendritic macromolecules on montmorillonites. <i>Applied Clay Science</i> , 2010, 48, 103-110.	2.6	20
124	The facile synthesis and optical nonlinearity of hyperbranched polyaspartimides with azobenzene dyes. <i>Dyes and Pigments</i> , 2009, 82, 31-39.	2.0	17
125	Nonlinear optical, poly(amide-imide)-clay nanocomposites comprising an azobenzene moiety synthesised via sequential self-repetitive reaction. <i>Dyes and Pigments</i> , 2009, 82, 76-83.	2.0	17
126	Nonlinear optical polyimides consisting of chromophore-containing dendrons with site-isolation effect. <i>Polymers for Advanced Technologies</i> , 2009, 20, 493-500.	1.6	9

#	ARTICLE	IF	CITATIONS
127	Functionalization of silica nanoparticles with 4-isocyanato-4-(3,3-dimethyl-2,4-dioxo-azetidino)diphenyl methane, surface chemical reactivity and nanohybrid preparation. <i>Journal of Colloid and Interface Science</i> , 2009, 336, 189-194.	5.0	10
128	Facile Synthetic Route Toward High Conversion Primary Aliphatic Poly(vinyl benzyl isocyanate) via Iodination. <i>Polymer Journal</i> , 2009, 41, 1011-1017.	1.3	0
129	Orderly Arranged NLO Materials Based on Chromophore-Containing Dendrons on Exfoliated Layered Templates. <i>ACS Applied Materials & Interfaces</i> , 2009, 1, 2371-2381.	4.0	18
130	Superhydrophobic waxy-dendron-grafted polymer films via nanostructure manipulation. <i>Journal of Materials Chemistry</i> , 2009, 19, 4819.	6.7	34
131	Dendronized organic-inorganic nonlinear optical hybrid materials with homogeneous morphology. <i>Synthetic Metals</i> , 2009, 159, 1852-1858.	2.1	5
132	Side chain dendritic polyurethanes with shape-memory effect. <i>Journal of Materials Chemistry</i> , 2009, 19, 8484.	6.7	33
133	Preparation and Supramolecular Self-Assembly of Amphiphilic Dendron-POSS Nanohybrids. <i>Journal of Nanoscience and Nanotechnology</i> , 2009, 9, 4623-4632.	0.9	4
134	Nonlinear optical polyimide/montmorillonite nanocomposites consisting of azobenzene dyes. <i>Dyes and Pigments</i> , 2008, 77, 515-524.	2.0	42
135	Efficient and bright non-doped blue light-emitting diodes based on glassy styrylcarbazoles. <i>Thin Solid Films</i> , 2008, 516, 4145-4152.	0.8	13
136	Stable second-order nonlinear optical poly(amide-imide)/inorganic materials via simultaneous sequential self-repetitive reaction and sol-gel process. <i>Polymers for Advanced Technologies</i> , 2008, 19, 984-992.	1.6	14
137	Optical Nonlinearity from Montmorillonite Intercalated with a Chromophore-Containing Dendritic Structure: A Self-Assembly Approach. <i>Macromolecular Rapid Communications</i> , 2008, 29, 587-592.	2.0	23
138	Cross-linked and uncross-linked biodegradable nanocomposites. I. Nonisothermal crystallization kinetics and gas permeability. <i>Journal of Applied Polymer Science</i> , 2008, 110, 1068-1079.	1.3	16
139	Highly Efficient Carbazole-Dimesitylborane Bipolar Fluorophores for Nondoped Blue Organic Light-Emitting Diodes. <i>Advanced Materials</i> , 2008, 20, 3947-3952.	11.1	235
140	Facile synthetic route toward poly(vinyl benzyl amine) and its versatile intermediates. <i>Polymer</i> , 2008, 49, 1497-1505.	1.8	15
141	Preparation and properties of biodegradable PBS/multi-walled carbon nanotube nanocomposites. <i>Polymer</i> , 2008, 49, 4602-4611.	1.8	123
142	Self-doping effects on the morphology, electrochemical and conductivity properties of self-assembled polyanilines. <i>Thin Solid Films</i> , 2008, 517, 500-505.	0.8	36
143	Iterative Synthesis of Extenders of Uniform Chain Lengths for Making Thermo-Reversible Polyurethane Supramolecules. <i>Macromolecules</i> , 2008, 41, 682-690.	2.2	29
144	Synthesis and Rapid Polymerizations of Aryl- and Alkyl-bis(azetidine-2,4-dione)s to Polymalonamide Elastomers. <i>Macromolecules</i> , 2008, 41, 9637-9642.	2.2	13

#	ARTICLE	IF	CITATIONS
145	Organo-clay hybrids based on dendritic molecules: preparation and characterization. <i>Nanotechnology</i> , 2007, 18, 205606.	1.3	27
146	Synthesis of N-aryl azetidine-2,4-diones and polymalonamides prepared from selective ring-opening reactions. <i>Journal of Applied Polymer Science</i> , 2007, 103, 3591-3599.	1.3	42
147	Peripheral aryl-substituted pyrrole fluorophores for glassy blue-light-emitting diodes. <i>Tetrahedron</i> , 2007, 63, 7086-7096.	1.0	34
148	Second-order nonlinear optical hyperbranched polymers via facile ring-opening addition reaction of azetidine-2,4-dione. <i>European Polymer Journal</i> , 2007, 43, 3988-3996.	2.6	24
149	Thermally stable NLO poly(amide-imide)s via sequential self-repetitive reaction. <i>Polymer</i> , 2007, 48, 2046-2055.	1.8	39
150	Biodegradable nanocomposites based on poly(butylene succinate)/organoclay. <i>Journal of Polymers and the Environment</i> , 2007, 15, 151-158.	2.4	69
151	Synthesis and montmorillonite-intercalated behavior of dendritic surfactants. <i>Journal of Materials Chemistry</i> , 2006, 16, 2056.	6.7	41
152	Effects of sulfonated polyol on the properties of the resultant aqueous polyurethane dispersions. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2006, 276, 176-185.	2.3	59
153	Thermal degradation behaviour and kinetic analysis of unsaturated polyester-based composites and IPNs by conventional and modulated thermogravimetric analysis. <i>Polymer Degradation and Stability</i> , 2006, 91, 823-831.	2.7	28
154	Water bamboo husk-reinforced poly(butylene succinate) biodegradable composites. <i>Journal of Applied Polymer Science</i> , 2006, 99, 188-199.	1.3	42
155	Novel Side-Chain Dendritic Polyurethanes Based on Hydrogen Bonding Rich Polyurea/Malonamide Dendrons. <i>Macromolecular Materials and Engineering</i> , 2006, 291, 395-404.	1.7	20
156	Polyurethane elastomers through multi-hydrogen-bonded association of dendritic structures. <i>Polymer</i> , 2005, 46, 11849-11857.	1.8	72
157	Stable second-order NLO semi-IPN system based on bipyridine-containing polyimide and alkoxy silane dye. <i>Polymers for Advanced Technologies</i> , 2005, 16, 515-523.	1.6	11
158	Facile approach to polyurea/malonamide dendrons via a selective ring-opening addition reaction of azetidine-2,4-dione. <i>Journal of Polymer Science Part A</i> , 2005, 43, 682-688.	2.5	38
159	Polymers for Electro-Optical Modulation. <i>Journal of Macromolecular Science - Reviews in Macromolecular Chemistry and Physics</i> , 2005, 45, 125-170.	2.2	63
160	Low loss second-order non-linear optical crosslinked polymers based on a phosphorus-containing maleimide. <i>Polymers for Advanced Technologies</i> , 2004, 15, 587-592.	1.6	14
161	IPNs based on unsaturated polyester/epoxy: IV. Investigation on hydrogen bonding, compatibility and interaction behavior. <i>Polymer International</i> , 2004, 53, 1892-1898.	1.6	25
162	Preparation and characterization of hyperbranched polyaspartimides from bismaleimides and triamines. <i>Journal of Polymer Science Part A</i> , 2004, 42, 5921-5928.	2.5	32

#	ARTICLE	IF	CITATIONS
163	Expandable graphite systems for phosphorus-containing unsaturated polyesters. I. Enhanced thermal properties and flame retardancy. <i>Polymer Degradation and Stability</i> , 2004, 86, 339-348.	2.7	86
164	Preparation of epoxy resin/silica hybrid composites for epoxy molding compounds. <i>Journal of Applied Polymer Science</i> , 2003, 90, 4047-4053.	1.3	36
165	Carbon black containing interpenetrating polymer networks based on unsaturated polyester/epoxy III: thermal and pyrolysis analysis. <i>Journal of Analytical and Applied Pyrolysis</i> , 2003, 70, 129-141.	2.6	13
166	Organic/Inorganic NLO materials based on reactive polyimides and a bulky alkoxy silane dye via sol/Gel process. <i>Polymers for Advanced Technologies</i> , 2003, 14, 66-75.	1.6	26
167	Enhanced thermal properties and flame retardancy from a thermosetting blend of a phosphorus-containing bismaleimide and epoxy resins. <i>Polymers for Advanced Technologies</i> , 2003, 14, 147-156.	1.6	36
168	Thermally stable crosslinked NLO materials based on maleimides. <i>Polymer</i> , 2003, 44, 143-155.	1.8	56
169	Preparation and thermal properties of epoxy-silica nanocomposites from nanoscale colloidal silica. <i>Polymer</i> , 2003, 44, 5159-5167.	1.8	242
170	Ferroelectric liquid crystalline polymers based on mesogens with halogen-containing terminal groups. <i>Liquid Crystals</i> , 2003, 30, 71-80.	0.9	1
171	Synthesis and macroscopic second-order nonlinear optical properties of poly(ether imide)s containing a novel two-dimensional carbazole chromophore with nitro acceptors. <i>Journal of Materials Chemistry</i> , 2002, 12, 868-878.	6.7	38
172	Carbon black containing IPNs based on unsaturated polyester/epoxy. I. Dynamic mechanical properties, thermal analysis, and morphology. <i>Journal of Applied Polymer Science</i> , 2002, 86, 1904-1910.	1.3	24
173	Carbon black-containing interpenetrating polymer networks based on unsaturated polyester/epoxy II. Thermal degradation behavior and kinetic analysis. <i>Polymer Degradation and Stability</i> , 2002, 77, 67-76.	2.7	18
174	Flame retardant epoxy polymers based on all phosphorus-containing components. <i>European Polymer Journal</i> , 2002, 38, 683-693.	2.6	121
175	Synthesis and characterization of halogen-containing ferroelectric liquid crystals and side chain liquid crystalline polymers. <i>Liquid Crystals</i> , 2001, 28, 365-374.	0.9	10
176	POLYIMIDE/INORGANIC INTERPENETRATING POLYMER NETWORKS FOR STABLE SECOND-ORDER NONLINEAR OPTICS. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2001, 38, 1259-1274.	1.2	7
177	Novel Guest-Host NLO Poly(ether imide) Based on a Two-Dimensional Carbazole Chromophore with Sulfonyl Acceptors. <i>Macromolecules</i> , 2001, 34, 2373-2384.	2.2	59
178	Novel Guest-Host NLO Polyimide Based on Two-Dimensional Carbazole Chromophores. <i>Materials Research Society Symposia Proceedings</i> , 2001, 665, 1.	0.1	0
179	THERMALLY STABLE NLO MATERIALS BASED ON ORGANOSOLUBLE POLYIMIDES AND AN ALKOXY SILANE DYE VIA SOL-GEL PROCESS. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2001, 38, 821-837.	1.2	4
180	Triphenylphosphine oxide-based bismaleimide and poly(bismaleimide): Synthesis, characterization, and properties. <i>Journal of Polymer Science Part A</i> , 2001, 39, 1716-1725.	2.5	56

#	ARTICLE	IF	CITATIONS
181	Organically modified inorganic sol-gel materials for second-order nonlinear optics. Journal of Applied Polymer Science, 2001, 79, 1852-1859.	1.3	10
182	Flame retardant epoxy polymers using phosphorus-containing polyalkylene amines as curing agents. Journal of Applied Polymer Science, 2001, 82, 3526-3538.	1.3	42
183	Enhanced Temporal Stability of an NLO Polyurethane via a Two-Dimensional Chromophore. Macromolecular Rapid Communications, 2001, 22, 601-606.	2.0	22
184	Synthesis, Thermal and Dielectric Properties of a Photocrosslinkable Ferroelectric Liquid Crystal and its Copolymers. Macromolecular Chemistry and Physics, 2001, 202, 287-296.	1.1	4
185	All Organic NLO Sol-Gel Material Containing a One-Dimensional Carbazole Chromophore. Macromolecular Chemistry and Physics, 2001, 202, 1782-1790.	1.1	7
186	Enhancing the glass-transition temperature of polyimide copolymers containing 2,2'-bipyridine units by the coordination of nickel malenonitriedithiolate. Journal of Polymer Science Part A, 2000, 38, 498-503.	2.5	11
187	Preparation and characterization of all organic NLO sol-gel materials based on amino azobenzene dyes. Macromolecular Chemistry and Physics, 2000, 201, 2336-2347.	1.1	16
188	Microstructural and morphological characteristics of PS/SiO ₂ nanocomposites. Polymer, 2000, 41, 2813-2825.	1.8	156
189	Thermally stable organic-inorganic sol-gel materials for second-order nonlinear optics. Macromolecular Symposia, 2000, 156, 163-170.	0.4	3
190	Dielectric Relaxation and Second-Order Nonlinearity of Copolymethacrylates Containing Tolane-Based Mesogenic Groups. ACS Symposium Series, 1999, , 189-203.	0.5	0
191	A novel second-order nonlinear optical guest-host polymeric material exhibiting optical transparency down to 400 nm. Polymer, 1999, 40, 13-19.	1.8	7
192	All sol-gel organic-inorganic nonlinear optical materials based on melamines and an alkoxy silane dye. Polymer, 1999, 40, 6417-6428.	1.8	29
193	Organic sol-gel materials for second-order nonlinear optics based on melamines. Journal of Polymer Science Part A, 1999, 37, 2503-2510.	2.5	16
194	Dielectric and Electro-Optical Properties of a Ferroelectric Side-Chain Liquid Crystalline Polysiloxane Containing Azobenzene Dyes as Guest Molecules. ACS Symposium Series, 1999, , 129-144.	0.5	0
195	Guest-host ferroelectric side-chain liquid crystalline polymeric materials with improved electro-optical properties. Journal of Polymer Research, 1998, 5, 37-44.	1.2	6
196	Thermal dynamics of side-chain copolymethacrylates as studied by the dielectric spectroscopy and relaxation of second-harmonic generation. Polymer, 1998, 39, 6911-6920.	1.8	5
197	A New Class of Organic-Inorganic Sol-Gel Materials for Second-Order Nonlinear Optics. Chemistry of Materials, 1997, 9, 883-888.	3.2	50
198	Dielectric study of a ferroelectric side-chain liquid crystalline polysiloxane with a broad temperature range of the chiral smectic C phase: 2. Doping effect of a non-linear optically active dye. Polymer, 1997, 38, 887-895.	1.8	17

#	ARTICLE	IF	CITATIONS
199	Synthesis, thermal properties, and flame retardancy of phosphorus containing polyimides. Journal of Applied Polymer Science, 1997, 63, 875-882.	1.3	29
200	Dielectric study of ferroelectric side-chain liquid crystalline polysiloxanes with broad temperature ranges of the chiral smectic c phase 1. Structure dependence of dielectric relaxation. Journal of Polymer Science, Part B: Polymer Physics, 1996, 34, 555-563.	2.4	16
201	Synthesis and flame-retardant properties of phosphorus-containing polymers based on poly(4-hydroxystyrene). Journal of Applied Polymer Science, 1996, 59, 1619-1625.	1.3	92
202	Phosphorus-containing epoxy for flame retardant. I. Synthesis, thermal, and flame-retardant properties. Journal of Applied Polymer Science, 1996, 61, 613-621.	1.3	136
203	Phosphorus containing epoxy for flame retardant II: Curing reaction of bis-(3-glycidyl)oxy phenylphosphine oxide. Journal of Applied Polymer Science, 1996, 61, 1789-1796.	1.3	31
204	Low loss second-order nonlinear optical polymers based on all organic sol-gel materials. Journal of Applied Polymer Science, 1995, 55, 209-214.	1.3	26
205	Stable highly transparent nonlinear optical polymer for laser frequency doubling. Optics Communications, 1995, 117, 127-132.	1.0	7
206	Synthesis and thermal behaviour of non-linear optical materials. 1: Liquid crystals containing long conjugate and high polar terminal groups. Liquid Crystals, 1995, 19, 189-195.	0.9	6
207	New addition reaction of polymers carrying pendent oxetane rings: Synthesis of a nonlinear optical polymer. Journal of Polymer Science Part A, 1994, 32, 3201-3204.	2.5	12
208	A relaxation study of poled nonlinear optical polymers by infrared reflection-absorption spectroscopy. European Polymer Journal, 1994, 30, 1357-1362.	2.6	5
209	Title is missing!. Angewandte Makromolekulare Chemie, 1994, 217, 9-17.	0.3	0
210	Stable Second-Order Nonlinear Optical Polymer Network Based on an Organosoluble Polyimide. Chemistry of Materials, 1994, 6, 884-887.	3.2	30
211	Relaxation behavior of a nonlinear optical polyimide/inorganic composite. Chemistry of Materials, 1993, 5, 743-746.	3.2	33
212	Dipolar relaxation in a second-order nonlinear optical interpenetrating polymer network. Macromolecules, 1993, 26, 7379-7381.	2.2	24
213	Phenoxysilicon polymer with stable second-order optical nonlinearity. Macromolecules, 1993, 26, 2530-2534.	2.2	51
214	An interpenetrating polymer network as a stable second-order nonlinear optical material. Chemistry of Materials, 1993, 5, 592-594.	3.2	52
215	Polyimide/Inorganic Composite - Interpenetrating Polymer Network For Stable Second-Order Nonlinear Optics. Materials Research Society Symposia Proceedings, 1993, 328, 541.	0.1	1
216	Second order optical nonlinearity on a modified sol-gel system at 100.degree.C. Chemistry of Materials, 1992, 4, 972-975.	3.2	65

#	ARTICLE	IF	CITATIONS
217	UV-Curable Epoxy Based Second Order Nonlinear Optical Material. Materials Research Society Symposia Proceedings, 1992, 247, 111.	0.1	3
218	Stable second-order nonlinear optical polyimide/inorganic composite. Chemistry of Materials, 1992, 4, 1141-1144.	3.2	75
219	A new guest-host system: towards stable second-order optical nonlinearity. Optics Communications, 1992, 89, 212-216.	1.0	33
220	Photocrosslinkable polymers with stable second-order optical nonlinearity. Optics Communications, 1992, 88, 77-80.	1.0	22
221	Thin film processing of NLO materials. I. Studies on relaxation behaviour of corona poled aromatic dipolar molecules in a polymer matrix. European Polymer Journal, 1991, 27, 735-741.	2.6	17
222	New photocrosslinkable polymers for second-order nonlinear optical processes. Die Makromolekulare Chemie Rapid Communications, 1991, 12, 607-612.	1.1	59
223	Effects of moisture on thermal and mechanical properties of nylon-6,6. Advances in Polymer Technology, 1989, 9, 157-163.	0.8	47
224	Convergent Synthesis of Polyimide Dendrimers from an ABB' Intermediate. Advanced Materials Research, 0, 716, 438-442.	0.3	2