

# Narendra Kurra

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2833972/publications.pdf>

Version: 2024-02-01

54  
papers

6,178  
citations

94269

37  
h-index

174990

52  
g-index

54  
all docs

54  
docs citations

54  
times ranked

7296  
citing authors

#	ARTICLE	IF	CITATIONS
1	Energy Storage Data Reporting in Perspective—Guidelines for Interpreting the Performance of Electrochemical Energy Storage Systems. <i>Advanced Energy Materials</i> , 2019, 9, 1902007.	10.2	793
2	All Pseudocapacitive MXene—RuO <sub>2</sub> Asymmetric Supercapacitors. <i>Advanced Energy Materials</i> , 2018, 8, 1703043.	10.2	757
3	All-MXene (2D titanium carbide) solid-state microsupercapacitors for on-chip energy storage. <i>Energy and Environmental Science</i> , 2016, 9, 2847-2854.	15.6	551
4	MXene—On—Paper Coplanar Microsupercapacitors. <i>Advanced Energy Materials</i> , 2016, 6, 1601372.	10.2	368
5	Asymmetric Flexible MXene—Reduced Graphene Oxide Micro—Supercapacitor. <i>Advanced Electronic Materials</i> , 2018, 4, 1700339.	2.6	324
6	High-Temperature Behavior and Surface Chemistry of Carbide MXenes Studied by Thermal Analysis. <i>Chemistry of Materials</i> , 2019, 31, 3324-3332.	3.2	296
7	Conducting polymer micro-supercapacitors for flexible energy storage and Ac line-filtering. <i>Nano Energy</i> , 2015, 13, 500-508.	8.2	214
8	Highly Efficient Laser Scribed Graphene Electrodes for On—Chip Electrochemical Sensing Applications. <i>Advanced Electronic Materials</i> , 2016, 2, 1600185.	2.6	202
9	Pencil-on-paper: electronic devices. <i>Lab on A Chip</i> , 2013, 13, 2866.	3.1	181
10	Bistacked Titanium Carbide (MXene) Anodes for Hybrid Sodium-Ion Capacitors. <i>ACS Energy Letters</i> , 2018, 3, 2094-2100.	8.8	145
11	Laser-derived graphene: A three-dimensional printed graphene electrode and its emerging applications. <i>Nano Today</i> , 2019, 24, 81-102.	6.2	138
12	MXene-conducting polymer electrochromic microsupercapacitors. <i>Energy Storage Materials</i> , 2019, 20, 455-461.	9.5	136
13	Tuning the Electrochemical Performance of Titanium Carbide MXene by Controllable In Situ Anodic Oxidation. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 17849-17855.	7.2	117
14	On—Chip MXene Microsupercapacitors for AC—Line Filtering Applications. <i>Advanced Energy Materials</i> , 2019, 9, 1901061.	10.2	113
15	All conducting polymer electrodes for asymmetric solid-state supercapacitors. <i>Journal of Materials Chemistry A</i> , 2015, 3, 7368-7374.	5.2	112
16	Direct Writing of Additive—Free MXene—In—Water Ink for Electronics and Energy Storage. <i>Advanced Materials Technologies</i> , 2019, 4, 1800256.	3.0	112
17	Automated Scalpel Patterning of Solution Processed Thin Films for Fabrication of Transparent MXene Microsupercapacitors. <i>Small</i> , 2018, 14, e1802864.	5.2	97
18	Microfabricated Pseudocapacitors Using Ni(OH) <sub>2</sub> Electrodes Exhibit Remarkable Volumetric Capacitance and Energy Density. <i>Advanced Energy Materials</i> , 2015, 5, 1401303.	10.2	84

#	ARTICLE	IF	CITATIONS
19	Highly Doped 3D Graphene Na <sup>+</sup> Ion Battery Anode by Laser Scribing Polyimide Films in Nitrogen Ambient. <i>Advanced Energy Materials</i> , 2018, 8, 1800353.	10.2	83
20	Field effect transistors and RC filters from pencil-trace on paper. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 8367.	1.3	81
21	Emerging MXene@Metal-Organic Framework Hybrids: Design Strategies toward Versatile Applications. <i>ACS Nano</i> , 2021, 15, 18742-18776.	7.3	81
22	Ternary chalcogenide micro-pseudocapacitors for on-chip energy storage. <i>Chemical Communications</i> , 2015, 51, 10494-10497.	2.2	78
23	Titanium Carbide (MXene) as a Current Collector for Lithium-Ion Batteries. <i>ACS Omega</i> , 2018, 3, 12489-12494.	1.6	77
24	Role of acid mixtures etching on the surface chemistry and sodium ion storage in Ti <sub>3</sub> C <sub>2</sub> MXene. <i>Chemical Communications</i> , 2020, 56, 6090-6093.	2.2	76
25	Hybrid Microsupercapacitors with Vertically Scaled 3D Current Collectors Fabricated using a Simple Cut-and-transfer Strategy. <i>Advanced Energy Materials</i> , 2017, 7, 1601257.	10.2	75
26	A general strategy for the fabrication of high performance microsupercapacitors. <i>Nano Energy</i> , 2015, 16, 1-9.	8.2	72
27	Bipolar carbide-carbon high voltage aqueous lithium-ion capacitors. <i>Nano Energy</i> , 2019, 56, 151-159.	8.2	67
28	Enhanced high temperature thermoelectric response of sulphuric acid treated conducting polymer thin films. <i>Journal of Materials Chemistry C</i> , 2016, 4, 215-221.	2.7	65
29	Micro-Pseudocapacitors with Electroactive Polymer Electrodes: Toward AC-Line Filtering Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 12748-12755.	4.0	52
30	Low cost, rapid synthesis of graphene on Ni: An efficient barrier for corrosion and thermal oxidation. <i>Carbon</i> , 2014, 78, 384-391.	5.4	51
31	Marker Pen Lithography for Flexible and Curvilinear On-Chip Energy Storage. <i>Advanced Functional Materials</i> , 2015, 25, 4976-4984.	7.8	50
32	A conducting polymer nucleation scheme for efficient solid-state supercapacitors on paper. <i>Journal of Materials Chemistry A</i> , 2014, 2, 17058-17065.	5.2	48
33	Monolithic laser scribed graphene scaffolds with atomic layer deposited platinum for the hydrogen evolution reaction. <i>Journal of Materials Chemistry A</i> , 2017, 5, 20422-20427.	5.2	48
34	Enhancement of Ti <sub>3</sub> C <sub>2</sub> MXene Pseudocapacitance after Urea Intercalation Studied by Soft X-ray Absorption Spectroscopy. <i>Journal of Physical Chemistry C</i> , 2020, 124, 5079-5086.	1.5	46
35	A two-step annealing process for enhancing the ferroelectric properties of poly(vinylidene fluoride) (PVDF) devices. <i>Journal of Materials Chemistry C</i> , 2015, 3, 2366-2370.	2.7	45
36	Mapping (Pseudo)Capacitive Charge Storage Dynamics in Titanium Carbide MXene Electrodes in Aqueous Electrolytes Using 3D Bode Analysis. <i>Energy Storage Materials</i> , 2021, 39, 347-353.	9.5	44

#	ARTICLE	IF	CITATIONS
37	Rational Design of Titanium Carbide MXene Electrode Architectures for Hybrid Capacitive Deionization. <i>Energy and Environmental Materials</i> , 2020, 3, 398-404.	7.3	42
38	Tunable electrochromic behavior of titanium-based MXenes. <i>Nanoscale</i> , 2020, 12, 14204-14212.	2.8	42
39	Tuning the Electrochemical Performance of Titanium Carbide MXene by Controllable In Situ Anodic Oxidation. <i>Angewandte Chemie</i> , 2019, 131, 18013-18019.	1.6	38
40	Few layer graphene to graphitic films: infrared photoconductive versus bolometric response. <i>Nanoscale</i> , 2013, 5, 381-389.	2.8	37
41	Nanocarbon-Scanning Probe Microscopy Synergy: Fundamental Aspects to Nanoscale Devices. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 6147-6163.	4.0	29
42	Charge storage in mesoscopic graphitic islands fabricated using AFM bias lithography. <i>Nanotechnology</i> , 2011, 22, 245302.	1.3	28
43	Ultrafast Direct Ablative Patterning of HOPG by Single Laser Pulses to Produce Graphene Ribbons. <i>Advanced Functional Materials</i> , 2011, 21, 3836-3842.	7.8	15
44	Field effect transistors and photodetectors based on nanocrystalline graphene derived from electron beam induced carbonaceous patterns. <i>Nanotechnology</i> , 2012, 23, 425301.	1.3	14
45	Electrocondensation and evaporation of attoliter water droplets: Direct visualization using atomic force microscopy. <i>Nano Research</i> , 2010, 3, 307-316.	5.8	12
46	Solution processed sun baked electrode material for flexible supercapacitors. <i>RSC Advances</i> , 2014, 4, 20281-20289.	1.7	11
47	Field-Effect Transistors Based on Thermally Treated Electron Beam-Induced Carbonaceous Patterns. <i>ACS Applied Materials &amp; Interfaces</i> , 2012, 4, 1030-1036.	4.0	10
48	Supercapacitors. , 2022, , 383-417.		7
49	CNT Manipulation: Inserting a Carbonaceous Dielectric Layer Beneath Using Electron Beam Induced Deposition. <i>Journal of Nanoscience and Nanotechnology</i> , 2011, 11, 1025-1029.	0.9	4
50	Layer-by-Layer Assembly-Based Heterointerfaces for Modulating the Electronic Properties of $Ti_3C_2Tx$ MXene. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 59104-59114.	4.0	4
51	Interaction and dynamics of ambient water adlayers on graphite probed using AFM voltage nanolithography and electrostatic force microscopy. <i>Nanotechnology</i> , 2014, 25, 155304.	1.3	3
52	Tunable atomic force microscopy bias lithography on electron beam induced carbonaceous platforms. <i>AIP Advances</i> , 2013, 3, 092108.	0.6	2
53	Flexible Lithography: Marker Pen Lithography for Flexible and Curvilinear On-Chip Energy Storage (Adv. Funct. Mater. 31/2015). <i>Advanced Functional Materials</i> , 2015, 25, 5076-5076.	7.8	1
54	ELECTRON BEAM INDUCED CARBONACEOUS DEPOSITION AS A LOCAL DIELECTRIC FOR CNT CIRCUITS. <i>International Journal of Nanoscience</i> , 2011, 10, 935-941.	0.4	0