

Qixing Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2836509/publications.pdf>

Version: 2024-02-01

60
papers

2,522
citations

147726

31
h-index

197736

49
g-index

61
all docs

61
docs citations

61
times ranked

2681
citing authors

#	ARTICLE	IF	CITATIONS
1	Mutual Conversion of CO ₂ on a Perovskite Fuel Electrode with Endogenous Alloy Nanoparticles for Reversible Solid Oxide Cells. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 9138-9150.	4.0	52
2	Enhancement of oxygen evolution activity of perovskite (La _{0.8} Sr _{0.2}) _{0.95} MnO _{3-δ} electrode by Co phase surface modification. <i>Catalysis Today</i> , 2021, 364, 148-156.	2.2	13
3	Understanding CO ₂ electrochemical reduction kinetics of mixed-conducting cathodes by the electrical conductivity relaxation method. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 9646-9652.	3.8	12
4	Single-component slurry based lithium-ion flow battery with 3D current collectors. <i>Journal of Power Sources</i> , 2021, 485, 229319.	4.0	24
5	Recyclable, weldable, mechanically durable, and programmable liquid metal-elastomer composites. <i>Journal of Materials Chemistry A</i> , 2021, 9, 10953-10965.	5.2	42
6	A unique hierarchical structure: NiCo ₂ O ₄ nanowire decorated NiO nanosheets as a carbon-free cathode for Li ₂ O ₂ battery. <i>Catalysis Science and Technology</i> , 2021, 11, 7632-7639.	2.1	10
7	Enhancing oxygen reduction performance of oxide-CNT through in-situ generated nanoalloy bridging. <i>Applied Catalysis B: Environmental</i> , 2020, 263, 118297.	10.8	34
8	Elucidating effects of component materials and flow fields on Sn-Fe hybrid flow battery performance. <i>Journal of Power Sources</i> , 2020, 450, 227613.	4.0	13
9	Insight into high electrochemical activity of reduced La _{0.3} Sr _{0.7} Ti _{0.3} O ₃ electrode for high temperature CO ₂ electrolysis. <i>Electrochimica Acta</i> , 2020, 332, 135464.	2.6	19
10	Characterizations of carbonized electrospun mats as diffusion layers for direct methanol fuel cells. <i>Journal of Power Sources</i> , 2020, 448, 227410.	4.0	17
11	Densely Populated Bismuth Nanosphere Semi-Embedded Carbon Felt for Ultrahigh-Rate and Stable Vanadium Redox Flow Batteries. <i>Small</i> , 2020, 16, e1907333.	5.2	55
12	BaZr _{0.1} Co _{0.4} Fe _{0.4} Y _{0.1} O _{3-δ} -SDC composite as quasi-symmetrical electrode for proton conducting solid oxide fuel cells. <i>Ceramics International</i> , 2020, 46, 11811-11818.	2.3	30
13	Ultrathin interfacial modification of Li-rich layered oxide electrode/sulfide solid electrolyte via atomic layer deposition for high electrochemical performance batteries. <i>Nanotechnology</i> , 2020, 31, 454001.	1.3	14
14	Anisotropic liquid metal-elastomer composites. <i>Journal of Materials Chemistry C</i> , 2019, 7, 10166-10172.	2.7	53
15	Nano-catalytic layer engraved carbon felt via copper oxide etching for vanadium redox flow batteries. <i>Carbon</i> , 2019, 153, 674-681.	5.4	64
16	Hierarchical Mesoporous/Macroporous Co-Doped NiO Nanosheet Arrays as Free-Standing Electrode Materials for Rechargeable Li ₂ O ₂ Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 44556-44565.	4.0	37
17	A high-absorption and self-driven salt-resistant black gold nanoparticle-deposited sponge for highly efficient, salt-free, and long-term durable solar desalination. <i>Journal of Materials Chemistry A</i> , 2019, 7, 2581-2588.	5.2	103
18	Binder-free carbon nano-network wrapped carbon felt with optimized heteroatom doping for vanadium redox flow batteries. <i>Journal of Materials Chemistry A</i> , 2019, 7, 25132-25141.	5.2	50

#	ARTICLE	IF	CITATIONS
19	Hierarchical porous FeCo ₂ O ₄ @Ni as a carbon- and binder-free cathode for lithium-oxygen batteries. <i>Journal of Alloys and Compounds</i> , 2019, 780, 107-115.	2.8	28
20	An improved thin-film electrode for vanadium redox flow batteries enabled by a dual layered structure. <i>Journal of Power Sources</i> , 2019, 410-411, 152-161.	4.0	91
21	Recent advances in alkali-doped polybenzimidazole membranes for fuel cell applications. <i>Renewable and Sustainable Energy Reviews</i> , 2018, 89, 168-183.	8.2	71
22	Reduced Co ₃ O ₄ nanowires with abundant oxygen vacancies as an efficient free-standing cathode for Li-O ₂ batteries. <i>Catalysis Science and Technology</i> , 2018, 8, 6478-6485.	2.1	18
23	Porous silicon-aluminium oxide particles functionalized with acid moieties: An innovative filler for enhanced Nafion-based membranes of direct methanol fuel cell. <i>Journal of Power Sources</i> , 2018, 403, 118-126.	4.0	26
24	Bio-inspired multiscale-pore-network structured carbon felt with enhanced mass transfer and activity for vanadium redox flow batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 20347-20355.	5.2	80
25	A Sn-Fe flow battery with excellent rate and cycle performance. <i>Journal of Power Sources</i> , 2018, 404, 89-95.	4.0	36
26	Study on the Mixed Electrolyte of N,N-Dimethylacetamide/Sulfolane and Its Application in Aprotic Lithium-Air Batteries. <i>ACS Omega</i> , 2017, 2, 236-242.	1.6	9
27	Layered Spongy-like O-Doped g-C ₃ N ₄ : An Efficient Non-Metal Oxygen Reduction Catalyst for Alkaline Fuel Cells. <i>Journal of the Electrochemical Society</i> , 2017, 164, F354-F363.	1.3	26
28	A comparative study on three types of solar utilization technologies for buildings: Photovoltaic, solar thermal and hybrid photovoltaic/thermal systems. <i>Energy Conversion and Management</i> , 2017, 140, 1-13.	4.4	113
29	Monte Carlo study of temperature-dependent non-diffusive thermal transport in Si nanowires. <i>Applied Thermal Engineering</i> , 2017, 124, 17-21.	3.0	6
30	High-absorption recyclable photothermal membranes used in a bionic system for high-efficiency solar desalination via enhanced localized heating. <i>Journal of Materials Chemistry A</i> , 2017, 5, 20044-20052.	5.2	108
31	Multi-Scaled Porous Fe-N/C Nanofibrous Catalysts for the Cathode Electrodes of Direct Methanol Fuel Cells. <i>Journal of the Electrochemical Society</i> , 2017, 164, F1556-F1565.	1.3	19
32	Experimental Study of Single Phase Flow in a Closed-Loop Cooling System with Integrated Mini-Channel Heat Sink. <i>Entropy</i> , 2016, 18, 128.	1.1	11
33	A hierarchical micro/mesoporous carbon fiber/sulfur composite for high-performance lithium-sulfur batteries. <i>RSC Advances</i> , 2016, 6, 37443-37451.	1.7	46
34	Improving the performance of a non-aqueous lithium-air battery by defective titanium dioxides with oxygen vacancies. <i>Electrochimica Acta</i> , 2016, 202, 1-7.	2.6	31
35	Catalytic performance of a pyrolyzed graphene supported Fe-N-C composite and its application for acid direct methanol fuel cells. <i>RSC Advances</i> , 2016, 6, 90797-90805.	1.7	6
36	Preparation and properties of branched sulfonated poly(arylene ether) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 Td (ketone)/polytetrafluoroethylene. <i>Journal of Materials Chemistry A</i> , 2016, 6, 61410-61417.	1.7	6

#	ARTICLE	IF	CITATIONS
37	Comparative study on performances of a heat-pipe PV/T system and a heat-pipe solar water heating system. <i>International Journal of Green Energy</i> , 2016, 13, 229-240.	2.1	13
38	PEDOT-PSS coated sulfur/carbon composite on porous carbon papers for high sulfur loading lithium-sulfur batteries. <i>RSC Advances</i> , 2015, 5, 96862-96869.	1.7	16
39	Performance evaluation of an air-breathing high-temperature proton exchange membrane fuel cell. <i>Applied Energy</i> , 2015, 160, 146-152.	5.1	27
40	High-temperature passive direct methanol fuel cells operating with concentrated fuels. <i>Journal of Power Sources</i> , 2015, 273, 517-521.	4.0	32
41	Effects of design parameters on the performance of passive direct methanol fuel cells fed with concentrated fuel. <i>Electrochimica Acta</i> , 2014, 133, 8-15.	2.6	32
42	A dual pore carbon aerogel based air cathode for a highly rechargeable lithium-air battery. <i>Journal of Power Sources</i> , 2014, 272, 1061-1071.	4.0	34
43	Effect of phase purity on dielectric properties of CaCu ₃ Ti ₄ O ₁₂ ceramics. <i>Solid State Sciences</i> , 2013, 24, 58-61.	1.5	8
44	A sandwich structured membrane for direct methanol fuel cells operating with neat methanol. <i>Applied Energy</i> , 2013, 106, 301-306.	5.1	52
45	Comparison of different types of membrane in alkaline direct ethanol fuel cells. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 14536-14542.	3.8	73
46	Charge carriers in alkaline direct oxidation fuel cells. <i>Energy and Environmental Science</i> , 2012, 5, 7536.	15.6	63
47	Product analysis of the ethanol oxidation reaction on palladium-based catalysts in an anion-exchange membrane fuel cell environment. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 575-582.	3.8	79
48	Effect of water concentration in the anode catalyst layer on the performance of direct methanol fuel cells operating with neat methanol. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 5958-5968.	3.8	22
49	Alkaline direct oxidation fuel cell with non-platinum catalysts capable of converting glucose to electricity at high power output. <i>Journal of Power Sources</i> , 2011, 196, 186-190.	4.0	128
50	Effect of the cathode gas diffusion layer on the water transport behavior and the performance of passive direct methanol fuel cells operating with neat methanol. <i>International Journal of Heat and Mass Transfer</i> , 2011, 54, 1132-1143.	2.5	35
51	Characteristics of water transport through the membrane in direct methanol fuel cells operating with neat methanol. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 5644-5654.	3.8	31
52	Modeling of a passive DMFC operating with neat methanol. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 6899-6913.	3.8	30
53	A novel direct ethanol fuel cell with high power density. <i>Journal of Power Sources</i> , 2011, 196, 6219-6222.	4.0	99
54	RECENT ADVANCES IN UNDERSTANDING OF MASS TRANSFER PHENOMENA IN DIRECT METHANOL FUEL CELLS OPERATING WITH CONCENTRATED FUEL. <i>Frontiers in Heat and Mass Transfer</i> , 2011, 2, .	0.1	1

#	ARTICLE	IF	CITATIONS
55	Towards operating direct methanol fuel cells with highly concentrated fuel. Journal of Power Sources, 2010, 195, 3451-3462.	4.0	94
56	Performance of a direct ethylene glycol fuel cell with an Anion-exchange membrane. International Journal of Hydrogen Energy, 2010, 35, 4329-4335.	3.8	137
57	Enhancement of water retention in the membrane electrode assembly for direct methanol fuel cells operating with neat methanol. International Journal of Hydrogen Energy, 2010, 35, 10547-10555.	3.8	53
58	Comparison analysis of vendor managed inventory with consideration of transportation and inventory costs. , 2010, , .		0
59	A microfluidic-structured flow field for passive direct methanol fuel cells operating with highly concentrated fuels. Journal of Micromechanics and Microengineering, 2010, 20, 045014.	1.5	32
60	Effects of anode microporous layers made of carbon powder and nanotubes on water transport in direct methanol fuel cells. Journal of Power Sources, 2009, 191, 304-311.	4.0	57