

# Chan Kee Park

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2836934/chan-kee-park-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

159  
papers

2,988  
citations

30  
h-index

47  
g-index

168  
ext. papers

3,572  
ext. citations

4.1  
avg, IF

5.77  
L-index

#	Paper	IF	Citations
159	Parapapillary Choroidal Microvasculature Dropout in Branched Retinal Vein Occlusion and Glaucoma. <b>2022</b> , 63, 27		0
158	Association of choroidal blood flow with autonomic dysfunction in patients with normal tension glaucoma.. <i>Scientific Reports</i> , <b>2022</b> , 12, 5136	4.9	0
157	Comparison of Vision-related Quality of Life Between Normal Tension Glaucoma and Primary Open-angle Glaucoma.. <i>Journal of Glaucoma</i> , <b>2022</b> , 31, 322-328	2.1	
156	Angiotensin II related glial cell activation and necroptosis of retinal ganglion cells after systemic hypotension in glaucoma.. <i>Cell Death and Disease</i> , <b>2022</b> , 13, 323	9.8	1
155	Ocular and Hemodynamic Factors Contributing to the Central Visual Function in Glaucoma Patients With Myopia <b>2022</b> , 63, 26		0
154	Characteristics of progressive temporal visual field defects in patients with myopia. <i>Scientific Reports</i> , <b>2021</b> , 11, 9385	4.9	1
153	Determinants of vessel defects in superficial and deep vascular layers in normal-tension glaucoma using optical coherence tomography angiography. <i>Scientific Reports</i> , <b>2021</b> , 11, 9941	4.9	1
152	Reply to Comment on: Pattern Electroretinograms in Preperimetric and Perimetric Glaucoma. <i>American Journal of Ophthalmology</i> , <b>2021</b> , 221, 325-326	4.9	
151	Simultaneously performed combined 24-2 and 10-2 visual field tests in glaucoma. <i>Scientific Reports</i> , <b>2021</b> , 11, 1227	4.9	2
150	Machine learning prediction of pathologic myopia using tomographic elevation of the posterior sclera. <i>Scientific Reports</i> , <b>2021</b> , 11, 6950	4.9	2
149	Predicting the development of normal tension glaucoma and related risk factors in normal tension glaucoma suspects. <i>Scientific Reports</i> , <b>2021</b> , 11, 16697	4.9	2
148	Investigation of progression pattern and associated risk factors in glaucoma patients with initial paracentral scotomas using Humphrey 10-2. <i>Scientific Reports</i> , <b>2021</b> , 11, 18609	4.9	2
147	Cytokine profile and cytoskeletal changes after herpes simplex virus type 1 infection in human trabecular meshwork cells. <i>Journal of Cellular and Molecular Medicine</i> , <b>2021</b> , 25, 9295-9305	5.6	2
146	The effect of anxiety and depression on progression of glaucoma. <i>Scientific Reports</i> , <b>2021</b> , 11, 1769	4.9	10
145	Microvasculature Recovery Detected Using Optical Coherence Tomography Angiography and the Rate of Visual Field Progression After Glaucoma Surgery. <b>2021</b> , 62, 17		0
144	Association of Scleral Deformation Around the Optic Nerve Head With Central Visual Function in Normal-Tension Glaucoma and Myopia. <i>American Journal of Ophthalmology</i> , <b>2020</b> , 217, 287-296	4.9	5
143	Posterior scleral deformation and autonomic dysfunction in normal tension glaucoma. <i>Scientific Reports</i> , <b>2020</b> , 10, 8203	4.9	3

142	Attenuated Visual Function in Patients with Major Depressive Disorder. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	3
141	Corneal biomechanical responses detected using corvis st in primary open angle glaucoma and normal tension glaucoma. <i>Medicine (United States)</i> , <b>2020</b> , 99, e19126	1.8	3
140	Pattern Electroretinograms in Preperimetric and Perimetric Glaucoma. <i>American Journal of Ophthalmology</i> , <b>2020</b> , 215, 118-126	4.9	12
139	Intraocular pressure fluctuation and neurodegeneration in the diabetic rat retina. <i>British Journal of Pharmacology</i> , <b>2020</b> , 177, 3046-3059	8.6	5
138	Metabolic Health, Obesity, and the Risk of Developing Open-Angle Glaucoma: Metabolically Healthy Obese Patients versus Metabolically Unhealthy but Normal Weight Patients. <i>Diabetes and Metabolism Journal</i> , <b>2020</b> , 44, 414-425	5	16
137	Risk Factors for Choroidal Detachment After Ahmed Valve Implantation in Glaucoma Patients. <i>American Journal of Ophthalmology</i> , <b>2020</b> , 211, 105-113	4.9	4
136	Characteristics of Normal-tension Glaucoma Patients with Temporal Retinal Nerve Fibre Defects. <i>Scientific Reports</i> , <b>2020</b> , 10, 6362	4.9	3
135	Vision-related quality of life according to location of visual field loss in patients with glaucoma. <i>Acta Ophthalmologica</i> , <b>2019</b> , 97, e772-e779	3.7	9
134	The effects of losartan on cytomegalovirus infection in human trabecular meshwork cells. <i>PLoS ONE</i> , <b>2019</b> , 14, e0218471	3.7	6
133	Transcriptional changes after herpes simplex virus type 1 infection in human trabecular meshwork cells. <i>PLoS ONE</i> , <b>2019</b> , 14, e0217567	3.7	2
132	Increased levels of synaptic proteins involved in synaptic plasticity after chronic intraocular pressure elevation and modulation by brain-derived neurotrophic factor in a glaucoma animal model. <i>DMM Disease Models and Mechanisms</i> , <b>2019</b> , 12,	4.1	9
131	Impact of Posterior Sclera on Glaucoma Progression in Treated Myopic Normal-Tension Glaucoma Using Reconstructed Optical Coherence Tomographic Images <b>2019</b> , 60, 2198-2207		7
130	Comparison of visual field tests in glaucoma patients with a central visual field defect. <i>Canadian Journal of Ophthalmology</i> , <b>2019</b> , 54, 489-494	1.4	1
129	Vertical disc tilt and features of the optic nerve head anatomy are related to visual field defect in myopic eyes. <i>Scientific Reports</i> , <b>2019</b> , 9, 3485	4.9	6
128	Association Between Parapapillary Choroidal Vessel Density Measured With Optical Coherence Tomography Angiography and Future Visual Field Progression in Patients With Glaucoma. <i>JAMA Ophthalmology</i> , <b>2019</b> , 137, 681-688	3.9	25
127	Comparison of pattern electroretinograms of glaucoma patients with parafoveal scotoma versus peripheral nasal step. <i>Scientific Reports</i> , <b>2019</b> , 9, 3547	4.9	4
126	Posterior scleral deformations around optic disc are associated with visual field damage in open-angle glaucoma patients with myopia. <i>PLoS ONE</i> , <b>2019</b> , 14, e0213714	3.7	5
125	Effects of aqueous suppressants and prostaglandin analogues on early wound healing after glaucoma implant surgery. <i>Scientific Reports</i> , <b>2019</b> , 9, 5251	4.9	8

124	Increased prelaminar tissue thickness in patients with open-angle glaucoma and type 2 diabetes. <i>PLoS ONE</i> , <b>2019</b> , 14, e0211641	3.7	4
123	Detecting autonomic dysfunction in patients with glaucoma using dynamic pupillometry. <i>Medicine (United States)</i> , <b>2019</b> , 98, e14658	1.8	9
122	Relationship between pattern electroretinogram and optic disc morphology in glaucoma. <i>PLoS ONE</i> , <b>2019</b> , 14, e0220992	3.7	6
121	Associations between Retinal Nerve Fiber Layer Defect and Systemic Indices According to the KNHNES 2010-2012. <i>Journal of Korean Ophthalmological Society</i> , <b>2019</b> , 60, 1089	0.2	
120	Association of Retinal Blood Flow with Progression of Visual Field in Glaucoma. <i>Scientific Reports</i> , <b>2019</b> , 9, 16813	4.9	6
119	Relationship between corneal deformation amplitude and optic nerve head structure in primary open-angle glaucoma. <i>Medicine (United States)</i> , <b>2019</b> , 98, e17223	1.8	1
118	Association between peripapillary scleral deformation and choroidal microvascular circulation in glaucoma. <i>Scientific Reports</i> , <b>2019</b> , 9, 18503	4.9	5
117	Comparison of Diagnostic Power of Optic Nerve Head and Posterior Sclera Configuration Parameters on Myopic Normal Tension Glaucoma. <i>Journal of Glaucoma</i> , <b>2019</b> , 28, 834-842	2.1	1
116	Factors influencing vision-related quality of life according to glaucoma severity. <i>Acta Ophthalmologica</i> , <b>2019</b> , 97, e216-e224	3.7	9
115	Choroidal Microvasculature Dropout Is Associated with Progressive Retinal Nerve Fiber Layer Thinning in Glaucoma with Disc Hemorrhage. <i>Ophthalmology</i> , <b>2018</b> , 125, 1003-1013	7.3	68
114	Three Dimensional Evaluation of Posterior Pole and Optic Nerve Head in Tilted Disc. <i>Scientific Reports</i> , <b>2018</b> , 8, 1121	4.9	8
113	Dietary Niacin and Open-Angle Glaucoma: The Korean National Health and Nutrition Examination Survey. <i>Nutrients</i> , <b>2018</b> , 10,	6.7	8
112	Relationship between Systemic Vascular Characteristics and Retinal Nerve Fiber Layer Loss in Patients with Type 2 Diabetes. <i>Scientific Reports</i> , <b>2018</b> , 8, 10510	4.9	6
111	Visual Field Tests for Glaucoma Patients With Initial Macular Damage: Comparison Between Frequency-doubling Technology and Standard Automated Perimetry Using 24-2 or 10-2 Visual Fields. <i>Journal of Glaucoma</i> , <b>2018</b> , 27, 627-634	2.1	5
110	Transverse Separation of the Outer Retinal Layer at the Peripapillary in Glaucomatous Myopes. <i>Scientific Reports</i> , <b>2018</b> , 8, 12446	4.9	2
109	Features of the Choroidal Microvasculature in Peripapillary Atrophy Are Associated With Visual Field Damage in Myopic Patients. <i>American Journal of Ophthalmology</i> , <b>2018</b> , 192, 206-216	4.9	10
108	Effects of Early Postoperative Intraocular Pressure after Ahmed Glaucoma Valve Implantation on Long-term Surgical Outcomes. <i>Korean Journal of Ophthalmology: KJO</i> , <b>2018</b> , 32, 391-399	1.2	8
107	Effect of Macular Vascular Density on Central Visual Function and Macular Structure in Glaucoma Patients. <i>Scientific Reports</i> , <b>2018</b> , 8, 16009	4.9	12

106	Different contributions of autophagy to retinal ganglion cell death in the diabetic and glaucomatous retinas. <i>Scientific Reports</i> , <b>2018</b> , 8, 13321	4.9	30
105	Systemic Vascular Risk Factors for Multiple Retinal Nerve Fiber Layer Defects. <i>Scientific Reports</i> , <b>2018</b> , 8, 7797	4.9	6
104	Fluctuation in systolic blood pressure is a major systemic risk factor for development of primary open-angle glaucoma. <i>Scientific Reports</i> , <b>2017</b> , 7, 43734	4.9	17
103	Enhanced cytomegalovirus infection in human trabecular meshwork cells and its implication in glaucoma pathogenesis. <i>Scientific Reports</i> , <b>2017</b> , 7, 43349	4.9	28
102	Influence of the lamina cribrosa on the rate of global and localized retinal nerve fiber layer thinning in open-angle glaucoma. <i>Medicine (United States)</i> , <b>2017</b> , 96, e6295	1.8	10
101	Characteristics of corneal biomechanical responses detected by a non-contact scheimpflug-based tonometer in eyes with glaucoma. <i>Acta Ophthalmologica</i> , <b>2017</b> , 95, e556-e563	3.7	18
100	Visual Field Progression is Associated with Systemic Concentration of Macrophage Chemoattractant Protein-1 in Normal-Tension Glaucoma. <i>Current Eye Research</i> , <b>2017</b> , 42, 1002-1006	2.9	7
99	The Pattern of Retinal Nerve Fiber Layer and Macular Ganglion Cell-Inner Plexiform Layer Thickness Changes in Glaucoma. <i>Journal of Ophthalmology</i> , <b>2017</b> , 2017, 6078365	2	11
98	Segmented inner plexiform layer thickness as a potential biomarker to evaluate open-angle glaucoma: Dendritic degeneration of retinal ganglion cell. <i>PLoS ONE</i> , <b>2017</b> , 12, e0182404	3.7	17
97	The Effectiveness of Visual Field C10-2 in the Early Detection of Glaucoma with Parafoveal Scotoma. <i>Journal of Korean Ophthalmological Society</i> , <b>2017</b> , 58, 321	0.2	
96	Vision-related Quality of Life in Korean Glaucoma Patients. <i>Journal of Glaucoma</i> , <b>2017</b> , 26, 159-165	2.1	13
95	Racial Differences in the Extracellular Matrix and Histone Acetylation of the Lamina Cribrosa and Peripapillary Sclera <b>2017</b> , 58, 4143-4154		9
94	Health care claims for primary open-angle glaucoma and retinal vein occlusion from an 11-year nationwide dataset. <i>Scientific Reports</i> , <b>2017</b> , 7, 8038	4.9	7
93	Relationship between Retinal Inner Nuclear Layer Thickness and Severity of Visual Field Loss in Glaucoma. <i>Scientific Reports</i> , <b>2017</b> , 7, 5543	4.9	13
92	Detection of Functional Change in Preperimetric and Perimetric Glaucoma Using 10-2 Matrix Perimetry. <i>American Journal of Ophthalmology</i> , <b>2017</b> , 182, 35-44	4.9	12
91	The Location of the Deepest Point of the Eyeball Determines the Optic Disc Configuration. <i>Scientific Reports</i> , <b>2017</b> , 7, 5881	4.9	19
90	Usefulness of 10-2 Matrix Frequency Doubling Technology Perimetry for Detecting Central Visual Field Defects in Preperimetric Glaucoma Patients. <i>Scientific Reports</i> , <b>2017</b> , 7, 14622	4.9	5
89	Reply. <i>American Journal of Ophthalmology</i> , <b>2017</b> , 181, 175-176	4.9	

88	Optic Disc Hemorrhage and Lamina Cribrosa Defects in Glaucoma Progression. <i>Scientific Reports</i> , <b>2017</b> , 7, 3489	4.9	12
87	Glaucoma Progression in the Unaffected Fellow Eye of Glaucoma Patients Who Developed Unilateral Branch Retinal Vein Occlusion. <i>American Journal of Ophthalmology</i> , <b>2017</b> , 175, 194-200	4.9	12
86	Ischemia Reperfusion Injury Triggers TNF $\alpha$ -Induced-Necroptosis in Rat Retina. <i>Current Eye Research</i> , <b>2017</b> , 42, 771-779	2.9	36
85	Three-Dimensional Evaluation of Posterior Pole and Optic Nerve Head in Myopes with Glaucoma. <i>Scientific Reports</i> , <b>2017</b> , 7, 18001	4.9	11
84	Early inner retinal thinning and cardiovascular autonomic dysfunction in type 2 diabetes. <i>PLoS ONE</i> , <b>2017</b> , 12, e0174377	3.7	9
83	Effects of a dorzolamide/timolol fixed combination on diurnal intraocular pressure, heart rate, blood pressure, and ocular perfusion pressure in normal-tension glaucoma. <i>Japanese Journal of Ophthalmology</i> , <b>2016</b> , 60, 377-82	2.6	3
82	The Distinct Biometric Features of High Myopia Compared to Moderate Myopia. <i>Current Eye Research</i> , <b>2016</b> , 41, 1580-1583	2.9	9
81	Association between Corneal Deformation Amplitude and Posterior Pole Profiles in Primary Open-Angle Glaucoma. <i>Ophthalmology</i> , <b>2016</b> , 123, 959-64	7.3	15
80	Clinical Clues to Predict the Presence of Parafoveal Scotoma on Humphrey 10-2 Visual Field Using a Humphrey 24-2 Visual Field. <i>American Journal of Ophthalmology</i> , <b>2016</b> , 161, 150-9	4.9	44
79	Comparison of the Effects of Dorzolamide/Timolol Fixed Combination versus Latanoprost on Intraocular Pressure and Ocular Perfusion Pressure in Patients with Normal-Tension Glaucoma: A Randomized, Crossover Clinical Trial. <i>PLoS ONE</i> , <b>2016</b> , 11, e0146680	3.7	6
78	Ocular Dominance Is Associated with the Ganglion Cell-Inner Plexiform Layer Thickness Profile in the Macula. <i>PLoS ONE</i> , <b>2016</b> , 11, e0150035	3.7	8
77	Characteristics of Retinal Nerve Fiber Layer Defect in Nonglaucomatous Eyes With Type II Diabetes <b>2016</b> , 57, 4008-15		15
76	Pirfenidone inhibits fibrosis in foreign body reaction after glaucoma drainage device implantation. <i>Drug Design, Development and Therapy</i> , <b>2016</b> , 10, 1477-88	4.4	5
75	Structure-Function Relationship in Glaucoma Patients With Parafoveal Versus Peripheral Nasal Scotoma <b>2016</b> , 57, 420-8		6
74	Mental Health Status and Quality of Life in Undiagnosed Glaucoma Patients: A Nationwide Population-Based Study. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3523	1.8	20
73	Risk factors for the hypertensive phase after implantation of a glaucoma drainage device. <i>Acta Ophthalmologica</i> , <b>2016</b> , 94, e260-7	3.7	14
72	Retinal Nerve Fiber Layer Loss in Patients With Type 2 Diabetes and Diabetic Neuropathy. <i>Diabetes Care</i> , <b>2016</b> , 39, e69-70	14.6	5
71	Cytomegalovirus as a cause of hypertensive anterior uveitis in immunocompetent patients. <i>Journal of Ophthalmic Inflammation and Infection</i> , <b>2016</b> , 6, 32	2.3	22

70	Molecular analysis of myocilin and optineurin genes in Korean primary glaucoma patients. <i>Molecular Medicine Reports</i> , <b>2016</b> , 14, 2439-48	2.9	7
69	Serial changes in the bleb wall after glaucoma drainage implant surgery: characteristics during the hypertensive phase. <i>Acta Ophthalmologica</i> , <b>2015</b> , 93, e248-53	3.7	26
68	The Association of Nailfold Capillaroscopy with Systemic Matrix Metalloproteinase-9 Concentration in Normal-Tension Glaucoma. <i>Current Eye Research</i> , <b>2015</b> , 40, 1001-7	2.9	4
67	Efficacy of Additional Glaucoma Drainage Device Insertion in Refractory Glaucoma: Case Series with a Systematic Literature Review and Meta-Analysis. <i>Seminars in Ophthalmology</i> , <b>2015</b> , 30, 345-51	2.4	6
66	Glaucoma Detection in High Myopia with the Heidelberg Retina Tomograph 3. <i>Seminars in Ophthalmology</i> , <b>2015</b> , 30, 377-82	2.4	
65	$\alpha$ -Adrenergic modulation of the glutamate receptor and transporter function in a chronic ocular hypertension model. <i>European Journal of Pharmacology</i> , <b>2015</b> , 765, 274-83	5.3	7
64	Difference in the posterior pole profiles associated with the initial location of visual field defect in early-stage normal tension glaucoma. <i>Acta Ophthalmologica</i> , <b>2015</b> , 93, e94-9	3.7	14
63	The effect of myopic optic disc tilt on measurement of spectral-domain optical coherence tomography parameters. <i>British Journal of Ophthalmology</i> , <b>2015</b> , 99, 69-74	5.5	32
62	Potential effect of the presence of gray crescent on analysis of optic disc and retinal nerve fiber layer defects-reply. <i>JAMA Ophthalmology</i> , <b>2015</b> , 133, 618	3.9	0
61	The Ability of 10-2 Short-Wavelength Perimetry in Detecting Functional Loss of the Macular Area in Preperimetric Glaucoma Patients <b>2015</b> , 56, 7708-14		9
60	Disc Torsion and Vertical Disc Tilt Are Related to Subfoveal Scleral Thickness in Open-Angle Glaucoma Patients With Myopia <b>2015</b> , 56, 4927-35		32
59	Optic disc hemorrhage is related to various hemodynamic findings by disc angiography. <i>PLoS ONE</i> , <b>2015</b> , 10, e0120000	3.7	20
58	Comparison of prelaminar thickness between primary open angle glaucoma and normal tension glaucoma patients. <i>PLoS ONE</i> , <b>2015</b> , 10, e0120634	3.7	17
57	Difference in Outcomes between First-Operated vs. Fellow-Operated Eyes in Patients Undergoing Bilateral Trabeculectomies. <i>PLoS ONE</i> , <b>2015</b> , 10, e0136869	3.7	4
56	Retinal nerve fiber layer loss is associated with urinary albumin excretion in patients with type 2 diabetes. <i>Ophthalmology</i> , <b>2015</b> , 122, 976-81	7.3	29
55	Optic Disc Change during Childhood Myopic Shift: Comparison between Eyes with an Enlarged Cup-To-Disc Ratio and Childhood Glaucoma Compared to Normal Myopic Eyes. <i>PLoS ONE</i> , <b>2015</b> , 10, e0131781	3.7	5
54	Expression-associated polymorphisms of CAV1-CAV2 affect intraocular pressure and high-tension glaucoma risk. <i>Molecular Vision</i> , <b>2015</b> , 21, 548-54	2.3	16
53	Relationship between Visual Field Sensitivity and Parameters of Retinal Nerve Fiber Layer Measured by Cirrus OCT in Eyes with Localized RNFL Defects. <i>Journal of the Korean Glaucoma Society</i> , <b>2015</b> , 4, 27	0.2	



52	Torsion of the optic nerve head is a prominent feature of normal-tension glaucoma. <i>Investigative Ophthalmology and Visual Science</i> , <b>2014</b> , 56, 156-63		39
51	Intereye Comparison of Cirrus OCT in Early Glaucoma Diagnosis and Detecting Photographic Retinal Nerve Fiber Layer Abnormalities. <i>Investigative Ophthalmology and Visual Science</i> , <b>2014</b> , 56, 1733-42		9
50	Measurement of scleral thickness using swept-source optical coherence tomography in patients with open-angle glaucoma and myopia. <i>American Journal of Ophthalmology</i> , <b>2014</b> , 157, 876-84	4.9	39
49	Neuronal cell death in the inner retina and the influence of vascular endothelial growth factor inhibition in a diabetic rat model. <i>American Journal of Pathology</i> , <b>2014</b> , 184, 1752-62	5.8	66
48	The foveal position relative to the optic disc and the retinal nerve fiber layer thickness profile in myopia <b>2014</b> , 55, 1419-26		46
47	Alterations of the synapse of the inner retinal layers after chronic intraocular pressure elevation in glaucoma animal model. <i>Molecular Brain</i> , <b>2014</b> , 7, 53	4.5	32
46	Macular ganglion cell-inner plexiform layer thinning in patients with visual field defect that respects the vertical meridian. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , <b>2014</b> , 252, 1501-7	3.8	24
45	Glaucoma diagnostic accuracy of optical coherence tomography parameters in early glaucoma with different types of optic disc damage. <i>Ophthalmology</i> , <b>2014</b> , 121, 1990-7	7.3	29
44	Retinal nerve fiber layer thickness profiles associated with ocular laterality and dominance. <i>Neuroscience Letters</i> , <b>2014</b> , 558, 197-202	3.3	13
43	Imaging the posterior segment of the eye using swept-source optical coherence tomography in myopic glaucoma eyes: comparison with enhanced-depth imaging. <i>American Journal of Ophthalmology</i> , <b>2014</b> , 157, 550-7	4.9	79
42	Central visual field progression in normal-tension glaucoma patients with autonomic dysfunction <b>2014</b> , 55, 2557-63		33
41	Optic disc tilt direction determines the location of initial glaucomatous damage <b>2014</b> , 55, 4991-8		55
40	Changes in the lamina and prelamina after intraocular pressure reduction in patients with primary open-angle glaucoma and acute primary angle-closure <b>2014</b> , 55, 233-9		33
39	Factors affecting plastic lamina cribrosa displacement in glaucoma patients. <i>Investigative Ophthalmology and Visual Science</i> , <b>2014</b> , 55, 7709-15		24
38	Optic disc characteristics in patients with glaucoma and combined superior and inferior retinal nerve fiber layer defects. <i>JAMA Ophthalmology</i> , <b>2014</b> , 132, 1068-75	3.9	17
37	Lysyl oxidase-like 2 level and glaucoma surgical outcomes <b>2014</b> , 55, 3337-43		8
36	A relationship between tube length and intra-ocular pressure after glaucoma drainage implant surgery cannot be explained by Poiseuille's law - author's reply. <i>Acta Ophthalmologica</i> , <b>2014</b> , 92, e157	3.7	1
35	Author reply: To PMID 23395544. <i>Ophthalmology</i> , <b>2014</b> , 121, e16-7	7.3	4



34	Glaucoma diagnostic ability of ganglion cell-inner plexiform layer thickness differs according to the location of visual field loss. <i>Ophthalmology</i> , <b>2014</b> , 121, 93-99	7.3	53
33	Age-related association of refractive error with intraocular pressure in the Korea National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , <b>2014</b> , 9, e111879	3.7	21
32	Neuroprotective effects of cilostazol on retinal ganglion cell damage in diabetic rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2013</b> , 345, 457-63	4.7	18
31	Agreement between frequency-doubling technology perimetry and Heidelberg retinal tomography 3. <i>Japanese Journal of Ophthalmology</i> , <b>2013</b> , 57, 252-6	2.6	
30	Glaucoma diagnosis optic disc analysis comparing Cirrus spectral domain optical coherence tomography and Heidelberg retina tomograph II. <i>Japanese Journal of Ophthalmology</i> , <b>2013</b> , 57, 41-6	2.6	8
29	Transneuronal retrograde degeneration of the retinal ganglion cells in patients with cerebral infarction. <i>Ophthalmology</i> , <b>2013</b> , 120, 1292-9	7.3	72
28	Visualization of blebs using anterior-segment optical coherence tomography after glaucoma drainage implant surgery. <i>Ophthalmology</i> , <b>2013</b> , 120, 978-83	7.3	28
27	Diagnostic capability of lamina cribrosa thickness by enhanced depth imaging and factors affecting thickness in patients with glaucoma. <i>Ophthalmology</i> , <b>2013</b> , 120, 745-52	7.3	71
26	The effect of tube length on postoperative outcome after glaucoma drainage implant surgery. <i>Acta Ophthalmologica</i> , <b>2013</b> , 91, e325-7	3.7	3
25	Association between heart rate variability and systemic endothelin-1 concentration in normal-tension glaucoma. <i>Current Eye Research</i> , <b>2013</b> , 38, 516-9	2.9	15
24	Comparative study of macular ganglion cell-inner plexiform layer and peripapillary retinal nerve fiber layer measurement: structure-function analysis <b>2013</b> , 54, 7344-53		52
23	Foreign body reaction in glaucoma drainage implant surgery <b>2013</b> , 54, 3957-64		21
22	Difference in the properties of retinal nerve fiber layer defect between superior and inferior visual field loss in glaucoma <b>2013</b> , 54, 6982-90		8
21	Clock-hour lamina displacement and age in primary open-angle glaucoma and normal tension glaucoma. <i>Clinical and Experimental Ophthalmology</i> , <b>2012</b> , 40, e183-9	2.4	15
20	Optic disc torsion direction predicts the location of glaucomatous damage in normal-tension glaucoma patients with myopia. <i>Ophthalmology</i> , <b>2012</b> , 119, 1844-51	7.3	157
19	Enhanced depth imaging detects lamina cribrosa thickness differences in normal tension glaucoma and primary open-angle glaucoma. <i>Ophthalmology</i> , <b>2012</b> , 119, 10-20	7.3	227
18	Effect of prostaglandin analogues on tear proteomics and expression of cytokines and matrix metalloproteinases in the conjunctiva and cornea. <i>Experimental Eye Research</i> , <b>2012</b> , 94, 13-21	3.7	46
17	Analysis of systemic endothelin-1, matrix metalloproteinase-9, macrophage chemoattractant protein-1, and high-sensitivity C-reactive protein in normal-tension glaucoma. <i>Current Eye Research</i> , <b>2012</b> , 37, 1121-6	2.9	32

16	Characteristics of optic disc morphology in glaucoma patients with parafoveal scotoma compared to peripheral scotoma <b>2012</b> , 53, 4813-20		29
15	The effects of peripapillary atrophy on the diagnostic ability of Stratus and Cirrus OCT in the analysis of optic nerve head parameters and disc size <b>2012</b> , 53, 4475-84		16
14	Nail bed hemorrhage: a clinical marker of optic disc hemorrhage in patients with glaucoma. <i>JAMA Ophthalmology</i> , <b>2011</b> , 129, 1299-304		40
13	Glial cell response and iNOS expression in the optic nerve head and retina of the rat following acute high IOP ischemia-reperfusion. <i>Brain Research</i> , <b>2011</b> , 1403, 67-77	3.7	54
12	Early diabetic changes in the nerve fibre layer at the macula detected by spectral domain optical coherence tomography. <i>British Journal of Ophthalmology</i> , <b>2011</b> , 95, 1223-8	5.5	61
11	Changes of the Retina and Intrinsic Survival Signals in a Rat Model of Glaucoma following Brinzolamide and Travoprost Treatments. <i>Ophthalmic Research</i> , <b>2011</b> , 46, 208-17	2.9	1
10	Autonomic dysfunction in normal tension glaucoma: the short-term heart rate variability analysis. <i>Journal of Glaucoma</i> , <b>2010</b> , 19, 377-81	2.1	33
9	Retinal ganglion cell death induced by endoplasmic reticulum stress in a chronic glaucoma model. <i>Brain Research</i> , <b>2010</b> , 1308, 158-66	3.7	85
8	Interpretation of the Humphrey Matrix 24-2 test in the diagnosis of preperimetric glaucoma. <i>Japanese Journal of Ophthalmology</i> , <b>2009</b> , 53, 24-30	2.6	9
7	Risk factors of implant exposure outside the conjunctiva after Ahmed glaucoma valve implantation. <i>Japanese Journal of Ophthalmology</i> , <b>2009</b> , 53, 114-119	2.6	51
6	Differential expression of two glutamate transporters, GLAST and GLT-1, in an experimental rat model of glaucoma. <i>Experimental Brain Research</i> , <b>2009</b> , 197, 101-9	2.3	23
5	Risk factors of shallow anterior chamber other than hypotony after Ahmed glaucoma valve implant. <i>Journal of Glaucoma</i> , <b>2009</b> , 18, 44-8	2.1	14
4	Alteration of retinal intrinsic survival signal and effect of alpha2-adrenergic receptor agonist in the retina of the chronic ocular hypertension rat. <i>Visual Neuroscience</i> , <b>2007</b> , 24, 127-39	1.7	25
3	Interpretation of Frequency Doubling Technology Perimeter in Diagnosis of Glaucoma and Glaucoma Suspect. <i>Journal of Korean Ophthalmological Society</i> , <b>2007</b> , 48, 1096	0.2	1
2	Retinal glial cell responses and Fas/FasL activation in rats with chronic ocular hypertension. <i>Brain Research</i> , <b>2006</b> , 1122, 209-21	3.7	50
1	Retinal ganglion cell death is delayed by activation of retinal intrinsic cell survival program. <i>Brain Research</i> , <b>2005</b> , 1057, 17-28	3.7	67