

Naeimeh Bahri-Laleh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2838269/publications.pdf>

Version: 2024-02-01

88
papers

1,941
citations

257450

24
h-index

315739

38
g-index

89
all docs

89
docs citations

89
times ranked

1024
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis of highly spherical Ziegler–Natta catalyst by employing Span 80 as an emulsifier suitable for UHMWPE production. <i>Polymer Bulletin</i> , 2023, 80, 1625-1639.	3.3	11
2	Synthesis and evaluation of a new three-metallic high-performance Ziegler–Natta catalyst for ethylene polymerization: experimental and computational studies. <i>Polymer Bulletin</i> , 2022, 79, 7265-7280.	3.3	12
3	Palladated chitosan-halloysite bead as an efficient catalyst for hydrogenation of lubricants. <i>Materials Chemistry and Physics</i> , 2022, 278, 125506.	4.0	14
4	Pd on ligand-decorated chitosan as an efficient catalyst for hydrofinishing polyalphaolefins: Experimental and computational studies. <i>Journal of Physics and Chemistry of Solids</i> , 2022, 164, 110611.	4.0	6
5	Molecular modelling aided catalyst design for PAO oils hydrofinishing. <i>Journal of Molecular Liquids</i> , 2022, 352, 118675.	4.9	21
6	Effects of acid-treatment of halloysite on the characteristics and catalytic performance of palladated halloysite in lubricants hydrogenation reaction. <i>Inorganic Chemistry Communication</i> , 2022, 140, 109438.	3.9	11
7	Oligomerization of higher α -olefins to poly(α -olefins). <i>Iranian Polymer Journal (English Edition)</i> , 2022, 31, 107-126.	2.4	13
8	Exploring cocatalyst type effect on the Ziegler–Natta catalyzed ethylene polymerizations: experimental and DFT studies. <i>Journal of Polymer Research</i> , 2022, 29, .	2.4	19
9	Effect of support hydrophobicity of halloysite–based catalysts on the polyalphaolefin hydrofinishing performance. <i>Applied Organometallic Chemistry</i> , 2022, 36, .	3.5	16
10	Effect of different chain transfer agents in the coordinative chain transfer oligomerization of dec-1-ene. <i>Journal of Molecular Structure</i> , 2022, 1263, 133157.	3.6	4
11	Dual-task composite of halloysite and ionic liquid for the synthesis and hydrogenation of polyalphaolefins. <i>Research on Chemical Intermediates</i> , 2022, 48, 3171-3188.	2.7	4
12	pH-Responsive Gelation in Metallo-Supramolecular Polymers Based on the Protic Pyridinedicarboxamide Ligand. <i>Chemistry of Materials</i> , 2022, 34, 6155-6169.	6.7	27
13	Single-phase photo-crosslinkable adhesive synthesized from methacrylic acid-grafted 1-decene/9-decene cooligomer. <i>Journal of Applied Polymer Science</i> , 2021, 138, 49654.	2.6	7
14	Efficient hydro-finishing of polyalphaolefin based lubricants under mild reaction condition using Pd on ligands decorated halloysite. <i>Journal of Colloid and Interface Science</i> , 2021, 581, 939-953.	9.4	56
15	Polyethylene glycol fumarate/acrylated-silica nanocomposite: synthesis, characterization and in-vitro evaluation. <i>Journal of Polymer Research</i> , 2021, 28, 1.	2.4	2
16	Preparation and Properties of Enhanced Bio-Based PLA/PA6/Graphene Nanocomposites in the Presence of an Ester–Amide Exchange Catalyst. <i>Journal of Polymers and the Environment</i> , 2021, 29, 2302-2309.	5.0	6
17	1-Decene oligomerization by new complexes bearing diamine–diphenolates ligands: Effect of ligand structure. <i>Applied Organometallic Chemistry</i> , 2021, 35, e6227.	3.5	29
18	Pd on nitrogen rich polymer–halloysite nanocomposite as an environmentally benign and sustainable catalyst for hydrogenation of polyalphaolefin based lubricants. <i>Journal of Industrial and Engineering Chemistry</i> , 2021, 97, 441-451.	5.8	47

#	ARTICLE	IF	CITATIONS
19	Fluxional bis(phenoxy-imine) Zr and Ti catalysts for polymerization. <i>Theoretical Chemistry Accounts</i> , 2021, 140, 1.	1.4	2
20	Experimental and DFT study on titanium-based half-sandwich metallocene catalysts and their application for production of 1-hexene from ethylene. <i>Molecular Catalysis</i> , 2021, 509, 111636.	2.0	12
21	New less-toxic halloysite-supported ionic liquid/AlCl ₃ oligomerization catalysts: a comparative study on the effects of various ionic liquids on the properties of polyalphaolefins. <i>Molecular Catalysis</i> , 2021, 509, 111648.	2.0	5
22	Combined experimental and computational study on the role of ionic liquid containing ligand in the catalytic performance of halloysite-based hydrogenation catalyst. <i>Journal of Molecular Liquids</i> , 2021, 331, 115740.	4.9	35
23	The effect of ionic liquid containing AlCl ₃ catalytic systems on the microstructure and properties of polyalphaolefin based lubricants. <i>Journal of Molecular Liquids</i> , 2021, 335, 116299.	4.9	15
24	Production of polyalphaolefin-based lubricants using new (poly)ionic liquid /AlCl ₃ catalysts as environmentally friendly alternatives to commercial AlCl ₃ route. <i>Applied Catalysis A: General</i> , 2021, 623, 118274.	4.3	14
25	Microstructural study on low viscosity poly-1-olefin oils synthesized via AlCl ₃ /H ₂ O cationic system in the present of xylene and heptane solvents. <i>Fuel</i> , 2021, 302, 121111.	6.4	14
26	Preparation and properties of enhanced nanocomposites based on PLA/PC blends reinforced with silica nanoparticles. <i>Polymers for Advanced Technologies</i> , 2020, 31, 566-573.	3.2	24
27	Preparation of novel, liquid, solvent-free, polyolefin-based adhesives. <i>Polymers for Advanced Technologies</i> , 2020, 31, 922-931.	3.2	8
28	Effect of metal type on the metallocene-catalyzed oligomerization of 1-hexene and 1-octene to produce poly-olefin-based synthetic lubricants. <i>Applied Organometallic Chemistry</i> , 2020, 34, e5338.	3.5	18
29	Interaction of common cocatalysts in Ziegler-Natta-catalyzed olefin polymerization. <i>Applied Organometallic Chemistry</i> , 2020, 34, e5333.	3.5	38
30	Group IV diamine bis(phenolate) catalysts for 1-decene oligomerization. <i>Molecular Catalysis</i> , 2020, 493, 111047.	2.0	22
31	Methacrylate-functionalized POSS as an efficient adhesion promoter in olefin-based adhesives. <i>Polymer Engineering and Science</i> , 2020, 60, 2991-3000.	3.1	6
32	Pd immobilization on the multi-amine functionalized halloysite as an efficient catalyst for hydrogenation reaction: An experimental and computational study. <i>Applied Clay Science</i> , 2020, 192, 105645.	5.2	19
33	Coordinative chain transfer polymerization of 1-decene in the presence of a Ti-based diamine bis(phenolate) catalyst: a sustainable approach to produce low viscosity PAOs. <i>Green Chemistry</i> , 2020, 22, 4617-4626.	9.0	41
34	Preparation of an enhanced nanohybrid alloy based on polylactic acid/polycarbonate/nanosilica. <i>Plastics, Rubber and Composites</i> , 2020, 49, 263-270.	2.0	4
35	Highly efficient supported AlCl ₃ -based cationic catalysts to produce poly-olefin oil base stocks. <i>Journal of Applied Polymer Science</i> , 2020, 137, 49018.	2.6	21
36	Curing, mechanical, thermomechanical and rheological properties of new poly(1-hexene-co-hexadiene) rubber. <i>Journal of Polymer Research</i> , 2020, 27, 1.	2.4	2

#	ARTICLE	IF	CITATIONS
37	Regio, stereo and chemoselectivity of 2nd generation Grubbs ruthenium-catalyzed olefin metathesis. <i>Catalysis Today</i> , 2020, 388-389, 394-394.	4.4	10
38	Copolymerization of Styrene and 1-Hexene via Ziegler-Natta and Atom Transfer Radical Polymerization Methods. , 2020, , 593-596.		0
39	Poly(furfuryl alcohol) bioresin-modified LY5210 epoxy thermosets. <i>Journal of Polymer Research</i> , 2019, 26, 1.	2.4	4
40	Evaluation of GS-loaded poly1-hexene as a new elastomeric drug release system. <i>International Journal of Polymer Analysis and Characterization</i> , 2019, 24, 709-720.	1.9	4
41	Rationalizing chain microstructure in the poly \pm -olefins synthesized by cationic $AlCl_3/H_2O$ catalytic system. <i>International Journal of Polymer Analysis and Characterization</i> , 2019, 24, 556-570.	1.9	24
42	Study of the effect of the ligand structure on the catalytic activity of Pd@ ligand decorated halloysite: Combination of experimental and computational studies. <i>Applied Organometallic Chemistry</i> , 2019, 33, e4891.	3.5	57
43	Effect of Catalyst Type on the Copolymerization of Styrene/1-Hexene and Exploring of Their Structural and Thermal Properties. <i>Polymer Science - Series B</i> , 2019, 61, 762-770.	0.8	1
44	Different behaviors of metallocene and Ziegler-Natta catalysts in ethylene/1,5-hexadiene copolymerization. <i>Polymer International</i> , 2019, 68, 94-101.	3.1	15
45	Halloysite nanoclay decorated with 2-amino pyrimidine functionalized poly glycidyl methacrylate: An efficient support for the immobilization of Pd nanoparticles. <i>Journal of Solid State Chemistry</i> , 2019, 271, 59-66.	2.9	21
46	Effects of the molecular weight and $Ci\frac{3}{4}C$ functionality of poly 1-hexene on the properties of poly 1-hexene-based high impact polystyrene. <i>Journal of Applied Polymer Science</i> , 2019, 136, 47169.	2.6	5
47	Silica-grafted poly1-hexene: A new approach to prepare polyethylene/silica nanocomposites. <i>Polymer Composites</i> , 2019, 40, 1053-1060.	4.6	23
48	Preparation, characterization, DFT calculations and ethylene oligomerization studies of iron(II) complexes bearing 2-(1H-benzimidazol-2-yl)-phenol derivatives. <i>Journal of Coordination Chemistry</i> , 2018, 71, 1180-1192.	2.2	4
49	Cu-functionalized halloysite nanoclay as an efficient heterogeneous catalyst for promoting click reactions: Combination of experimental and computational chemistry. <i>Applied Organometallic Chemistry</i> , 2018, 32, e4283.	3.5	23
50	New high impact polystyrene: Use of poly(1-hexene) and poly(1-hexene-co-hexadiene) as impact modifiers. <i>Polymers for Advanced Technologies</i> , 2018, 29, 1603-1612.	3.2	18
51	Effects of monomer length on \pm -olefins polymerization using a conventional Ziegler-Natta catalyst. <i>Advances in Polymer Technology</i> , 2018, 37, 2588-2596.	1.7	14
52	Microwave Absorption Properties of Polyaniline/Carbonyl Iron Composites. <i>Silicon</i> , 2018, 10, 1337-1343.	3.3	21
53	Synthesis and characterization of Ni(II) complexes bearing of 2-(1H-benzimidazol-2-yl)-phenol derivatives as highly active catalysts for ethylene oligomerization. <i>Applied Organometallic Chemistry</i> , 2018, 32, e4015.	3.5	15
54	Cu@amine-functionalized halloysite as an efficient heterogeneous catalyst for promoting A3 coupling reaction under ultrasonic irradiation: a combination of experimental and DFT simulation. <i>Journal of Porous Materials</i> , 2018, 25, 821-833.	2.6	22

#	ARTICLE	IF	CITATIONS
55	H ₂ effect in Chevron-Phillips ethylene trimerization catalytic system: an experimental and theoretical investigation. <i>Polymer Bulletin</i> , 2018, 75, 3555-3565.	3.3	8
56	Electrical and Electromagnetic Properties of CNT/Polymer Composites. , 2018, , 233-258.		4
57	Computational modeling of heterogeneous Ziegler-Natta catalysts for olefins polymerization. <i>Progress in Polymer Science</i> , 2018, 84, 89-114.	24.7	120
58	Pd immobilized on dendrimer decorated halloysite clay: Computational and experimental study on the effect of dendrimer generation, Pd valance and incorporation of terminal functionality on the catalytic activity. <i>Journal of Colloid and Interface Science</i> , 2018, 531, 421-432.	9.4	72
59	Exploring Basic Components Effect on the Catalytic Efficiency of Chevron-Phillips Catalyst in Ethylene Trimerization. <i>Catalysts</i> , 2018, 8, 224.	3.5	13
60	CuI@Sulfur-functionalized halloysite nanoclay: a novel recyclable catalyst for the ultrasonic-assisted synthesis of propargylamines: a combination of experimental and DFT simulation. <i>Research on Chemical Intermediates</i> , 2018, 44, 6351-6368.	2.7	10
61	Synthesis and characterization of poly1-hexene/silica nanocomposites. <i>Polymer Testing</i> , 2017, 61, 27-34.	4.8	24
62	Cobalt complexes based on 2-(1H-benzimidazol-2-yl)-phenol derivatives: preparation, spectral studies, DFT calculations and catalytic behavior toward ethylene oligomerization. <i>Journal of Coordination Chemistry</i> , 2017, 70, 1800-1814.	2.2	6
63	Effective removal of toxic metal ions from aqueous solutions: 2-Bifunctional magnetic nanocomposite base on novel reactive PGMA-MAN copolymer@Fe ₃ O ₄ nanoparticles. <i>Journal of Colloid and Interface Science</i> , 2017, 490, 727-746.	9.4	72
64	Sulfonated Magnetic Nanocomposite Based on Reactive PGMA-MAN Copolymer@Fe ₃ O ₄ Nanoparticles: Effective Removal of Cu(II) Ions from Aqueous Solutions. <i>International Journal of Polymer Science</i> , 2016, 2016, 1-15.	2.7	14
65	Study on unsaturated structure and tacticity of poly1-hexene and new copolymer of 1-hexene/5-hexene-1-ol prepared by metallocene catalyst. <i>Journal of Organometallic Chemistry</i> , 2016, 819, 103-108.	1.8	28
66	Polybutadiene/polyhedral oligomeric silsesquioxane nano hybrid: investigation of various reactants in polyesterification reaction. <i>Polymer International</i> , 2016, 65, 516-525.	3.1	17
67	Synthesis of highly isotactic poly 1-hexene using Fe-doped Mg(OEt) ₂ /TiCl ₄ /ED Ziegler-Natta catalytic system. <i>Designed Monomers and Polymers</i> , 2016, 19, 394-405.	1.6	31
68	Interaction of different poisons with MgCl ₂ /TiCl ₄ based Ziegler-Natta catalysts. <i>Applied Surface Science</i> , 2016, 379, 395-401.	6.1	40
69	A reactive copolymer based on Glycidylmethacrylate and Maleic Anhydride: 1-synthesis, characterization and monomer reactivity ratios. <i>Journal of Polymer Research</i> , 2016, 23, 1.	2.4	12
70	In-situ photocrosslinkable nano hybrid elastomer based on polybutadiene/polyhedral oligomeric silsesquioxane. <i>Materials Science and Engineering C</i> , 2016, 68, 530-539.	7.3	26
71	Poly1-hexene: New impact modifier in HIPS technology. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	2.6	25
72	Radar Absorption Properties of Ni _{0.5} Zn _{0.5} Fe ₂ O ₄ /PANI/epoxy Nanocomposites. <i>Journal of the Chinese Chemical Society</i> , 2015, 62, 826-831.	1.4	20

#	ARTICLE	IF	CITATIONS
73	Highly efficient FeCl ₃ doped Mg(OEt) ₂ /TiCl ₄ -based Ziegler-Natta catalysts for ethylene polymerization. <i>Designed Monomers and Polymers</i> , 2015, 18, 599-610.	1.6	34
74	Effect of Water on the Supported Ziegler-Natta Catalysts: Optimization of the Operating Conditions by Response Surface Methodology. <i>Catalysis Letters</i> , 2015, 145, 1186-1195.	2.6	16
75	The effects of solvent and initiator on anionic ring opening polymerization of ϵ -caprolactone: synthesis and characterization. <i>Polymer International</i> , 2014, 63, 479-485.	3.1	19
76	Exploring the mechanism of Grignard metathesis polymerization of 3-alkylthiophenes. <i>Dalton Transactions</i> , 2014, 43, 15143-15150.	3.3	38
77	How Well Can DFT Reproduce Key Interactions in Ziegler-Natta Systems?. <i>Macromolecular Chemistry and Physics</i> , 2013, 214, 1980-1989.	2.2	40
78	A DFT study on the effect of hydrogen in ethylene and propylene polymerization using a Ti-based heterogeneous Ziegler-Natta catalyst. <i>Journal of Organometallic Chemistry</i> , 2012, 719, 74-79.	1.8	45
79	Activation of Ziegler-Natta catalysts by organohalide promoters: A combined experimental and density functional theory study. <i>Journal of Applied Polymer Science</i> , 2012, 123, 2526-2533.	2.6	26
80	Moving up and down the Titanium Oxidation State in Ziegler-Natta Catalysis. <i>Macromolecules</i> , 2011, 44, 778-783.	4.8	91
81	Rationalizing current strategies to protect N-heterocyclic carbene-based ruthenium catalysts active in olefin metathesis from C-H (de)activation. <i>Chemical Communications</i> , 2011, 47, 6674.	4.1	52
82	The intriguing modeling of <i>cis</i> - <i>trans</i> selectivity in ruthenium-catalyzed olefin metathesis. <i>Beilstein Journal of Organic Chemistry</i> , 2011, 7, 40-45.	2.2	31
83	Effect of halocarbon promoters on polyethylene properties using MgCl ₂ (ethoxide) Tj ETQq1 1 0.784314 rgBT /Overlock <i>Science</i> , 2010, 117, 1780-1786.	2.6	19
84	Preparation and characterization of thermally stable poly(amide-urea)s functionalized with anthraquinone chromophore. <i>Polymers for Advanced Technologies</i> , 2008, 19, 291-298.	3.2	10
85	Structure-Property Relationships of Soluble Poly(ester-urea)s containing Naphthyl Groups. <i>High Performance Polymers</i> , 2007, 19, 283-295.	1.8	10
86	New soluble, thermally stable poly(amide-imide)s containing cardo anthraquinone unit. <i>European Polymer Journal</i> , 2006, 42, 2343-2351.	5.4	25
87	Structure-property relations in heat resistant polyesters with built-in ether and imide units. <i>European Polymer Journal</i> , 2006, 42, 2646-2654.	5.4	15
88	Comparison of one-step and two-step methods of polyimidization and substitution effect in the synthesis of new poly(ester-imide)s with bulky pendent group. <i>Polymer Degradation and Stability</i> , 2006, 91, 2622-2631.	5.8	42