

# Jae Yong Cho

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2838562/publications.pdf>

Version: 2024-02-01

61  
papers

6,598  
citations

147786

31  
h-index

144002

57  
g-index

61  
all docs

61  
docs citations

61  
times ranked

8722  
citing authors

#	ARTICLE	IF	CITATIONS
1	Nivolumab in patients with advanced gastric or gastro-oesophageal junction cancer refractory to, or intolerant of, at least two previous chemotherapy regimens (ONO-4538-12, ATTRACTION-2): a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet</i> , The, 2017, 390, 2461-2471.	13.7	1,749
2	Adjuvant capecitabine and oxaliplatin for gastric cancer after D2 gastrectomy (CLASSIC): a phase 3 open-label, randomised controlled trial. <i>Lancet</i> , The, 2012, 379, 315-321.	13.7	1,422
3	Clinical Significance of Four Molecular Subtypes of Gastric Cancer Identified by The Cancer Genome Atlas Project. <i>Clinical Cancer Research</i> , 2017, 23, 4441-4449.	7.0	342
4	Gene Expression Signature-Based Prognostic Risk Score in Gastric Cancer. <i>Clinical Cancer Research</i> , 2011, 17, 1850-1857.	7.0	285
5	Randomized, Double-Blind Phase II Trial With Prospective Classification by ATM Protein Level to Evaluate the Efficacy and Tolerability of Olaparib Plus Paclitaxel in Patients With Recurrent or Metastatic Gastric Cancer. <i>Journal of Clinical Oncology</i> , 2015, 33, 3858-3865.	1.6	248
6	Clinical and genomic landscape of gastric cancer with a mesenchymal phenotype. <i>Nature Communications</i> , 2018, 9, 1777.	12.8	245
7	Addition of docetaxel to S-1 without platinum prolongs survival of patients with advanced gastric cancer: a randomized study (START). <i>Journal of Cancer Research and Clinical Oncology</i> , 2014, 140, 319-328.	2.5	160
8	A phase 3 study of nivolumab in previously treated advanced gastric or gastroesophageal junction cancer (ATTRACTION-2): 2-year update data. <i>Gastric Cancer</i> , 2020, 23, 510-519.	5.3	155
9	Prognostic Biomarkers for Esophageal Adenocarcinoma Identified by Analysis of Tumor Transcriptome. <i>PLoS ONE</i> , 2010, 5, e15074.	2.5	122
10	Efficacy of Sequential Ipilimumab Monotherapy versus Best Supportive Care for Unresectable Locally Advanced/Metastatic Gastric or Gastroesophageal Junction Cancer. <i>Clinical Cancer Research</i> , 2017, 23, 5671-5678.	7.0	121
11	Gene Expression Signature Analysis Identifies Vorinostat as a Candidate Therapy for Gastric Cancer. <i>PLoS ONE</i> , 2011, 6, e24662.	2.5	105
12	Capecitabine combined with gemcitabine (CapGem) as first-line treatment in patients with advanced/metastatic biliary tract carcinoma. <i>Cancer</i> , 2005, 104, 2753-2758.	4.1	98
13	Clinicopathologic Implications of the <i>BRAF</i> <sup>V600E</sup> Mutation in Papillary Thyroid Cancer: A Subgroup Analysis of 3130 Cases in a Single Center. <i>Thyroid</i> , 2013, 23, 1423-1430.	4.5	97
14	AMPK $\pm$ Modulation in Cancer Progression: Multilayer Integrative Analysis of the Whole Transcriptome in Asian Gastric Cancer. <i>Cancer Research</i> , 2012, 72, 2512-2521.	0.9	91
15	Overexpression of the M2 isoform of pyruvate kinase is an adverse prognostic factor for signet ring cell gastric cancer. <i>World Journal of Gastroenterology</i> , 2012, 18, 4037.	3.3	76
16	Ramucirumab as Second-Line Treatment in Patients With Advanced Hepatocellular Carcinoma. <i>JAMA Oncology</i> , 2017, 3, 235.	7.1	74
17	Evaluation of E1B gene-attenuated replicating adenoviruses for cancer gene therapy. <i>Cancer Gene Therapy</i> , 2002, 9, 725-736.	4.6	71
18	Comparison of Two Inflammation-Based Prognostic Scores in Patients with Unresectable Advanced Gastric Cancer. <i>Oncology</i> , 2012, 83, 292-299.	1.9	71

#	ARTICLE	IF	CITATIONS
19	Overexpression of miR-196b and HOXA10 characterize a poor-prognosis gastric cancer subtype. <i>World Journal of Gastroenterology</i> , 2013, 19, 7078.	3.3	66
20	Nivolumab in previously treated advanced gastric cancer (ATTRACTION-2): 3-year update and outcome of treatment beyond progression with nivolumab. <i>Gastric Cancer</i> , 2021, 24, 946-958.	5.3	61
21	Treatment Outcome of Patients with Anaplastic Thyroid Cancer: A Single Center Experience. <i>Yonsei Medical Journal</i> , 2012, 53, 352.	2.2	60
22	Prognostic Factor Analysis of Overall Survival in Gastric Cancer from Two Phase III Studies of Second-line Ramucirumab (REGARD and RAINBOW) Using Pooled Patient Data. <i>Journal of Gastric Cancer</i> , 2017, 17, 132.	2.5	54
23	Molecular Diagnosis for Personalized Target Therapy in Gastric Cancer. <i>Journal of Gastric Cancer</i> , 2013, 13, 129.	2.5	53
24	Thioredoxin and thioredoxin-interacting protein as prognostic markers for gastric cancer recurrence. <i>World Journal of Gastroenterology</i> , 2012, 18, 5581.	3.3	52
25	Exploratory subgroup analysis of patients with prior trastuzumab use in the ATTRACTION-2 trial: a randomized phase III clinical trial investigating the efficacy and safety of nivolumab in patients with advanced gastric/gastroesophageal junction cancer. <i>Gastric Cancer</i> , 2020, 23, 143-153.	5.3	45
26	Clinical trial of nintedanib in patients with recurrent or metastatic salivary gland cancer of the head and neck: A multicenter phase 2 study (Korean Cancer Study Group HN14-01). <i>Cancer</i> , 2017, 123, 1958-1964.	4.1	44
27	Comparison of Surgery Plus Chemotherapy and Palliative Chemotherapy Alone for Advanced Gastric Cancer with Krukenberg Tumor. <i>Cancer Research and Treatment</i> , 2015, 47, 697-705.	3.0	43
28	Development and Validation of a Six-Gene Recurrence Risk Score Assay for Gastric Cancer. <i>Clinical Cancer Research</i> , 2016, 22, 6228-6235.	7.0	40
29	Overexpression of Endoplasmic Reticulum Oxidoreductin 1- $\beta$ (ERO1L) Is Associated with Poor Prognosis of Gastric Cancer. <i>Cancer Research and Treatment</i> , 2016, 48, 1196-1209.	3.0	37
30	Antifibrotic effects of magnesium lithospermate B on hepatic stellate cells and thioacetamide-induced cirrhotic rats. <i>Experimental and Molecular Medicine</i> , 2011, 43, 341.	7.7	36
31	Subgroup analysis of East Asians in RAINBOW: A phase 3 trial of ramucirumab plus paclitaxel for advanced gastric cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 581-589.	2.8	35
32	Phase II trial of dacomitinib in patients with HER2-positive gastric cancer. <i>Gastric Cancer</i> , 2016, 19, 1095-1103.	5.3	33
33	Non-Hodgkin's lymphoma of the sphenoid sinus presenting as isolated oculomotor nerve palsy. <i>World Journal of Surgical Oncology</i> , 2007, 5, 86.	1.9	31
34	Overexpression of c-ErbB-2 Protein in Gastric Cancer by Immunohistochemical Stain. <i>Oncology</i> , 1996, 53, 192-197.	1.9	30
35	Outcome of Adjuvant Therapy for Gallbladder Cancer. <i>Oncology</i> , 2010, 79, 168-173.	1.9	30
36	A phase I/II study of poziotinib combined with paclitaxel and trastuzumab in patients with HER2-positive advanced gastric cancer. <i>Gastric Cancer</i> , 2019, 22, 1206-1214.	5.3	28

#	ARTICLE	IF	CITATIONS
37	Erlotinib Monotherapy for Stage IIIB/IV Non-small Cell Lung Cancer: A Multicenter Trial by the Korean Cancer Study Group. <i>Journal of Thoracic Oncology</i> , 2009, 4, 1136-1143.	1.1	25
38	Efficacy and tolerability of ramucirumab monotherapy or in combination with paclitaxel in gastric cancer patients from the Expanded Access Program Cohort by the Korean Cancer Study Group (KCSG). <i>Gastric Cancer</i> , 2018, 21, 819-830.	5.3	24
39	Docetaxel-Induced Onycholysis: The Role of Subungual Hemorrhage and Suppuration. <i>Yonsei Medical Journal</i> , 2007, 48, 124.	2.2	22
40	Targeted therapy in gastric cancer: Personalizing cancer treatment based on patient genome. <i>World Journal of Gastroenterology</i> , 2014, 20, 2042.	3.3	22
41	Relationship between p53 Overexpression and Gastric Cancer Progression. <i>Oncology</i> , 1997, 54, 166-170.	1.9	19
42	Gemcitabine and oxaliplatin combination as first-line treatment for advanced pancreatic cancer: a multicenter phase II study. <i>Cancer Chemotherapy and Pharmacology</i> , 2009, 64, 317-325.	2.3	18
43	Efficacy of adjuvant chemotherapy for completely resected stage IB non-small cell lung cancer: a retrospective study. <i>Journal of Thoracic Disease</i> , 2018, 10, 2279-2287.	1.4	18
44	Comparison of capecitabine and oxaliplatin with S-1 as adjuvant chemotherapy in stage III gastric cancer after D2 gastrectomy. <i>PLoS ONE</i> , 2017, 12, e0186362.	2.5	15
45	Prognostic Factors of Second and Third Line Chemotherapy Using 5-FU with Platinum, Irinotecan, and Taxane for Advanced Gastric Cancer. <i>Cancer Research and Treatment</i> , 2011, 43, 236-243.	3.0	15
46	A phase II study of capecitabine plus gemcitabine in patients with locally advanced or metastatic pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2008, 62, 763-768.	2.3	13
47	Survival analysis based on human epidermal growth factor 2 status in stage II-III gastric cancer. <i>World Journal of Gastroenterology</i> , 2017, 23, 7407-7414.	3.3	13
48	Impact of the Double Mutants on Spike Protein of SARS-CoV-2 B.1.617 Lineage on the Human ACE2 Receptor Binding: A Structural Insight. <i>Viruses</i> , 2021, 13, 2295.	3.3	13
49	Retrospective Comparison of Infusional 5-Fluorouracil, Doxorubicin, and Mitomycin-C (Modified FAM) Combination Chemotherapy Versus Palliative Therapy in Treatment of Advanced Gastric Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 1997, 20, 484-489.	1.3	12
50	Phase II trial of oxaliplatin combined with leucovorin and fluorouracil for recurrent/metastatic biliary tract carcinoma. <i>Anti-Cancer Drugs</i> , 2008, 19, 631-635.	1.4	10
51	9-cis retinoic acid induces insulin-like growth factor binding protein-3 through DR-8 Retinoic acid responsive elements. <i>Cancer Biology and Therapy</i> , 2006, 5, 586-592.	3.4	9
52	Gemcitabine Combined with Capecitabine Compared to Gemcitabine with or without Erlotinib as First-Line Chemotherapy in Patients with Advanced Pancreatic Cancer. <i>Cancer Research and Treatment</i> , 2015, 47, 266-273.	3.0	9
53	Application of CRISPR/Cas9-based mutant enrichment technique to improve the clinical sensitivity of plasma EGFR testing in patients with non-small cell lung cancer. <i>Cancer Cell International</i> , 2022, 22, 82.	4.1	8
54	Subgroup analysis of East Asian patients in REGARD: A phase III trial of ramucirumab and best supportive care for advanced gastric cancer. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2018, 14, 204-209.	1.1	7

#	ARTICLE	IF	CITATIONS
55	Salvage Chemotherapy with Docetaxel and Epirubicin for Advanced/Metastatic Gastric Cancer. <i>Oncology</i> , 2007, 73, 2-8.	1.9	6
56	Oxaliplatin Combined with Continuous Infusion of 5-Fluorouracil as First-Line Chemotherapy in Patients with Metastatic or Recurrent Gastric Adenocarcinoma. <i>Chemotherapy</i> , 2009, 55, 200-206.	1.6	6
57	Detection of EGFA-SEPT14 fusion in cell-free DNA of a patient with advanced gastric cancer: A case report. <i>World Journal of Clinical Cases</i> , 2021, 9, 2884-2889.	0.8	4
58	A Case of Adenocarcinoma Arising within Intra-Abdominal Bronchogenic Cyst. <i>Korean Journal of Medicine</i> , 2012, 82, 374.	0.3	0
59	Design of precise third-line therapy for gastric cancer: target or chemotherapy?. <i>Korean Journal of Internal Medicine</i> , 2013, 28, 297.	1.7	0
60	A Case of Adenocarcinomatous Transformation of a Sacrococcygeal Teratoma in an Adult. <i>Korean Journal of Medicine</i> , 2013, 85, 101.	0.3	0
61	Treatment of a Patient with Kaposi's Sarcoma Arising during Hemodialysis with the Multikinase Inhibitor Pazopanib. <i>Korean Journal of Medicine</i> , 2015, 89, 113.	0.3	0