Ming Lei

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2839585/ming-lei-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

143
papers5,025
citations40
h-index67
g-index157
ext. papers5,690
ext. citations6.4
avg, IF5.19
L-index

#	Paper	IF	Citations
143	High resolution optical mapping of cardiac electrophysiology in pre-clinical models <i>Scientific Data</i> , 2022 , 9, 135	8.2	О
142	Neuropilin-1 is a valuable biomarker for predicting response of advanced non-small cell lung cancer patients to hypofractionated radiotherapy and PD-1 blockade <i>International Immunopharmacology</i> , 2022 , 109, 108732	5.8	1
141	Ageing Increases Cardiac Electrical Remodelling in Rats and Mice via NOX4/ROS/CaMKII-Mediated Calcium Signalling <i>Oxidative Medicine and Cellular Longevity</i> , 2022 , 2022, 8538296	6.7	O
140	Ventricular SK2 upregulation following angiotensin II challenge: Modulation by p21-activated kinase-1. <i>Journal of Molecular and Cellular Cardiology</i> , 2021 , 164, 110-125	5.8	1
139	The V2475F CPVT1 mutation yields distinct RyR2 channel populations that differ in their responses to cytosolic Ca and Mg. <i>Journal of Physiology</i> , 2021 , 599, 5179-5201	3.9	O
138	A Comparative Study of Systolic and Diastolic Mechanical Synchrony in Canine, Primate, and Healthy and Failing Human Hearts. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 750067	5.4	
137	Reactive Oxygen Species Regulate Endoplasmic Reticulum Stress and ER-Mitochondrial Ca Crosstalk to Promote Programmed Necrosis of Rat Nucleus Pulposus Cells under Compression. Oxidative Medicine and Cellular Longevity, 2021 , 2021, 8810698	6.7	4
136	Establishment of iPSC line from a Chinese infant (XACHi012-A) with Jervell and Lange-Nielsen syndrome carrying combined KCNQ1 frameshift c.431delC(p.I145Sfs*92) and nonsense c.1175GIDA (p.W392X) variants and two iPSC lines from the parents (XACHi013-A, XACHi014-A). Stem Cell Research, 2021, 53, 102391	1.6	
135	An in vivo study of the effect of c-Jun on intervertebral disc degeneration in rats. <i>Bioengineered</i> , 2021 , 12, 4320-4330	5.7	3
134	Electrophysiological and Proarrhythmic Effects of Hydroxychloroquine Challenge in Guinea-Pig Hearts. <i>ACS Pharmacology and Translational Science</i> , 2021 , 4, 1639-1653	5.9	O
133	Generation of induced pluripotent stem cells (iPSCs) from a Chinese infant (XACHi015-A) with type 2 Long QT syndrome carrying the heterozygous mutation c.1814C>T(p.P605L) in KCNH2. <i>Stem Cell Research</i> , 2021 , 56, 102509	1.6	O
132	Decellularized Disc Hydrogels for hBMSCs tissue-specific differentiation and tissue regeneration. <i>Bioactive Materials</i> , 2021 , 6, 3541-3556	16.7	9
131	A dataset of dual calcium and voltage optical mapping in healthy and hypertrophied murine hearts <i>Scientific Data</i> , 2021 , 8, 314	8.2	O
130	Generation of three iPSC lines (XACHi007-A, XACHi008-A, XACHi009-A) from a Chinese family with long QT syndrome type 5 with heterozygous c.226G>A (p.D76N) mutation in KCNE1gene. <i>Stem Cell Research</i> , 2020 , 45, 101798	1.6	
129	Update on antiarrhythmic drug pharmacology. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 5	79 257 92	3
128	A potent antiarrhythmic drug N-methyl berbamine extends the action potential through inhibiting both calcium and potassium currents. <i>Journal of Pharmacological Sciences</i> , 2020 , 142, 131-139	3.7	5
127	Distinct roles of calmodulin and Ca/calmodulin-dependent protein kinase II in isopreterenol-induced cardiac hypertrophy. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 526, 960-966	3.4	4

(2017-2020)

126	Antiarrhythmic drugs IAn updated classification after 50 years. <i>Journal of Molecular and Cellular Cardiology</i> , 2020 , 140, 10	5.8	2
125	The c-Jun signaling pathway has a protective effect on nucleus pulposus cells in patients with intervertebral disc degeneration. <i>Experimental and Therapeutic Medicine</i> , 2020 , 20, 123	2.1	4
124	Cardiac arrhythmogenesis: a tale of two clocks?. Cardiovascular Research, 2020, 116, e205-e209	9.9	8
123	Cardiac optical mapping - State-of-the-art and future challenges. <i>International Journal of Biochemistry and Cell Biology</i> , 2020 , 126, 105804	5.6	9
122	Generation of two induced pluripotent stem cell lines (XACHi0010-A, XACHi0011-A) from a Chinese family with combined oxidative phosphorylation deficiency carrying homozygous and heterozygous C1QBP-L275F mutation. <i>Stem Cell Research</i> , 2020 , 47, 101912	1.6	3
121	Novel cardiac cell subpopulations: Pnmt-derived cardiomyocytes. <i>Open Biology</i> , 2020 , 10, 200095	7	О
120	A Protocol for Dual Calcium-Voltage Optical Mapping in Murine Sinoatrial Preparation With Optogenetic Pacing. <i>Frontiers in Physiology</i> , 2019 , 10, 954	4.6	4
119	Response by Lei et al to Letter Regarding Article, "Modernized Classification of Cardiac Antiarrhythmic Drugs". <i>Circulation</i> , 2019 , 139, 1652-1653	16.7	
118	A Protocol for Transverse Cardiac Slicing and Optical Mapping in Murine Heart. <i>Frontiers in Physiology</i> , 2019 , 10, 755	4.6	6
117	Pnmt-Derived Cardiomyocytes: Anatomical Localization, Function and Future Perspectives. <i>Frontiers in Physiology</i> , 2019 , 10, 713	4.6	1
116	Nav1.5-E3 antibody inhibits cancer progression <i>Translational Cancer Research</i> , 2019 , 8, 44-50	0.3	6
115	Biochemical studies of membrane fusion at the single-particle level. <i>Progress in Lipid Research</i> , 2019 , 73, 92-100	14.3	31
114	The p21-activated kinase 1 (Pak1) signalling pathway in cardiac disease: from mechanistic study to therapeutic exploration. <i>British Journal of Pharmacology</i> , 2018 , 175, 1362-1374	8.6	18
113	Transverse cardiac slicing and optical imaging for analysis of transmural gradients in membrane potential and Ca transients in murine heart. <i>Journal of Physiology</i> , 2018 , 596, 3951-3965	3.9	18
112	Late sodium current associated cardiac electrophysiological and mechanical dysfunction. <i>Pflugers Archiv European Journal of Physiology</i> , 2018 , 470, 461-469	4.6	19
111	Modernized Classification of Cardiac Antiarrhythmic Drugs. <i>Circulation</i> , 2018 , 138, 1879-1896	16.7	83
110	Segmental composite porous scaffolds with either osteogenesis or anti-bone resorption properties tested in a rabbit ulna defect model. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2017 , 11, 34-43	4.4	8
109	Optogenetic Control of Heart Rhythm by Selective Stimulation of Cardiomyocytes Derived from Pnmt Cells in Murine Heart. <i>Scientific Reports</i> , 2017 , 7, 40687	4.9	32

108	Sodium channel biophysics, late sodium current and genetic arrhythmic syndromes. <i>Pflugers Archiv European Journal of Physiology</i> , 2017 , 469, 629-641	4.6	36
107	Stress-Activated Kinase Mitogen-Activated Kinase Kinase-7 Governs Epigenetics of Cardiac Repolarization for Arrhythmia Prevention. <i>Circulation</i> , 2017 , 135, 683-699	16.7	11
106	Synthesis of the Ca-mobilizing messengers NAADP and cADPR by intracellular CD38 enzyme in the mouse heart: Role in \(\text{Padrenoceptor signaling}. \(\text{Journal of Biological Chemistry}, \) 2017, 292, 13243-13257	5.4	35
105	Three-dimensional image reconstruction of distribution of Pnmt cell-derived cells in murine heart. <i>Scientific Data</i> , 2017 , 4, 170134	8.2	4
104	Plasma membrane Ca -ATPase 1 is required for maintaining atrial Ca homeostasis and electrophysiological stability in the mouse. <i>Journal of Physiology</i> , 2017 , 595, 7383-7398	3.9	6
103	PS 04-18 THE EFFECT OF THE SPHINGOSINE-1-PHOSPHATE ANALOGUE FTY720 ON ATRIOVENTRICULAR NODAL TISSUE. <i>Journal of Hypertension</i> , 2016 , 34, e138	1.9	
102	Effect of sphingosine-1-phosphate on L-type calcium current and Ca(2+) transient in rat ventricular myocytes. <i>Molecular and Cellular Biochemistry</i> , 2016 , 419, 83-92	4.2	8
101	Synergistic effect of bioactive lipid and condition medium on cardiac differentiation of human mesenchymal stem cells from different tissues. <i>Cell Biochemistry and Function</i> , 2016 , 34, 163-72	4.2	2
100	Growth factors mediated differentiation of mesenchymal stem cells to cardiac polymicrotissue using hanging drop and bioreactor. <i>Cell Biology International</i> , 2015 , 39, 502-7	4.5	3
99	Regulation of Ca(2+) transient by PP2A in normal and failing heart. <i>Frontiers in Physiology</i> , 2015 , 6, 13	4.6	23
98	Smad3 Couples Pak1 With the Antihypertrophic Pathway Through the E3 Ubiquitin Ligase, Fbxo32. <i>Hypertension</i> , 2015 , 66, 1176-83	8.5	14
97	Two-pore Channels (TPC2s) and Nicotinic Acid Adenine Dinucleotide Phosphate (NAADP) at Lysosomal-Sarcoplasmic Reticular Junctions Contribute to Acute and Chronic I-Adrenoceptor Signaling in the Heart. <i>Journal of Biological Chemistry</i> , 2015 , 290, 30087-98	5.4	44
96	The effect of the sphingosine-1-phosphate analogue FTY720 on atrioventricular nodal tissue. <i>Journal of Cellular and Molecular Medicine</i> , 2015 , 19, 1729-34	5.6	11
95	Novel insights into mechanisms for Pak1-mediated regulation of cardiac Ca(2+) homeostasis. <i>Frontiers in Physiology</i> , 2015 , 6, 76	4.6	9
94	The involvement of TRPC3 channels in sinoatrial arrhythmias. Frontiers in Physiology, 2015, 6, 86	4.6	19
93	Optimal iodine staining of cardiac tissue for X-ray computed tomography. <i>PLoS ONE</i> , 2014 , 9, e105552	3.7	8
92	PAK1 is a novel cardiac protective signaling molecule. <i>Frontiers of Medicine</i> , 2014 , 8, 399-403	12	18
91	Arrhythmic substrate, slowed propagation and increased dispersion in conduction direction in the right ventricular outflow tract of murine Scn5a+/- hearts. <i>Acta Physiologica</i> , 2014 , 211, 559-73	5.6	14

(2012-2014)

90	Mkk4 is a negative regulator of the transforming growth factor beta 1 signaling associated with atrial remodeling and arrhythmogenesis with age. <i>Journal of the American Heart Association</i> , 2014 , 3, e000340	6	32
89	Pak1 is required to maintain ventricular Call+ homeostasis and electrophysiological stability through SERCA2a regulation in mice. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014 , 7, 938-48	6.4	21
88	The SCN5A mutation A1180V is associated with electrocardiographic features of LQT3. <i>Pediatric Cardiology</i> , 2014 , 35, 295-300	2.1	4
87	Inhibition of angiotensin II-induced cardiac hypertrophy and associated ventricular arrhythmias by a p21 activated kinase 1 bioactive peptide. <i>PLoS ONE</i> , 2014 , 9, e101974	3.7	18
86	Atrial arrhythmia, triggering events and conduction abnormalities in isolated murine RyR2-P2328S hearts. <i>Acta Physiologica</i> , 2013 , 207, 308-23	5.6	41
85	Conduction slowing contributes to spontaneous ventricular arrhythmias in intrinsically active murine RyR2-P2328S hearts. <i>Journal of Cardiovascular Electrophysiology</i> , 2013 , 24, 210-8	2.7	29
84	Characterization of a right atrial subsidiary pacemaker and acceleration of the pacing rate by HCN over-expression. <i>Cardiovascular Research</i> , 2013 , 100, 160-9	9.9	23
83	Serum sphingolipids level as a novel potential marker for early detection of human myocardial ischaemic injury. <i>Frontiers in Physiology</i> , 2013 , 4, 130	4.6	38
82	Abnormal Ca(2+) homeostasis, atrial arrhythmogenesis, and sinus node dysfunction in murine hearts modeling RyR2 modification. <i>Frontiers in Physiology</i> , 2013 , 4, 150	4.6	14
81	A novel immunomodulator, FTY-720 reverses existing cardiac hypertrophy and fibrosis from pressure overload by targeting NFAT (nuclear factor of activated T-cells) signaling and periostin. <i>Circulation: Heart Failure</i> , 2013 , 6, 833-44	7.6	43
80	Unique catalytic activities and scaffolding of p21 activated kinase-1 in cardiovascular signaling. <i>Frontiers in Pharmacology</i> , 2013 , 4, 116	5.6	8
79	Cardiac & Respiratory Physiology Themed Meeting 2013 , 16-17		
78	The age-dependence of atrial arrhythmogenicity in Scn5a+/- murine hearts reflects alterations in action potential propagation and recovery. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2012 , 39, 518-27	3	9
77	18I-Glycyrrhetinic acid preferentially blocks late Na current generated by KPQ Nav1.5 channels. <i>Acta Pharmacologica Sinica</i> , 2012 , 33, 752-60	8	11
76	Frequency distribution analysis of activation times and regional fibrosis in murine Scn5a+/- hearts: the effects of ageing and sex. <i>Mechanisms of Ageing and Development</i> , 2012 , 133, 591-9	5.6	24
75	Pathophysiological Mechanisms of Sino-Atrial Dysfunction and Ventricular Conduction Disease Associated with SCN5A Deficiency: Insights from Mouse Models. <i>Frontiers in Physiology</i> , 2012 , 3, 234	4.6	5
74	Altered sinoatrial node function and intra-atrial conduction in murine gain-of-function Scn5a+/KPQ hearts suggest an overlap syndrome. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012 , 302, H1510-23	5.2	25
73	Novel roles of PAK1 in the heart. <i>Cellular Logistics</i> , 2012 , 2, 89-94		14

72	Ablation of p21-activated kinase-1 in mice promotes isoproterenol-induced cardiac hypertrophy in association with activation of Erk1/2 and inhibition of protein phosphatase 2A. <i>Journal of Molecular and Cellular Cardiology</i> , 2011 , 51, 988-96	5.8	47
71	Acute atrial arrhythmogenicity and altered Ca(2+) homeostasis in murine RyR2-P2328S hearts. <i>Cardiovascular Research</i> , 2011 , 89, 794-804	9.9	28
70	Delayed conduction and its implications in murine Scn5a(+/-) hearts: independent and interacting effects of genotype, age, and sex. <i>Pflugers Archiv European Journal of Physiology</i> , 2011 , 461, 29-44	4.6	28
69	Sphingosine-1-phosphate promotes the differentiation of human umbilical cord mesenchymal stem cells into cardiomyocytes under the designated culturing conditions. <i>Journal of Biomedical Science</i> , 2011 , 18, 37	13.3	29
68	Pak1 as a novel therapeutic target for antihypertrophic treatment in the heart. <i>Circulation</i> , 2011 , 124, 2702-15	16.7	76
67	Mitogen-activated protein kinase kinase 4 deficiency in cardiomyocytes causes connexin 43 reduction and couples hypertrophic signals to ventricular arrhythmogenesis. <i>Journal of Biological Chemistry</i> , 2011 , 286, 17821-30	5.4	9
66	16 Delayed conduction and its implications in murine SCN5a+/[hearts: independent and interacting effects of genotype, age and sex. <i>Heart</i> , 2011 , 97, e5-e5	5.1	
65	Plasma membrane calcium pump (PMCA4)-neuronal nitric-oxide synthase complex regulates cardiac contractility through modulation of a compartmentalized cyclic nucleotide microdomain. <i>Journal of Biological Chemistry</i> , 2011 , 286, 41520-41529	5.4	62
64	A mathematical model of action potentials of mouse sinoatrial node cells with molecular bases. American Journal of Physiology - Heart and Circulatory Physiology, 2011 , 301, H945-63	5.2	48
63	Mapping of reentrant spontaneous polymorphic ventricular tachycardia in a Scn5a+/- mouse model. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 300, H1853-62	5.2	24
62	Distribution and functional role of inositol 1,4,5-trisphosphate receptors in mouse sinoatrial node. <i>Circulation Research</i> , 2011 , 109, 848-57	15.7	36
61	TGF-II-mediated fibrosis and ion channel remodeling are key mechanisms in producing the sinus node dysfunction associated with SCN5A deficiency and aging. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2011 , 4, 397-406	6.4	77
60	Activation of Pak1/Akt/eNOS signaling following sphingosine-1-phosphate release as part of a mechanism protecting cardiomyocytes against ischemic cell injury. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 301, H1487-95	5.2	68
59	Differences in sino-atrial and atrio-ventricular function with age and sex attributable to the Scn5a+/- mutation in a murine cardiac model. <i>Acta Physiologica</i> , 2010 , 200, 23-33	5.6	11
58	Mutation-specific effects of polymorphism H558R in SCN5A-related sick sinus syndrome. <i>Journal of Cardiovascular Electrophysiology</i> , 2010 , 21, 564-73	2.7	29
57	The curious role of sarcomeric proteins in control of diverse processes in cardiac myocytes. <i>Journal of General Physiology</i> , 2010 , 136, 13-9	3.4	12
56	Mechanistic links between Na+ channel (SCN5A) mutations and impaired cardiac pacemaking in sick sinus syndrome. <i>Circulation Research</i> , 2010 , 107, 126-37	15.7	72
55	Expression of voltage-gated sodium channel alpha subunit in human ovarian cancer. <i>Oncology Reports</i> , 2010 , 23, 1293-9	3.5	59

(2007-2010)

54	FTY720 prevents ischemia/reperfusion injury-associated arrhythmias in an ex vivo rat heart model via activation of Pak1/Akt signaling. <i>Journal of Molecular and Cellular Cardiology</i> , 2010 , 48, 406-14	5.8	72
53	Novel bradykinin signaling in adult rat cardiac myocytes through activation of p21-activated kinase. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010 , 298, H1283-9	5.2	12
52	Atrial arrhythmogenicity in aged Scn5a+/DeltaKPQ mice modeling long QT type 3 syndrome and its relationship to Na+ channel expression and cardiac conduction. <i>Pflugers Archiv European Journal of Physiology</i> , 2010 , 460, 593-601	4.6	19
51	Cardioprotection in ischemia/reperfusion injury: spotlight on sphingosine-1-phosphate and bradykinin signalling. <i>Progress in Biophysics and Molecular Biology</i> , 2010 , 103, 142-7	4.7	16
50	Multiple loss-of-function mechanisms contribute to SCN5A-related familial sick sinus syndrome. <i>PLoS ONE</i> , 2010 , 5, e10985	3.7	58
49	Cardiac-specific deletion of mkk4 reveals its role in pathological hypertrophic remodeling but not in physiological cardiac growth. <i>Circulation Research</i> , 2009 , 104, 905-14	15.7	58
48	Neuronal nitric oxide synthase protects against myocardial infarction-induced ventricular arrhythmia and mortality in mice. <i>Circulation</i> , 2009 , 120, 1345-54	16.7	96
47	Functional expression of voltage-gated sodium channels Nav1.5 in human breast cancer cell line MDA-MB-231. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2009 , 29, 64-	7	11
46	Pharmacological changes in cellular Ca2+ homeostasis parallel initiation of atrial arrhythmogenesis in murine Langendorff-perfused hearts. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2009 , 36, 969-80	3	8
45	Glycyrretinic acid blocks cardiac sodium channels expressed in Xenopus oocytes. <i>Journal of Ethnopharmacology</i> , 2009 , 125, 318-23	5	13
44	Characterization of the effects of ryanodine, TTX, E-4031 and 4-AP on the sinoatrial and atrioventricular nodes. <i>Progress in Biophysics and Molecular Biology</i> , 2008 , 96, 452-64	4.7	27
43	Role of pacemaking current in cardiac nodes: insights from a comparative study of sinoatrial node and atrioventricular node. <i>Progress in Biophysics and Molecular Biology</i> , 2008 , 96, 294-304	4.7	44
42	Genetic Na+ channelopathies and sinus node dysfunction. <i>Progress in Biophysics and Molecular Biology</i> , 2008 , 98, 171-8	4.7	61
41	Sinus node dysfunction in ATX-II-induced in-vitro murine model of long QT3 syndrome and rescue effect of ranolazine. <i>Progress in Biophysics and Molecular Biology</i> , 2008 , 98, 198-207	4.7	15
40	Regulation of cardiac excitation and contraction by p21 activated kinase-1. <i>Progress in Biophysics and Molecular Biology</i> , 2008 , 98, 238-50	4.7	47
39	Impairments of astrocytes are involved in the d-galactose-induced brain aging. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 369, 1082-7	3.4	109
38	Correlations between clinical and physiological consequences of the novel mutation R878C in a highly conserved pore residue in the cardiac Na+ channel. <i>Acta Physiologica</i> , 2008 , 194, 311-23	5.6	23
37	Altered expression of gap junction connexin proteins may partly underlie heart rhythm disturbances in the streptozotocin-induced diabetic rat heart. <i>Molecular and Cellular Biochemistry</i> , 2007 , 305, 145-51	4.2	22

36	Computational evaluation of the roles of Na+ current, iNa, and cell death in cardiac pacemaking and driving. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007 , 292, H165-74	5.2	27
35	SCN5A and sinoatrial node pacemaker function. <i>Cardiovascular Research</i> , 2007 , 74, 356-65	9.9	68
34	Organisation of the mouse sinoatrial node: structure and expression of HCN channels. <i>Cardiovascular Research</i> , 2007 , 73, 729-38	9.9	135
33	The sinoatrial node: cell size does matter. <i>Circulation Research</i> , 2007 , 101, e81-2	15.7	6
32	Regulation of L-type calcium channel and delayed rectifier potassium channel activity by p21-activated kinase-1 in guinea pig sinoatrial node pacemaker cells. <i>Circulation Research</i> , 2007 , 100, 1317-27	15.7	41
31	Voltage-gated sodium channels potentiate the invasive capacities of human non-small-cell lung cancer cell lines. <i>International Journal of Biochemistry and Cell Biology</i> , 2007 , 39, 774-86	5.6	121
30	Remodeling of the cardiac pacemaker L-type calcium current and its beta-adrenergic responsiveness in hypertension after neuronal NO synthase gene transfer. <i>Hypertension</i> , 2006 , 48, 443	- 52 5	32
29	Connexins in the sinoatrial and atrioventricular nodes. <i>Advances in Cardiology</i> , 2006 , 42, 175-197		87
28	Generation of functional ion-channel tools by E3 targeting. <i>Nature Biotechnology</i> , 2005 , 23, 1289-93	44.5	105
27	Specific pattern of ionic channel gene expression associated with pacemaker activity in the mouse heart. <i>Journal of Physiology</i> , 2005 , 562, 223-34	3.9	247
26	Sinus node dysfunction following targeted disruption of the murine cardiac sodium channel gene Scn5a. <i>Journal of Physiology</i> , 2005 , 567, 387-400	3.9	87
25	Paced electrogram fractionation analysis of arrhythmogenic tendency in DeltaKPQ Scn5a mice. Journal of Cardiovascular Electrophysiology, 2005, 16, 1329-40	2.7	52
24	The active conformation of the PAK1 kinase domain. <i>Structure</i> , 2005 , 13, 769-78	5.2	73
23	Requirement of neuronal- and cardiac-type sodium channels for murine sinoatrial node pacemaking. <i>Journal of Physiology</i> , 2004 , 559, 835-48	3.9	147
22	Heterogeneous expression of Ca(2+) handling proteins in rabbit sinoatrial node. <i>Journal of Histochemistry and Cytochemistry</i> , 2002 , 50, 311-24	3.4	69
21	Role of the 293b-sensitive, slowly activating delayed rectifier potassium current, i(Ks), in pacemaker activity of rabbit isolated sino-atrial node cells. <i>Cardiovascular Research</i> , 2002 , 53, 68-79	9.9	32
20	Pak1 kinase homodimers are autoinhibited in trans and dissociated upon activation by Cdc42 and Rac1. <i>Molecular Cell</i> , 2002 , 9, 73-83	17.6	190
19	Heterogeneous expression of the delayed-rectifier K+ currents i(K,r) and i(K,s) in rabbit sinoatrial node cells. <i>Journal of Physiology</i> , 2001 , 535, 703-14	3.9	40

18	Sudden cardiac death by Commotio cordis: role of mechano-electric feedback. <i>Cardiovascular Research</i> , 2001 , 50, 280-9	9.9	98
17	Transient outward K+ current, ito, in the sinoatrial node. <i>Cardiovascular Research</i> , 2001 , 52, 519-520	9.9	2
16	Nitric Oxide Exerts a DirectiPositive Chronotropic Effect through the Activation of a Novel Signal Trandsuction Pathway in the Sino-Atrial Node. <i>Clinical Science</i> , 2000 , 99, 2P-2P		
15	Selected contribution: axial stretch increases spontaneous pacemaker activity in rabbit isolated sinoatrial node cells. <i>Journal of Applied Physiology</i> , 2000 , 89, 2099-104	3.7	68
14	Mathematical models of action potentials in the periphery and center of the rabbit sinoatrial node. American Journal of Physiology - Heart and Circulatory Physiology, 2000 , 279, H397-421	5.2	206
13	Modulation of delayed rectifier potassium current, i K, by isoprenaline in rabbit isolated pacemaker cells. <i>Experimental Physiology</i> , 2000 , 85, 27-35	2.4	6
12	Characterisation of the transient outward K+ current in rabbit sinoatrial node cells. <i>Cardiovascular Research</i> , 2000 , 46, 433-41	9.9	42
11	Structure of PAK1 in an autoinhibited conformation reveals a multistage activation switch. <i>Cell</i> , 2000 , 102, 387-97	56.2	440
10	Modulation of delayed rectifier potassium current, iK, by isoprenaline in rabbit isolated pacemaker cells. <i>Experimental Physiology</i> , 2000 , 85, 27-35	2.4	27
9	Heterogeneity of 4-aminopyridine-sensitive current in rabbit sinoatrial node cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1999 , 276, H1295-304	5.2	15
8	NON-MUSCARINIC AND NON-NICOTINIC INHIBITION BY THE ACETYLCHOLINE ANALOGUE CARBACHOL OF THE DELAYED RECTIFIER POTASSIUM CURRENT, iK, IN RABBIT ISOLATED SINO-ATRIAL NODE CELLS. <i>Experimental Physiology</i> , 1999 , 84, 631-638	2.4	1
7	Non-Muscarinic and Non-Nicotinic Inhibition by the Acetylcholine Analogue Carbachol of the Delayed Rectifier Potassium Current, ik, in Rabbit Isolated Sino-Atrial Node Cells. <i>Experimental Physiology</i> , 1999 , 84, 631-638	2.4	O
6	Non-muscarinic and non-nicotinic inhibition by the acetylcholine analogue carbachol of the delayed rectifier potassium current, iK, in rabbit isolated sino-atrial node cells. <i>Experimental Physiology</i> , 1999 , 84, 631-8	2.4	4
5	Inhibition by Compound II, a sotalol analogue, of delayed rectifier current (iK) in rabbit isolated sino-atrial node cells. <i>Naunyn-Schmiedeberg& Archives of Pharmacology</i> , 1998 , 357, 260-7	3.4	3
4	Swelling-induced decrease in spontaneous pacemaker activity of rabbit isolated sino-atrial node cells. <i>Acta Physiologica Scandinavica</i> , 1998 , 164, 1-12		30
3	Nitric oxide can increase heart rate by stimulating the hyperpolarization-activated inward current, I(f). <i>Circulation Research</i> , 1997 , 81, 60-8	15.7	121
2	Two components of the delayed rectifier potassium current, IK, in rabbit sino-atrial node cells. <i>Experimental Physiology</i> , 1996 , 81, 725-41	2.4	55
1	Mechanistic insights into ventricular arrhythmogenesis of hydroxychloroquine and azithromycin for the treatment of COVID-19		6