

Shin-Lian Doong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2843400/publications.pdf>

Version: 2024-02-01

22
papers

893
citations

623574

14
h-index

677027

22
g-index

22
all docs

22
docs citations

22
times ranked

945
citing authors

#	ARTICLE	IF	CITATIONS
1	Hepatitis B Virus X Protein Inhibits Transforming Growth Factor- β -induced Apoptosis through the Activation of Phosphatidylinositol 3-Kinase Pathway. <i>Journal of Biological Chemistry</i> , 2000, 275, 25858-25864.	1.6	176
2	Epstein-Barr Virus BGLF4 Kinase Suppresses the Interferon Regulatory Factor 3 Signaling Pathway. <i>Journal of Virology</i> , 2009, 83, 1856-1869.	1.5	130
3	Coumarins and Antiplatelet Constituents from the Root Bark of <i>Zanthoxylum schinifolium</i> . <i>Planta Medica</i> , 2000, 66, 618-623.	0.7	81
4	Coumarins and anti-HBV constituents from <i>Zanthoxylum schinifolium</i> . <i>Phytochemistry</i> , 1997, 45, 1419-1422.	1.4	74
5	Nuclear expression of BCL10 or nuclear factor kappa B helps predict <i>Helicobacter pylori</i> -independent status of low-grade gastric mucosa-associated lymphoid tissue lymphomas with or without t(11;18)(q21;q21). <i>Blood</i> , 2005, 106, 1037-1041.	0.6	74
6	Nuclear Expression of BCL10 or Nuclear Factor Kappa B Predicts <i>Helicobacter pylori</i> -Independent Status of Early-Stage, High-Grade Gastric Mucosa-Associated Lymphoid Tissue Lymphomas. <i>Journal of Clinical Oncology</i> , 2004, 22, 3491-3497.	0.8	59
7	Hepatitis B Virus X Protein Activates a Survival Signaling by Linking Src to Phosphatidylinositol 3-Kinase. <i>Journal of Biological Chemistry</i> , 2003, 278, 31807-31813.	1.6	53
8	Inhibition of the Epstein-Barr virus lytic cycle by Zta-targeted RNA interference. <i>Journal of General Virology</i> , 2004, 85, 1371-1379.	1.3	43
9	Effect of anti-HIV 2'-fluoro-2,3'-dideoxynucleoside analogs on the cellular content of mitochondrial DNA and on lactate production. <i>Biochemical Pharmacology</i> , 1994, 48, 1477-1481.	2.0	39
10	Epstein-Barr Virus BGLF4 Kinase Downregulates NF- κ B Transactivation through Phosphorylation of Coactivator UXT. <i>Journal of Virology</i> , 2012, 86, 12176-12186.	1.5	37
11	Differential expression of osteoblast-specific factor 2 and polymeric immunoglobulin receptor genes in nasopharyngeal carcinoma. <i>Head and Neck</i> , 2005, 27, 873-882.	0.9	24
12	Maintenance of Epstein-Barr Virus Latent Status by a Novel Mechanism, Latent Membrane Protein 1-Induced Interleukin-32, via the Protein Kinase C δ Pathway. <i>Journal of Virology</i> , 2015, 89, 5968-5980.	1.5	19
13	Expression of CD86 and increased infiltration of NK cells are associated with <i>Helicobacter pylori</i> -dependent state of early stage high-grade gastric MALT lymphoma. <i>World Journal of Gastroenterology</i> , 2005, 11, 4357.	1.4	17
14	Glycogen synthase kinase 3 negatively regulates IFN regulatory factor 3 transactivation through phosphorylation at its linker region. <i>Innate Immunity</i> , 2014, 20, 78-87.	1.1	16
15	Transactivation of the human MDR1 gene by hepatitis B virus X gene product. <i>Journal of Hepatology</i> , 1998, 29, 872-878.	1.8	12
16	Involvement of Recepteur d'Origine Nantais Receptor Tyrosine Kinase in Epstein-Barr Virus-Associated Nasopharyngeal Carcinoma and Its Metastasis. <i>American Journal of Pathology</i> , 2012, 181, 1773-1781.	1.9	12
17	Tax of the Human T-Lymphotropic Virus Type I Transactivates Promoter of the MDR-1 Gene. <i>Biochemical and Biophysical Research Communications</i> , 1997, 238, 482-486.	1.0	7
18	Characterization of Epstein-Barr virus BGLF4 kinase expression control at the transcriptional and translational levels. <i>Journal of General Virology</i> , 2010, 91, 2186-2196.	1.3	7

#	ARTICLE	IF	CITATIONS
19	Thyroid hormone receptor β 1 (c-erb A β 1) suppressed transforming phenotype of nasopharyngeal carcinoma cell line. <i>Cancer Letters</i> , 2002, 184, 149-156.	3.2	5
20	Characterization of conditions for the activation of endogenous guinea pig retrovirus in cultured cells by 5-bromo-2-deoxyuridine. <i>Virus Genes</i> , 1995, 9, 201-209.	0.7	4
21	BCL10GFP fusion protein as a substrate for analysis of determinants required for Mucosa-Associated Lymphoid Tissue 1 (MALT1)-mediated cleavage. <i>Journal of Biomedical Science</i> , 2012, 19, 85.	2.6	2
22	Autocleavage of the paracaspase MALT1 at Arg-781 attenuates NF- κ B signaling and regulates the growth of activated B-cell like diffuse large B-cell lymphoma cells. <i>PLoS ONE</i> , 2018, 13, e0199779.	1.1	2