
Scheila Anelise Pereira

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2843578/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Laboratory-controlled challenges of streptococcosis in Nile tilapia using the oral route (infected-feed) for infection. Fish and Shellfish Immunology, 2022, 120, 295-303.	3.6	2
2	Inflammatory response in swim bladder caused by <i>Aeromonas hydrophila</i> in tambaqui () Tj ETQq0 0 0 rgB	T /Overloc 1.8	ck 10 Tf 50 70 0
3	Effects of sodium butyrate and Lippia origanoides essential oil blend on growth, intestinal microbiota, histology, and haemato-immunological response of Nile tilapia. Fish and Shellfish Immunology, 2021, 117, 62-69.	3.6	19
4	Ocimum gratissimum essential oil improved the health, innate immunity and resistance to Aeromonas hydrophila infection in Pseudoplatystoma reticulatum. Semina:Ciencias Agrarias, 2021, 42, 3855-3868.	0.3	0
5	The Chelating Mineral on Organic Acid Salts Modulates the Dynamics and Richness of the Intestinal Microbiota of a Silver Catfish Rhamdia quelen. Current Microbiology, 2020, 77, 1483-1495.	2.2	6
6	Dietary organic acids blend alone or in combination with an essential oil on the survival, growth, gut/liver structure and de hematoâ€immunological in Nile tilapia <i>Oreochromis niloticus</i> . Aquaculture Research, 2019, 50, 2960-2971.	1.8	14
7	Autochthonous probiotic bacteria modulate intestinal microbiota of Pirarucu, <i>Arapaima gigas</i> . Journal of the World Aquaculture Society, 2019, 50, 1152-1167.	2.4	9
8	Hemato-immunological and zootechnical parameters of Nile tilapia fed essential oil of Mentha piperita after challenge with Streptococcus agalactiae. Aquaculture, 2019, 506, 205-211.	3.5	35
9	The intestinal health of silver catfish Rhamdia quelen can be changed by organic acid salts, independent of the chelating minerals. Aquaculture, 2019, 505, 118-126.	3.5	13
10	Use of protected forms of sodium butyrate benefit the development and intestinal health of Nile tilapia during the sexual reversion period. Aquaculture, 2019, 504, 326-333.	3.5	29
11	Protected forms of sodium butyrate improve the growth and health of Nile tilapia fingerlings during sexual reversion. Aquaculture, 2019, 499, 119-127.	3.5	27
12	Toxicity of formalin for fingerlings of Cyprinus carpio var. koi and in vitro efficacy against Dactylogyrus minutus Kulwièc, 1927 (Monogenea: Dactylogyridae). Journal of Parasitic Diseases, 2019, 43, 46-53.	1.0	10
13	Trace elements and microbiological parameters in farmed Nile tilapia with emphasis on muscle, water, sediment and feed. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2019, 54, 237-246.	1.5	5
14	Blood biochemical parameters and melanomacrophage centers in Nile tilapia fed essential oils of clove basil and ginger. Fish and Shellfish Immunology, 2018, 74, 444-449.	3.6	41
15	Tadpoles fed supplemented diet with probiotic bacterium isolated from the intestinal tract of bullfrog Lithobates catesbeianus: Haematology, cell activity and electron microscopy. Microbial Pathogenesis, 2018, 114, 255-263.	2.9	8
16	Sylimarin as hepatic protector and immunomodulator in Nile tilapia during Streptococcus agalactiae infection. Fish and Shellfish Immunology, 2018, 82, 565-572.	3.6	27
17	Can the minerals calcium and sodium, chelated to propionic acid, influence the health and zootechnical parameters of native silver catfish Rhamdia quelen?. Aquaculture, 2018, 496, 88-95.	3.5	14
18	Probiotic bacteria may prevent haemorrhagic septicaemia by maturing intestinal host defences in Brazilian native surubins. Aquaculture Nutrition, 2017, 23, 484-491.	2.7	15

2

Scheila Anelise Pereira

#	Article	IF	CITATIONS
19	Probiotic dietary supplementation in Nile tilapia as prophylaxis against streptococcosis. Aquaculture Nutrition, 2017, 23, 1235-1243.	2.7	26
20	Autochthonous probiotic <i>Lactobacillus</i> sp. in the diet of bullfrog tadpoles <i>Lithobates catesbeianus</i> improves weight gain, feed conversion and gut microbiota. Aquaculture Nutrition, 2017, 23, 910-916.	2.7	12
21	Nursery of young Litopenaeus vannamei post-larvae reared in biofloc- and microalgae-based systems. Aquacultural Engineering, 2017, 78, 140-145.	3.1	19
22	Effect of dietary essential oils of clove basil and ginger on Nile tilapia (Oreochromis niloticus) following challenge with Streptococcus agalactiae. Aquaculture, 2017, 468, 235-243.	3.5	118
23	Probiotic supplementation in diet and vaccination of hybrid surubim (Pseudoplatystoma reticulatum♀ x) Tj ET	Qg1_1 0.7	84314 rgBT)
24	Microbial biofloc as source of probiotic bacteria for the culture of Litopenaeus vannamei. Aquaculture, 2015, 448, 273-279.	3.5	85
25	Hemato-immunological and biochemical parameters of silver catfish Rhamdia quelen immunized with live theronts of Ichthyophthirius multifiliis. Fish and Shellfish Immunology, 2015, 45, 689-694.	3.6	14
26	Comparative effects of autochthonous singleâ€strain and multiâ€strain probiotics on the productive performance and disease resistance in <i>Colossoma macropomum</i> (Cuvier, 1818). Aquaculture Research, 0, , .	1.8	0