

Nathalie Bourgeois-Abella

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2844564/publications.pdf>

Version: 2024-02-01

30
papers

543
citations

623574

14
h-index

642610

23
g-index

30
all docs

30
docs citations

30
times ranked

645
citing authors

#	ARTICLE	IF	CITATIONS
1	Development of a pig jejunal explant culture for studying the gastrointestinal toxicity of the mycotoxin deoxynivalenol: Histopathological analysis. <i>Toxicology in Vitro</i> , 2009, 23, 1580-1584.	1.1	87
2	Persistent Infection of B Lymphocytes by Bovine Respiratory Syncytial Virus. <i>Virology</i> , 2001, 291, 55-67.	1.1	59
3	The preanalytic phase in veterinary clinical pathology. <i>Veterinary Clinical Pathology</i> , 2015, 44, 8-25.	0.3	40
4	Canine reference intervals for the Sysmex XT-2000iV hematology analyzer. <i>Veterinary Clinical Pathology</i> , 2011, 40, 303-315.	0.3	38
5	Developmental toxic effects of ethylbenzene or toluene alone and in combination with butyl acetate in rats after inhalation exposure. <i>Journal of Applied Toxicology</i> , 2007, 27, 32-42.	1.4	37
6	Comparison of cytologic and histologic evaluations of the conjunctiva in the normal equine eye. <i>Veterinary Ophthalmology</i> , 2007, 10, 12-18.	0.6	28
7	Confidence intervals of reference limits in small reference sample groups. <i>Veterinary Clinical Pathology</i> , 2013, 42, 395-398.	0.3	22
8	Histopathologic features of canine distichiasis. <i>Veterinary Ophthalmology</i> , 2012, 15, 92-97.	0.6	21
9	Changes in hematology measurements in healthy and diseased dog blood stored at room temperature for 24 and 48 hours using the Sysmex XT-2000iV analyzer. <i>Veterinary Clinical Pathology</i> , 2014, 43, 24-35.	0.3	20
10	Hematology reference intervals for adult cows in France using the Sysmex XT-2000iV analyzer. <i>Journal of Veterinary Diagnostic Investigation</i> , 2018, 30, 678-687.	0.5	20
11	Effects of intravenous, low-dose ketamine-diazepam sedation on the results of hematologic, plasma biochemical, and coagulation analyses in cats. <i>Journal of the American Veterinary Medical Association</i> , 2012, 240, 287-293.	0.2	18
12	Urinalysis and determination of the urine protein:creatinine ratio reference interval in healthy cows. <i>Journal of Veterinary Internal Medicine</i> , 2019, 33, 999-1008.	0.6	17
13	Reference intervals, intraindividual and interindividual variability, and reference change values for hematologic variables in laboratory beagles. <i>Journal of the American Association for Laboratory Animal Science</i> , 2015, 54, 17-24.	0.6	16
14	Hematologic reference intervals in <i>Cynomolgus</i> (<i>Macaca fascicularis</i>) monkeys. <i>Journal of Medical Primatology</i> , 2014, 43, 1-10.	0.3	15
15	Validation of the Sysmex XN-10V hematology analyzer for canine specimens. <i>Veterinary Clinical Pathology</i> , 2021, 50, 184-197.	0.3	15
16	Developmental toxicity of combined ethylbenzene and methylethylketone administered by inhalation to rats. <i>Food and Chemical Toxicology</i> , 2006, 44, 1287-1298.	1.8	13
17	Feline reference intervals for the Sysmex XT-2000iV and the ProCyte DX haematology analysers in EDTA and CTAD blood specimens. <i>Journal of Feline Medicine and Surgery</i> , 2014, 16, 473-482.	0.6	12
18	Time-of-flight secondary ion mass spectrometry imaging demonstrates the specific localization of deca-bromo-diphenyl-ether residues in the ovaries and adrenal glands of exposed rats. <i>Journal of the American Society for Mass Spectrometry</i> , 2010, 21, 1836-1845.	1.2	11

#	ARTICLE	IF	CITATIONS
19	Breed-specific hematologic reference intervals in healthy adult Dogues de Bordeaux. <i>Veterinary Clinical Pathology</i> , 2014, 43, 352-361.	0.3	9
20	The effects of storage at 4°C and 20°C on the hemograms of C57BL/6 mice and Wistar rats using the IDEXX ProCyte Dx and blood smear evaluations. <i>Veterinary Clinical Pathology</i> , 2019, 48, 652-667.	0.3	9
21	Changes in haematology measurements with the Sysmex XT-2000iV during storage of feline blood sampled in EDTA or EDTA plus CTAD. <i>Journal of Feline Medicine and Surgery</i> , 2013, 15, 433-444.	0.6	8
22	Spurious reticulocyte profiles in dogs with large form babesiosis: a retrospective study. <i>Veterinary Clinical Pathology</i> , 2016, 45, 598-603.	0.3	7
23	Comparison of different anticoagulant associations on haemostasis and biochemical analyses in feline blood specimens. <i>Journal of Feline Medicine and Surgery</i> , 2017, 19, 394-402.	0.6	6
24	Reference Values for Hematology, Plasma Biochemistry, Bone Marrow Cytology and Bone Histology of NOD.Cg-Prkdc ^{scid} Il2rg ^{tm1Wjl} /Szj Immunodeficient Mice. <i>Journal of the American Association for Laboratory Animal Science</i> , 2021, 60, 4-17.	0.6	6
25	Validation of the Medonic CA620/530 Vet 20-1/41 Microcapillary Sampler System for Hematology Testing of Feline Blood. <i>Journal of Veterinary Diagnostic Investigation</i> , 2009, 21, 364-368.	0.5	5
26	Anatomy, histology, and ultrasonography of the normal adrenal gland in brown lemur: <i>Eulemur fulvus</i> . <i>Journal of Medical Primatology</i> , 2017, 46, 25-30.	0.3	2
27	What is your diagnosis? Abnormal platelets dot plot from a dog. <i>Veterinary Clinical Pathology</i> , 2019, 48, 481-483.	0.3	1
28	Additional Value of Second Harmonic Generation Microscopy in the Diagnosis of Feline Collagen Type III Glomerulopathy. <i>Journal of Comparative Pathology</i> , 2021, 188, 37-43.	0.1	1
29	Abnormal Sysmex XT-2000iV DIFF scattergram in a cat with a prominent mastocytomia. <i>Veterinary Clinical Pathology</i> , 2019, 48, 624-629.	0.3	0
30	Detection of circulating microfilariae in canine EDTA blood using lens-free technology: preliminary results. <i>Journal of Veterinary Diagnostic Investigation</i> , 2021, 33, 572-576.	0.5	0