

Yuan Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2844730/publications.pdf>

Version: 2024-02-01

36
papers

1,558
citations

394421

19
h-index

395702

33
g-index

36
all docs

36
docs citations

36
times ranked

2335
citing authors

#	ARTICLE	IF	CITATIONS
1	Mitochondrial regulation in spermatogenesis. <i>Reproduction</i> , 2022, 163, R55-R69.	2.6	13
2	Xenotransplantation of Human Spermatogonia Into Various Mouse Recipient Models. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, .	3.7	4
3	CAP1, a target of miR-144/451, negatively regulates erythroid differentiation and enucleation. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 2377-2389.	3.6	4
4	Male germ cell derivation from PSCs. , 2021, , 133-165.		0
5	Nanoparticle-Aided Nanoreactor for Nanoproteomics. <i>Analytical Chemistry</i> , 2021, 93, 10568-10576.	6.5	10
6	ZDHHC19 Is Dispensable for Spermatogenesis, but Is Essential for Sperm Functions in Mice. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8894.	4.1	7
7	MFN1 and MFN2 Are Dispensable for Sperm Development and Functions in Mice. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13507.	4.1	5
8	Social Technology: An Interdisciplinary Approach to Improving Care for Older Adults. <i>Frontiers in Public Health</i> , 2021, 9, 729149.	2.7	7
9	MFN2 Plays a Distinct Role from MFN1 in Regulating Spermatogonial Differentiation. <i>Stem Cell Reports</i> , 2020, 14, 803-817.	4.8	19
10	A bioenergetic shift is required for spermatogonial differentiation. <i>Cell Discovery</i> , 2020, 6, 56.	6.7	21
11	BRG1 Is Dispensable for Sertoli Cell Development and Functions in Mice. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4358.	4.1	4
12	Stress-Induced Metabolic Disorder in Peripheral CD4+ T Cells Leads to Anxiety-like Behavior. <i>Cell</i> , 2019, 179, 864-879.e19.	28.9	180
13	In Vitro Modeling of Human Germ Cell Development Using Pluripotent Stem Cells. <i>Stem Cell Reports</i> , 2018, 10, 509-523.	4.8	57
14	NRF1 coordinates with DNA methylation to regulate spermatogenesis. <i>FASEB Journal</i> , 2017, 31, 4959-4970.	0.5	41
15	Interplay of transcription factors and microRNAs during embryonic hematopoiesis. <i>Science China Life Sciences</i> , 2017, 60, 168-177.	4.9	7
16	<sc>GASZ</sc> and mitofusin-mediated mitochondrial functions are crucial for spermatogenesis. <i>EMBO Reports</i> , 2016, 17, 220-234.	4.5	50
17	CD71 ^{high} population represents primitive erythroblasts derived from mouse embryonic stem cells. <i>Stem Cell Research</i> , 2015, 14, 30-38.	0.7	12
18	A Novel Role of CDX1 in Embryonic Epicardial Development. <i>PLoS ONE</i> , 2014, 9, e103271.	2.5	8

#	ARTICLE	IF	CITATIONS
19	GPR126 Protein Regulates Developmental and Pathological Angiogenesis through Modulation of VEGFR2 Receptor Signaling. <i>Journal of Biological Chemistry</i> , 2014, 289, 34871-34885.	3.4	50
20	Transcriptional Repression by the BRG1-SWI/SNF Complex Affects the Pluripotency of Human Embryonic Stem Cells. <i>Stem Cell Reports</i> , 2014, 3, 460-474.	4.8	93
21	GASZ promotes germ cell derivation from embryonic stem cells. <i>Stem Cell Research</i> , 2013, 11, 845-860.	0.7	22
22	Role of Nuclear Receptor Coactivator 3 (Ncoa3) in Pluripotency Maintenance. <i>Journal of Biological Chemistry</i> , 2012, 287, 38295-38304.	3.4	43
23	Interaction of retinoic acid and scl controls primitive blood development. <i>Blood</i> , 2010, 116, 201-209.	1.4	34
24	Cdx4 is dispensable for murine adult hematopoietic stem cells but promotes MLL-AF9-mediated leukemogenesis. <i>Haematologica</i> , 2010, 95, 1642-1650.	3.5	14
25	<i>Cdx</i> gene deficiency compromises embryonic hematopoiesis in the mouse. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 7756-7761.	7.1	62
26	Modulation of murine embryonic stem cell-derived CD41+c-kit+ hematopoietic progenitors by ectopic expression of Cdx genes. <i>Blood</i> , 2008, 111, 4944-4953.	1.4	48
27	Cdx4 Is Dispensable for Murine Hematopoiesis and MLL-AF9 Mediated Leukemogenesis.. <i>Blood</i> , 2008, 112, 1404-1404.	1.4	0
28	The Cdx-Hox Pathway in Hematopoietic Stem Cell Formation from Embryonic Stem Cells. <i>Annals of the New York Academy of Sciences</i> , 2007, 1106, 197-208.	3.8	27
29	Retinoic Acid Blockade Increases Primitive Blood Cell Formation in cdx4 Mutant Zebrafish Embryos, Murine Yolk Sac Explants and Differentiated Embryonic Stem Cells.. <i>Blood</i> , 2007, 110, 201-201.	1.4	32
30	BMP Signaling Via the Cdx-Hox Pathway Allocates Mesoderm to Hematopoietic vs Cardiac Fates.. <i>Blood</i> , 2006, 108, 4183-4183.	1.4	0
31	Embryonic stem cell-derived hematopoietic stem cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 19081-19086.	7.1	193
32	Zyxin and paxillin proteins: focal adhesion plaque LIM domain proteins go nuclear. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2003, 1593, 115-120.	4.1	137
33	cdx4 mutants fail to specify blood progenitors and can be rescued by multiple hox genes. <i>Nature</i> , 2003, 425, 300-306.	27.8	227
34	Three mutations in v-Rel render it resistant to cleavage by cell-death protease caspase-3. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2001, 1526, 25-36.	2.4	19
35	LIM domain protein Trip6 has a conserved nuclear export signal, nuclear targeting sequences, and multiple transactivation domains. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2001, 1538, 260-272.	4.1	71
36	Characterization of mouse Trip6: a putative intracellular signaling protein. <i>Gene</i> , 1999, 234, 403-409.	2.2	37