

Sheel Aditya

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2845662/sheel-aditya-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129
papers

1,056
citations

18
h-index

26
g-index

161
ext. papers

1,341
ext. citations

2.3
avg, IF

4.16
L-index

#	Paper	IF	Citations
129	Electron-optical system for dual radial sheet beams for Ka-band cascaded angular log-periodic strip-line traveling wave tube. <i>AIP Advances</i> , 2021 , 11, 035325	1.5	
128	A Novel Coplanar Slow-Wave Structure for Millimeter-Wave BWO Applications. <i>IEEE Transactions on Electron Devices</i> , 2021 , 68, 1924-1929	2.9	2
127	Dielectric-Supported Staggered Dual Meander-Line Slow Wave Structure for an E-Band TWT. <i>IEEE Transactions on Electron Devices</i> , 2021 , 68, 369-375	2.9	3
126	Investigation of angular log-periodic folded groove waveguide slow-wave structure for low voltage Ka-band TWT. <i>AIP Advances</i> , 2020 , 10, 035030	1.5	3
125	A Novel Scheme for Gain and Power Enhancement of THz TWTs by Extended Interaction Cavities. <i>IEEE Transactions on Electron Devices</i> , 2020 , 67, 667-672	2.9	2
124	§Ka§ -Band Symmetric V-Shaped Meander-Line Slow Wave Structure. <i>IEEE Transactions on Plasma Science</i> , 2019 , 47, 4650-4657	1.3	17
123	. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 3215-3220	4.9	16
122	Stacked dual beam electron optical system for THz integrated wideband traveling wave tube. <i>Physics of Plasmas</i> , 2019 , 26, 063106	2.1	14
121	Enhanced field emission properties of carbon nanotube films using densification technique. <i>Applied Surface Science</i> , 2019 , 477, 211-219	6.7	10
120	Simplified Tape-Helix Analysis of the Planar Helix Slow Wave Structure With Straight-Edge Connections. <i>IEEE Transactions on Electron Devices</i> , 2018 , 65, 2280-2286	2.9	2
119	On-Wafer Microstrip Meander-Line Slow-Wave Structure at Ka-Band. <i>IEEE Transactions on Electron Devices</i> , 2018 , 65, 2142-2148	2.9	23
118	Fabrication of silicon-embedded low resistance high-aspect ratio planar copper microcoils. <i>Journal of Micro/Nanolithography, MEMS, and MOEMS</i> , 2018 , 17, 1	0.7	
117	Enhanced field emission properties of carbon nanotube bundles confined in SiO pits. <i>Nanotechnology</i> , 2018 , 29, 075205	3.4	10
116	Field emission properties of SiO-wrapped CNT field emitter. <i>Nanotechnology</i> , 2018 , 29, 015202	3.4	4
115	Fabrication of CNT-Based Planar Micro-Coils on Silicon Substrate. <i>IEEE Nanotechnology Magazine</i> , 2018 , 1-1	2.6	
114	A §W§ -Band Backward-Wave Oscillator Based on Planar Helix Slow Wave Structure. <i>IEEE Transactions on Electron Devices</i> , 2018 , 65, 5097-5102	2.9	3
113	Design and Fabrication of a Planar Helix Slow-Wave Structure for §C/X§ -Band TWT. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , 2017 , 7, 1663-1669	1.7	5

112	Smoothing of scalloped DRIE trench walls. <i>Materials Science in Semiconductor Processing</i> , 2017 , 63, 83-89	4.3	9
111	. <i>IEEE Transactions on Electron Devices</i> , 2017 , 64, 1868-1872	2.9	2
110	Design of planar microcoil-based NMR probe ensuring high SNR. <i>AIP Advances</i> , 2017 , 7, 095107	1.5	1
109	Simplified tape-helix analysis of planar helix slow-wave structure using effective dielectric constant method 2017 ,		1
108	Lateral conduction within CNT-based planar microcoils on silicon substrate 2017 ,		1
107	Enhanced Carbon Nanotubes Growth Using Nickel/Ferrocene-Hybridized Catalyst. <i>ACS Omega</i> , 2017 , 2, 6063-6071	3.9	7
106	Vacuum Electronic Two-Beam Oscillator Amplifier. <i>IEEE Transactions on Plasma Science</i> , 2017 , 45, 2260-2267	2.6	3
105	Wideband Power Combining of Four Microfabricated W-Band Traveling-Wave Tubes. <i>IEEE Transactions on Electron Devices</i> , 2017 , 64, 3849-3856	2.9	5
104	Temperature-dependent selective growth of carbon nanotubes in Si/SiO ₂ structures for field emitter array applications. <i>Materials Research Bulletin</i> , 2017 , 95, 129-137	5.1	7
103	A Wideband Microfabricated Ka-Band Planar Helix Slow-Wave Structure. <i>IEEE Transactions on Electron Devices</i> , 2016 , 63, 2900-2906	2.9	15
102	Magnetic circuit for a sheet electron beam Ka-band microfabricated traveling wave tube 2016 ,		1
101	Field emission characteristics of short CNT bundles 2016 ,		2
100	Design of a Sheet-Beam Electron-Optical System for a Microfabricated W-Band Traveling-Wave Tube Using a Cold Cathode. <i>IEEE Transactions on Electron Devices</i> , 2016 , 63, 3725-3732	2.9	12
99	A Microfabricated Planar Helix Slow-Wave Structure to Avoid Dielectric Charging in TWTs. <i>IEEE Transactions on Electron Devices</i> , 2015 , 62, 1342-1348	2.9	5
98	A wideband planar helix slow-wave structure for millimeter-wave TWTs 2015 ,		2
97	. <i>IEEE Transactions on Electron Devices</i> , 2015 , 62, 1017-1023	2.9	6
96	Design of a sheet-beam electron gun for a Ka-band microfabricated traveling-wave tube 2015 ,		1
95	. <i>IEEE Transactions on Electron Devices</i> , 2014 , 61, 1692-1698	2.9	6

94	Symmetric planar helix slow-wave structure with straight-edge connections for application in TWTs 2014 ,		2
93	Design of an unconnected pair of planar helices with straight-edge connections for application in TWTs 2013 ,		1
92	Photonic generation of microwave waveforms with wide chirp tuning range. <i>Optics Communications</i> , 2013 , 304, 102-106	2	6
91	Generation of Time- and Wavelength-Interleaved Optical Pulse-Train With Tunable Pulsewidth Based on Dispersion and Sectional Compression. <i>Journal of Lightwave Technology</i> , 2013 , 31, 1106-1113	4	
90	Analysis of Coupled Planar Helices with Straight-Edge Connections for Application in Millimeter-Wave TWTs. <i>IEEE Transactions on Electron Devices</i> , 2013 , 60, 1244-1250	2.9	5
89	A 3-D U-Shaped Meander-Line Slow-Wave Structure for Traveling-Wave-Tube Applications. <i>IEEE Transactions on Electron Devices</i> , 2013 , 60, 1251-1256	2.9	19
88	An optically tunable wideband optoelectronic oscillator based on a bandpass microwave photonic filter. <i>Optics Express</i> , 2013 , 21, 16381-9	3.3	53
87	Performance study and assessment of phase noise suppression by incoherent addition in a mode-locked fiber laser system. <i>Optics Communications</i> , 2012 , 285, 153-157	2	1
86	Photonic Generation of Tunable Continuous-Wave Microwave Signals Using a Temporally-Stretched and Chirped Pulse-Train. <i>Journal of Lightwave Technology</i> , 2012 , 30, 1269-1277	4	3
85	. <i>Journal of Lightwave Technology</i> , 2012 , 30, 3164-3172	4	11
84	Linearization of an optically sampled analog-to-digital converter 2012 ,		1
83	Noise conversion from pump to the passively mode-locked fiber lasers at 1.5 μm . <i>Optics Letters</i> , 2012 , 37, 1901-3	3	13
82	Cavity-length optimization for high energy pulse generation in a long cavity passively mode-locked all-fiber ring laser. <i>Applied Optics</i> , 2012 , 51, 3726-30	1.7	15
81	PIC simulation for W-band planar helix with straight-edge connections 2012 ,		3
80	Generation of flat supercontinuum for time-stretched analog-to-digital converters 2011 ,		4
79	Instantaneous Microwave Frequency Measurement Based on Amplified Fiber-Optic Recirculating Delay Loop and BroadBand Incoherent Light Source. <i>Journal of Lightwave Technology</i> , 2011 , 29, 78-84	4	29
78	Photonic Time-Stretched Analog-to-Digital Converter Amenable to Continuous-Time Operation Based on Polarization Modulation With Balanced Detection Scheme. <i>Journal of Lightwave Technology</i> , 2011 , 29, 3099-3106	4	19
77	. <i>Journal of Lightwave Technology</i> , 2011 , 29, 3381-3386	4	27

76	Characterization of the Excess Noise Conversion From Optical Relative Intensity Noise in the Photodetection of Mode-Locked Lasers for Microwave Signal Synthesis. <i>Journal of Lightwave Technology</i> , 2011 , 29, 3622-3631	4	11
75	Bidirectional passively mode-locked soliton fiber laser with a four-port circulator. <i>Optics Letters</i> , 2011 , 36, 2089-91	3	45
74	Design of a planar helix with straight-edge connections for traveling-wave tube applications 2011 ,		3
73	Dissipative Soliton (12 nJ) From an All-Fiber Passively Mode-Locked Laser With Large Normal Dispersion. <i>IEEE Photonics Journal</i> , 2011 , 3, 881-887	1.8	26
72	. <i>IEEE Transactions on Electron Devices</i> , 2011 , 58, 4098-4105	2.9	40
71	Vector solitons in a laser passively mode-locked by single-wall carbon nanotubes. <i>Optics Communications</i> , 2011 , 284, 2007-2011	2	27
70	Frequency Response of the Noise Conversion From Relative Intensity Noise to Phase Noise in the Photodetection of an Optical Pulse Train. <i>IEEE Photonics Technology Letters</i> , 2011 , 23, 468-470	2.2	9
69	Cancellation of distortions using polarization modulation in Time-Stretched Analog-to-Digital conversion 2011 ,		1
68	Microfabrication of a Planar Helix with Straight-Edge Connections Slow-Wave Structure. <i>Advanced Materials Research</i> , 2011 , 254, 17-20	0.5	6
67	Wideband Microwave Absorber Based on a Two-Dimensional Periodic Array of Microstrip Lines. <i>IEEE Transactions on Antennas and Propagation</i> , 2010 , 58, 3913-3922	4.9	38
66	Instantaneous Microwave Frequency Measurement Using a Photonic Microwave Filter With an Infinite Impulse Response. <i>IEEE Photonics Technology Letters</i> , 2010 , 22, 682-684	2.2	27
65	Brain-Computer Interface (BCI) Based Musical Composition 2010 ,		8
64	. <i>IEEE Transactions on Electron Devices</i> , 2010 , 57, 3451-3459	2.9	28
63	Stable operation of microwave photonic filters constructed with two cascaded Hi-Bi fibers. <i>Microwave and Optical Technology Letters</i> , 2010 , 52, 207-212	1.2	
62	Microwave photonic frequency doubling in an RoF link DWDM system with four wave mixing. <i>Microwave and Optical Technology Letters</i> , 2010 , 52, 1428-1431	1.2	1
61	Nonlinearly chirped grating based continuously tunable high notch rejection microwave photonic filter 2009 ,		1
60	Microwave photonic bandpass filter using a multi-wavelength laser with a bell-shaped power profile. <i>Microwave and Optical Technology Letters</i> , 2009 , 51, 1329-1332	1.2	3
59	All optical multi-tap microwave filter with high sidelobe suppression using peak profile of ASE and one multiwavelength FBG. <i>Microwave and Optical Technology Letters</i> , 2009 , 51, 2522-2524	1.2	2

58	Photonic measurement of microwave frequency based on phase modulation. <i>Optics Express</i> , 2009 , 17, 7217-21	3.3	48
57	. <i>IEEE Photonics Technology Letters</i> , 2009 , 21, 1069-1071	2.2	50
56	. <i>IEEE Electron Device Letters</i> , 2009 , 30, 1215-1217	4.4	16
55	Comments on "Reduced-length rat-race couplers". <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2008 , 56, 1501-1501	4.1	1
54	Switchable Coherence-Free Microwave Photonic Notch Filter Using a Pair of Intensity Modulators. <i>IEEE Photonics Technology Letters</i> , 2008 , 20, 261-263	2.2	6
53	Generation of Different Modulation Formats Using Sagnac Fiber Loop With One Electroabsorption Modulator. <i>IEEE Photonics Technology Letters</i> , 2008 , 20, 297-299	2.2	5
52	Multiple Dual-Wavelengths Erbium-Doped Fiber Ring Laser Using a Polarization-Maintaining Fabry-Pérot Filter. <i>IEEE Photonics Technology Letters</i> , 2008 , 20, 1606-1608	2.2	4
51	Infinite impulse response microwave photonic filter using a dual drive modulator with an optoelectronic feedback loop. <i>Journal of Modern Optics</i> , 2008 , 55, 2293-2299	1.1	1
50	All optical microwave photonic filters with a round-trip configuration. <i>Applied Physics B: Lasers and Optics</i> , 2008 , 90, 137-140	1.9	2
49	Period-generating different modulation formats by inserting an electro-absorption modulator in a Sagnac fiber loop. <i>Applied Physics B: Lasers and Optics</i> , 2008 , 91, 483-487	1.9	1
48	General analyses of infinite impulse microwave photonic filters with an intensity modulator in an optoelectronic feedback loop. <i>Applied Physics B: Lasers and Optics</i> , 2008 , 92, 609-614	1.9	3
47	Coherence-free microwave photonic filter using an electro-absorption modulator in a double pass configuration and its application for harmonic suppression. <i>Microwave and Optical Technology Letters</i> , 2008 , 50, 226-229	1.2	1
46	Tunable negative tap microwave photonic filter using an SOA in a Sagnac loop. <i>Microwave and Optical Technology Letters</i> , 2008 , 50, 225-226	1.2	
45	Bandpass multitap microwave photonic filter with a round-trip configuration. <i>Microwave and Optical Technology Letters</i> , 2008 , 50, 1181-1184	1.2	1
44	Even- and odd-order optical sideband suppression modulation using one electro-absorption modulator in a Sagnac fiber loop. <i>Microwave and Optical Technology Letters</i> , 2008 , 50, 2617-2618	1.2	1
43	A Novel Photonic Microwave Filter With Infinite Impulse Response. <i>IEEE Photonics Technology Letters</i> , 2007 , 19, 1439-1441	2.2	9
42	Two-states method for polarization dependent loss measurement. <i>Optical Fiber Technology</i> , 2007 , 13, 139-142	2.4	4
41	. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2007 , 55, 176-184	4.1	1

40	Simultaneous dual free spectral range microwave photonic filter using a high-birefringence chirped grating in a Sagnac loop. <i>Journal of the Optical Society of America A: Optics and Image Science, and Vision</i> , 2007 , 24, 188-91	1.8	
39	Multiwavelength peak power equalized lasers based on SOA using a sampled chirped fiber Bragg grating. <i>Microwave and Optical Technology Letters</i> , 2006 , 48, 1981-1984	1.2	0
38	Generalized analysis of subcarrier multiplexing in dispersive fiber-optic links using Mach-Zehnder external modulator. <i>Journal of Lightwave Technology</i> , 2006 , 24, 2296-2304	4	9
37	PMD effect on pulse shapes and power penalty in optical communication systems. <i>Optics Communications</i> , 2006 , 260, 560-566	2	3
36	Multiwavelength Raman fiber lasers with equalized peak power using a sampled chirped fiber Bragg grating. <i>Applied Physics B: Lasers and Optics</i> , 2006 , 83, 249-253	1.9	10
35	An exact analytical model for dispersive transmission in microwave fiber-optic links using Mach-Zehnder external modulator. <i>IEEE Photonics Technology Letters</i> , 2005 , 17, 1525-1527	2.2	18
34	Tunable photonic microwave bandpass filter using phase Modulation and a chirped fiber grating in a Sagnac loop. <i>IEEE Photonics Technology Letters</i> , 2005 , 17, 1935-1937	2.2	14
33	High isolation X-band MEMS capacitive switches. <i>Sensors and Actuators A: Physical</i> , 2005 , 120, 241-248	3.9	18
32	A PMD compensator with HiBi chirped FBG free from chromatic dispersion. <i>Optics Communications</i> , 2005 , 245, 153-157	2	3
31	Novel tunable microwave photonic notch filter with a variable polarization beamsplitter and a Hi-Bi coupler. <i>Optical Engineering</i> , 2005 , 44, 100502	1.1	2
30	New tunable polarization-mode-dispersion compensator using high-birefringence linearly chirped fiber gratings with highly reduced chromatic dispersion. <i>Optical Engineering</i> , 2004 , 43, 2837	1.1	
29	An Improved On-Wafer Measurement Method for PHEMT Modeling for Millimeter Wave Application. <i>Journal of Infrared, Millimeter and Terahertz Waves</i> , 2003 , 24, 1759-1766		
28	An Approach for Microprobe Measurement and Modeling for Millimeter-Wave Application. <i>Journal of Infrared, Millimeter and Terahertz Waves</i> , 2003 , 24, 1709-1718		
27	A new method for pHEMT noise-parameter determination based on 50-/spl Omega/ noise measurement system. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2003 , 51, 2079-2089	4.1	31
26	A C-band ultra-low-power consumption HMIC amplifier for intelligent transportation system applications. <i>Microwave and Optical Technology Letters</i> , 2003 , 36, 112-115	1.2	
25	A new relation between polarization-mode dispersion vector and output state of polarization. <i>Microwave and Optical Technology Letters</i> , 2003 , 39, 336-338	1.2	1
24	Higher-order polarization mode dispersion: new expressions, induced pulse broadening, and its compensation. <i>Optics Communications</i> , 2003 , 228, 331-339	2	
23	A submicron PHEMT nonlinear model suitable for RFID low current amplifier design. <i>International Journal of Electronics</i> , 2003 , 90, 433-443	1.2	4

22	An Approach for Extracting Small-Signal Equivalent Circuit of Double Heterojunction EDoped PHEMTs for Millimeter Wave Applications. <i>Journal of Infrared, Millimeter and Terahertz Waves</i> , 2002 , 23, 345-364		4
21	An Improved Pinchoff Equivalent Circuit Model for Determining PHEMT Model Parameters for Millimeterwave Application. <i>Journal of Infrared, Millimeter and Terahertz Waves</i> , 2002 , 23, 1611-1626		5
20	An Approach to Linear Scalable DH-PHEMT Model for Millimeterwave Application. <i>Journal of Infrared, Millimeter and Terahertz Waves</i> , 2002 , 23, 1787-1801		4
19	Measurement of loss and mode profile for integrated-optic waveguides using a camera 2001 , 4579, 310		3
18	Slope-matched S-bends for inclined integrated-optic waveguides. <i>Microwave and Optical Technology Letters</i> , 2000 , 24, 267-271	1.2	1
17	Performance of S-bends for integrated-optic waveguides. <i>Microwave and Optical Technology Letters</i> , 1998 , 19, 289-292	1.2	26
16	Dielectric-loaded edge-coupled suspended coplanar waveguide forward directional coupler. <i>Microwave and Optical Technology Letters</i> , 1997 , 14, 289-291	1.2	
15	Optically Controlled Microwave and Millimetre Wave Component. <i>IETE Technical Review (Institution of Electronics and Telecommunication Engineers, India)</i> , 1996 , 13, 215-223	1.5	
14	Characteristics of a shielded dielectric-loaded edge-coupled conductor-backed coplanar waveguide. <i>Microwave and Optical Technology Letters</i> , 1996 , 11, 279-281	1.2	0
13	Shielded edge-coupled coplanar waveguide structures: Modes and field configurations. <i>The International Executive</i> , 1996 , 6, 343-350		0
12	Analysis of dielectric image guide structures using method of lines. <i>Journal of Electromagnetic Waves and Applications</i> , 1996 , 10, 835-844	1.3	
11	Optically Controlled Microwave Attenuator. <i>IETE Journal of Research</i> , 1995 , 41, 151-155	0.9	1
10	A New 13 Γ 10 Design for the Hybrid Ring Directional Coupler: An Experimental Study. <i>IETE Technical Review (Institution of Electronics and Telecommunication Engineers, India)</i> , 1995 , 12, 133-136	1.5	3
9	Current Trends in Microwave Engineering. <i>IETE Journal of Education Online</i> , 1995 , 36, 11-18	0.3	
8	Radiation and Antenna Fundamentals. <i>IETE Journal of Education Online</i> , 1993 , 34, 151-163	0.3	
7	. <i>IEEE Transactions on Instrumentation and Measurement</i> , 1991 , 40, 863-866	5.2	2
6	Studies on an Experimental Delhi-Pilani Microwave troposcatter Link. <i>IETE Journal of Research</i> , 1985 , 31, 126-132	0.9	
5	Field Theory of Planar Helix Traveling-Wave Tube. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 1983 , 31, 73-76	4.1	11

4	Planar Meanderline Ferrite-Dielectric Phase Shifter. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 1981 , 29, 209-215	4.1	11
3	Guided Waves on a Planar Helix. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 1979 , 27, 860-868	4.1	17
2	Nonreciprocal Dispersion Characteristics of a Planar Helix on Magnetized Ferrite Slabs. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 1979 , 27, 864-868	4.1	2
1	Guided Waves on a Flattened Sheath Helix (Letters). <i>IEEE Transactions on Microwave Theory and Techniques</i> , 1977 , 25, 71-72	4.1	9