

Paweł, Maga

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2847038/publications.pdf>

Version: 2024-02-01

24
papers

218
citations

1040056

9
h-index

1058476

14
g-index

24
all docs

24
docs citations

24
times ranked

345
citing authors

#	ARTICLE	IF	CITATIONS
1	Pro- and Anti-Angiogenic Factors: Their Relevance in Diabetic Foot Syndrome – A Review. <i>Angiology</i> , 2022, 73, 299-311.	1.8	7
2	Images in Vascular Medicine: Successful endovascular treatment of psoriasis-induced critical limb ischemia. <i>Vascular Medicine</i> , 2021, 26, 350-351.	1.5	1
3	Prognostic markers of post-traumatic dental external root resorption in children – a pilot study. <i>Dental Traumatology</i> , 2021, 37, 699-705.	2.0	5
4	Endothelial function in patients with critical and non-critical limb ischemia undergoing endovascular treatment. <i>Kardiologia Polska</i> , 2021, 79, 804-812.	0.6	3
5	miR-378a influences vascularization in skeletal muscles. <i>Cardiovascular Research</i> , 2020, 116, 1386-1397.	3.8	22
6	The Comorbidity of Chronic Obstructive Pulmonary Disease and Peripheral Artery Disease – A Systematic Review. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2019, 16, 292-302.	1.6	3
7	Dynamics of below-the-knee arterial blood flow after endovascular revascularisation of peripheral arteries as a potential predictor of clinical outcomes during one-year follow-up. <i>Kardiologia Polska</i> , 2019, 77, 24-32.	0.6	1
8	Clinical and linguistic validation of the Polish version of VasuQoL, a disease-specific quality of life questionnaire assessing patients with chronic limb ischemia. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 167-174.	0.4	2
9	Impact of pre-operative glycated haemoglobin A1C level on 1-year outcomes of endovascular treatment in patients with critical limb ischemia in the course of diabetes mellitus. <i>Folia Medica Cracoviensia</i> , 2019, 59, 49-60.	0.3	2
10	Myocardial injury after endovascular revascularization in critical limb ischemia predicts 1-year mortality: a prospective observational cohort study. <i>Clinical Research in Cardiology</i> , 2018, 107, 319-328.	3.3	15
11	The role of psychopathology in perceiving, reporting and treating intermittent claudication: a systematic review. <i>International Angiology</i> , 2018, 37, 335-345.	0.9	9
12	Microvascular dysfunction in ankylosing spondylitis is associated with disease activity and is improved by anti-TNF treatment. <i>Scientific Reports</i> , 2018, 8, 13205.	3.3	18
13	Involvement of CD8+ T cell subsets in early response to vascular injury in patients with peripheral artery disease in vivo. <i>Clinical Immunology</i> , 2018, 194, 26-33.	3.2	11
14	Phantom phenomena in limb amputees – a review article. <i>Rehabilitacja Medyczna</i> , 2018, 21, 50-59.	0.1	0
15	Microcirculation disorders of the oral cavity in patients with primary Raynaud's Phenomenon. <i>Polish Archives of Internal Medicine</i> , 2018, 129, 36-42.	0.4	2
16	Soluble endoglin as a prognostic factor of the claudication distance improvement in patients with peripheral artery disease undergoing supervised treadmill training program. <i>Journal of the American Society of Hypertension</i> , 2017, 11, 553-564.	2.3	5
17	Influence of air pollution on exhaled carbon monoxide levels in smokers and non-smokers. A prospective cross-sectional study. <i>Environmental Research</i> , 2017, 152, 496-502.	7.5	27
18	Endovascular treatment of dysfunctional arteriovenous fistula in hemodialyzed patients – the results of one year follow-up. <i>Acta Angiologica</i> , 2017, 22, 143-149.	0.1	0

#	ARTICLE	IF	CITATIONS
19	Percutaneous Transluminal Angioplasty in Patients with Peripheral Arterial Disease Does Not Affect Circulating Monocyte Subpopulations. <i>BioMed Research International</i> , 2016, 2016, 1-9.	1.9	2
20	Postocclusive Hyperemia Measured with Laser Doppler Flowmetry and Transcutaneous Oxygen Tension in the Diagnosis of Primary Raynaud's Phenomenon: A Prospective, Controlled Study. <i>BioMed Research International</i> , 2016, 2016, 1-9.	1.9	6
21	The improvement of walking abilities and endothelial function after the supervised training treadmill program (STTP) in patients with peripheral artery disease (PAD) is not related to prostacyclin and thromboxane release. <i>International Journal of Cardiology</i> , 2016, 222, 813-818.	1.7	11
22	Microanatomical study of the recurrent artery of Heubner. <i>Annals of Anatomy</i> , 2013, 195, 342-350.	1.9	15
23	Branches and arterial supply of the recurrent artery of Heubner. <i>Anatomical Science International</i> , 2013, 88, 223-229.	1.0	12
24	Long-term effects of thoracic sympathectomy on microcirculation in the hands of patients with primary Raynaud disease. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2007, 133, 1428-1433.	0.8	39