

Natalia Ojeda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2850830/publications.pdf>

Version: 2024-02-01

74
papers

1,800
citations

236612

25
h-index

315357

38
g-index

90
all docs

90
docs citations

90
times ranked

3085
citing authors

#	ARTICLE	IF	CITATIONS
1	Microstructural white matter abnormalities in Leschâ€“Nyhan disease. <i>European Journal of Neuroscience</i> , 2022, 55, 264-276.	1.2	2
2	Voice, Body Cues and Facial Expression in Emotion Recognition of Spanish Children and Adolescents: The Validation of Bell-Lysaker Emotion Recognition Test. <i>Spanish Journal of Psychology</i> , 2022, 25, e7.	1.1	0
3	Parameters from site classification to harmonize <scp>MRI</scp> clinical studies: Application to a multiâ€“site Parkinson's disease dataset. <i>Human Brain Mapping</i> , 2022, 43, 3130-3142.	1.9	7
4	Predictors of health-related quality of life in Parkinsonâ€™s disease: the impact of overlap between health-related quality of life and clinical measures. <i>Quality of Life Research</i> , 2022, 31, 3241-3252.	1.5	2
5	Can IQ moderate the response to cognitive remediation in people with schizophrenia?. <i>Journal of Psychiatric Research</i> , 2021, 133, 38-45.	1.5	12
6	Retinal Thickness Predicts the Risk of Cognitive Decline in Parkinson Disease. <i>Annals of Neurology</i> , 2021, 89, 165-176.	2.8	41
7	Reduced hippocampal subfield volumes and memory performance in preterm children with and without germinal matrix-intraventricular hemorrhage. <i>Scientific Reports</i> , 2021, 11, 2420.	1.6	8
8	Exploring the role of age as a moderator of cognitive remediation for people with schizophrenia. <i>Schizophrenia Research</i> , 2021, 228, 29-35.	1.1	11
9	The impact of creativity on functional outcome in schizophrenia: a mediational model. <i>NPJ Schizophrenia</i> , 2021, 7, 14.	2.0	2
10	The Effect of Changing the Balance Between Right and Left Dorsolateral Prefrontal Cortex on Different Creativity Tasks: A Transcranial Random Noise Stimulation Study. <i>Journal of Creative Behavior</i> , 2021, 55, 899-915.	1.6	6
11	Effectiveness of Cognitive Rehabilitation in Parkinsonâ€™s Disease: A Systematic Review and Meta-Analysis. <i>Journal of Personalized Medicine</i> , 2021, 11, 429.	1.1	13
12	Effects of transcranial electrical stimulation techniques on second and foreign language learning enhancement in healthy adults: A systematic review and meta-analysis. <i>Neuropsychologia</i> , 2021, 160, 107985.	0.7	7
13	Long-Term Neurodevelopmental Outcomes after Moderate and Late Preterm Birth: A Systematic Review. <i>Journal of Pediatrics</i> , 2021, 237, 168-176.e11.	0.9	23
14	Visual dysfunction is associated with cognitive impairment in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2021, 92, 22-25.	1.1	7
15	Cognitive, creative, functional, and clinical symptom improvements in schizophrenia after an integrative cognitive remediation program: a randomized controlled trial. <i>NPJ Schizophrenia</i> , 2021, 7, 52.	2.0	6
16	Contributions of sex, depression, and cognition on brain connectivity dynamics in Parkinsonâ€™s disease. <i>Npj Parkinson's Disease</i> , 2021, 7, 117.	2.5	5
17	Efecto de los sÃntomas psiquiÃ¡tricos y calidad de vida sobre el desempeÃ±o cognitivo en el VHC. <i>Revista De PsiquiatrÃa Y Salud Mental</i> , 2020, 13, 22-30.	1.0	5
18	Effects of Cognitive Rehabilitation on Cognition, Apathy, Quality of Life, and Subjective Complaints in the Elderly: A Randomized Controlled Trial. <i>American Journal of Geriatric Psychiatry</i> , 2020, 28, 518-529.	0.6	11

#	ARTICLE	IF	CITATIONS
19	Mediating role of cognition and social cognition on creativity among patients with schizophrenia and healthy controls: Revisiting the Shared Vulnerability Model. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 149-155.	1.0	9
20	Metabolic Network Abnormalities in Drug-Naïve Parkinson's Disease. <i>Movement Disorders</i> , 2020, 35, 587-594.	2.2	19
21	Neurocognitive, social cognitive, and clinical predictors of creativity in schizophrenia. <i>Journal of Psychiatric Research</i> , 2020, 129, 206-213.	1.5	9
22	Estimation of Cognitive Performance Based on Premorbid Intelligence in Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2020, 10, 1717-1725.	1.5	2
23	The effect of transcranial random noise stimulation (tRNS) over bilateral posterior parietal cortex on divergent and convergent thinking. <i>Scientific Reports</i> , 2020, 10, 15559.	1.6	9
24	Autonomic dysfunction is associated with neuropsychological impairment in Lewy body disease. <i>Journal of Neurology</i> , 2020, 267, 1941-1951.	1.8	16
25	Brain White Matter Correlates of Creativity in Schizophrenia: A Diffusion Tensor Imaging Study. <i>Frontiers in Neuroscience</i> , 2020, 14, 572.	1.4	5
26	Cognitive scores as a potential diagnostic tool in schizophrenia: The use of raw and discrepancy scores. <i>Clinical Psychologist</i> , 2020, 24, 73-81.	0.5	1
27	Equivalent short forms of the Situational Feature Recognition Test 2: Psychometric properties and analysis of interform equivalence and test-retest reliability. <i>International Journal of Methods in Psychiatric Research</i> , 2019, 28, e1802.	1.1	2
28	The impact of apathy on cognitive performance in the elderly. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 657-665.	1.3	23
29	Parafoveal thinning of inner retina is associated with visual dysfunction in Lewy body diseases. <i>Movement Disorders</i> , 2019, 34, 1315-1324.	2.2	31
30	Improvement in creativity after transcranial random noise stimulation (tRNS) over the left dorsolateral prefrontal cortex. <i>Scientific Reports</i> , 2019, 9, 7116.	1.6	30
31	Altered frontal white matter asymmetry and its implications for cognition in schizophrenia: A tractography study. <i>NeuroImage: Clinical</i> , 2019, 22, 101781.	1.4	18
32	A Neuropsychological Rehabilitation Program for Cognitive Impairment in Psychiatric and Neurological Conditions: A Review That Supports Its Efficacy. <i>Behavioural Neurology</i> , 2019, 2019, 1-11.	1.1	5
33	Modelo predictivo de la funcionalidad en la esquizofrenia: una aproximación desde el modelado de ecuaciones estructurales. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 232-241.	1.0	8
34	Mechanisms of functional improvement through cognitive rehabilitation in schizophrenia. <i>Journal of Psychiatric Research</i> , 2018, 101, 21-27.	1.5	20
35	Integrative group-based cognitive rehabilitation efficacy in multiple sclerosis: a randomized clinical trial. <i>Disability and Rehabilitation</i> , 2018, 40, 208-216.	0.9	31
36	Long-term effects of cognitive rehabilitation on brain, functional outcome and cognition in Parkinson's disease. <i>European Journal of Neurology</i> , 2018, 25, 5-12.	1.7	40

#	ARTICLE	IF	CITATIONS
37	Dynamic functional connectivity in Parkinson's disease patients with mild cognitive impairment and normal cognition. <i>NeuroImage: Clinical</i> , 2018, 17, 847-855.	1.4	141
38	Demographically Calibrated Norms for Two Premorbid Intelligence Measures: The Word Accentuation Test and Pseudo-Words Reading Subtest. <i>Frontiers in Psychology</i> , 2018, 9, 1950.	1.1	9
39	Spanish adaptation and validation of the situational feature recognition test 2 (SFRT-2) in patients with schizophrenia and healthy controls. <i>Psychiatry Research</i> , 2018, 270, 225-231.	1.7	3
40	Apathy and brain alterations in Parkinson's disease: a multimodal imaging study. <i>Annals of Clinical and Translational Neurology</i> , 2018, 5, 803-814.	1.7	14
41	Neurorehabilitation in Parkinson's Disease: A Critical Review of Cognitive Rehabilitation Effects on Cognition and Brain. <i>Neural Plasticity</i> , 2018, 2018, 1-12.	1.0	16
42	Efficacy of cognitive rehabilitation in Parkinson's disease. <i>Neural Regeneration Research</i> , 2018, 13, 226.	1.6	8
43	The influence of posterior visual pathway damage on visual information processing speed in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1276-1288.	1.4	15
44	Increased brain connectivity and activation after cognitive rehabilitation in Parkinson's disease: a randomized controlled trial. <i>Brain Imaging and Behavior</i> , 2017, 11, 1640-1651.	1.1	43
45	Altered functional connectivity in the default mode network is associated with cognitive impairment and brain anatomical changes in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2016, 33, 58-64.	1.1	65
46	Combining social cognitive treatment, cognitive remediation, and functional skills training in schizophrenia: a randomized controlled trial. <i>NPJ Schizophrenia</i> , 2016, 2, 16037.	2.0	36
47	Age differences in cognitive performance: A study of cultural differences in Historical Context. <i>Journal of Neuropsychology</i> , 2016, 10, 104-115.	0.6	10
48	Verbal Memory in Parkinson's Disease: A Combined DTI and fMRI Study. <i>Journal of Parkinson's Disease</i> , 2015, 5, 793-804.	1.5	21
49	Caregiving in Dementia and its Impact on Psychological Functioning and Health-Related Quality of Life: Findings from a Colombian Sample. <i>Journal of Cross-Cultural Gerontology</i> , 2015, 30, 393-408.	0.5	23
50	Neuroanatomical Correlates of Theory of Mind Deficit in Parkinson's Disease: A Multimodal Imaging Study. <i>PLoS ONE</i> , 2015, 10, e0142234.	1.1	31
51	Improving functional disability and cognition in Parkinson disease. <i>Neurology</i> , 2014, 83, 2167-2174.	1.5	76
52	Meta-analysis of functional neuroimaging studies indicates that an increase of cognitive difficulty during executive tasks engages brain regions associated with time perception. <i>Neuropsychologia</i> , 2014, 58, 14-22.	0.7	59
53	The source of the memory impairment in Parkinson's disease: Acquisition versus retrieval. <i>Movement Disorders</i> , 2014, 29, 765-771.	2.2	53
54	Improvements in Negative Symptoms and Functional Outcome After a New Generation Cognitive Remediation Program: A Randomized Controlled Trial. <i>Schizophrenia Bulletin</i> , 2014, 40, 707-715.	2.3	64

#	ARTICLE	IF	CITATIONS
55	Confirmatory factor analysis reveals a latent cognitive structure common to bipolar disorder, schizophrenia, and normal controls. <i>Bipolar Disorders</i> , 2013, 15, 422-433.	1.1	39
56	Efficiency of cognitive rehabilitation with REHACOP in chronic treatment resistant Hispanic patients. <i>NeuroRehabilitation</i> , 2012, 30, 65-74.	0.5	18
57	Longitudinal changes of insight in first episode psychosis and its relation to clinical symptoms, treatment adherence and global functioning: One-year follow-up from the Eiffel study. <i>European Psychiatry</i> , 2012, 27, 43-49.	0.1	46
58	Poster #192 IMPROVEMENT IN NEGATIVE SYMPTOMS AND FUNCTIONAL OUTCOME AFTER GROUP COGNITIVE REMEDIATION TREATMENT (REHACOP PROGRAM): A RANDOMIZED CONTROLLED TRIAL. <i>Schizophrenia Research</i> , 2012, 136, S254-S255.	1.1	0
59	Hierarchical structure of the cognitive processes in schizophrenia: the fundamental role of processing speed. <i>Schizophrenia Research</i> , 2012, 135, 72-78.	1.1	72
60	Do the same factors predict outcome in schizophrenia and non-schizophrenia syndromes after first-episode psychosis? A two-year follow-up study. <i>Journal of Psychiatric Research</i> , 2012, 46, 774-781.	1.5	25
61	Similarities in early course among men and women with a first episode of schizophrenia and schizophreniform disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 95-105.	1.8	35
62	An explanatory model of quality of life in schizophrenia: the role of processing speed and negative symptoms. <i>Actas Espanolas De Psiquiatria</i> , 2012, 40, 10-8.	0.1	25
63	Executive functioning correctly classified diagnoses in patients with first-episode psychosis: Evidence from a 2-year longitudinal study. <i>Schizophrenia Research</i> , 2011, 126, 77-80.	1.1	20
64	Cognitive performance and smoking in first-episode psychosis: the self-medication hypothesis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011, 261, 241-250.	1.8	43
65	Verbal Fluency in Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 286-291.	0.5	43
66	COGNITIVE PERFORMANCE AND SMOKING IN FIRST EPISODE PSYCHOSIS: THE SELF-MEDICATION HYPOTHESIS. <i>Schizophrenia Research</i> , 2010, 117, 192.	1.1	0
67	CFA CONFIRMATION OF A LATENT COGNITIVE STRUCTURE COMMON TO SPANISH AND NORTH AMERICAN PATIENTS WITH SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2010, 117, 331-332.	1.1	0
68	RISPERIDONE INJECTABLE LONG-ACTING TREATMENT VS OTHER ORAL ANTIPSYCHOTICS IN FIRST EPISODE PSYCHOSIS: ONE YEAR LONGITUDINAL STUDY. <i>Schizophrenia Research</i> , 2010, 117, 495.	1.1	2
69	Attention Deficits and Response to Drug Therapy in Patients With Treatment-Resistant Schizophrenia: Results Through Confirmatory Factorial Analysis. <i>Revista De Psiquiatria Y Salud Mental (English)</i> TJ ETQq1 1 0.784314 rgBT /@verlock		
70	Predictors of Longitudinal Changes in Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 888-896.	1.1	70
71	Processing speed mediates the relationship between verbal memory, verbal fluency, and functional outcome in chronic schizophrenia. <i>Schizophrenia Research</i> , 2008, 101, 225-233.	1.1	67
72	Dysfunctional supplementary motor area implication during attention and time estimation tasks in schizophrenia: a PET-O15 water study. <i>NeuroImage</i> , 2005, 24, 575-579.	2.1	22

#	ARTICLE	IF	CITATIONS
73	Sustained Attention in a Counting Task: Normal Performance and Functional Neuroanatomy. <i>NeuroImage</i> , 2002, 17, 411-420.	2.1	65
74	Functional neuroanatomy of sustained attention in schizophrenia: Contribution of parietal cortices. <i>Human Brain Mapping</i> , 2002, 17, 116-130.	1.9	48