Taihao Quan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2852006/publications.pdf

Version: 2024-02-01

94269 123241 4,878 63 37 61 h-index citations g-index papers 63 63 63 4835 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Matrix-Degrading Metalloproteinases in Photoaging. Journal of Investigative Dermatology Symposium Proceedings, 2009, 14, 20-24.	0.8	548
2	Collagen Fragmentation Promotes Oxidative Stress and Elevates Matrix Metalloproteinase-1 in Fibroblasts in Aged Human Skin. American Journal of Pathology, 2009, 174, 101-114.	1.9	356
3	Solar Ultraviolet Irradiation Reduces Collagen in Photoaged Human Skin by Blocking Transforming Growth Factor-β Type II Receptor/Smad Signaling. American Journal of Pathology, 2004, 165, 741-751.	1.9	315
4	c-Jun–dependent inhibition of cutaneous procollagen transcription following ultraviolet irradiation is reversed by all-trans retinoic acid. Journal of Clinical Investigation, 2000, 106, 663-670.	3.9	270
5	Role of Age-Associated Alterations of the Dermal Extracellular Matrix Microenvironment in Human Skin Aging: A Mini-Review. Gerontology, 2015, 61, 427-434.	1.4	261
6	Extracellular matrix regulation of fibroblast function: redefining our perspective on skin aging. Journal of Cell Communication and Signaling, 2018, 12, 35-43.	1.8	196
7	Reduced Expression of Connective Tissue Growth Factor (CTGF/CCN2) Mediates Collagen Loss in Chronologically Aged Human Skin. Journal of Investigative Dermatology, 2010, 130, 415-424.	0.3	178
8	Enhancing Structural Support of the Dermal Microenvironment Activates Fibroblasts, Endothelial Cells, and Keratinocytes in Aged Human Skin In Vivo. Journal of Investigative Dermatology, 2013, 133, 658-667.	0.3	167
9	Ultraviolet Irradiation Blocks Cellular Responses to Transforming Growth Factor-β by Down-regulating Its Type-II Receptor and Inducing Smad7. Journal of Biological Chemistry, 2001, 276, 26349-26356.	1.6	154
10	Ultraviolet Irradiation Alters Transforming Growth Factor \hat{l}^2/S mad Pathway in Human Skin In Vivo. Journal of Investigative Dermatology, 2002, 119, 499-506.	0.3	146
11	Elevated Matrix Metalloproteinases and Collagen Fragmentation in Photodamaged Human Skin: Impact of Altered Extracellular Matrix Microenvironment on Dermal Fibroblast Function. Journal of Investigative Dermatology, 2013, 133, 1362-1366.	0.3	143
12	Elevated Cysteine-Rich 61 Mediates Aberrant Collagen Homeostasis in Chronologically Aged and Photoaged Human Skin. American Journal of Pathology, 2006, 169, 482-490.	1.9	105
13	Epidermal Growth Factor Receptor-dependent, NF-κB-independent Activation of the Phosphatidylinositol 3-Kinase/Akt Pathway Inhibits Ultraviolet Irradiation-induced Caspases-3, -8, and -9 in Human Keratinocytes. Journal of Biological Chemistry, 2003, 278, 45737-45745.	1.6	95
14	YAP/TAZ regulates TGF- \hat{l}^2 /Smad3 signaling by induction of Smad7 via AP-1 in human skin dermal fibroblasts. Cell Communication and Signaling, 2018, 16, 18.	2.7	93
15	CCN1 secretion and cleavage regulate the lung epithelial cell functions after cigarette smoke. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2014, 307, L326-L337.	1.3	88
16	Reduction of fibroblast size/mechanical force downâ€regulates ⟨scp⟩TGF⟨/scp⟩ â€Î² type ⟨scp⟩II⟨/scp⟩ receptor: implications for human skin aging. Aging Cell, 2016, 15, 67-76.	3.0	84
17	Alterations in extracellular matrix composition during aging and photoaging of the skin. Matrix Biology Plus, 2020, 8, 100041.	1.9	83
18	Ultraviolet Irradiation Induces Smad7 via Induction of Transcription Factor AP-1 in Human Skin Fibroblasts. Journal of Biological Chemistry, 2005, 280, 8079-8085.	1.6	82

#	Article	IF	CITATIONS
19	Connective Tissue Growth Factor: Expression in Human Skin In Vivo and Inhibition by Ultraviolet Irradiation. Journal of Investigative Dermatology, 2002, 118, 402-408.	0.3	73
20	Ultraviolet Irradiation Induces CYR61/CCN1, a Mediator of Collagen Homeostasis, through Activation of Transcription Factor AP-1 in Human Skin Fibroblasts. Journal of Investigative Dermatology, 2010, 130, 1697-1706.	0.3	73
21	Alterations of Dermal Connective Tissue Collagen in Diabetes: Molecular Basis of Aged-Appearing Skin. PLoS ONE, 2016, 11, e0153806.	1.1	70
22	Molecular basis of retinol antiâ€ageing properties in naturally aged human skin <i>in vivo</i> . International Journal of Cosmetic Science, 2017, 39, 56-65.	1.2	67
23	Oxidative Stress and Human Skin Connective Tissue Aging. Cosmetics, 2016, 3, 28.	1.5	66
24	Expression of catalytically active matrix metalloproteinase $\hat{\mathbf{e}} = 1$ in dermal fibroblasts induces collagen fragmentation and functional alterations that resemble aged human skin. Aging Cell, 2013, 12, 661-671.	3.0	64
25	Ageâ€related reduction of dermal fibroblast size upregulates multiple matrix metalloproteinases as observed in aged human skin ⟨i⟩in vivo⟨/i⟩. British Journal of Dermatology, 2017, 177, 1337-1348.	1.4	62
26	UV-A1 Phototherapy Improves Nephrogenic Fibrosing Dermopathy. Archives of Dermatology, 2004, 140, 1322.	1.7	60
27	Oxidative exposure impairs TGF- \hat{l}^2 pathway via reduction of type II receptor and SMAD3 in human skin fibroblasts. Age, 2014, 36, 9623.	3.0	60
28	Age-associated reduction of cell spreading induces mitochondrial DNA common deletion by oxidative stress in human skin dermal fibroblasts: implication for human skin connective tissue aging. Journal of Biomedical Science, 2015, 22, 62.	2.6	60
29	Dermal fibroblast expression of stromal cell-derived factor-1 (SDF-1) promotes epidermal keratinocyte proliferation in normal and diseased skin. Protein and Cell, 2015, 6, 890-903.	4.8	60
30	Elevated YAP and Its Downstream Targets CCN1 and CCN2 in Basal Cell Carcinoma. American Journal of Pathology, 2014, 184, 937-943.	1.9	58
31	Effect of Increased Pigmentation on the Antifibrotic Response of Human Skin to UV-A1 Phototherapy. Archives of Dermatology, 2008, 144, 851-8.	1.7	50
32	CCN1 contributes to skin connective tissue aging by inducing age-associated secretory phenotype in human skin dermal fibroblasts. Journal of Cell Communication and Signaling, 2011, 5, 201-207.	1.8	48
33	Cysteineâ€rich protein 61 (CCN1) mediates replicative senescenceâ€associated aberrant collagen homeostasis in human skin fibroblasts. Journal of Cellular Biochemistry, 2012, 113, 3011-3018.	1.2	44
34	Ageâ€associated reduction of cellular spreading/mechanical force upâ€regulates matrix metalloproteinaseâ€1 expression and collagen fibril fragmentation via câ€Jun/ <scp>AP</scp> â€1 in human dermal fibroblasts. Aging Cell, 2014, 13, 1028-1037.	3.0	44
35	Oxidant Exposure Induces Cysteine-Rich Protein 61 (CCN1) via c-Jun/AP-1 to Reduce Collagen Expression in Human Dermal Fibroblasts. PLoS ONE, 2014, 9, e115402.	1.1	43
36	A mouse model of skin aging: Fragmentation of dermal collagen fibrils and reduced fibroblast spreading due to expression of human matrix metalloproteinase-1. Journal of Dermatological Science, 2015, 78, 79-82.	1.0	41

#	Article	IF	CITATIONS
37	PI3K/mTOR dual inhibitor BEZ235 and histone deacetylase inhibitor Trichostatin A synergistically exert anti-tumor activity in breast cancer. Oncotarget, 2017, 8, 11937-11949.	0.8	41
38	Elevated cysteine-rich protein 61 (CCN1) promotes skin aging via upregulation of IL- $1\hat{l}^2$ in chronically sun-exposed human skin. Age, 2014, 36, 353-364.	3.0	39
39	Retinoids suppress cysteineâ€rich protein 61 (CCN1), a negative regulator of collagen homeostasis, in skin equivalent cultures and aged human skin <i>in vivo</i> . Experimental Dermatology, 2011, 20, 572-576.	1.4	36
40	Actin cytoskeleton assembly regulates collagen production via TGFâ $\hat{\mathbf{H}}^2$ type II receptor in human skin fibroblasts. Journal of Cellular and Molecular Medicine, 2018, 22, 4085-4096.	1.6	35
41	Superior efficacy of co-treatment with the dual PI3K/mTOR inhibitor BEZ235 and histone deacetylase inhibitor Trichostatin A against NSCLC. Oncotarget, 2016, 7, 60169-60180.	0.8	34
42	Cysteine-rich Protein 61 (CCN1) Domain-specific Stimulation of Matrix Metalloproteinase-1 Expression through $\hat{l}\pm V\hat{l}^2$ 3 Integrin in Human Skin Fibroblasts. Journal of Biological Chemistry, 2013, 288, 12386-12394.	1.6	32
43	Smad3-dependent regulation of type I collagen in human dermal fibroblasts: Impact on human skin connective tissue aging. Journal of Dermatological Science, 2016, 83, 80-83.	1.0	29
44	Cloning and Characterization of the Human Protein Kinase C-η Promoter. Journal of Biological Chemistry, 1999, 274, 28566-28574.	1.6	24
45	Expression of human cytochrome P450 1A1 in DNA repair deficient and proficient human fibroblasts stably transformed with an inducible expression vector. Carcinogenesis, 1993, 14, 1643-1649.	1.3	23
46	Expression of CCN family of genes in human skin in vivo and alterations by solar-simulated ultraviolet irradiation. Journal of Cell Communication and Signaling, 2009, 3, 19-23.	1.8	23
47	Receptor Type Protein Tyrosine Phosphatase-Kappa Mediates Cross-Talk between Transforming Growth Factor-Beta and Epidermal Growth Factor Receptor Signaling Pathways in Human Keratinocytes. Molecular Biology of the Cell, 2010, 21, 29-35.	0.9	23
48	Ezrin regulates skin fibroblast size/mechanical properties and YAP-dependent proliferation. Journal of Cell Communication and Signaling, 2018, 12, 549-560.	1.8	15
49	Cell-size-dependent upregulation of HGF expression in dermal fibroblasts: Impact on human skin connective tissue aging. Journal of Dermatological Science, 2017, 88, 289-297.	1.0	14
50	Differential mutagenicity and cytotoxicity of $(\hat{A}\pm)$ -benzo[a]pyrene-trans-7,8-dihydrodiol and $(\hat{A}\pm)$ -anti-benzo[a]pyrene-trans-7,8-dihydrodiol-9, 10-epoxide in genetically engineered human fibroblasts. Molecular Carcinogenesis, 1995, 12, 91-102.	1.3	13
51	Preferential DNA damage in thep53 gene by benzo[a]pyrene metabolites in cytochrome P4501A1-expressing xeroderma pigmentosum group A cells. , 1996, 16, 32-43.		13
52	Dermal Fibroblast CCN1 Expression in Mice Recapitulates Human Skin Dermal Aging. Journal of Investigative Dermatology, 2021, 141, 1007-1016.	0.3	11
53	Cytotoxicity and genotoxicity of $(\hat{A}\pm)$ -benzo[a]pyrene-trans-7,8-dihydrodiol in CYP1A1-expressing human fibroblasts quantitatively correlate with CYP1A1 expression level. Carcinogenesis, 1994, 15, 1827-1832.	1.3	10
54	Physical properties of the photodamaged human skin dermis: Rougher collagen surface and stiffer/harder mechanical properties. Experimental Dermatology, 2019, 28, 914-921.	1.4	10

#	Article	IF	CITATIONS
55	Smad3-dependent CCN2 mediates fibronectin expression in human skin dermal fibroblasts. PLoS ONE, 2017, 12, e0173191.	1.1	10
56	Ultraviolet irradiation represses <scp>TGF</scp> â€Î² type II receptor transcription through a 38â€bp sequence in the proximal promoter in human skin fibroblasts. Experimental Dermatology, 2014, 23, 2-6.	1.4	8
57	Age-related elevation of HGF is driven by the reduction of fibroblast size in a YAP/TAZ/CCN2 axis-dependent manner. Journal of Dermatological Science, 2021, 102, 36-46.	1.0	7
58	Reduced expression of Collagen 17A1 in naturally aged, photoaged, and UV-irradiated human skin in vivo: Potential links to epidermal aging. Journal of Cell Communication and Signaling, 2022, 16, 421-432.	1.8	7
59	CYR61/CCN1: A Novel Mediator of Epidermal Hyperplasia and Inflammation in Psoriasis?. Journal of Investigative Dermatology, 2015, 135, 2562-2564.	0.3	5
60	Age-Related Downregulation of CCN2 Is Regulated by Cell Size in a YAP/TAZ-Dependent Manner in Human Dermal Fibroblasts: Impact on Dermal Aging. JID Innovations, 2022, 2, 100111.	1.2	5
61	Oxidative stress and CCN1 protein in human skin connective tissue aging. AIMS Molecular Science, 2016, 3, 269-279.	0.3	3
62	Progerin mRNA expression is elevated in aged human dermis and impairs TGF- \hat{l}^2 /Smad signaling. Journal of Dermatological Science, 2021, 103, 49-52.	1.0	1
63	Gene Expression of CCN Family Members in Young and Aged Human Skin In Vivo. , 2010, , 133-140.		0