

Mao-Qiang Man

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2853467/mao-qiang-man-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108
papers

3,777
citations

33
h-index

60
g-index

114
ext. papers

4,225
ext. citations

2.5
avg, IF

5
L-index

#	Paper	IF	Citations
108	Regulatory Role of Nitric Oxide in Cutaneous Inflammation.. <i>Inflammation</i> , 2022 , 1	5.1	5
107	Comparison of Epidermal Gene Expression Profiles in Mice Aged 1 to 20 Months.. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2022 , 15, 69-76	2.9	
106	Optimised emollient mixture for skin barrier repair: Applications to global child health.. <i>Journal of Global Health</i> , 2022 , 12, 03019	4.3	
105	UVB-Induced Secretion of IL-1 Promotes Melanogenesis by Upregulating TYR/TRP-1 Expression In Vitro.. <i>BioMed Research International</i> , 2022 , 2022, 8230646	3	
104	Topical applications of a novel formulation improve epidermal permeability barrier in chronologically aged humans. <i>Journal of Cosmetic Dermatology</i> , 2021 ,	2.5	0
103	Topical N-palmitoyl serinol, a commensal bacterial metabolite, prevents the development of epidermal permeability barrier dysfunction in a murine model of atopic dermatitis-like skin. <i>Canadian Journal of Veterinary Research</i> , 2021 , 85, 201-204	0.5	
102	Deficiency of vitamin D receptor in keratinocytes augments dermal fibrosis and inflammation in a mouse model of HOCl-induced scleroderma.. <i>Biochemical and Biophysical Research Communications</i> , 2021 , 591, 1-6	3.4	0
101	Role of nitric oxide in regulating epidermal permeability barrier function. <i>Experimental Dermatology</i> , 2021 ,	4	3
100	Characterization of rosacea in Chinese: An analysis of 254 cases. <i>Journal of Cosmetic Dermatology</i> , 2021 , 20, 3666-3671	2.5	0
99	Both Prevalence and Severity of Pruritus are Associated with Age in Chinese Patients with Skin Diseases. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2021 , 14, 217-223	2.9	1
98	Topical Applications of a Novel Emollient Inhibit Inflammation in Murine Models of Acute Contact Dermatitis. <i>BioMed Research International</i> , 2021 , 2021, 5594646	3	1
97	Efficacy and safety of 755nm Q-switched Alexandrite Laser for Hori's nevus: a retrospective analysis of 482 Chinese women. <i>Lasers in Medical Science</i> , 2021 , 1	3.1	1
96	Either transepidermal water loss rates or stratum corneum hydration levels can predict quality of life in children with atopic dermatitis.. <i>Pediatric Investigation</i> , 2021 , 5, 277-280	1.3	1
95	The efficacy of intense pulsed light for Becker's nevus: A retrospective analysis of 45 cases. <i>Journal of Cosmetic Dermatology</i> , 2021 , 20, 466-471	2.5	2
94	Mutations in 3 β -hydroxysteroid- β , Δ^5 -isomerase paradoxically benefit epidermal permeability barrier homeostasis in mice. <i>Experimental Dermatology</i> , 2021 , 30, 384-389	4	1
93	755-nm Q-switched alexandrite laser does not markedly benefit Becker's nevus: a retrospective analysis of 59 cases. <i>Lasers in Medical Science</i> , 2021 , 36, 699-702	3.1	2
92	Both Age and Disease Duration are Associated with Clinical Phenotype of Hori's Nevus in Chinese: A Retrospective Analysis of 497 Cases. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2021 , 14, 65-71	2.9	1

91	Double knockout of vitamin D receptor and its coactivator mediator complex subunit 1 unexpectedly enhances epidermal permeability barrier function in mice. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2021 , 1868, 119131	4.9	
90	Topical Applications of a Heparinoid-Containing Product Attenuate Glucocorticoid-Induced Alterations in Epidermal Permeability Barrier in Mice. <i>Skin Pharmacology and Physiology</i> , 2021 , 34, 86-93 ³		2
89	Topical Applications of Thiosulfinate-Enriched <i>Allium sativum</i> Extract Accelerates Acute Cutaneous Wound Healing in Murine Model. <i>Chinese Journal of Integrative Medicine</i> , 2020 , 26, 812-818	2.9	0
88	Seasonal variations of epidermal biophysical properties in Kunming, China: A self-controlled cohort study. <i>Skin Research and Technology</i> , 2020 , 26, 702-707	1.9	7
87	Prevalence and Severity of Dermatological Condition-Associated Skin Pain in the Chinese. <i>Journal of Pain Research</i> , 2020 , 13, 1201-1207	2.9	1
86	800nm diode laser does not display long-term benefit for hair removal in Becker's nevus: A retrospective analysis of 24 cases. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2020 , 36, 387-389	2.4	1
85	Aging-associated alterations in epidermal function and their clinical significance. <i>Aging</i> , 2020 , 12, 5551-5565	5.65	22
84	Disruption of epidermal permeability barrier enhances UV-induced hyperpigmentation. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2020 , 36, 156-158	2.4	2
83	Comparison of transepidermal water loss rates in subjects with skin patch test positive vs negative to skin care products. <i>Journal of Cosmetic Dermatology</i> , 2020 , 19, 2021-2024	2.5	3
82	Inducible nitric oxide synthase is required for epidermal permeability barrier homeostasis in mice. <i>Experimental Dermatology</i> , 2020 , 29, 1027-1032	4	3
81	Phospholipase C epsilon mediates cytokine cascade induced by acute disruption of epidermal permeability barrier in mice. <i>Biochemistry and Biophysics Reports</i> , 2020 , 24, 100869	2.2	1
80	Gender-related characterization of sensitive skin in normal young Chinese. <i>Journal of Cosmetic Dermatology</i> , 2020 , 19, 1137-1142	2.5	6
79	Gender-related characterisation of Becker naevus in Chinese patients: A retrospective analysis of 193 cases. <i>Australasian Journal of Dermatology</i> , 2020 , 61, e132-e133	1.3	1
78	Role of Resveratrol in Regulating Cutaneous Functions. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020 , 2020, 2416837	2.3	14
77	Altered Epidermal Permeability Barrier Function in the Uninvolved Skin Supports a Role of Epidermal Dysfunction in the Pathogenesis of Occupational Hand Eczema. <i>Skin Pharmacology and Physiology</i> , 2020 , 33, 94-101	3	4
76	Stratum corneum hydration regulates key epidermal function and serves as an indicator and contributor to other conditions. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 15-16	4.6	8
75	A topical heparinoid-containing product improves epidermal permeability barrier homeostasis in mice. <i>Experimental Dermatology</i> , 2019 , 28, 956-960	4	6
74	Association between lactic acid sting test scores, self-assessed sensitive skin scores and biophysical properties in Chinese females. <i>International Journal of Cosmetic Science</i> , 2019 , 41, 398-404	2.7	5

73	Novel nonsense mutation of the SLC39A4 gene in a family with atypical acrodermatitis enteropathica. <i>Clinical and Experimental Dermatology</i> , 2019 , 44, 933-936	1.8	2
72	A cream of herbal mixture to improve melasma. <i>Journal of Cosmetic Dermatology</i> , 2019 , 18, 1721-1728	2.5	9
71	Benefits of Hesperidin for Cutaneous Functions. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019 , 2019, 2676307	2.3	42
70	Mutations in Recessive Congenital Ichthyoses Illuminate the Origin and Functions of the Corneocyte Lipid Envelope. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 760-768	4.3	26
69	Lasers for Becker's nevus. <i>Lasers in Medical Science</i> , 2019 , 34, 1071-1079	3.1	15
68	Sex differences of Chinese patients with primary localized cutaneous amyloidosis. <i>Journal of Dermatology</i> , 2019 , 46, e242-e243	1.6	
67	Validation of GPSkin Barrier for assessing epidermal permeability barrier function and stratum corneum hydration in humans. <i>Skin Research and Technology</i> , 2019 , 25, 25-29	1.9	22
66	Could Inflammaging and Its Sequelae Be Prevented or Mitigated?. <i>Clinical Interventions in Aging</i> , 2019 , 14, 2301-2304	4	8
65	By protecting against cutaneous inflammation, epidermal pigmentation provided an additional advantage for ancestral humans. <i>Evolutionary Applications</i> , 2019 , 12, 1960-1970	4.8	6
64	Reply to: "Lightening Becker nevus: Role of topical therapies". <i>Journal of the American Academy of Dermatology</i> , 2019 , 80, e41	4.5	
63	Improvements in epidermal function prevent relapse of psoriasis: a self-controlled study. <i>Clinical and Experimental Dermatology</i> , 2019 , 44, 654-657	1.8	12
62	Moisturizers versus Current and Next-Generation Barrier Repair Therapy for the Management of Atopic Dermatitis. <i>Skin Pharmacology and Physiology</i> , 2019 , 32, 1-7	3	34
61	Lightening Becker nevus with topical glycolic acid. <i>Journal of the American Academy of Dermatology</i> , 2019 , 80, e3	4.5	9
60	Herbal Medicines Prevent the Development of Atopic Dermatitis by Multiple Mechanisms. <i>Chinese Journal of Integrative Medicine</i> , 2019 , 25, 151-160	2.9	6
59	Therapeutic Benefits of Natural Ingredients for Atopic Dermatitis. <i>Chinese Journal of Integrative Medicine</i> , 2018 , 24, 308-314	2.9	8
58	Skin care products can aggravate epidermal function: studies in a murine model suggest a pathogenic role in sensitive skin. <i>Contact Dermatitis</i> , 2018 , 78, 151-158	2.7	15
57	Adverse cutaneous reactions to skin care products on the face vary with age, but not with sex. <i>Contact Dermatitis</i> , 2018 , 79, 365-369	2.7	9
56	Epidermal Dysfunction Leads to an Age-Associated Increase in Levels of Serum Inflammatory Cytokines. <i>Journal of Investigative Dermatology</i> , 2017 , 137, 1277-1285	4.3	46

55	Phospholipase C deficiency delays the early stage of cutaneous wound healing and attenuates scar formation in mice. <i>Biochemical and Biophysical Research Communications</i> , 2017 , 484, 144-151	3.4	10
54	ANTI-ULCEROGENIC EFFICACY AND MECHANISMS OF EDIBLE AND NATURAL INGREDIENTS IN NSAID-INDUCED ANIMAL MODELS. <i>Tropical Journal of Obstetrics and Gynaecology</i> , 2017 , 14, 221-238	0.3	2
53	Cells in the Skin 2017 , 63-113		
52	Comparison of the Efficacy of Atopalm() Multi-Lamellar Emulsion Cream and Physiogel() Intensive Cream in Improving Epidermal Permeability Barrier in Sensitive Skin. <i>Dermatology and Therapy</i> , 2016 , 6, 47-56	4	11
51	Heavy Cigarette Smokers in a Chinese Population Display a Compromised Permeability Barrier. <i>BioMed Research International</i> , 2016 , 2016, 9704598	3	16
50	Commonly Employed African Neonatal Skin Care Products Compromise Epidermal Function in Mice. <i>Pediatric Dermatology</i> , 2016 , 33, 493-500	1.9	5
49	Herbal medicines that benefit epidermal permeability barrier function. <i>Dermatologica Sinica</i> , 2015 , 33, 90-95	1.1	5
48	An optimized inexpensive emollient mixture improves barrier repair in murine skin. <i>Dermatologica Sinica</i> , 2015 , 33, 96-102	1.1	4
47	Could psoriasis be preventable?. <i>Dermatologica Sinica</i> , 2015 , 33, 243-244	1.1	6
46	Topical hesperidin enhances epidermal function in an aged murine model. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 1184-1187	4.3	15
45	Ten-year publication trends in dermatology in mainland China. <i>International Journal of Dermatology</i> , 2014 , 53, e438-42	1.7	3
44	Abnormal epidermal barrier recovery in uninvolved skin supports the notion of an epidermal pathogenesis of psoriasis. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 2843-2846	4.3	39
43	Basis for enhanced barrier function of pigmented skin. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 2399-2407	4.3	37
42	Paradoxical benefits of psychological stress in inflammatory dermatoses models are glucocorticoid mediated. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 2890-2897	4.3	20
41	Topical hesperidin prevents glucocorticoid-induced abnormalities in epidermal barrier function in murine skin. <i>Experimental Dermatology</i> , 2014 , 23, 645-51	4	17
40	Comparison of publication trends in dermatology among Japan, South Korea and Mainland China. <i>BMC Dermatology</i> , 2014 , 14, 1	2.1	13
39	Treating atopic dermatitis at the source: corrective barrier repair therapy based upon new pathogenic insights. <i>Expert Review of Dermatology</i> , 2013 , 8, 27-36		11
38	Selective matrix (hyaluronan) interaction with CD44 and RhoGTPase signaling promotes keratinocyte functions and overcomes age-related epidermal dysfunction. <i>Journal of Dermatological Science</i> , 2013 , 72, 32-44	4.3	49

37	Topical antihistamines display potent anti-inflammatory activity linked in part to enhanced permeability barrier function. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 469-78	4.3	42
36	Topical apigenin improves epidermal permeability barrier homeostasis in normal murine skin by divergent mechanisms. <i>Experimental Dermatology</i> , 2013 , 22, 210-5	4	37
35	Topical hesperidin improves epidermal permeability barrier function and epidermal differentiation in normal murine skin. <i>Experimental Dermatology</i> , 2012 , 21, 337-40	4	34
34	Ablation of the calcium-sensing receptor in keratinocytes impairs epidermal differentiation and barrier function. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 2350-2359	4.3	63
33	Cutaneous resonance running time is decreased in psoriatic lesions. <i>Skin Research and Technology</i> , 2012 , 18, 232-7	1.9	4
32	Topical apigenin alleviates cutaneous inflammation in murine models. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012 , 2012, 912028	2.3	25
31	Topical herbal extract (Huangdang mixture) exhibits both preventive and therapeutic effects in murine acute irritant contact dermatitis. <i>International Journal of Dermatology</i> , 2011 , 50, 1421-7	1.7	4
30	A topical Chinese herbal mixture improves epidermal permeability barrier function in normal murine skin. <i>Experimental Dermatology</i> , 2011 , 20, 285-8	4	14
29	Expression of epidermal CAMP changes in parallel with permeability barrier status. <i>Journal of Investigative Dermatology</i> , 2011 , 131, 2263-70	4.3	22
28	Cutaneous resonance running time varies with age, body site and gender in a normal Chinese population. <i>Skin Research and Technology</i> , 2010 , 16, 413-21	1.9	27
27	Acute acidification of stratum corneum membrane domains using polyhydroxyl acids improves lipid processing and inhibits degradation of corneodesmosomes. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 500-10	4.3	91
26	Sun-induced changes in stratum corneum function are gender and dose dependent in a Chinese population. <i>Skin Pharmacology and Physiology</i> , 2010 , 23, 313-9	3	17
25	Murine atopic dermatitis responds to peroxisome proliferator-activated receptors alpha and beta/delta (but not gamma) and liver X receptor activators. <i>Journal of Allergy and Clinical Immunology</i> , 2010 , 125, 160-9.e1-5	11.5	65
24	Topical calcineurin inhibitors compromise stratum corneum integrity, epidermal permeability and antimicrobial barrier function. <i>Experimental Dermatology</i> , 2010 , 19, 501-10	4	48
23	Maintenance of an acidic stratum corneum prevents emergence of murine atopic dermatitis. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 1824-35	4.3	84
22	Activators of PPARs and LXR decrease the adverse effects of exogenous glucocorticoids on the epidermis. <i>Experimental Dermatology</i> , 2009 , 18, 643-9	4	50
21	The role of CD44 in cutaneous inflammation. <i>Experimental Dermatology</i> , 2009 , 18, 962-8	4	12
20	Filaggrin deficiency confers a paracellular barrier abnormality that reduces inflammatory thresholds to irritants and haptens. <i>Journal of Allergy and Clinical Immunology</i> , 2009 , 124, 496-506, 506.e1-6	11.5	217

19	Characterization of a hapten-induced, murine model with multiple features of atopic dermatitis: structural, immunologic, and biochemical changes following single versus multiple oxazolone challenges. <i>Journal of Investigative Dermatology</i> , 2008 , 128, 79-86	4.3	191
18	Deficiency of PPARbeta/delta in the epidermis results in defective cutaneous permeability barrier homeostasis and increased inflammation. <i>Journal of Investigative Dermatology</i> , 2008 , 128, 370-7	4.3	65
17	Co-regulation and interdependence of the mammalian epidermal permeability and antimicrobial barriers. <i>Journal of Investigative Dermatology</i> , 2008 , 128, 917-25	4.3	179
16	Epidermal vascular endothelial growth factor production is required for permeability barrier homeostasis, dermal angiogenesis, and the development of epidermal hyperplasia: implications for the pathogenesis of psoriasis. <i>American Journal of Pathology</i> , 2008 , 173, 689-99	5.8	75
15	Chinese herbal medicine (Tuhuai extract) exhibits topical anti-proliferative and anti-inflammatory activity in murine disease models. <i>Experimental Dermatology</i> , 2008 , 17, 681-7	4	23
14	Stratum corneum acidification is impaired in moderately aged human and murine skin. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 2847-56	4.3	136
13	Cutaneous barrier repair and pathophysiology following barrier disruption in IL-1 and TNF type I receptor deficient mice. <i>Experimental Dermatology</i> , 2007 , 8, 261-266	4	21
12	Basis for improved permeability barrier homeostasis induced by PPAR and LXR activators: liposensors stimulate lipid synthesis, lamellar body secretion, and post-secretory lipid processing. <i>Journal of Investigative Dermatology</i> , 2006 , 126, 386-92	4.3	95
11	Hyaluronan-CD44 interaction stimulates keratinocyte differentiation, lamellar body formation/secretion, and permeability barrier homeostasis. <i>Journal of Investigative Dermatology</i> , 2006 , 126, 1356-65	4.3	113
10	Mechanisms by which psychologic stress alters cutaneous permeability barrier homeostasis and stratum corneum integrity. <i>Journal of Investigative Dermatology</i> , 2005 , 124, 587-95	4.3	142
9	Is endogenous glycerol a determinant of stratum corneum hydration in humans?. <i>Journal of Investigative Dermatology</i> , 2005 , 125, 288-93	4.3	78
8	Short-term glucocorticoid treatment compromises both permeability barrier homeostasis and stratum corneum integrity: inhibition of epidermal lipid synthesis accounts for functional abnormalities. <i>Journal of Investigative Dermatology</i> , 2003 , 120, 456-64	4.3	247
7	Topical peroxisome proliferator activated receptor-alpha activators reduce inflammation in irritant and allergic contact dermatitis models. <i>Journal of Investigative Dermatology</i> , 2002 , 118, 94-101	4.3	140
6	Oxysterol stimulation of epidermal differentiation is mediated by liver X receptor-beta in murine epidermis. <i>Journal of Investigative Dermatology</i> , 2002 , 118, 25-34	4.3	70
5	Stimulation of PPARalpha promotes epidermal keratinocyte differentiation in vivo. <i>Journal of Investigative Dermatology</i> , 2000 , 115, 353-60	4.3	123
4	Keratinocyte differentiation in hyperproliferative epidermis: topical application of PPARalpha activators restores tissue homeostasis. <i>Journal of Investigative Dermatology</i> , 2000 , 115, 361-7	4.3	91
3	Permeability barrier disorder in Niemann-Pick disease: sphingomyelin-ceramide processing required for normal barrier homeostasis. <i>Journal of Investigative Dermatology</i> , 2000 , 115, 459-66	4.3	123
2	Barrier recovery is impeded at neutral pH, independent of ionic effects: implications for extracellular lipid processing. <i>Archives of Dermatological Research</i> , 1998 , 290, 215-22	3.3	227

- 1 Exogenous Lipids Influence Permeability Barrier Recovery in Acetone-Treated Murine Skin. *Archives of Dermatology*, **1993**, 129, 728