

Yoriko Heianza

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2853690/yoriko-heianza-publications-by-year.pdf>

Version: 2023-03-30

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115
papers

2,821
citations

28
h-index

49
g-index

128
ext. papers

3,816
ext. citations

7
avg. IF

5.38
L-index

#	Paper	IF	Citations
115	Red meat consumption and all-cause and cardiovascular mortality: results from the UK Biobank study.. <i>European Journal of Nutrition</i> , 2022 , 1	5	0
114	Early-life educational attainment, APOE ϵ alleles, and incident dementia risk in late life.. <i>GeroScience</i> , 2022 , 1	8.7	
113	Adherence to a Healthy Sleep Pattern and Risk of Chronic Kidney Disease: The UK Biobank Study.. <i>Mayo Clinic Proceedings</i> , 2022 , 97, 68-77	6.2	2
112	Use of fish oil supplements is differently related to incidence of all-cause and vascular dementia among people with the distinct APOE ϵ dosage.. <i>Clinical Nutrition</i> , 2022 , 41, 731-736	3.5	0
111	Educational attainment and drinking behaviors: Mendelian randomization study in UK Biobank. <i>Molecular Psychiatry</i> , 2021 , 26, 4355-4366	14.6	10
110	Distinct genetic subtypes of adiposity and glycemic changes in response to weight-loss diet intervention: the POUNDS Lost trial. <i>European Journal of Nutrition</i> , 2021 , 60, 249-258	5	3
109	Dietary Fiber, Genetic Variations of Gut Microbiota-derived Short-chain Fatty Acids, and Bone Health in UK Biobank. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 201-210	5.4	6
108	Adherence to a Healthy Sleep Pattern and Incident Heart Failure: A Prospective Study of 408 802 UK Biobank Participants. <i>Circulation</i> , 2021 , 143, 97-99	16.3	11
107	Habitual use of vitamin D supplements and risk of coronavirus disease 2019 (COVID-19) infection: a prospective study in UK Biobank. <i>American Journal of Clinical Nutrition</i> , 2021 , 113, 1275-1281	6.6	33
106	The trans-ancestral genomic architecture of glycemic traits. <i>Nature Genetics</i> , 2021 , 53, 840-860	35.2	31
105	Joint Associations of Actual Age and Genetically Determined Age at Menarche With Risk of Mortality. <i>JAMA Network Open</i> , 2021 , 4, e2115297	10.1	0
104	Perinatal exposure to maternal smoking and adulthood smoking behaviors in predicting cardiovascular diseases: A prospective cohort study. <i>Atherosclerosis</i> , 2021 , 328, 52-59	1.4	0
103	Alcohol Consumption Levels as Compared With Drinking Habits in Predicting All-Cause Mortality and Cause-Specific Mortality in Current Drinkers. <i>Mayo Clinic Proceedings</i> , 2021 , 96, 1758-1769	6.2	2
102	Healthful plant-based dietary patterns, genetic risk of obesity, and cardiovascular risk in the UK biobank study. <i>Clinical Nutrition</i> , 2021 , 40, 4694-4701	3.5	4
101	Adherence to a healthy sleep pattern is associated with lower risks of all-cause, cardiovascular and cancer-specific mortality. <i>Journal of Internal Medicine</i> , 2021 ,	10.5	3
100	Changes in gut-microbiota-related metabolites and long-term improvements in lipoprotein subspecies in overweight and obese adults: the POUNDS lost trial. <i>International Journal of Obesity</i> , 2021 , 45, 2600-2607	5.2	0
99	Joint exposure to various ambient air pollutants and incident heart failure: a prospective analysis in UK Biobank. <i>European Heart Journal</i> , 2021 , 42, 1582-1591	9	17

98	Fatty liver index and left ventricular mass: prospective associations from two independent cohorts. <i>Journal of Hypertension</i> , 2021 , 39, 961-969	1.5	1
97	Genetically determined SCFA concentration modifies the association of dietary fiber intake with changes in bone mineral density during weight loss: The Preventing Overweight Using Novel Dietary Strategies (POUNDS LOST) trial. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 42-48	6.6	0
96	Interaction of Diet/Lifestyle Intervention and TCF7L2 Genotype on Glycemic Control and Adiposity among Overweight or Obese Adults: Big Data from Seven Randomized Controlled Trials Worldwide. <i>Health Data Science</i> , 2021 , 2021, 1-10		
95	Ten-year changes in plasma L-carnitine levels and risk of coronary heart disease. <i>European Journal of Nutrition</i> , 2021 , 61, 1353	5	0
94	Genetic susceptibility, lifestyle intervention and glycemic changes among women with prior gestational diabetes. <i>Clinical Nutrition</i> , 2020 , 39, 2144-2150	3.5	3
93	Duration and Life-Stage of Antibiotic Use and Risks of All-Cause and Cause-Specific Mortality: Prospective Cohort Study. <i>Circulation Research</i> , 2020 , 126, 364-373	15.3	7
92	Sleep patterns, genetic susceptibility, and incident cardiovascular disease: a prospective study of 385 292 UK biobank participants. <i>European Heart Journal</i> , 2020 , 41, 1182-1189	9	63
91	Maternal smoking, genetic susceptibility, and birth-to-adulthood body weight. <i>International Journal of Obesity</i> , 2020 , 44, 1330-1340	5.2	2
90	Maternal MTNR1B genotype, maternal gestational weight gain, and childhood obesity. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 360-368	6.6	6
89	Genetic variation in lean body mass, changes of appetite and weight loss in response to diet interventions: The POUNDS Lost trial. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 2305-2315	6.5	4
88	Baseline Vitamin D Status, Sleep Patterns, and the Risk of Incident Type 2 Diabetes in Data From the UK Biobank Study. <i>Diabetes Care</i> , 2020 , 43, 2776-2784	14.1	19
87	Genetic susceptibility, plant-based dietary patterns, and risk of cardiovascular disease. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 220-228	6.6	13
86	Starch Digestion-Related Amylase Genetic Variants, Diet, and Changes in Adiposity: Analyses in Prospective Cohort Studies and a Randomized Dietary Intervention. <i>Diabetes</i> , 2020 , 69, 1917-1926	0.7	2
85	Changes of Branched-Chain Amino Acids and Ectopic Fat in Response to Weight-loss Diets: the POUNDS Lost Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.4	2
84	Long-Term Changes in Gut Microbial Metabolite Trimethylamine N-Oxide and Coronary Heart Disease Risk. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 763-772	4.6	45
83	Glucosamine Use, Inflammation, and Genetic Susceptibility, and Incidence of Type 2 Diabetes: A Prospective Study in UK Biobank. <i>Diabetes Care</i> , 2020 , 43, 719-725	14.1	13
82	Genetic Susceptibility, Dietary Protein Intake, and Changes of Blood Pressure: The POUNDS Lost Trial. <i>Hypertension</i> , 2019 , 74, 1460-1467	8	4
81	Habitual consumption of long-chain n-3 PUFAs and fish attenuates genetically associated long-term weight gain. <i>American Journal of Clinical Nutrition</i> , 2019 , 109, 665-673	6.6	14

80	Genetics of Central Obesity and Body Fat 2019 , 153-174		0
79	Circulating Gut Microbiota Metabolite Trimethylamine N-Oxide (TMAO) and Changes in Bone Density in Response to Weight Loss Diets: The POUNDS Lost Trial. <i>Diabetes Care</i> , 2019 , 42, 1365-1371	14.1	12
78	Dairy Intake and Body Composition and Cardiometabolic Traits among Adults: Mendelian Randomization Analysis of 182041 Individuals from 18 Studies. <i>Clinical Chemistry</i> , 2019 , 65, 751-760	5.3	13
77	Association of habitual glucosamine use with risk of cardiovascular disease: prospective study in UK Biobank. <i>BMJ, The</i> , 2019 , 365, l1628	5.7	28
76	Duration and life-stage of antibiotic use and risk of cardiovascular events in women. <i>European Heart Journal</i> , 2019 , 40, 3838-3845	9	17
75	DNA methylation variant, B-vitamins intake and longitudinal change in body mass index. <i>International Journal of Obesity</i> , 2019 , 43, 468-474	5.2	2
74	Gut microbiota metabolites, amino acid metabolites and improvements in insulin sensitivity and glucose metabolism: the POUNDS Lost trial. <i>Gut</i> , 2019 , 68, 263-270	18.6	69
73	Improving fruit and vegetable intake attenuates the genetic association with long-term weight gain. <i>American Journal of Clinical Nutrition</i> , 2019 , 110, 759-768	6.6	10
72	Fish and marine fatty acids intakes, the genotypes and long-term weight gain: a prospective cohort study. <i>BMJ Open</i> , 2019 , 9, e022877	2.9	1
71	Impact of Genes and Environment on Obesity and Cardiovascular Disease. <i>Endocrinology</i> , 2019 , 160, 81-100	10	18
70	Type 2 Diabetes and Hypertension. <i>Circulation Research</i> , 2019 , 124, 930-937	15.3	55
69	A circadian rhythm-related MTNR1B genetic variant modulates the effect of weight-loss diets on changes in adiposity and body composition: the POUNDS Lost trial. <i>European Journal of Nutrition</i> , 2019 , 58, 1381-1389	5	18
68	Gut-microbiome-related LCT genotype and 2-year changes in body composition and fat distribution: the POUNDS Lost Trial. <i>International Journal of Obesity</i> , 2018 , 42, 1565-1573	5.2	8
67	Gallstone disease and increased risk of mortality: Two large prospective studies in US men and women. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 1925-1931	3.8	14
66	History of Asthma From Childhood and Arterial Stiffness in Asymptomatic Young Adults: The Bogalusa Heart Study. <i>Hypertension</i> , 2018 , 71, 928-936	8	5
65	HNF1A variant, energy-reduced diets and insulin resistance improvement during weight loss: The POUNDS Lost trial and DIRECT. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 1445-1452	6.5	12
64	Macronutrient-specific effect of the genotype on lipid levels in response to 2 year weight-loss diets. <i>Journal of Lipid Research</i> , 2018 , 59, 155-161	6	12
63	Dietary glutamine, glutamate and mortality: two large prospective studies in US men and women. <i>International Journal of Epidemiology</i> , 2018 , 47, 311-320	7.6	20

62	Changes in Gut Microbiota-Related Metabolites and Long-term Successful Weight Loss in Response to Weight-Loss Diets: The POUNDS Lost Trial. <i>Diabetes Care</i> , 2018 , 41, 413-419	14.1	39
61	Improving adherence to healthy dietary patterns, genetic risk, and long term weight gain: gene-diet interaction analysis in two prospective cohort studies. <i>BMJ, The</i> , 2018 , 360, j5644	5.7	68
60	Genetic, epigenetic and transcriptional variations at NFATC2IP locus with weight loss in response to diet interventions: The POUNDS Lost Trial. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 2298-2303	6.5	14
59	Dairy Consumption and Body Mass Index Among Adults: Mendelian Randomization Analysis of 184802 Individuals from 25 Studies. <i>Clinical Chemistry</i> , 2018 , 64, 183-191	5.3	26
58	Genetically determined vitamin D levels and change in bone density during a weight-loss diet intervention: the Preventing Overweight Using Novel Dietary Strategies (POUNDS Lost) Trial. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 1129-1134	6.6	5
57	Genetics and Diabetes 2017 , 659-675		
56	Genetic Variations of Circulating Adiponectin Levels Modulate Changes in Appetite in Response to Weight-Loss Diets. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 316-325	5.4	9
55	Genetic variation of habitual coffee consumption and glycemic changes in response to weight-loss diet intervention: the Preventing Overweight Using Novel Dietary Strategies (POUNDS LOST) trial. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 1321-1326	6.6	6
54	Independent and Synergistic Associations of Biomarkers of Vitamin D Status With Risk of Coronary Heart Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017 , 37, 2204-2212	9.1	18
53	Genetic Susceptibility, Change in Physical Activity, and Long-term Weight Gain. <i>Diabetes</i> , 2017 , 66, 2704-2712	7.1	8
52	A History of Asthma From Childhood and Left Ventricular Mass in Asymptomatic Young Adults: The Bogalusa Heart Study. <i>JACC: Heart Failure</i> , 2017 , 5, 497-504	7.6	11
51	Starch Digestion-Related Amylase Genetic Variant Affects 2-Year Changes in Adiposity in Response to Weight-Loss Diets: The POUNDS Lost Trial. <i>Diabetes</i> , 2017 , 66, 2416-2423	0.7	23
50	Gut Microbiota Metabolites and Risk of Major Adverse Cardiovascular Disease Events and Death: A Systematic Review and Meta-Analysis of Prospective Studies. <i>Journal of the American Heart Association</i> , 2017 , 6,	5.7	246
49	Gene-Diet Interaction and Precision Nutrition in Obesity. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.1	78
48	Adult height, dietary patterns, and healthy aging. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 589-596	5.6	10
47	variant, long-chain n-3 PUFAs, and risk of nonfatal myocardial infarction in Costa Rican Hispanics. <i>American Journal of Clinical Nutrition</i> , 2017 , 105, 1198-1203	6.6	9
46	Associations of Bowel Movement Frequency with Risk of Cardiovascular Disease and Mortality among US Women. <i>Scientific Reports</i> , 2016 , 6, 33005	4.7	9
45	Impact of individual components and their combinations within a family history of hypertension on the incidence of hypertension: Toranomon hospital health management center study 22. <i>Medicine (United States)</i> , 2016 , 95, e4564	1.8	8

44	Development and evaluation of the Japanese version of the Audit of Diabetes-Dependent Quality of Life for patients with diabetes. <i>Diabetology International</i> , 2016 , 7, 384-390	2.1	4
43	Assessment of kidney dysfunction with cystatin C- and creatinine-based estimated glomerular filtration rate and predicting type 2 diabetes: Toranomon Hospital Health Management Center Study 21. <i>Diabetes Research and Clinical Practice</i> , 2016 , 113, 60-8	7.2	
42	Zinc-Associated Variant in SLC30A8 Gene Interacts With Gestational Weight Gain on Postpartum Glycemic Changes: A Longitudinal Study in Women With Prior Gestational Diabetes Mellitus. <i>Diabetes</i> , 2016 , 65, 3786-3793	0.7	3
41	FTO genotype and weight loss: systematic review and meta-analysis of 9563 individual participant data from eight randomised controlled trials. <i>BMJ, The</i> , 2016 , 354, i4707	5.7	68
40	Plasma Taurine, Diabetes Genetic Predisposition, and Changes of Insulin Sensitivity in Response to Weight-Loss Diets. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 3820-3826	5.4	20
39	Comparison of clinical characteristics in patients with type 2 diabetes among whom different antihyperglycemic agents were prescribed as monotherapy or combination therapy by diabetes specialists. <i>Journal of Diabetes Investigation</i> , 2016 , 7, 260-9	3.8	10
38	Two-year changes in circulating adiponectin, ectopic fat distribution and body composition in response to weight-loss diets: the POUNDS Lost Trial. <i>International Journal of Obesity</i> , 2016 , 40, 1723-1729	5.3	11
37	Macronutrient Intake-Associated FGF21 Genotype Modifies Effects of Weight-Loss Diets on 2-Year Changes of Central Adiposity and Body Composition: The POUNDS Lost Trial. <i>Diabetes Care</i> , 2016 , 39, 1909-1914	14.1	36
36	Fasting glucose and HbA1c levels as risk factors for the development of hypertension in Japanese individuals: Toranomon hospital health management center study 16 (TOPICS 16). <i>Journal of Human Hypertension</i> , 2015 , 29, 254-9	2.5	19
35	Risk of the development of Type 2 diabetes in relation to overall obesity, abdominal obesity and the clustering of metabolic abnormalities in Japanese individuals: does metabolically healthy overweight really exist? The Niigata Wellness Study. <i>Diabetic Medicine</i> , 2015 , 32, 665-72	3.4	19
34	Potential impact of joint association of alanine aminotransferase and gamma-glutamyltransferase on insulin resistance in Japan: The Toranomon Hospital Health Management Center Study 19 (TOPICS 19). <i>Hepatology Research</i> , 2015 , 45, 247-58	4.9	
33	Simple self-reported behavioral or psychological characteristics as risk factors for future type 2 diabetes in Japanese individuals: Toranomon Hospital Health Management Center Study 14. <i>Journal of Diabetes Investigation</i> , 2015 , 6, 236-41	3.8	2
32	Circulating malondialdehyde-modified LDL-related variables and coronary artery stenosis in asymptomatic patients with type 2 diabetes. <i>Journal of Diabetes Research</i> , 2015 , 2015, 507245	3.7	5
31	Trajectory of body mass index before the development of type 2 diabetes in Japanese men: Toranomon Hospital Health Management Center Study 15. <i>Journal of Diabetes Investigation</i> , 2015 , 6, 289-94	3.8	15
30	Impact of population aging on trends in diabetes prevalence: A meta-regression analysis of 160,000 Japanese adults. <i>Journal of Diabetes Investigation</i> , 2015 , 6, 533-42	3.8	75
29	Response to comment on Heianza et al. Effect of postmenopausal status and age at menopause on type 2 diabetes and prediabetes in Japanese individuals: Toranomon Hospital Health Management Center Study 17 (TOPICS 17). <i>Diabetes Care</i> 2013;36:4007-4014. <i>Diabetes Care</i> , 2014 , 37, e165-6	14.1	
28	Role of sleep duration as a risk factor for Type 2 diabetes among adults of different ages in Japan: the Niigata Wellness Study. <i>Diabetic Medicine</i> , 2014 , 31, 1363-7	3.4	21
27	Comparison of different aspects of BMI history to identify undiagnosed diabetes in Japanese men and women: Toranomon Hospital Health Management Center Study 12 (TOPICS 12). <i>Diabetic Medicine</i> , 2014 , 31, 1378-86	3.4	6

26	Role of body mass index history in predicting risk of the development of hypertension in Japanese individuals: Toranomon Hospital Health Management Center Study 18 (TOPICS 18). <i>Hypertension</i> , 2014 , 64, 247-52	8	13
25	Metabolically healthy obesity, presence or absence of fatty liver, and risk of type 2 diabetes in Japanese individuals: Toranomon Hospital Health Management Center Study 20 (TOPICS 20). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 2952-60	5.4	58
24	Stability and changes in metabolically healthy overweight or obesity and risk of future diabetes: Niigata wellness study. <i>Obesity</i> , 2014 , 22, 2420-5	7.7	30
23	Comparison of the Framingham risk score, UK Prospective Diabetes Study (UKPDS) Risk Engine, Japanese Atherosclerosis Longitudinal Study-Existing Cohorts Combine (JALS-ECC) and maximum carotid intima-media thickness for predicting coronary artery stenosis in patients with	3.9	22
22	Utility of the triglyceride level for predicting incident diabetes mellitus according to the fasting status and body mass index category: the Ibaraki Prefectural Health Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2014 , 21, 1152-69	3.9	13
21	Impact on short-term glycaemic control of initiating diabetes care versus leaving diabetes untreated among individuals with newly screening-detected diabetes in Japan. <i>Journal of Epidemiology and Community Health</i> , 2014 , 68, 1189-95	5	4
20	Development of a screening score for undiagnosed diabetes and its application in estimating absolute risk of future type 2 diabetes in Japan: Toranomon Hospital Health Management Center Study 10 (TOPICS 10). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 1051-60	5.4	18
19	Role of alcohol drinking pattern in type 2 diabetes in Japanese men: the Toranomon Hospital Health Management Center Study 11 (TOPICS 11). <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 561-8	6.6	27
18	Association between physical activity and risk of all-cause mortality and cardiovascular disease in patients with diabetes: a meta-analysis. <i>Diabetes Care</i> , 2013 , 36, 471-9	14.1	113
17	Quality and accuracy of Internet information concerning a healthy diet. <i>International Journal of Food Sciences and Nutrition</i> , 2013 , 64, 1007-13	3.5	12
16	Association of living alone with the presence of undiagnosed diabetes in Japanese men: the role of modifiable risk factors for diabetes: Toranomon Hospital Health Management Center Study 13 (TOPICS 13). <i>Diabetic Medicine</i> , 2013 , 30, 1355-9	3.4	3
15	Effect of postmenopausal status and age at menopause on type 2 diabetes and prediabetes in Japanese individuals: Toranomon Hospital Health Management Center Study 17 (TOPICS 17). <i>Diabetes Care</i> , 2013 , 36, 4007-14	14.1	62
14	Carotid artery plaque and LDL-to-HDL cholesterol ratio predict atherosclerotic status in coronary arteries in asymptomatic patients with type 2 diabetes mellitus. <i>Journal of Atherosclerosis and Thrombosis</i> , 2013 , 20, 452-64	3.9	29
13	Impact of introducing HbA1c into the diagnostic criteria on prevalence and cardiovascular risk profiles of individuals with newly diagnosed diabetes in Japan: the Toranomon Hospital Health Management Center Study 2 (TOPICS 2). <i>Diabetes Research and Clinical Practice</i> , 2012 , 95, 283-90	7.2	10
12	Longitudinal trajectories of HbA1c and fasting plasma glucose levels during the development of type 2 diabetes: the Toranomon Hospital Health Management Center Study 7 (TOPICS 7). <i>Diabetes Care</i> , 2012 , 35, 1050-2	14.1	32
11	Low lung function and risk of type 2 diabetes in Japanese men: the Toranomon Hospital Health Management Center Study 9 (TOPICS 9). <i>Mayo Clinic Proceedings</i> , 2012 , 87, 853-61	6.2	25
10	Development of a new scoring system for predicting the 5-year incidence of type 2 diabetes in Japan: the Toranomon Hospital Health Management Center Study 6 (TOPICS 6). <i>Diabetologia</i> , 2012 , 55, 3213-23	10	33
9	Impact of psychological stress caused by the Great East Japan Earthquake on glycemic control in patients with diabetes. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2012 , 120, 560-3	2.3	32

8	Comparisons of the strength of associations with future type 2 diabetes risk among anthropometric obesity indicators, including waist-to-height ratio: a meta-analysis. <i>American Journal of Epidemiology</i> , 2012 , 176, 959-69	3.7	149
7	Quality of Internet information related to the Mediterranean diet. <i>Public Health Nutrition</i> , 2012 , 15, 885-93	3.3	23
6	High normal HbA(1c) levels were associated with impaired insulin secretion without escalating insulin resistance in Japanese individuals: the Toranomon Hospital Health Management Center Study 8 (TOPICS 8). <i>Diabetic Medicine</i> , 2012 , 29, 1285-90	3.4	21
5	Screening for pre-diabetes to predict future diabetes using various cut-off points for HbA(1c) and impaired fasting glucose: the Toranomon Hospital Health Management Center Study 4 (TOPICS 4). <i>Diabetic Medicine</i> , 2012 , 29, e279-85	3.4	49
4	Skipping breakfast and prevalence of overweight and obesity in Asian and Pacific regions: a meta-analysis. <i>Preventive Medicine</i> , 2011 , 53, 260-7	4.1	152
3	Low serum potassium levels and risk of type 2 diabetes: the Toranomon Hospital Health Management Center Study 1 (TOPICS 1). <i>Diabetologia</i> , 2011 , 54, 762-6	10	30
2	Alcohol consumption and risk of atrial fibrillation: a meta-analysis. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 427-36	4.6	197
1	HbA1c 5.7-6.4% and impaired fasting plasma glucose for diagnosis of prediabetes and risk of progression to diabetes in Japan (TOPICS 3): a longitudinal cohort study. <i>Lancet, The</i> , 2011 , 378, 147-55	36.2	164