

Cinto Segals

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2854244/cinto-segalas-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61
papers

1,899
citations

24
h-index

42
g-index

66
ext. papers

2,234
ext. citations

5.2
avg, IF

4.05
L-index

#	Paper	IF	Citations
61	Deep Brain Stimulation for Obsessive-Compulsive Disorder: A Meta-Analysis of Treatment Outcome and Predictors of Response. <i>PLoS ONE</i> , 2015 , 10, e0133591	3.7	219
60	Brain corticostriatal systems and the major clinical symptom dimensions of obsessive-compulsive disorder. <i>Biological Psychiatry</i> , 2013 , 73, 321-8	7.9	174
59	Female reproductive cycle and obsessive-compulsive disorder. <i>Journal of Clinical Psychiatry</i> , 2005 , 66, 428-35; quiz 546	4.6	137
58	Gender differences in obsessive-compulsive symptom dimensions. <i>Depression and Anxiety</i> , 2008 , 25, 832-84	8.4	114
57	Clinical implications of insight assessment in obsessive-compulsive disorder. <i>Comprehensive Psychiatry</i> , 2008 , 49, 305-12	7.3	65
56	Extensive genotyping of the BDNF and NTRK2 genes define protective haplotypes against obsessive-compulsive disorder. <i>Biological Psychiatry</i> , 2008 , 63, 619-28	7.9	63
55	Suicide in patients treated for obsessive-compulsive disorder: a prospective follow-up study. <i>Journal of Affective Disorders</i> , 2010 , 124, 300-8	6.6	62
54	Amygdala activation and symptom dimensions in obsessive-compulsive disorder. <i>British Journal of Psychiatry</i> , 2014 , 204, 61-8	5.4	61
53	Neural correlates of moral sensitivity in obsessive-compulsive disorder. <i>Archives of General Psychiatry</i> , 2012 , 69, 741-9		48
52	Stressful life events at onset of obsessive-compulsive disorder are associated with a distinct clinical pattern. <i>Depression and Anxiety</i> , 2011 , 28, 367-76	8.4	47
51	Animal models of obsessive-compulsive disorder: utility and limitations. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 1939-55	3.1	44
50	Association between the NMDA glutamate receptor GRIN2B gene and obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2012 , 37, 273-81	4.5	41
49	Brain regions related to fear extinction in obsessive-compulsive disorder and its relation to exposure therapy outcome: a morphometric study. <i>Psychological Medicine</i> , 2014 , 44, 845-56	6.9	39
48	Genetic susceptibility to obsessive-compulsive hoarding: the contribution of neurotrophic tyrosine kinase receptor type 3 gene. <i>Genes, Brain and Behavior</i> , 2008 , 7, 778-85	3.6	38
47	Verbal and nonverbal memory processing in patients with obsessive-compulsive disorder: its relationship to clinical variables. <i>Neuropsychology</i> , 2008 , 22, 262-72	3.8	37
46	Brain structural correlates of sensory phenomena in patients with obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2015 , 40, 232-40	4.5	36
45	Identifying brain imaging correlates of clinical response to repetitive transcranial magnetic stimulation (rTMS) in major depression. <i>Brain Stimulation</i> , 2013 , 6, 54-61	5.1	36

44	Variants in estrogen receptor alpha gene are associated with phenotypical expression of obsessive-compulsive disorder. <i>Psychoneuroendocrinology</i> , 2011 , 36, 473-83	5	35
43	A brain-derived neurotrophic factor haplotype is associated with therapeutic response in obsessive-compulsive disorder. <i>Biological Psychiatry</i> , 2009 , 66, 674-80	7.9	33
42	Variation in the BDNF Val66Met polymorphism and response to cognitive-behavior therapy in obsessive-compulsive disorder. <i>European Psychiatry</i> , 2012 , 27, 386-90	6	32
41	Hypothalamic-pituitary-adrenal axis activity and cognition in major depression: The role of remission status. <i>Psychoneuroendocrinology</i> , 2017 , 76, 38-48	5	31
40	Exon-focused genome-wide association study of obsessive-compulsive disorder and shared polygenic risk with schizophrenia. <i>Translational Psychiatry</i> , 2016 , 6, e768	8.6	29
39	Distinct correlates of hoarding and cleaning symptom dimensions in relation to onset of obsessive-compulsive disorder at menarche or the perinatal period. <i>Archives of Women's Mental Health</i> , 2010 , 13, 75-81	5	28
38	Basolateral amygdala-ventromedial prefrontal cortex connectivity predicts cognitive behavioural therapy outcome in adults with obsessive-compulsive disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2017 , 42, 378-385	4.5	27
37	Individual versus group cognitive-behavioral treatment for obsessive-compulsive disorder: a controlled pilot study. <i>Psychotherapy Research</i> , 2008 , 18, 604-14	3.6	24
36	Brain structural alterations in obsessive-compulsive disorder patients with autogenous and reactive obsessions. <i>PLoS ONE</i> , 2013 , 8, e75273	3.7	23
35	Individual versus group cognitive behavioral treatment for obsessive-compulsive disorder: follow up. <i>Psychiatry and Clinical Neurosciences</i> , 2008 , 62, 697-704	6.2	23
34	A prospective international multi-center study on safety and efficacy of deep brain stimulation for resistant obsessive-compulsive disorder. <i>Molecular Psychiatry</i> , 2021 , 26, 1234-1247	15.1	23
33	Predictive value of familiarity, stressful life events and gender on the course of obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , 2015 , 185, 129-34	6.6	21
32	Hypothalamic-pituitary-adrenal axis activity in the comorbidity between obsessive-compulsive disorder and major depression. <i>Psychoneuroendocrinology</i> , 2018 , 93, 20-28	5	20
31	Spanish version of the Dimensional Obsessive-Compulsive Scale (DOCS): psychometric properties and relation to obsessive beliefs. <i>Comprehensive Psychiatry</i> , 2014 , 55, 206-14	7.3	20
30	Neurological soft signs in obsessive-compulsive disorder: two empirical studies and meta-analysis. <i>Psychological Medicine</i> , 2013 , 43, 1069-79	6.9	20
29	Olfactory identification and discrimination in obsessive-compulsive disorder. <i>Depression and Anxiety</i> , 2011 , 28, 932-40	8.4	20
28	Neural correlates of obsessive-compulsive related dysfunctional beliefs. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013 , 47, 25-32	5.5	16
27	The interaction between Comt and Bdnf variants influences obsessive-compulsive-related dysfunctional beliefs. <i>Journal of Anxiety Disorders</i> , 2013 , 27, 321-7	10.9	16

26	Memory and strategic processing in first-degree relatives of obsessive compulsive patients. <i>Psychological Medicine</i> , 2010 , 40, 2001-11	6.9	16
25	FKBP5 polymorphisms and hypothalamic-pituitary-adrenal axis negative feedback in major depression and obsessive-compulsive disorder. <i>Journal of Psychiatric Research</i> , 2018 , 104, 227-234	5.2	15
24	Brain alterations in low-frequency fluctuations across multiple bands in obsessive compulsive disorder. <i>Brain Imaging and Behavior</i> , 2017 , 11, 1690-1706	4.1	15
23	Comorbidity in pathological gambling: clinical variables, personality and treatment response. <i>Revista De Psiquiatria Y Salud Mental</i> , 2009 , 2, 178-89	2.7	15
22	Intrinsic functional and structural connectivity of emotion regulation networks in obsessive-compulsive disorder. <i>Depression and Anxiety</i> , 2019 , 36, 110-120	8.4	13
21	Do polygenic risk and stressful life events predict pharmacological treatment response in obsessive compulsive disorder? A gene-environment interaction approach. <i>Translational Psychiatry</i> , 2019 , 9, 70	8.6	11
20	Interaction of SLC1A1 gene variants and life stress on pharmacological resistance in obsessive-compulsive disorder. <i>Pharmacogenomics Journal</i> , 2013 , 13, 470-5	3.5	11
19	Inter-individual variability in emotion regulation: Pathways to obsessive-compulsive symptoms. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2016 , 11, 105-112	1.7	11
18	Altered functional connectivity of the subthalamus and the bed nucleus of the stria terminalis in obsessive-compulsive disorder. <i>Psychological Medicine</i> , 2018 , 48, 919-928	6.9	10
17	Brain structural correlates of obsessive-compulsive disorder with and without preceding stressful life events. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 366-77	3.8	10
16	Factors Associated with Long-Term Sickness Absence Due to Mental Disorders: A Cohort Study of 7.112 Patients during the Spanish Economic Crisis. <i>PLoS ONE</i> , 2016 , 11, e0146382	3.7	10
15	Removing and reimplanting deep brain stimulation therapy devices in resistant OCD (when the patient does not respond): case report. <i>BMC Psychiatry</i> , 2016 , 16, 26	4.2	9
14	Brain structural imaging correlates of olfactory dysfunction in obsessive-compulsive disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 225-33	5.1	9
13	Spanish adaptation of the Dimensional Yale-Brown Obsessive-Compulsive Scale. <i>Comprehensive Psychiatry</i> , 2010 , 51, 641-8	7.3	9
12	Looking into the genetic bases of OCD dimensions: a pilot genome-wide association study. <i>Translational Psychiatry</i> , 2020 , 10, 151	8.6	7
11	A case-control study of sex differences in strategic processing and episodic memory in obsessive-compulsive disorder. <i>Comprehensive Psychiatry</i> , 2010 , 51, 303-11	7.3	7
10	Sleep disturbances in obsessive-compulsive disorder: influence of depression symptoms and trait anxiety. <i>BMC Psychiatry</i> , 2021 , 21, 42	4.2	5
9	Oral contraceptive pill use and changes in obsessive-compulsive symptoms. <i>Journal of Psychosomatic Research</i> , 2006 , 60, 647-8	4.1	4

8	Is glutamate associated with fear extinction and cognitive behavior therapy outcome in OCD? A pilot study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 1003-1014	5.1	4
7	Reproductive hormone sensitivity and obsessive-compulsive disorder: are there differences in the genetic predisposition between symptom dimensions?. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 417-8	4.6	2
6	First manic/hypomanic episode in obsessive-compulsive disorder patients treated with antidepressants: A systematic review. <i>Journal of Psychiatric Research</i> , 2021 , 137, 319-327	5.2	1
5	Sex differences in the association between obsessive-compulsive symptom dimensions and diurnal cortisol patterns. <i>Journal of Psychiatric Research</i> , 2021 , 133, 191-196	5.2	1
4	Neural correlates of fear conditioning and fear extinction and its association with cognitive-behavioral therapy outcome in adults with obsessive-compulsive disorder. <i>Behaviour Research and Therapy</i> , 2021 , 144, 103927	5.2	1
3	Deep brain stimulation for obsessive-compulsive disorder: A systematic review of worldwide experience after 20 years. <i>World Journal of Psychiatry</i> , 2021 , 11, 659-680	3	1
2	Exploring genetic variants in obsessive compulsive disorder severity: A GWAS approach. <i>Journal of Affective Disorders</i> , 2020 , 267, 23-32	6.6	0
1	Childhood maltreatment interacts with hypothalamic-pituitary-adrenal axis negative feedback and major depression: effects on cognitive performance. <i>Högre Utbildning</i> , 2021 , 12, 1857955	5	