

# Sung-Yool Choi

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2855050/sung-yool-choi-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161  
papers

7,570  
citations

46  
h-index

83  
g-index

173  
ext. papers

8,583  
ext. citations

7.9  
avg, IF

6.01  
L-index

#	Paper	IF	Citations
161	A Vertical Silicon Nanowire Based Single Transistor Neuron with Excitatory, Inhibitory, and Myelination Functions for Highly Scalable Neuromorphic Hardware. <i>Small</i> , <b>2021</b> , 17, e2103775	11	2
160	Wafer-Scale Uniform Growth of an Atomically Thin MoS Film with Controlled Layer Numbers by Metal-Organic Chemical Vapor Deposition. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 50497-50504	9.5	2
159	Atomically thin heterostructure with gap-mode plasmon for overcoming trade-off between photoresponsivity and response time. <i>Nano Research</i> , <b>2021</b> , 14, 1305-1310	10	3
158	Enhanced Triboelectric Nanogenerator Based on Tungsten Disulfide via Thiolated Ligand Conjugation. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 21299-21309	9.5	6
157	Low-Temperature and High-Quality Growth of BiOSe Layered Semiconductors Cracking Metal-Organic Chemical Vapor Deposition. <i>ACS Nano</i> , <b>2021</b> , 15, 8715-8723	16.7	7
156	Hybrid Gate Dielectric of MoS <sub>2</sub> Transistors for Enhanced Photo-Electronic Stability. <i>Advanced Materials Interfaces</i> , <b>2021</b> , 8, 2100599	4.6	2
155	Metastable quantum dot for photoelectric devices via flash-induced one-step sequential self-formation. <i>Nano Energy</i> , <b>2021</b> , 84, 105889	17.1	5
154	Passivation layer effect on the positive bias temperature instability of molybdenum disulfide thin film transistors. <i>Journal of Information Display</i> , <b>2021</b> , 22, 13-19	4.1	1
153	Ultrasensitive WSe <sub>2</sub> /In <sub>2</sub> Se <sub>3</sub> NIR Photodetector Based on Ferroelectric Gating Effect. <i>Advanced Materials Technologies</i> , <b>2021</b> , 6, 2100494	6.8	3
152	Cointegration of single-transistor neurons and synapses by nanoscale CMOS fabrication for highly scalable neuromorphic hardware. <i>Science Advances</i> , <b>2021</b> , 7,	14.3	14
151	Atomically thin Schottky junction with a gap-mode plasmon for enhanced photoresponsivity in MoS <sub>2</sub> -based photodetectors. <i>Journal Physics D: Applied Physics</i> , <b>2021</b> , 54, 145301	3	2
150	Vertical-Tunneling Field-Effect Transistor Based on WSe <sub>2</sub> -MoS <sub>2</sub> Heterostructure with Ion Gel Dielectric. <i>Advanced Electronic Materials</i> , <b>2020</b> , 6, 2000091	6.4	10
149	TFT Channel Materials for Display Applications: From Amorphous Silicon to Transition Metal Dichalcogenides. <i>Advanced Materials</i> , <b>2020</b> , 32, e1907166	24	30
148	Synthesis of Ultrathin Metal Nanowires with Chemically Exfoliated Tungsten Disulfide Nanosheets. <i>Nano Letters</i> , <b>2020</b> , 20, 3740-3746	11.5	10
147	Ultrasensitive Phototransistor Based on WSe-MoS van der Waals Heterojunction. <i>Nano Letters</i> , <b>2020</b> , 20, 5741-5748	11.5	54
146	ZnO-CuO Core-Hollow Cube Nanostructures for Highly Sensitive Acetone Gas Sensors at the ppb Level. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 35688-35697	9.5	63
145	Low-Thermal-Budget Doping of 2D Materials in Ambient Air Exemplified by Synthesis of Boron-Doped Reduced Graphene Oxide. <i>Advanced Science</i> , <b>2020</b> , 7, 1903318	13.6	3

144	Probing temperature-dependent interlayer coupling in a MoS <sub>2</sub> /h-BN heterostructure. <i>Nano Research</i> , <b>2020</b> , 13, 576-582	10	9
143	Conductive-bridging random-access memories for emerging neuromorphic computing. <i>Nanoscale</i> , <b>2020</b> , 12, 14339-14368	7.7	18
142	Low-Thermal-Budget Doping: Low-Thermal-Budget Doping of 2D Materials in Ambient Air Exemplified by Synthesis of Boron-Doped Reduced Graphene Oxide (Adv. Sci. 7/2020). <i>Advanced Science</i> , <b>2020</b> , 7, 2070039	13.6	78
141	Gap-Mode Plasmon-Induced Photovoltaic Effect in a Vertical Multilayer Graphene Homojunction. <i>Advanced Optical Materials</i> , <b>2020</b> , 8, 1901519	8.1	3
140	Varying electronic coupling at graphene-copper interfaces probed with Raman spectroscopy. <i>2D Materials</i> , <b>2020</b> , 7, 025006	5.9	6
139	Flexible and Transparent Thin-Film Transistors Based on Two-Dimensional Materials for Active-Matrix Display. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 4749-4754	9.5	14
138	High-Performance Field-Effect Transistor and Logic Gates Based on GaS-MoS van der Waals Heterostructure. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 5106-5112	9.5	8
137	Photoconductivity Switching in MoTe/Graphene Heterostructure by Trap-Assisted Photogating. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 38563-38569	9.5	10
136	Order-of-Magnitude, Broadband-Enhanced Light Emission from Quantum Dots Assembled in Multiscale Phase-Separated Block Copolymers. <i>Nano Letters</i> , <b>2019</b> , 19, 6827-6838	11.5	14
135	A feasible strategy to prepare quantum dot-incorporated carbon nanofibers as free-standing platforms. <i>Nanoscale Advances</i> , <b>2019</b> , 1, 3948-3956	5.1	1
134	Nonvolatile Memories Based on Graphene and Related 2D Materials. <i>Advanced Materials</i> , <b>2019</b> , 31, e1806663	14.6	145
133	Si-MoS Vertical Heterojunction for a Photodetector with High Responsivity and Low Noise Equivalent Power. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 7626-7634	9.5	36
132	Bioinspired Polydopamine-Based Resistive-Switching Memory on Cotton Fabric for Wearable Neuromorphic Device Applications. <i>Advanced Materials Technologies</i> , <b>2019</b> , 4, 1900151	6.8	17
131	Sonochemical synthesis of HKUST-1-based CuO decorated with Pt nanoparticles for formaldehyde gas-sensor applications. <i>Sensors and Actuators B: Chemical</i> , <b>2019</b> , 292, 289-296	8.5	33
130	Observation of Wavelength-Dependent Quantum Plasmon Tunneling with Varying the Thickness of Graphene Spacer. <i>Scientific Reports</i> , <b>2019</b> , 9, 1199	4.9	10
129	Chemically exfoliated 1T-phase transition metal dichalcogenide nanosheets for transparent antibacterial applications. <i>2D Materials</i> , <b>2019</b> , 6, 025025	5.9	31
128	Large-Scale, Low-Power Nonvolatile Memory Based on Few-Layer MoS <sub>2</sub> and Ultrathin Polymer Dielectrics. <i>Advanced Electronic Materials</i> , <b>2019</b> , 5, 1800688	6.4	16
127	Improved Electrical Contact Properties of MoS <sub>2</sub> -Graphene Lateral Heterostructure. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1807550	15.6	26

126	Polymer Analog Memristive Synapse with Atomic-Scale Conductive Filament for Flexible Neuromorphic Computing System. <i>Nano Letters</i> , <b>2019</b> , 19, 839-849	11.5	84
125	Flexible and Transparent Graphene Electrode Architecture with Selective Defect Decoration for Organic Light-Emitting Diodes. <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1704435	15.6	45
124	Two-dimensional sheet resistance model for polycrystalline graphene with overlapped grain boundaries. <i>FlatChem</i> , <b>2018</b> , 7, 19-25	5.1	3
123	Stretchable thin-film transistors with molybdenum disulfide channels and graphene electrodes. <i>Nanoscale</i> , <b>2018</b> , 10, 16069-16078	7.7	15
122	Large-Area CVD-Grown MoS <sub>2</sub> Driver Circuit Array for Flexible Organic Light-Emitting Diode Display. <i>Advanced Electronic Materials</i> , <b>2018</b> , 4, 1800251	6.4	28
121	Memristive Logic-in-Memory Integrated Circuits for Energy-Efficient Flexible Electronics. <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1704725	15.6	37
120	Graphene electrode with tunable charge transport in thin-film transistors. <i>Nano Research</i> , <b>2018</b> , 11, 274-286	2.8	14
119	A Recoverable Synapse Device Using a Three-Dimensional Silicon Transistor. <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1804844	15.6	22
118	Vertical-Tunnel Field-Effect Transistor Based on a Silicon-MoS Three-Dimensional-Two-Dimensional Heterostructure. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 40212-40218	9.5	24
117	Vertical-tunneling field-effect transistor based on MoTe <sub>2</sub> /MoS <sub>2</sub> heterojunction. <i>Journal Physics D: Applied Physics</i> , <b>2018</b> , 51, 475101	3	14
116	Atomic-scale etching of hexagonal boron nitride for device integration based on two-dimensional materials. <i>Nanoscale</i> , <b>2018</b> , 10, 15205-15212	7.7	17
115	Pyridinic-N-Doped Graphene Paper from Perforated Graphene Oxide for Efficient Oxygen Reduction. <i>ACS Omega</i> , <b>2018</b> , 3, 5522-5530	3.9	25
114	60-3: High-Performance MoS <sub>2</sub> Thin-Film Transistors for Flexible OLED display. <i>Digest of Technical Papers SID International Symposium</i> , <b>2018</b> , 49, 797-799	0.5	2
113	First Demonstration of a Logic-Process Compatible Junctionless Ferroelectric FinFET Synapse for Neuromorphic Applications. <i>IEEE Electron Device Letters</i> , <b>2018</b> , 39, 1445-1448	4.4	81
112	Large-scale synthesis of uniform hexagonal boron nitride films by plasma-enhanced atomic layer deposition. <i>Scientific Reports</i> , <b>2017</b> , 7, 40091	4.9	41
111	Antibacterial Activities of Graphene Oxide-Molybdenum Disulfide Nanocomposite Films. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 7908-7917	9.5	115
110	Zero-static-power nonvolatile logic-in-memory circuits for flexible electronics. <i>Nano Research</i> , <b>2017</b> , 10, 2459-2470	10	31
109	Tuning the catalytic functionality of transition metal dichalcogenides grown by chemical vapour deposition. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 14950-14968	13	31

108	Selective protein transport through ultra-thin suspended reduced graphene oxide nanopores. <i>Nanoscale</i> , <b>2017</b> , 9, 13457-13464	7.7	14
107	Low-Power Nonvolatile Charge Storage Memory Based on MoS2 and an Ultrathin Polymer Tunneling Dielectric. <i>Advanced Functional Materials</i> , <b>2017</b> , 27, 1703545	15.6	29
106	Functional Circuitry on Commercial Fabric via Textile-Compatible Nanoscale Film Coating Process for Fibertronics. <i>Nano Letters</i> , <b>2017</b> , 17, 6443-6452	11.5	47
105	Comprehensive Study on the Relation Between Low-Frequency Noise and Asymmetric Parasitic Resistances in a Vertical Pillar-Type FET. <i>IEEE Electron Device Letters</i> , <b>2017</b> , 38, 1008-1011	4.4	4
104	Effective shape-controlled growth of monolayer MoS2 flakes by powder-based chemical vapor deposition. <i>Nano Research</i> , <b>2017</b> , 10, 255-262	10	64
103	Graphene and Two-Dimensional Transition Metal Dichalcogenide Materials for Energy-Related Applications. <i>KAIST Research Series</i> , <b>2016</b> , 253-291		
102	Conductive Graphitic Channel in Graphene Oxide-Based Memristive Devices. <i>Advanced Functional Materials</i> , <b>2016</b> , 26, 7406-7414	15.6	42
101	Valley-engineered ultra-thin silicon for high-performance junctionless transistors. <i>Scientific Reports</i> , <b>2016</b> , 6, 29354	4.9	2
100	Synergetic electrode architecture for efficient graphene-based flexible organic light-emitting diodes. <i>Nature Communications</i> , <b>2016</b> , 7, 11791	17.4	134
99	Floating gate memory based on MoS2 channel and iCVD polymer tunneling dielectric <b>2016</b> ,		2
98	Memristive Devices: Conductive Graphitic Channel in Graphene Oxide-Based Memristive Devices (Adv. Funct. Mater. 41/2016). <i>Advanced Functional Materials</i> , <b>2016</b> , 26, 7540-7540	15.6	
97	Multilayer Graphene with a Rippled Structure as a Spacer for Improving Plasmonic Coupling. <i>Advanced Functional Materials</i> , <b>2016</b> , 26, 5093-5101	15.6	28
96	Friction and conductance imaging of sp(2)- and sp(3)-hybridized subdomains on single-layer graphene oxide. <i>Nanoscale</i> , <b>2016</b> , 8, 4063-9	7.7	26
95	Abnormal electrical characteristics of multi-layered MoS2 FETs attributed to bulk traps. <i>2D Materials</i> , <b>2016</b> , 3, 015007	5.9	14
94	A Separate Extraction Method for Asymmetric Source and Drain Resistances Using Frequency-Dispersive $\$C\$ \mathbb{V}\$$ Characteristics in Exfoliated MoS2 FET. <i>IEEE Electron Device Letters</i> , <b>2016</b> , 37, 231-233	4.4	5
93	Healing Graphene Defects Using Selective Electrochemical Deposition: Toward Flexible and Stretchable Devices. <i>ACS Nano</i> , <b>2016</b> , 10, 1539-45	16.7	37
92	Self-Supplied Nano-Fusing and Transferring Metal Nanostructures via Surface Oxide Reduction. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 1112-9	9.5	25
91	DNA-Assisted Exfoliation of Tungsten Dichalcogenides and Their Antibacterial Effect. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 1943-50	9.5	62

90	A Low-Voltage Organic Complementary Inverter with High Operation Stability and Flexibility Using an Ultrathin iCVD Polymer Dielectric and a Hybrid Encapsulation Layer. <i>Advanced Electronic Materials</i> , <b>2016</b> , 2, 1500385	6.4	24
89	Laser-induced phase separation of silicon carbide. <i>Nature Communications</i> , <b>2016</b> , 7, 13562	17.4	47
88	Polymer-free graphene transfer for enhanced reliability of graphene field-effect transistors. <i>2D Materials</i> , <b>2016</b> , 3, 021003	5.9	14
87	Flexible Nonvolatile Polymer Memory Array on Plastic Substrate via Initiated Chemical Vapor Deposition. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 12951-8	9.5	49
86	Multilevel resistive switching nonvolatile memory based on MoS <sub>2</sub> nanosheet-embedded graphene oxide. <i>2D Materials</i> , <b>2016</b> , 3, 034002	5.9	48
85	Interface engineering for high performance graphene electronic devices. <i>Nano Convergence</i> , <b>2015</b> , 2, 11	9.2	15
84	Technical issues in graphene anode organic light emitting diodes. <i>Diamond and Related Materials</i> , <b>2015</b> , 57, 68-73	3.5	10
83	Improved optical sintering efficiency at the contacts of silver nanowires encapsulated by a graphene layer. <i>Small</i> , <b>2015</b> , 11, 1293-300	11	65
82	Metal-etching-free direct delamination and transfer of single-layer graphene with a high degree of freedom. <i>Small</i> , <b>2015</b> , 11, 175-81	11	49
81	Graphene Oxide Memory: Direct Observation of Conducting Nanofilaments in Graphene-Oxide-Resistive Switching Memory (Adv. Funct. Mater. 43/2015). <i>Advanced Functional Materials</i> , <b>2015</b> , 25, 6694-6694	15.6	1
80	Direct Observation of Conducting Nanofilaments in Graphene-Oxide-Resistive Switching Memory. <i>Advanced Functional Materials</i> , <b>2015</b> , 25, 6710-6715	15.6	52
79	Experimental study on quantum mechanical effect for insensitivity of threshold voltage against temperature variation in strained SOI MOSFETs <b>2015</b> ,		4
78	Optical Sintering: Improved Optical Sintering Efficiency at the Contacts of Silver Nanowires Encapsulated by a Graphene Layer (Small 11/2015). <i>Small</i> , <b>2015</b> , 11, 1356-1356	11	1
77	Improved electromigration-resistance of Cu interconnects by graphene-based capping layer <b>2015</b> ,		4
76	Ultra-low power, highly uniform polymer memory by inserted multilayer graphene electrode. <i>2D Materials</i> , <b>2015</b> , 2, 044013	5.9	18
75	High performance graphene field effect transistors on an aluminum nitride substrate with high surface phonon energy. <i>Applied Physics Letters</i> , <b>2014</b> , 104, 193112	3.4	15
74	Flexible and transparent gas molecule sensor integrated with sensing and heating graphene layers. <i>Small</i> , <b>2014</b> , 10, 3685-91	11	123
73	Effective liquid-phase exfoliation and sodium ion battery application of MoS <sub>2</sub> nanosheets. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2014</b> , 6, 7084-9	9.5	379

72	Carrier injection efficiencies and energy level alignments of multilayer graphene anodes for organic light-emitting diodes with different hole injection layers. <i>Carbon</i> , <b>2014</b> , 79, 623-630	10.4	26
71	Large-area single-layer MoSe <sub>2</sub> and its van der Waals heterostructures. <i>ACS Nano</i> , <b>2014</b> , 8, 6655-62	16.7	177
70	Laser-induced solid-phase doped graphene. <i>ACS Nano</i> , <b>2014</b> , 8, 7671-7	16.7	41
69	Facile graphene n-doping by wet chemical treatment for electronic applications. <i>Nanoscale</i> , <b>2014</b> , 6, 8503-8	7.8	25
68	Flexible Electronics: Flexible and Transparent Gas Molecule Sensor Integrated with Sensing and Heating Graphene Layers (Small 18/2014). <i>Small</i> , <b>2014</b> , 10, 3812-3812	11	7
67	Scanning transmission X-ray microscopy probe for in situ mechanism study of graphene-oxide-based resistive random access memory. <i>Journal of Synchrotron Radiation</i> , <b>2014</b> , 21, 170-6	2.4	10
66	Graphene transparent electrode for enhanced optical power and thermal stability in GaN light-emitting diodes. <i>Nanotechnology</i> , <b>2013</b> , 24, 075202	3.4	24
65	Doping suppression and mobility enhancement of graphene transistors fabricated using an adhesion promoting dry transfer process. <i>Applied Physics Letters</i> , <b>2013</b> , 103, 243504	3.4	13
64	Functionalized graphene as an ultrathin seed layer for the atomic layer deposition of conformal high-k dielectrics on graphene. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2013</b> , 5, 11515-9	9.5	27
63	Flexible NO <sub>2</sub> gas sensor using multilayer graphene films by chemical vapor deposition. <i>Carbon Letters</i> , <b>2013</b> , 14, 186-189	2.3	35
62	Solution-Processed Reduced Graphene Oxide Films as Electronic Contacts for Molecular Monolayer Junctions. <i>Angewandte Chemie</i> , <b>2012</b> , 124, 112-116	3.6	3
61	Solution-processed reduced graphene oxide films as electronic contacts for molecular monolayer junctions. <i>Angewandte Chemie - International Edition</i> , <b>2012</b> , 51, 108-12	16.4	54
60	Multilevel conductance switching for a monolayer of redox-active metal complexes through various metallic contacts. <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 1868-1875		13
59	A graphene oxide oxygen barrier film deposited via a self-assembly coating method. <i>Synthetic Metals</i> , <b>2012</b> , 162, 710-714	3.6	46
58	Nanoscale contacts between semiconducting nanowires and metallic graphenes. <i>Applied Physics Letters</i> , <b>2012</b> , 101, 063122	3.4	11
57	Switching terahertz waves with gate-controlled active graphene metamaterials. <i>Nature Materials</i> , <b>2012</b> , 11, 936-41	27	620
56	An electrochemically reduced graphene oxide-based electrochemical immunosensing platform for ultrasensitive antigen detection. <i>Analytical Chemistry</i> , <b>2012</b> , 84, 1871-8	7.8	159
55	Blue fluorescent organic light emitting diodes with multilayered graphene anode. <i>Materials Research Bulletin</i> , <b>2012</b> , 47, 2796-2799	5.1	11



54	Large area organic light emitting diodes with multilayered graphene anodes <b>2012</b> ,		2
53	Graphene-based photonic devices for soft hybrid optoelectronic systems. <i>Nanotechnology</i> , <b>2012</b> , 23, 344005	3-4	15
52	Multilayered graphene anode for blue phosphorescent organic light emitting diodes. <i>Applied Physics Letters</i> , <b>2012</b> , 100, 133304	3-4	54
51	Impedimetric Hg <sup>2+</sup> Detection on Multilayered Reduced Graphene Oxide-Modified Electrode. <i>Bulletin of the Korean Chemical Society</i> , <b>2012</b> , 33, 4219-4222	1.2	5
50	Characterization of chemical vapor deposition-grown graphene films with various etchants. <i>Carbon Letters</i> , <b>2012</b> , 13, 44-47	2-3	11
49	Flexible memristive memory array on plastic substrates. <i>Nano Letters</i> , <b>2011</b> , 11, 5438-42	11.5	227
48	Graphene-based plasmonic waveguides for photonic integrated circuits. <i>Optics Express</i> , <b>2011</b> , 19, 24557-53	5-6	120
47	Fabrication of TiO <sub>2</sub> memristive arrays by step and flash imprint lithography. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2011</b> , 11, 696-700	1.3	2
46	Critical role of top interface layer on the bipolar resistive switching of Al/PEDOT:PSS/Al memory device. <i>Current Applied Physics</i> , <b>2011</b> , 11, e35-e39	2.6	7
45	Impact of amorphous titanium oxide film on the device stability of Al/TiO <sub>2</sub> /Al resistive memory. <i>Applied Physics A: Materials Science and Processing</i> , <b>2011</b> , 102, 967-972	2.6	22
44	Aligned Circular-Type Nanowire Transistors Grown on Multilayer Graphene Film. <i>Journal of Physical Chemistry C</i> , <b>2011</b> , 115, 22163-22167	3.8	4
43	Role of Interface Reaction on Resistive Switching of Metal/Amorphous TiO <sub>2</sub> /Al RRAM Devices. <i>Journal of the Electrochemical Society</i> , <b>2011</b> , 158, H979	3.9	46
42	Comprehensive modeling of resistive switching in the Al/TiO <sub>x</sub> /TiO <sub>2</sub> /Al heterostructure based on space-charge-limited conduction. <i>Applied Physics Letters</i> , <b>2010</b> , 97, 033508	3-4	54
41	Conduction and Low-Frequency Noise Analysis in $\text{Al}/\alpha\text{-TiO}_2/\text{Al}$ Bipolar Switching Resistance Random Access Memory Devices. <i>IEEE Electron Device Letters</i> , <b>2010</b> , 31, 603-605	4-4	32
40	Direct observation of microscopic change induced by oxygen vacancy drift in amorphous TiO <sub>2</sub> thin films. <i>Applied Physics Letters</i> , <b>2010</b> , 97, 042109	3-4	33
39	LOW TEMPERATURE FABRICATION AND PHYSICAL PROPERTIES OF 5 at.% Ga-DOPED ZnO FILMS FOR TRANSPARENT ELECTRODE APPLICATIONS. <i>Functional Materials Letters</i> , <b>2010</b> , 03, 101-105	1.2	2
38	Hybrid nanowire-multilayer graphene film light-emitting sources. <i>Nanotechnology</i> , <b>2010</b> , 21, 425203	3-4	7
37	Surface energy modification by spin-cast, large-area graphene film for block copolymer lithography. <i>ACS Nano</i> , <b>2010</b> , 4, 5464-70	16.7	122



36	Graphene oxide thin films for flexible nonvolatile memory applications. <i>Nano Letters</i> , <b>2010</b> , 10, 4381-6	11.5	483
35	A low-temperature-grown TiO <sub>2</sub> -based device for the flexible stacked RRAM application. <i>Nanotechnology</i> , <b>2010</b> , 21, 115203	3.4	100
34	Bipolar resistive switching in amorphous titanium oxide thin film. <i>Physica Status Solidi - Rapid Research Letters</i> , <b>2010</b> , 4, 28-30	2.5	47
33	Flexible room-temperature NO <sub>2</sub> gas sensors based on carbon nanotubes/reduced graphene hybrid films. <i>Applied Physics Letters</i> , <b>2010</b> , 96, 213105	3.4	235
32	Flexible Resistive Switching Memory Device Based on Graphene Oxide. <i>IEEE Electron Device Letters</i> , <b>2010</b> , 31, 1005-1007	4.4	126
31	Interface-Engineered Amorphous TiO <sub>2</sub> -Based Resistive Memory Devices. <i>Advanced Functional Materials</i> , <b>2010</b> , 20, 3912-3917	15.6	145
30	Versatile carbon hybrid films composed of vertical carbon nanotubes grown on mechanically compliant graphene films. <i>Advanced Materials</i> , <b>2010</b> , 22, 1247-52	24	282
29	Bipolar resistive switching characteristics of poly(3,4-ethylene-dioxythiophene): Poly(styrenesulfonate) thin film. <i>Current Applied Physics</i> , <b>2010</b> , 10, e46-e49	2.6	23
28	Microscopic origin of bipolar resistive switching of nanoscale titanium oxide thin films. <i>Applied Physics Letters</i> , <b>2009</b> , 95, 162108	3.4	97
27	Use of 1,3-dithiane combined with aryldiazonium cation for immobilization of biomolecules based on electrochemical addressing. <i>Chemical Communications</i> , <b>2009</b> , 4865-7	5.8	6
26	Structure Effects on Resistive Switching of $\text{Al}/\text{TiO}_x/\text{Al}$ Devices for RRAM Applications. <i>IEEE Electron Device Letters</i> , <b>2008</b> , 29, 331-333	4.4	72
25	Electrochemically active, anti-biofouling polymer adlayers on indium-tin-oxide electrodes. <i>Chemical Communications</i> , <b>2008</b> , 3543-5	5.8	8
24	Effects of oxygen concentration on the electrical properties of ZnO films. <i>Ceramics International</i> , <b>2008</b> , 34, 1097-1101	5.1	24
23	Orientations of Polycrystalline ZnO at the Buried Interface of Oxide Thin Film Transistors (TFTs): A Grazing Incidence X-ray Diffraction Study. <i>Bulletin of the Korean Chemical Society</i> , <b>2008</b> , 29, 727-728	1.2	5
22	Rapid vapor-phase fabrication of organic-inorganic hybrid superlattices with monolayer precision. <i>Journal of the American Chemical Society</i> , <b>2007</b> , 129, 16034-41	16.4	98
21	Gadolinium Oxide Nanoring and Nanoplate: Anisotropic Shape Control. <i>Crystal Growth and Design</i> , <b>2007</b> , 7, 1378-1380	3.5	40
20	Sublithographic vertical gold nanogap for label-free electrical detection of protein-ligand binding. <i>Journal of Vacuum Science &amp; Technology B</i> , <b>2007</b> , 25, 443		30
19	Ambient pressure syntheses of size-controlled corundum-type In <sub>2</sub> O <sub>3</sub> nanocubes. <i>Journal of the American Chemical Society</i> , <b>2006</b> , 128, 9326-7	16.4	173

18	V-shaped tin oxide nanostructures featuring a broad photocurrent signal: an effective visible-light-driven photocatalyst. <i>Small</i> , <b>2006</b> , 2, 1436-9	11	131
17	Adsorption behavior of binary mixed alkanethiol molecules on Au: Scanning tunneling microscope and linear-scan voltammetry investigation. <i>Applied Surface Science</i> , <b>2006</b> , 252, 4951-4956	6.7	13
16	Enhanced surface evolution induced by the molecular desorption in dodecanethiol self-assembled monolayer on Au(1 1 1). <i>Surface Science</i> , <b>2006</b> , 600, 625-631	1.8	3
15	Synthesis and characterization of monomeric, oligomeric, and polymeric aluminum 8-hydroxyquinolines. <i>Inorganic Chemistry</i> , <b>2005</b> , 44, 7911-7	5.1	15
14	Room-temperature semiconductor gas sensor based on nonstoichiometric tungsten oxide nanorod film. <i>Applied Physics Letters</i> , <b>2005</b> , 86, 213105	3.4	217
13	Current flow through different phases of dodecanethiol self-assembled monolayer. <i>Surface Science</i> , <b>2005</b> , 583, 88-93	1.8	11
12	The fabrication technique and electrical properties of a free-standing GaN nanowire. <i>Applied Physics A: Materials Science and Processing</i> , <b>2005</b> , 81, 245-247	2.6	6
11	Fabrication of poly-Si/Au nano-gaps using atomic-layer-deposited Al <sub>2</sub> O <sub>3</sub> as a sacrificial layer. <i>Nanotechnology</i> , <b>2005</b> , 16, 361-364	3.4	4
10	V <sub>2</sub> O <sub>5</sub> nanowire-based nanoelectronic devices for helium detection. <i>Applied Physics Letters</i> , <b>2005</b> , 86, 253102	3.4	51
9	Cross-sectional transmission electron microscopy of carbon nanotubes/catalyst/substrate heterostructure using a novel method for specimen preparation. <i>Thin Solid Films</i> , <b>2002</b> , 415, 78-82	2.2	18
8	Characterization of Fe-catalyzed carbon nanotubes grown by thermal chemical vapor deposition. <i>Journal of Crystal Growth</i> , <b>2002</b> , 244, 211-217	1.6	55
7	Large field emission current density from well-aligned carbon nanotube field emitter arrays. <i>Current Applied Physics</i> , <b>2001</b> , 1, 61-65	2.6	17
6	Patterned selective growth of carbon nanotubes and large field emission from vertically well-aligned carbon nanotube field emitter arrays. <i>Applied Physics Letters</i> , <b>2001</b> , 78, 901-903	3.4	181
5	Micropatterned Vertically Aligned Carbon Nanotube Growth on a Si Surface or inside Trenches for field-emission devices. <i>Materials Research Society Symposia Proceedings</i> , <b>2001</b> , 706, 1		
4	Large Field Emission from Vertically Well-aligned Carbon Nanotubes. <i>Materials Research Society Symposia Proceedings</i> , <b>2000</b> , 633, 1491		
3	Scaling behavior at the onset of chaos in the logistic map driven by colored noise. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , <b>1995</b> , 205, 173-178	2.3	7
2	Enhanced Electrical Properties of Metal-Organic Chemical Vapor Deposition-Grown MoS <sub>2</sub> Thin Films through Oxygen-Assisted Defect Control. <i>Advanced Electronic Materials</i> , <b>2013</b> , 2, 1013-25	6.4	1
1	Highly Reliable Synaptic Cell Array Based on Organic/Inorganic Hybrid Bilayer Stack toward Precise Offline Learning. <i>Advanced Intelligent Systems</i> , <b>2020</b> , 2, 200018	6	0

